

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
18 November 2004 (18.11.2004)

PCT

(10) International Publication Number  
**WO 2004/099242 A2**

(51) International Patent Classification<sup>7</sup>: **C07K 14/315**

(21) International Application Number:  
PCT/EP2004/004856

(22) International Filing Date: 6 May 2004 (06.05.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
03450112.2 7 May 2003 (07.05.2003) EP  
03450266.6 28 November 2003 (28.11.2003) EP

(71) Applicant (for all designated States except US): **INTER-CELL AG** [AT/AT]; Campus Vienna Biocenter 6, A-1030 Vienna (AT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MEINKE, Andreas** [DE/AT]; Piettegassee 26/1, A-3013 Pressbaum (AT). **NAGY, Eszter** [HU/AT]; Taborstrasse 9, A-1020 Vienna (AT). **HANNER, Markus** [AT/AT]; Jacquingasse 5/6, A-1030 Vienna (AT). **HORKY, Markus** [AT/AT]; Wehlis-  
trasse 51/2a/20, A-1200 Vienna (AT). **KALLEND, Sabine** [AT/AT]; Roseggergasse 37/1, A-1160 Vienna (AT). **PRUSTOMERSKY, Sonja** [AT/AT]; Kreuzbrunn 10/4, A-3001 Mauerbach (AT).

(74) Agent: **SONN & PARTNER**; Riemergasse 14, A-1010 Vienna (AT).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Declarations under Rule 4.17:**

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations
- of inventorship (Rule 4.17(iv)) for US only

**Published:**

- without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **S. AGALACTIAE ANTIGENS I + II**

(57) Abstract: The present invention discloses isolated nucleic acid molecules encoding a hyperimmune serum reactive antigen or a fragment thereof as well as hyperimmune serum reactive antigens or fragments thereof from *S. agalactiae*, methods for isolating such antigens and specific uses thereof.

**THIS PAGE BLANK (USPTO)**

## S. agalactiae antigens, I, II, III

07 NOV 2004

The present invention relates to isolated nucleic acid molecules, which encode antigens for *Streptococcus agalactiae*, which are suitable for use in preparation of pharmaceutical medicaments for the prevention and treatment of bacterial infections caused by *Streptococcus agalactiae*.

*Streptococcus agalactiae* is a gram-positive bacterium, and belongs to the Group B Streptococci (GBS) based on its hemolysis pattern in blood agar. The organism is encapsulated, and capsule is an important element of pathogenicity. Capsules are antigenic and form the basis for classifying GBS by serotypes. Nine distinct GBS serotypes have been identified: Ia, Ib, II, III, IV, V, VI, VII and VIII. Most *S. agalactiae* serotypes have been shown to cause serious disease, and the two most common serotypes - type III and V - are estimated to account for the majority of invasive disease worldwide. The ranking and serotype prevalence differs by age group and geographic area. In the US, GBS type III causes more than 50% of infant disease, type V about 40% of nonpregnant adult disease, and type Ia about a third of disease in any patient population.

*Streptococcus agalactiae* is an important agent of human disease at the extremities of age and in those who have underlying disease. Group B *Streptococci* are the major cause of generalized and focal infections in the newborn infant. GBS is the predominant pathogen in newborns in the US since the 1970's. Bacterial infection can lead to life threatening diseases, such as sepsis, pneumonia and meningitis. Survivors can become permanently handicapped with hearing, learning and visual disabilities. Newborns usually acquire the organism intrapartum or during delivery from their GBS-colonized mothers. In addition, GBS are also a frequent cause of infections in pregnant women and in chronically ill and elderly patients, such as those suffering from diabetes, malignancies, immunodeficiencies, etc., (reviewed by Balter, S. et al. in Gram positive pathogens ed. by Fischetti V.A. et al. ASM Press 2000, pp 154-160).

10-35% of pregnant women are colonized with GBS, but are asymptomatic. However, GBS colonization is important because of the risk of vertical transmission. 50-70% of neonates born to colonized women - that is 5-15% of all newborns - become colonized by GBS during delivery. Colonization is a prerequisite for infection and disease. The most preterm infants are at the highest risk for invasive disease due to low maternal transfer of antibodies and immature immune system. GBS carriage during pregnancy may be chronic, intermittent, or transient. It is difficult to assess the duration of carriage, since women are screened once during a prenatal visit from the late trimester. Several studies suggest that there is a correlation (~90%) between the colonization status in the third trimester and at the time of delivery. Serotyping of the isolates indicates that persistence of the same type is most common (reviewed by Balter, S. et al. in Gram positive pathogens ed. by Fischetti V.A. et al. ASM Press 2000, pp 154-160).

Without preventive intervention, 1 to 2% of all neonates and 15% of neonates born to heavily colonized women develop invasive disease (sepsis, pneumonia and/or meningitis). In the US, GBS infections affect 1-5 newborns/1000 live birth. About 17,000 cases of invasive GBS disease occurred in the US annually, and 7,500 occurred in newborns before prevention. GBS is the most common cause of bacterial meningitis accounting for ~ 40 % of all cases reported in this age group. The overall incidence of invasive GBS disease is 0.2-0.7/100,000 in the US. It is somewhat lower in Europe. Mortality without preventive intervention is 6% with invasive disease, every 16. infected newborn dies and 20% of survivors become permanently handicapped.

The rates of serious group B strep infections are much higher among newborns than among any other age group. Nonetheless, serious group B strep infections occur in other age groups in both men and women. Among non-pregnant adults, rates of serious disease range from 4.1 to 7.2 cases per 100,000 populations. The average death rate for invasive infections (infections where the bacteria have entered a part of the body that is normally not exposed to bacteria) is 8-10% for adult's ages 18-64 and 15-25% for adults 65 years of age and over. Mortality rates are lower among younger adults, and adults who do not have other medical conditions. The rate of serious group B strep disease increases with age. The average age of cases

CONFIRMATION COPY

in non-pregnant adults is about 60 years old. Most adult group B strep disease occurs in adults who have serious medical conditions. These include: diabetes mellitus; liver disease; history of stroke; history of cancer; or bedsores. Among the elderly, rates of serious group B strep disease are more common among residents of nursing facilities, and among bedridden hospitalized patients. Group B strep disease among non-pregnant adults may often be acquired after recent trauma, or after having certain invasive hospital procedures like surgery ([Farley, M., 2001]; [Jackson, L. et al., 1995]; [www.cdc.gov/groupbstrep/](http://www.cdc.gov/groupbstrep/)).

Direct medical costs of neonatal disease before prevention were \$294 million annually and GBS continues to pose a considerable economic burden.

A definitive diagnosis of infection with *Streptococcus agalactiae* generally relies on isolation of the organism from cervical swabs, blood or other normally sterile body sites. Tests are also available to detect capsular polysaccharide antigen in body fluids.

Penicillin G is the treatment of choice for established cases of GBS. Ten days of treatment is recommended for bacteremia, pneumonia and soft tissue infections, while 2-3 weeks is recommended for meningitis and 3-4 weeks for osteomyelitis.

Prevention has been established since 1994 in North America by screening pregnant women for carriage of GBS, taking vaginal and anorectal swabs at 35-37 weeks' gestation, or by identifying risk factors at admission for delivery without cultures. Women who are candidates for prophylaxis are given intrapartum antibiotic therapy during labor to prevent early-onset neonatal disease. This prevention method has decreased the incidence of GBS disease from 1.7 to 0.4/1000 live births between 1993 and 1999 in the US. Although most neonatal GBS disease can be prevented through intrapartum prophylaxis (Penicillin G or Ampicillin), currently available strategies are not ideal, especially for the prevention of late-onset (>7 days of age) infections and disease in premature babies. There are always individuals who escape of screening for carriage due to several reasons, such as intermittent carriers, who are tested negative at wks 32-35, but become positive during delivery, unattendance, negligence, or delivery before screening date (32-35 wks).

In the long run, widespread use of antibiotics usually induces resistant strains that appear after a period of time. Extensive use of Penicillin (every 3-5<sup>th</sup> women are treated with high dose), and other antibiotics has already been shown to steadily increase the percentage of antibiotic resistant clinical isolates (ref). Moreover, efficiency of antibiotic based prevention is not that effective for late onset disease, as it is for early onset (within 48 hrs after delivery). An additional concern is that prevention in susceptible adult populations has not been addressed.

Vaccine development is hindered by the lack of sufficient knowledge about the elements of protective immunity against GBS carriage and disease. The relationship of carriage to the development of natural immunity is poorly understood. In addition, the immunologic mechanism that allows disease to occur in a carrier is ill defined. However, it is suggested that the maternal serum levels of pathogen-specific antibodies are correlated with neonatal GBS disease. It has been firmly established that there is an inverse correlation between maternal anti-capsular polysaccharide antibody levels at delivery and the frequency of invasive neonatal diseases [Campbell, J. et al., 2000].

Although the group B carbohydrate antigen is common to all strains of GBS, unfortunately, it is not strongly immunogenic and antibodies are not protective from lethal challenge in experimental models. The GBS capsule itself that is made of polysaccharides, is immunogenic and is able to induce protective antibodies. However, this protection is type-specific. Although capsular specific antibodies have been shown to be highly protective, it remains unclear what concentration of these serotype-specific antibodies protect against disease and more recently it has become clear that opsonic activity and avidity of these



antibodies are more critical determinants of protection than concentration.

The importance of surface proteins in human immunity to *S. agalactiae* already has been appreciated. It is apparent that all serotypes express surface proteins with activity relevant to host immune defense. The alpha C protein, beta C protein, Rib and Sip proteins are well-characterized biochemically and genetically, and have also been shown to immunogenic and protective in animal models ([Michel, J. et al., 1991]; [Brodeur, B. et al., 2000]; [Larsson, C. et al., 1999]; [Cheng, Q. et al., 2002]). The major problem with these proteins as vaccine candidates seems to be their variability in prevalence among the different clinical isolates of GBS. The Rib protein for example is present in serotype III GBS, but missing from type V, which responsible for significant portion of disease worldwide. Some other surface proteins are characterized as being immunogenic, but there is a limited systematic work done to identify most of the immunogenic proteins of GBS.

Thus, there remains a need for an effective treatment to prevent or ameliorate GBS infections. A vaccine could not only prevent infections by GBS, but more specifically prevent or ameliorate colonization of host tissues (esp. in the birth canal), thereby reducing the incidence of transmission from mother to fetus. Reducing the incidence of acute infection and carriage of the organism would lead to prevention of invasive diseases in newborns - pneumonia, bacteremia, meningitis, and sepsis. Vaccines capable of showing cross-protection against the majority of *S. agalactiae* strains causing human infections could also be useful to prevent or ameliorate infections caused by all other streptococcal species, namely groups A, C and G.

A vaccine can contain a whole variety of different antigens. Examples of antigens are whole-killed or attenuated organisms, subfractions of these organisms/tissues, proteins, or, in their most simple form, peptides. Antigens can also be recognized by the immune system in form of glycosylated proteins or peptides and may also be or contain polysaccharides or lipids. Short peptides can be used since for example cytotoxic T-cells (CTL) recognize antigens in form of short usually 8-11 amino acids long peptides in conjunction with major histocompatibility complex (MHC). B-cells can recognize linear epitopes as short as 4-5 amino acids, as well as three-dimensional structures (conformational epitopes). In order to obtain sustained, antigen-specific immune responses, adjuvants need to trigger immune cascades that involve all cells of the immune system. Primarily, adjuvants are acting, but are not restricted in their mode of action, on so-called antigen presenting cells (APCs). These cells usually first encounter the antigen(s) followed by presentation of processed or unmodified antigen to immune effector cells. Intermediate cell types may also be involved. Only effector cells with the appropriate specificity are activated in a productive immune response. The adjuvant may also locally retain antigens and co-injected other factors. In addition the adjuvant may act as a chemoattractant for other immune cells or may act locally and/or systemically as a stimulating agent for the immune system.

Vaccine development since the late 1970s has focused on the capsular polysaccharides, but a safe, effective product is still not available. However, vaccine against *S. agalactiae* is ranked as one of the most important for development and administration to infants and high-risk adults. Currently vaccines against this infection are only in the research stages of development. Efforts are focused on using capsular polysaccharide (CPS) as immunogens, either with or without conjugation to protein [Paoletti, L. et al., 2002]. However, there are several arguments against the use of polysaccharide-based vaccine. Polysaccharides induce IgG2 antibodies, which cross the placenta less efficiently than IgG1 or IgG3 antibodies. It is especially a problem for the most susceptible neonates, the still-borns since placental antibody transfer is low before weeks 32-34. It is estimated that ~10% of deliveries occur before the 34<sup>th</sup> pregnancy week.

Protein conjugate vaccines are no doubt a great new addition to the armamentarium in the battle against GBS disease, but the vaccine can contain only a limited number of GBS serotypes and given adequate ecological pressure, replacement disease by non-vaccine serotypes remains a real threat, particularly in

areas with very high disease burden. Moreover polysaccharide antigens used for active immunization do not provide immunological memory in humans. Conjugation of CPS to non-GBS related immunogenic protein carriers (e.g. tetanus toxoid, cholera toxin B subunit, etc.) has been shown to be beneficial in inducing higher concentrations of antibodies in vaccinees, but it does not provide pathogen-specific B cell and T cell epitopes which would recruit memory B and T cells during a real infection to support the most effective host response. To be able to supplement the CPS vaccines with proteins fulfilling these criteria it is necessary to identify conserved immunogenic GBS-specific surface proteins.

All these insufficiencies suggest that there is a need to develop new generation vaccines composed of proteins, or their derivatives, expressed by all strains under *in vivo* conditions with the ability to induce opsonizing and/or neutralizing antibodies in humans.

There is a great potential for passive antibody-based therapy. There have been already attempts to use human intravenous immunoglobulin (IVIG) preparations for prevention. Recent advances in the technology of monoclonal antibody production provide the means to generate human antibody reagents and reintroduce antibody therapies, while avoiding the toxicities associated with serum therapy. Immunoglobulins are an extremely versatile class of antimicrobial proteins that can be used to prevent and treat emerging infectious diseases. Antibody therapy has been effective against a variety of diverse microorganisms (reviewed in {Burnie, J. et al., 1998}). Anti-GBS mAbs could be given therapeutically to every newborn that develop invasive diseases or preventively to low birth-weight and premature neonates.

During the last decade the immunogenicity and protective capacity of several GBS proteins have been described in animal models and these are now being explored for the development of species-common protein based vaccines. Such proteins are the GBS surface proteins Sip {Brodeur, B. et al., 2000}, rib,  $\alpha$ -protein and {Michel, J. et al., 1991}.

Certain proteins or enzymes displayed on the surface of gram-positive organisms significantly contribute to pathogenesis, are involved in the disease process caused by these pathogens. Often, these proteins are involved in direct interactions with host tissues or in concealing the bacterial surface from the host defense mechanisms {Navarre, W. et al., 1999}. *S. agalactiae* is not an exception in this regard. Several surface proteins are characterized as virulence factors, important for GBS pathogenicity ((reviewed in {Paoletti L.C. et al. in Gram positive pathogens, ed. by Fischetti V.A et al., ASM Press 2000, pp 137-153}; {Paoletti, L. et al., 2002}). If antibodies to these proteins could offer better protection to humans than polysaccharides, they could provide the source of a novel, protein-based GBS vaccine to be used in conjunction with or in place of the more traditional capsular polysaccharide vaccine. The use of some of the above-described proteins as antigens for a potential vaccine as well as a number of additional candidates resulted mainly from a selection based on easiness of identification or chance of availability. There is a demand to identify relevant antigens for *S. agalactiae* in a more comprehensive way.

The present inventors have developed a method for identification, isolation and production of hyperimmune serum reactive antigens from a specific pathogen, especially from *Staphylococcus aureus* and *Staphylococcus epidermidis* (WO 02/059148). However, given the differences in biological property, pathogenic function and genetic background, *Streptococcus agalactiae* is distinctive from *Staphylococcus* strains. Importantly, the selection of sera for the identification of antigens from *S. agalactiae* is different from that applied to the *S. aureus* screens. Four major types of human antibody sources were collected for that purpose. First, healthy pregnant women who were tested negative for cervical and anorectal carriage of GBS. This donor group represents the most important source of antibodies. In addition to their serum samples, human cervical secretions collected with cervical wicks, containing secretory IgA (sIgA) were also used for antigen identification and validation. The main value of this collection is that sIgA can be considered the major immune effector molecule on mucosal surfaces. Second, healthy pregnant women

- 5 -

colonized with GBS whos newborn remained GBS-free (although with antibiotic prevention). Third, adults below <45 years of age without clinical disease. Four, naïve individuals, youg children between 5 and 10 months of age, after they already lost maternal antibodies and have not acquired GBS-specific ones due to the lack of GBS disease.

To be able to select for relevant serum sources, a series of ELISAs and immunoblotting experiments measuring anti-*S. agalactiae* IgG and IgA antibody levels were performed with bacterial lysates and culture supernatant proteins. Sera from high titer carriers and non-carriers were included in the genomic-based antigen identification. This approach for selection of human sera is basically very different from that used for *S. aureus*, where carriage or non-carriage state couldn't be associated with antibody levels.

The present invention uses high throughput genomic method to identify *in vivo* expressed pathogen-specific proteins with the ability to induce antibodies in humans during the course of infections and colonization.

The genomes of the two bacterial species *S. agalactiae* and *S. aureus* by itself show a number of important differences. The genome of *S. agalactiae* contains app. 2.2 Mb, while *S. aureus* harbours 2.85 Mb. They have an average GC content of 35.7 and 33%, respectively and approximately 30 to 45% of the encoded genes are not shared between the two pathogens. In addition, the two bacterial species require different growth conditions and media for propagation. A list of the most important diseases, which can be inflicted by the two pathogens is presented below. *S. aureus* causes mainly nosocomial, opportunistic infections: impetigo, folliculitis, abscesses, boils, infected lacerations, endocarditis, meningitis, septic arthritis, pneumonia, osteomyelitis, scalded skin syndrome (SSS), toxic shock syndrome. *S. agalactiae* causes mainly neonatal infections and diseases in elderly, such as bacteremia, sepsis, wound infection, osteomyelitis and meningitis.

The complete genome sequence of a capsular serotype III isolate of *S. agalactiae*, designated NEM316 (ATCC 12403) was determined by the random shotgun sequencing strategy (GenBank accession number AL732656; see [www.tigr.org/tigrscripts/CMR2/CMRHomePage.spl](http://www.tigr.org/tigrscripts/CMR2/CMRHomePage.spl)). [Glaser, P. et al., 2002].

The problem underlying the present invention was to provide means for the development of medicaments such as vaccines against *S. agalactiae* infection. More particularly, the problem was to provide an efficient, relevant and comprehensive set of nucleic acid molecules or hyperimmune serum reactive antigens from *S. agalactiae* that can be used for the manufacture of said medicaments.

Therefore, the present invention provides an isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence, which is selected from the group consisting of:

- a) a nucleic acid molecule having at least 70% sequence identity to a nucleic acid molecule selected from Seq ID No 14, 90, 157-216.
- b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
- c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
- d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b), or c)
- e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid molecule defined in a), b), c) or d).

According to a preferred embodiment of the present invention the sequence identity is at least 80%, preferably at least 95%, especially 100%.

Furthermore, the present invention provides an isolated nucleic acid molecule encoding a hyperimmune

serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of

- a) a nucleic acid molecule having 96 % or more than 96 %, preferably at least 98 %, especially 100 % sequence identity to a nucleic acid molecule selected from Seq ID No 1, 3, 5-13, 15, 18-25, 27-31, 33-36, 39-68, 70-85, 92-100, 103-126, 128-145, 147, 149-156, 217, 435-448 and 463-474.
- b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
- c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
- d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b) or c),
- e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).

According to another aspect, the present invention provides an isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of

- a) a nucleic acid molecule having 98 % or more than 98%, especially 100 % sequence identity to a nucleic acid molecule selected from Seq ID No 32, 86, 91, 101, 127.
- b) a nucleic acid molecule which is complementary to the nucleic acid of a),
- c) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).

Preferably, the nucleic acid molecule is DNA or RNA.

According to a preferred embodiment of the present invention, the nucleic acid molecule is isolated from a genomic DNA, especially from a *S. agalactiae* genomic DNA.

According to the present invention a vector comprising a nucleic acid molecule according to any of the present invention is provided.

In a preferred embodiment the vector is adapted for recombinant expression of the hyperimmune serum reactive antigens or fragments thereof encoded by the nucleic acid molecule according to the present invention.

The present invention also provides a host cell comprising the vector according to the present invention.

According to another aspect the present invention further provides a hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to the present invention.

In a preferred embodiment the amino acid sequence (polypeptide) is selected from the group consisting of Seq ID No 231, 307, 374-433.

In another preferred embodiment the amino acid sequence (polypeptide) is selected from the group consisting of Seq ID No 218, 220, 222-230, 232, 235-242, 244-248, 250-253, 256-285, 287-302, 309-317, 320-343, 345-362, 364, 366-373, 434, 449-462 and 475-486.

In a further preferred embodiment the amino acid sequence (polypeptide) is selected from the group consisting of Seq ID No 249, 303, 308, 318, 344.

According to a further aspect the present invention provides fragments of hyperimmune serum-reactive antigens selected from the group consisting of peptides comprising amino acid sequences of column

977-989, 1003-1008, 1016-1022, 1028-1034, 1041-1053, 1059-1074, 1101-1122, 420-511 and 581-704 of Seq ID No 246; 18-25, 27-55, 71-83, 89-95, 102-113, 120-146, 150-156, 174-185 and 159-175 of Seq ID No 247; 24-30, 38-56, 63-68, 87-93, 136-142, 153-164, 183-199, 213-219, 226-234, 244-261, 269-278, 283-289, 291-297, 320-328, 330-336, 340-346, 348-356, 358-366, 382-387, 401-408, 414-419, 449-455, 468-491, 504-512, 531-537, 554-560, 597-608, 621-627, 632-643, 650-662, 667-692, 703-716, 724-737, 743-758, 783-794, 800-818, 846-856 and 806-884 of Seq ID No 248; 4-14, 21-39, 86-92, 99-107, 121-131, 136-144, 147-154, 158-166, 176-185, 193-199, 207-222, 224-230 and 117-136 of Seq ID No 249; 65-76, 85-97, 103-109, 115-121, 125-146, 163-169, 196-205, 212-219, 228-237, 241-247, 254-262, 269-288, 294-303, 305-313, 328-367, 395-401, 405-412, 418-429, 437-447, 481-488, 506-513, 519-524, 530-541, 546-557 and 266-284 of Seq ID No 250; 5-14, 37-42, 49-71, 78-92, 97-112, 127-136, 147-154, 156-163, 186-198, 216-225, 233-243, 248-253, 295-307, 323-332, 359-366, 368-374, 380-398 and 194-223 of Seq ID No 251; 4-11, 33-39, 45-72, 100-113, 119-129, 136-144, 169-175, 177-185, 200-208, 210-219, 262-276, 278-297, 320-326, 336-344, 347-362, 381-394, 443-453 and 438-454 of Seq ID No 252; 4-29, 31-52, 55-61, 95-110, 138-158, 162-171, 179-187, 202-229, 239-248, 251-256, 262-267, 269-285, 304-310, 351-360, 362-368, 381-388, 415-428, 435-440, 448-458 and 161-178 of Seq ID No 253; 4-17, 19-28, 32-43, 47-59, 89-110, 112-126, 128-134, 140-148, 152-161, 169-184, 191-204, 230-235, 255-264, 328-338, 341-347, 401-409, 413-419, 433-441, 449-458, 463-468, 476-482, 486-492, 500-506, 529-545 and 305-381 of Seq ID No 254; 10-29, 38-45, 53-61, 134-145, 152-160, 163-170, 202-208, 219-229, 248-258, 266-275, 282-288, 315-320, 328-334, 377-385, 392-402, 418-424, 447-453, 460-471, 479-487, 491-497, 500-507, 531-537, 581-594, 615-623, 629-635, 644-652, 659-666, 668-678, 710-717, 719-728, 736-741, 747-760, 766-773, 784-789, 794-800, 805-817, 855-861, 866-887 and 698-715 of Seq ID No 255; 16-26, 29-37, 44-58, 62-68, 74-80, 88-95, 97-120, 125-144, 165-196 and 58-72 of Seq ID No 256; 14-21, 23-46, 49-60, 63-74, 78-92, 96-103, 117-129, 134-161, 169-211, 217-231, 239-248, 252-281, 292-299, 313-343 and 243-257 of Seq ID No 257; 11-27, 46-52, 67-72, 76-84, 91-112, 116-153, 160-175, 187-196, 202-211, 213-220 and 43-76 of Seq ID No 258; 5-29, 37-56, 78-86, 108-118, 152-161 and 120-130 of Seq ID No 259; 8-14, 19-41, 52-66, 75-82, 87-92, 106-121, 127-133, 136-143, 158-175, 180-187, 196-204, 221-228, 239-245, 259-265, 291-306, 318-323, 328-340, 352-358, 361-368, 375-381, 391-399, 411-418, 431-442, 446-455, 484-496, 498-510, 527-533, 541-549, 558-565, 575-585, 587-594, 644-655, 661-668, 671-677 and 184-196 of Seq ID No 260; 4-22, 29-38, 55-62, 75-81, 102-107, 110-134, 143-150, 161-167, 172-179, 191-215, 223-233, 241-247, 251-264, 266-272, 288-309, 340-352, 354-366, 394-402, 414-438 and 198-218 of Seq ID No 261; 24-44, 49-70, 80-91, 105-118, 128-136, 140-154 and 77-92 of Seq ID No 262; 5-22, 31-36, 41-47, 67-74, 83-90, 105-122, 135-143, 160-167 and 118-129 of Seq ID No 263; 4-25, 33-73, 81-93, 96-106, 114-120, 122-128, 130-172, 179-208, 210-241, 251-283, 296-301 and 92-100 of Seq ID No 264; 14-24, 29-38, 43-50, 52-72, 86-97, 101-107, 110-125, 127-141, 145-157, 168-175, 177-184, 186-195, 205-226, 238-250, 255-261, 284-290, 293-304, 307-314, 316-323, 325-356, 363-371, 383-390, 405-415, 423-432, 442-454, 466-485, 502-511, 519-527, 535-556, 558-565, 569-574, 612-634, 641-655, 672-686, 698-709, 715-722, 724-732, 743-753, 760-769, 783-792, 818-825, 830-839, 842-849, 884-896, 905-918, 926-940, 957-969, 979-1007, 1015-1021, 1049-1057 and 336-349 of Seq ID No 265; 6-16, 26-31, 33-39, 62-73, 75-85, 87-100, 113-123, 127-152, 157-164, 168-181, 191-198, 208-214, 219-226, 233-254, 259-266, 286-329 and 181-195 of Seq ID No 266; 4-13, 32-39, 53-76, 99-108, 110-116, 124-135, 137-146, 149-157, 162-174, 182-190, 207-231, 242-253, 255-264, 274-283, 291-323, 334-345, 351-360, 375-388, 418-425, 456-474, 486-492, 508-517, 520-536, 547-560, 562-577, 31-45 and 419-443 of Seq ID No 267; 15-26, 30-37, 42-49, 58-90, 93-99, 128-134, 147-154, 174-179, 190-197, 199-205, 221-230, 262-274, 277-287, 300-314, 327-333, 343-351, 359-377, 388-396, 408-413, 416-425, 431-446 and 246-256 of Seq ID No 268; 5-26, 34-42, 47-54, 61-67, 71-104, 107-115, 131-138, 144-153, 157-189, 196-202, 204-210, 228-245, 288-309, 316-329, 332-341, 379-386, 393-399, 404-412, 414-421, 457-468, 483-489, 500-506, 508-517, 523-534, 543-557, 565-580, 587-605, 609-617, 619-627, 631-636, 640-646, 662-668, 675-682, 705-710, 716-723, 727-732, 750-758, 784-789, 795-809, 869-874, 14-138, 166-286, 372-503, 674-696 and 754-859 of Seq ID No 269; 5-17, 32-38, 40-47, 80-89, 113-119, 125-137, 140-154, 157-163, 170-177, 185-199, 213-225, 228-236, 242-248, 277-290, 292-305, 323-333, 347-353, 364-370, 385-394, 399-406, 423-433, 441-451, 462-474, 477-487 and 116-124 of Seq ID No 270; 7-16, 18-30, 32-49, 53-61, 63-85, 95-101, 105-115, 119-134, 143-150, 159-178, 185-202, 212-229, 236-250, 254-265, 268-294 and 63-72 of Seq ID No 271; 4-12, 19-47, 73-81, 97-103, 153-169, 188-198, 207-213, 217-223, 236-242, 255-265, 270-278, 298-305, 309-317, 335-347, 354-363, 373-394, 419-424, 442-465, 486-492, 500-507, 542-549, 551-558, 560-572, 580-589, 607-614, 617-623, 647-653, 666-676, 694-704, 706-714, 748-754, 765-772, 786-792, 795-806 and 358-370 of Seq ID No 272; 18-28, 30-38, 40-46, 49-55, 69-78, 82-98, 104-134, 147-153, 180-190, 196-202, 218-236,

“predicted immunogenic aa” and “location of identified immunogenic region” of Table 1A, especially peptides comprising amino acid 4-20, 35-44, 65-70, 73-87, 92-98, 112-137, 152-161, 177-186, 193-200, 206-213, 229-255, 282-294, 308-313, 320-326, 349-355, 373-384, 388-406, 420-425 and 115-199 of Seq ID No 218; 5-24, 35-41, 44-70, 73-89, 103-109, 127-143, 155-161, 185-190, 192-207, 212-219, 246-262, 304-336, 372-382, 384-393, 398-407, 412-418, 438-444, 1-75, 76-161 and 164-239 of Seq ID No 219; 4-10, 16-58, 60-71, 77-92, 100-126, 132-146, 149-164, 166-172, 190-209, 214-220, 223-229, 241-256, 297-312, 314-319, 337-343, 351-359, 378-387, 398-418, 421-428, 430-437, 440-448, 462-471, 510-519, 525-536, 552-559, 561-568, 573-582, 596-602, 608-630, 637-649, 651-665, 681-702, 714-732, 739-745, 757-778, 790-805, 807-815, 821-829, 836-842, 846-873, 880-903, 908-914, 916-923, 931-940, 943-948, 956-970, 975-986, 996-1015, 1031-1040, 1051-1069, 1072-1095, 1114-1119, 1130-1148, 1150-1157, 1169-1176, 1229-1238 and 802-812 of Seq ID No 220; 5-12, 14-26, 35-47, 52-67, 72-78, 83-98, 121-141, 152-159, 163-183, 186-207, 209-257, 264-277, 282-299, 301-309, 312-318, 324-339, 358-368, 372-378, 387-397, 425-431 and 46-291 of Seq ID No 221; 29-38, 44-64, 70-76, 78-87, 94-100, 102-112, 119-134, 140-149, 163-173, 178-186, 188-194, 207-234, 247-262, 269-290 and 73-92 of Seq ID No 222; 10-28, 36-63, 77-87, 103-119, 127-136, 141-169, 171-183, 195-200, 207-232, 236-246, 251-265, 268-283, 287-297, 314-322, 335-343, 354-363, 384-390, 405-411, 419-436, 443-455, 467-473, 480-513, 518-529, 550-557, 565-585, 602-608, 616-625, 632-660, 665-677, 685-701, 726-736, 738-747, 752-761, 785-796, 801-813, 838-853, 866-871 and 757-774 of Seq ID No 223; 31-38, 61-66, 74-81, 90-115, 123-145, 154-167, 169-179, 182-193, 200-206, 238-244, 267-272 and 235-251 of Seq ID No 224; 19-25, 38-54, 56-64, 66-72, 74-92, 94-100, 116-129, 143-149, 156-183, 204-232, 253-266, 269-275, 294-307 and 241-313 of Seq ID No 225; 5-34, 50-56, 60-65, 74-85, 89-97, 108-119, 159-165, 181-199, 209-225, 230-240, 245-251, 257-262, 274-282, 300-305 and 64-75 of Seq ID No 226; 5-13, 16-21, 27-42, 45-52, 58-66, 74-87, 108-114, 119-131 and 39-51 of Seq ID No 227; 6-23, 46-54, 59-65, 78-84, 100-120, 128-133, 140-146, 159-165, 171-183, 190-204, 224-232, 240-248, 250-259, 274-280, 288-296, 306-315 and 267-274 of Seq ID No 228; 5-12, 15-24, 26-36, 42-65, 68-80, 82-104, 111-116, 125-144, 159-167, 184-189, 209-218, 235-243, 254-265, 269-283, 287-300, 306-316, 318-336, 338-352, 374-392 and 162-174 of Seq ID No 229; 30-42, 45-54 and 25-37 of Seq ID No 230; 10-30, 53-59, 86-95, 116-130, 132-147, 169-189, 195-201, 212-221, 247-256, 258-265, 278-283, 291-298, 310-316, 329-339, 341-352, 360-367, 388-396, 398-411, 416-432, 443-452, 460-466, 506-512, 515-521, 542-548 and 419-431 of Seq ID No 231; 4-27, 30-53, 60-67, 70-90, 92-151, 159-185, 189-195, 198-210, 215-239 and 173-189 of Seq ID No 232; 4-26, 41-54, 71-78, 116-127, 140-149, 151-158, 161-175, 190-196, 201-208, 220-226, 240-252, 266-281, 298-305, 308-318, 321-329, 344-353, 372-378, 384-405, 418-426, 429-442, 457-463, 494-505, 514-522 and 174-188 of Seq ID No 233; 17-25, 27-39, 61-67, 81-89, 99-110, 120-131, 133-139, 147-161, 167-172, 179-185, 192-198, 203-213, 226-238, 243-258, 261-267, 284-290, 296-307, 311-328, 340-352, 356-371 and 239-256 of Seq ID No 234; 8-30, 40-49, 67-80, 114-123, 126-142, 152-162, 188-194 and 57-70 of Seq ID No 235; 4-23, 28-34, 36-47, 50-61, 76-81, 89-94, 96-104, 112-119, 126-146, 155-181, 195-200, 208-214, 220-229, 244-260, 263-276, 282-288, 292-300, 317-323, 336-351, 353-359, 363-375, 382-399, 415-432, 444-455, 458-471, 476-481, 484-492, 499-517, 522-529, 535-541, 543-568, 572-584, 586-600, 607-617, 626-637, 656-675 and 282-297 of Seq ID No 236; 6-24, 30-35, 38-45, 63-91, 134-140, 146-160, 167-188, 214-220, 226-234, 244-250, 260-270, 286-301, 316-329, 340-371, 429-446, 448-459, 474-481, 485-491, 512-526, 537-544, 550-565, 573-583, 596-613, 621-630, 652-658 and 87-97 of Seq ID No 237; 8-20, 26-48, 56-67, 76-86, 94-109, 115-121, 123-129, 143-160, 178-186, 191-198, 201-208, 221-236, 238-244, 260-268 and 237-247 of Seq ID No 238; 4-40, 42-57, 73-87, 98-117, 126-135, 150-156, 166-174, 196-217, 231-236, 248-258, 276-284, 293-301, 307-313, 339-347, 359-365, 375-387, 395-402, 428-440, 445-456, 485-490, 497-505, 535-541, 547-555, 610-625, 648-656, 665-671 and 448-528 of Seq ID No 239; 10-18, 39-45, 51-61, 80-96, 98-106, 110-115, 158-172, 174-183, 191-200, 220-237, 249-255, 274-289, 308-324, 331-341, 372-381, 384-397, 405-414 and 322-338 of Seq ID No 240; 30-36, 38-56, 85-108, 134-147, 149-160, 163-183, 188-201, 206-211, 219-238, 247-254 and 5-13 of Seq ID No 241; 11-40, 98-103, 110-115, 133-145, 151-159, 172-179, 192-201, 204-212, 222-228, 235-245, 258-268, 283-296, 298-309, 322-329, 342-351, 354-362, 372-378, 385-393, 407-418, 495-516 and 1-148 of Seq ID No 242; 5-19, 21-36, 73-94, 112-119, 122-137, 139-145, 152-167, 184-190, 198-204, 208-224, 249-265, 267-281, 299-304, 309-317, 326-333, 356-364, 368-374, 381-389, 391-414, 419-425, 430-435 and 113-140 of Seq ID No 243; 45-54, 59-67, 78-91 and 15-23 of Seq ID No 244; 11-22, 33-47, 52-80, 88-112, 124-129 and 6-25 of Seq ID No 245; 26-41, 51-63, 80-89, 93-115, 150-163, 187-193, 220-237, 240-249, 286-294, 296-306, 316-329, 345-353, 361-370, 407-425, 428-437, 474-482, 484-494, 504-517, 533-541, 549-558, 595-613, 616-625, 660-668, 673-685, 711-726, 736-744, 749-761, 787-802, 812-820, 825-837, 863-878, 888-896, 901-913, 939-954, 964-972,

244-261, 266-273, 275-286, 290-295, 301-314, 378-387, 390-395, 427-434 and 290-305 of Seq ID No 273; 4-13, 20-31, 39-51, 54-61, 69-84, 87-105, 117-124 and 108-125 of Seq ID No 274; 24-34, 43-54, 56-66, 68-79 and 50-69 of Seq ID No 275; 5-43, 71-77, 102-131, 141-148, 150-156, 159-186, 191-207, 209-234, 255-268, 280-286, 293-299, 317-323, 350-357, 363-372, 391-397, 406-418, 428-435, 455-465, 484-497, 499-505, 525-531, 575-582, 593-607, 621-633, 638-649, 655-673, 684-698, 711-725, 736-741, 743-752, 759-769, 781-793, 813-831, 843-853, 894-905, 908-916, 929-946, 953-963, 970-978, 1001-1007, 1011-1033, 165-178 and 818-974 of Seq ID No 276; 16-44, 63-86, 98-108, 185-191, 222-237, 261-274, 282-294, 335-345, 349-362, 374-384, 409-420, 424-430, 440-447, 453-460, 465-473, 475-504, 522-534, 538-551, 554-560, 567-582, 598-607, 611-619, 627-640, 643-653, 655-661, 669-680, 684-690, 701-707, 715-731, 744-750, 756-763, 768-804, 829-837, 845-853, 855-879, 884-890, 910-928, 77-90, 144-212, 279-355, 434-536, 782-810 and 875-902 of Seq ID No 277; 4-22, 29-41, 45-51, 53-66, 70-77, 86-95, 98-104, 106-124, 129-135, 142-151, 153-161, 169-176, 228-251, 284-299, 331-337, 339-370, 380-387, 393-398, 406-411, 423-433, 440-452, 461-469, 488-498, 501-516, 523-530, 532-559, 562-567, 570-602, 612-628, 630-645, 649-659, 666-672, 677-696, 714-723, 727-747 and 212-227 of Seq ID No 278; 4-9, 17-31, 35-41, 56-61, 66-75, 81-87, 90-124, 133-138, 149-163, 173-192, 213-219, 221-262, 265-275, 277-282, 292-298, 301-307, 333-346, 353-363, 371-378, 419-430, 435-448, 456-469, 551-570, 583-599, 603-612 and 275-291 of Seq ID No 279; 28-34, 53-58, 72-81, 100-128, 145-154, 159-168, 172-189, 217-225, 227-249, 256-263, 299-309, 322-330, 361-379, 381-388, 392-401, 404-417, 425-436, 440-446, 451-464, 469-487, 502-511, 543-551, 559-564, 595-601, 606-612, 615-626, 633-642, 644-650, 664-670, 674-684, 692-701, 715-723, 726-734, 749-756, 763-771, 781-787, 810-843, 860-869, 882-889, 907-917, 931-936, 941-948, 951-958, 964-971, 976-993, 1039-1049, 1051-1065, 1092-1121, 1126-1132, 1145-1151, 1158-1173, 1181-1192, 1194-1208, 1218-1223, 1229-1243, 1249-1254, 1265-1279, 1287-1297, 1303-1320, 1334-1341, 1343-1358, 1372-1382, 1406-1417, 1419-1425, 1428-1434, 1441-1448, 1460-1473, 1494-1504, 1509-1514, 1529-1550, 654-669 and 1400-1483 of Seq ID No 280; 10-16, 20-25, 58-65, 97-109, 118-132, 134-146, 148-155, 186-195, 226-233, 244-262, 275-284, 295-310, 317-322, 330-339, 345-351, 366-375, 392-403, 408-415, 423-430, 435-444, 446-457, 467-479, 486-499, 503-510, 525-537, 540-585, 602-612, 614-623, 625-634, 639-645, 650-669, 700-707, 717-724, 727-739, 205-230 and 733-754 of Seq ID No 281; 5-22, 37-43, 72-81, 105-113, 128-133, 148-160, 188-194, 204-230, 238-245, 251-257 and 194-213 of Seq ID No 282; 16-21, 35-41, 56-72, 74-92, 103-109 and 62-68 of Seq ID No 283; 4-15, 17-82, 90-104, 107-159, 163-170, 188-221, 234-245, 252-265 and 220-235 of Seq ID No 284; 16-22, 36-46, 61-75, 92-107, 113-121, 139-145, 148-160 and 30-42 of Seq ID No 285; 4-12, 20-26, 43-49, 55-62, 66-78, 121-127, 135-141, 146-161, 164-170, 178-189, 196-205, 233-238, 269-279, 288-318, 325-332, 381-386, 400-407 and 328-346 of Seq ID No 286; 5-12, 31-49, 57-63, 69-79, 89-97, 99-114, 116-127, 134-142, 147-154, 160-173, 185-193, 199-204, 211-222, 229-236, 243-249, 256-274 and 58-68 of Seq ID No 287; 10-20, 28-34, 39-53, 68-79, 84-90, 99-106 and 73-79 of Seq ID No 288; 14-37, 45-50, 61-66, 77-82, 93-98, 109-114, 125-130, 141-146, 157-162, 173-178, 189-194, 205-210, 221-226, 237-242, 253-258, 269-274, 285-290, 301-306, 316-332, 349-359, 371-378, 385-406, 34-307 and 312-385 of Seq ID No 289; 4-10, 17-38, 50-85, 93-99, 109-116, 128-185, 189-197, 199-210, 223-256, 263-287, 289-312, 327-337, 371-386, 389-394, 406-419, 424-432, 438-450, 458-463, 475-502, 507-513, 519-526, 535-542, 550-567 and 361-376 of Seq ID No 290; 10-39, 42-93, 100-144, 155-176, 178-224, 230-244, 246-255, 273-282, 292-301, 308-325, 332-351, 356-361, 368-379, 386-393, 400-421 and 138-155 of Seq ID No 291; 5-11, 17-34, 40-45, 50-55, 72-80, 101-123, 145-151, 164-172, 182-187, 189-195, 208-218, 220-241, 243-252, 255-270, 325-331, 365-371, 391-398, 402-418, 422-428, 430-435, 443-452, 463-469, 476-484, 486-494, 503-509, 529-553, 560-565, 570-590, 608-614, 619-627, 654-661, 744-750, 772-780, 784-790, 806-816, 836-853, 876-885, 912-918, 926-933, 961-975, 980-987, 996-1006, 1016-1028, 1043-1053, 1057-1062, 994-1003 and 1033-1056 of Seq ID No 292; 17-45, 64-71, 73-81, 99-109, 186-192, 223-238, 262-275, 283-295, 336-346, 350-363, 375-385, 410-421, 425-431, 441-448, 454-463, 468-474, 476-512, 523-537, 539-552, 568-583, 599-608, 612-620, 628-641, 644-654, 656-662, 670-681, 685-695, 702-708, 716-723, 725-735, 757-764, 769-798, 800-806, 808-816, 826-840, 846-854, 856-862, 874-881, 885-902, 907-928, 274-350 and 443-513 of Seq ID No 293; 4-22, 29-41, 45-51, 53-61, 70-76, 85-92, 99-104, 111-122, 134-140, 142-154, 163-174, 224-232, 255-265, 273-279, 283-297, 330-335, 337-348, 356-367, 373-385, 391-396, 421-431, 442-455, 475-485, 493-505, 526-538, 544-561, 587-599, 605-620, 622-651, 662-670, 675-681, 687-692, 697-712, 714-735 and 252-262 of Seq ID No 294; 4-12, 15-35, 40-46, 50-59, 67-94, 110-128, 143-169, 182-188, 207-215, 218-228, 238-250 and 74-90 of Seq ID No 295; 9-18, 42-58, 78-85, 88-95, 97-106, 115-122, 128-134, 140-145, 154-181, 186-202, 204-223, 261-267, 269-278, 284-293, 300-336, 358-368 and 12-29 of Seq ID No 296; 7-34, 46-53, 62-72, 82-88, 100-105, 111-117, 132-137, 144-160, 166-180, 183-189, 209-221, 231-236, 246-253, 268-282, 286-293,



323-336, 364-372, 378-392, 422-433 and 388-405 of Seq ID No 297; 21-27, 34-50, 72-77, 80-95, 164-177, 192-198, 202-220, 226-236, 239-247, 270-279, 285-292, 315-320, 327-334, 348-355, 364-371, 388-397, 453-476, 488-497, 534-545, 556-576, 582-588, 601-607, 609-616, 642-662, 674-681, 687-697, 709-715, 721-727, 741-755 and 621-739 of Seq ID No 298; 4-14, 16-77, 79-109 and 25-99 of Seq ID No 299; 4-9, 17-23, 30-37, 44-55, 65-72, 77-93, 102-121, 123-132, 146-153 and 17-29 of Seq ID No 300; 4-18, 25-41, 52-60, 83-92, 104-112, 117-123, 149-155, 159-167, 170-192, 201-210, 220-227, 245-250 and 124-137 of Seq ID No 301; 8-25, 50-55, 89-95, 138-143, 148-153, 159-169, 173-179, 223-238, 262-268, 288-295, 297-308, 325-335, 403-409, 411-417, 432-446, 463-475, 492-501, 524-530, 542-548, 561-574, 576-593, 604-609, 612-622, 637-654, 665-672, 678-685, 720-725, 731-739, 762-767, 777-783, 820-838, 851-865, 901-908, 913-920, 958-970, 1000-1006, 1009-1015, 1020-1026, 1043-1052, 1055-1061, 1-128, 252-341, 771-793 and 1043-1058 of Seq ID No 302; 16-26, 33-46 and 64-76 of Seq ID No 303; 4-27, 69-77, 79-101, 117-123, 126-142, 155-161, 171-186, 200-206, 213-231, 233-244, 267-273, 313-329, 335-344, 347-370, 374-379, 399-408, 422-443, 445-453, 461-468, 476-482, 518-534, 544-553, 556-567, 578-595, 601-620, 626-636, 646-658, 666-681, 715-721, 762-768, 778-785, 789-803, 809-819, 22-108, 153-318, 391-527 and 638-757 of Seq ID No 304; 6-21, 32-43, 62-92, 104-123, 135-141, 145-152, 199-216, 218-226, 237-247, 260-269, 274-283, 297-303, 1-72 and 127-211 of Seq ID No 305; 6-26, 50-56, 83-89, 108-114, 123-131, 172-181, 194-200, 221-238, 241-247, 251-259, 263-271, 284-292, 304-319, 321-335, 353-358, 384-391, 408-417, 424-430, 442-448, 459-466, 487-500, 514-528, 541-556, 572-578, 595-601, 605-613, 620-631, 635-648, 660-670, 673-679, 686-693, 702-708, 716-725, 730-735, 749-755, 770-777, 805-811, 831-837, 843-851, 854-860, 863-869, 895-901, 904-914, 922-929, 933-938, 947-952, 956-963, 1000-1005, 1008-1014, 1021-1030, 1097-1103, 1120-1130, 1132-1140, 1-213, 269-592 and 992-1120 of Seq ID No 306; 9-16, 33-39, 47-59, 65-79, 81-95, 103-108, 115-123, 138-148, 163-171, 176-185, 191-196, 205-211, 213-221, 224-256, 261-276, 294-302, 357-363, 384-390, 95-111 and 161-189 of Seq ID No 307; 21-27, 35-45, 70-76, 92-105, 129-143, 145-155, 161-166, 170-191, 204-211, 214-231, 234-246, 249-255, 259-275 and 1-18 of Seq ID No 308; 21-35, 45-53, 56-64, 69-97 and 1-16 of Seq ID No 309; 25-33, 41-47, 61-68, 86-101, 106-114, 116-129, 134-142, 144-156, 163-176, 181-190, 228-251, 255-261, 276-292, 295-305, 334-357, 368-380, 395-410, 424-429, 454-460, 469-482, 510-516, 518-527, 531-546, 558-570, 579-606, 628-636, 638-645, 651-656, 668-674, 691-698, 717-734, 742-754, 765-770, 792-797, 827-835, 847-859, 874-881, 903-909, 926-933, 942-961, 964-977, 989-1004, 1010-1028, 1031-1047, 1057-1075, 1081-1095, 1108-1117, 1138-1144, 1182-1189, 1193-1206, 1220-1229, 1239-1246, 1257-1267, 1271-1279, 1284-1301, 1312-1320, 1329-1335, 1341-1347, 1358-1371, 1399-1404, 1417-1426, 1458-1463, 1468-1476, 1478-1485, 1493-1506, 1535-1541, 1559-1574, 1583-1590, 1595-1601, 1603-1611, 1622-1628, 1634-1644, 1671-1685, 1689-1696, 1715-1720, 1734-1746, 1766-1775, 1801-1806, 1838-1844, 1858-1871, 1910-1917, 1948-1955, 1960-1974, 2000-2015, 2019-2036, 2041-2063, 748-847 and 1381-1391 of Seq ID No 310; 5-12, 18-24, 27-53, 56-63, 96-113, 119-124, 131-136, 157-163, 203-209, 215-223, 233-246, 264-273, 311-316, 380-389, 393-399, 425-433, 445-450, 457-462, 464-470, 475-482, 507-513, 527-535, 542-548, 550-565, 591-602, 607-613, 627-642, 644-664, 673-712, 714-732, 739-764, 769-782, 812-818, 826-838, 848-854, 860-871, 892-906, 930-938, 940-954, 957-973, 990-998, 1002-1021, 1024-1033, 1037-1042, 1050-1060, 1077-1083, 1085-1092, 1100-1129, 1144-1161, 1169-1175, 1178-1189, 1192-1198, 1201-1207, 1211-1221, 1229-1239, 1250-1270, 1278-1292, 1294-1300, 1314-1335, 1344-1352, 1360-1374, 1394-1405, 1407-1414, 1416-1424, 1432-1452, 1456-1462, 1474-1497, 1500-1510, 1516-1522, 1534-1542, 1550-1559, 1584-1603, 1608-1627, 187-273 and 306-441 of Seq ID No 311; 70-80, 90-97, 118-125, 128-140, 142-148, 154-162, 189-202, 214-222, 224-232, 254-260, 275-313, 317-332, 355-360, 392-398, 425-432, 448-456, 464-470, 476-482, 491-505, 521-528, 533-546, 560-567, 592-597, 605-614, 618-626, 637-644, 646-653, 660-666, 677-691 and 207-227 of Seq ID No 312; 5-19, 26-34, 37-55, 57-66, 69-83, 86-102, 115-134, 138-143, 154-172, 178-195, 209-246, 251-257, 290-302, 306-311 and 256-266 of Seq ID No 313; 10-20, 22-28, 35-57, 72-79, 87-103, 108-128, 130-144, 158-171, 190-198, 225-242, 274-291, 301-315, 317-324, 374-385 and 353-365 of Seq ID No 314; 4-9, 17-30, 34-54, 59-66, 73-94, 118-130, 135-150, 158-171, 189-198, 219-239, 269-275, 283-301, 89-106 and 176-193 of Seq ID No 315; 14-20, 22-74, 77-86, 89-99, 104-109, 126-135, 154-165, 181-195, 197-212, 216-224, 264-275 and 107-118 of Seq ID No 316; 4-18, 21-38, 63-72, 101-109, 156-162, 165-179, 183-192, 195-210, 212-218, 230-239, 241-256, 278-290, 299-311, 313-322, 332-341, 348-366, 386-401, 420-426, 435-450, 455-460, 468-479, 491-498, 510-518, 532-538, 545-552, 557-563, 567-573, 586-595, 599-609, 620-626, 628-636, 652-657, 665-681 and 1-198 of Seq ID No 317; 4-10, 16-38, 51-68, 73-79, 94-115, 120-125, 132-178, 201-208, 216-223, 238-266, 269-295, 297-304, 337-342, 347-356, 374-401, 403-422, 440-447, 478-504, 510-516, 519-530, 537-544 and 191-206 of Seq ID No 318; 12-40, 42-48, 66-71, 77-86, 95-102, 113-120, 129-137, 141-148, 155-174, 208-214, 218-225, 234-240,



256-267, 275-283, 300-306, 313-321, 343-350, 359-367, 370-383, 398-405, 432-439, 443-461, 492-508, 516-526, 528-535 and 370-478 of Seq ID No 319; 6-14, 20-37, 56-62, 90-95, 97-113, 118-125, 140-145, 161-170, 183-202, 237-244, 275-284, 286-305, 309-316, 333-359, 373-401, 405-412 and 176-187 of Seq ID No 320; 33-44, 50-55, 59-80, 86-101, 129-139, 147-153, 157-163, 171-176, 189-201, 203-224, 239-245, 257-262, 281-287, 290-297, 304-320, 322-331, 334-350, 372-390, 396-401, 71-88 and 353-372 of Seq ID No 321; 5-11, 15-24, 26-33, 40-47, 75-88, 95-103, 105-112 and 17-30 of Seq ID No 322; 5-11, 16-39, 46-54, 62-82, 100-107, 111-124, 126-150, 154-165, 167-183, 204-238, 245-295, 301-313, 316-335 and 8-16 of Seq ID No 323; 4-19, 34-48, 69-74, 79-107, 115-127, 129-135, 143-153, 160-169, 171-182 and 142-153 of Seq ID No 324; 4-30, 65-74, 82-106, 110-120, 124-132, 135-140, 146-175, 179-184, 190-196, 217-223, 228-233, 250-267, 275-292, 303-315, 322-332 and 174-186 of Seq ID No 325; 9-16, 29-41, 47-57, 68-84, 87-109, 113-119, 162-180, 186-193, 195-201, 203-208, 218-230, 234-243, 265-271, 281-292, 305-312, 323-332, 341-347, 349-363, 368-374, 383-390, 396-410, 434-440, 446-452, 455-464, 466-473, 515-522, 529-542, 565-570, 589-600, 602-613, 618-623, 637-644, 1019-1027, 1238-1244, 1258-1264, 1268-1276, 1281-1292, 1296-1302 and 883-936 of Seq ID No 326; 10-17, 23-32, 39-44, 54-72, 75-81, 88-111, 138-154, 160-167, 178-185, 201-210, 236-252, 327-334, 336-342, 366-376, 388-400, 410-430, 472-482, 493-526, 552-558, 586-592, 598-603, 612-621, 630-635, 641-660 and 384-393 of Seq ID No 327; 4-22, 24-39, 50-59, 73-84, 100-105, 111-117, 130-138, 155-161, 173-178, 182-189, 205-215, 266-284, 308-313, 321-328, 330-337, 346-363, 368-374, 388-395, 397-405, 426-434, 453-459, 482-492, 501-507, 509-515, 518-523, 527-544, 559-590, 598-612, 614-629, 646-659, 663-684, 686-694, 698-721 and 445-461 of Seq ID No 328; 14-22, 27-33 and 3-17 of Seq ID No 329; 29-41, 66-73, 81-87, 90-108, 140-146, 150-159, 165-184, 186-196, 216-226, 230-238, 247-253, 261-269 and 126-140 of Seq ID No 330; 5-12, 16-25, 27-33, 36-45, 60-68, 83-88, 103-126 and 86-101 of Seq ID No 331; 14-23, 36-47, 56-66, 84-89, 94-105, 111-127, 140-153, 160-174, 176-183, 189-203, 219-225, 231-237, 250-257 and 194-227 of Seq ID No 332; 4-25, 54-60, 64-71, 73-82, 89-106, 117-124, 157-169, 183-188, 199-210, 221-232, 236-244, 255-264 and 58-98 of Seq ID No 333; 13-19, 26-36, 41-53, 55-71, 77-84, 86-108, 114-135, 157-172, 177-183, 187-194, 208-213, 218-226, 110-125 and 156-170 of Seq ID No 334; 5-24, 63-69, 77-85, 94-112, 120-137, 140-146, 152-159, 166-172, 179-187, 193-199, 206-212, 222-228, 234-240, 244-252, 257-264, 270-289, 298-309, 316-328, 337-348, 363-375, 1-56 and 340-352 of Seq ID No 335; 18-39, 42-71, 78-120, 124-144, 152-173, 179-189, 199-209, 213-222, 228-258, 269-304, 329-361, 364-372, 374-389, 396-441 and 313-327 of Seq ID No 336; 19-25, 91-98, 108-120, 156-162, 168-174, 191-204, 211-216, 232-266, 272-278, 286-308, 316-321, 327-333, 344-355, 358-364, 384-391, 395-428, 464-476, 487-495, 497-511, 544-561, 563-573, 575-582, 588-594, 10-25 and 322-338 of Seq ID No 337; 14-26, 32-49, 51-57, 59-72, 80-91, 102-112, 119-125, 147-161, 164-173, 175-183, 188-213, 217-222, 246-254, 260-276, 282-303, 308-318, 321-328, 333-350, 352-359, 371-378, 392-401, 407-414, 416-443, 448-463, 471-484, 490-497, 501-514, 519-527, 539-551, 557-570, 578-590, 592-598, 600-610, 618-629, 633-647, 654-667, 676-689, 702-709, 718-726, 728-737, 741-760, 764-780, 786-795, 808-826, 836-842, 845-852, 865-874, 881-887, 931-945, 949-957, 968-974, 979-986, 1003-1009, 1023-1029 and 90-103 of Seq ID No 338; 11-16, 37-56, 60-66, 69-77, 80-88, 93-106, 117-139, 166-171 and 72-90 of Seq ID No 339; 59-84, 123-133, 145-150, 161-167, 178-189 and 115-128 of Seq ID No 340; 15-33, 39-46, 52-64, 74-87, 108-124, 127-144, 150-156, 173-179, 184-194, 201-208, 219-236, 243-269, 272-295, 302-309, 343-349, 356-361, 370-379, 405-411, 414-423, 430-451, 457-464, 466-475, 477-483, 496-502, 507-522, 541-548, 557-563, 571-577, 579-585, 590-605, 626-642, 650-662, 671-691, 704-710, 751-769, 775-781, 786-791, 794-829, 851-858, 868-878, 884-904, 913-919, 931-939 and 132-142 of Seq ID No 341; 33-58, 64-71, 74-80, 83-88, 96-120, 122-139, 146-157, 167-177, 207-213, 220-225, 236-242, 264-279, 300-305, 326-336, 340-347, 350-360, 97-115 and 199-211 of Seq ID No 342; 4-26, 43-57, 70-99, 102-117, 121-133, 142-148, 151-168, 170-183, 192-220, 235-249, 258-279 and 30-41 of Seq ID No 343; 34-42, 48-58, 70-94, 110-130, 154-160, 164-172, 178-183, 195-203, 211-222, 229-250, 256-261, 274-284, 286-292, 312-323 and 222-233 of Seq ID No 344; 4-9, 15-36, 38-45, 49-74, 78-88, 100-112, 136-191, 211-220, 226-233, 239-246, 254-274, 287-307, 316-322, 342-353, 356-366, 373-378, 384-393, 405-431, 449-457, 459-468, 487-511, 515-524, 529-541, 544-552, 562-568, 571-576 and 208-280 of Seq ID No 345; 10-27, 31-37, 39-54, 71-108, 124-143 and 2-107 of Seq ID No 346; 16-27, 38-57, 64-70, 90-102, 104-113, 116-137, 160-166 and 1-80 of Seq ID No 347; 13-21, 31-36, 56-67, 127-136, 153-171, 173-180, 184-200, 214-222, 225-231, 239-263, 267-273 and 135-159 of Seq ID No 348; 12-27, 31-51, 68-74, 77-87, 94-101, 108-114, 117-123, 127-134, 138-168, 173-196, 201-207, 212-217, 227-237, 247-257, 264-280 and 205-223 of Seq ID No 349; 17-22, 25-54, 70-76, 92-100 and 98-110 of Seq ID No 350; 7-29, 40-50, 60-67, 87-96, 105-111, 119-164, 172-199, 206-212, 220-227, 237-259, 272-279, 282-293, 295-309, 313-319, 321-328, 345-363, 376-386 and 159-176 of Seq ID No 351; 4-19, 24-

30, 36-43, 50-68, 71-89, 93-106, 141-152, 154-172, 179-197, 199-215, 229-239, 246-252, 255-263, 281-298, 319-325, 329-356, 358-368, 374-390, 397-409, 420-429, 432-444, 450-456, 459-475, 483-494, 496-502, 520-528, 532-556 and 362-377 of Seq ID No 352; 18-25, 40-62, 77-85, 91-97, 105-116, 123-133, 139-184, 189-197 and 122-140 of Seq ID No 353; 4-49, 52-58, 62-70, 79-105, 109-133, 142-150, 163-168, 206-214, 220-228, 233-240, 243-254, 274-281, 303-311, 327-338, 357-373, 378-396, 403-413, 420-436, 441-453, 461-467, 475-481, 484-498, 506-512, 514-521, 523-529, 562-579, 589-595, 598-603, 615-648, 714-722, 728-742, 749-758, 777-792, 795-807 and 643-658 of Seq ID No 354; 8-27, 37-48, 51-56, 72-79, 87-106, 120-138, 140-147, 167-176, 187-197, 205-216, 222-229, 234-239, 243-249, 277-288, 292-315, 334-343, 347-353, 363-391, 398-404, 430-447, 461-467, 478-492, 498-507 and 456-470 of Seq ID No 355; 5-12, 18-24, 59-69, 80-93, 95-109, 119-125, 130-137, 139-147, 158-163, 168-176, 182-202, 206-215, 222-239, 241-249, 267-277, 291-298, 311-318, 321-327, 338-344, 348-355, 373-386, 393-406, 411-417, 434-443, 446-465, 473-484, 514-521, 532-553, 584-594 and 221-237 of Seq ID No 356; 4-14, 27-34, 50-58, 63-72, 79-106, 109-114, 121-142, 146-154, 161-167, 169-175, 178-201, 223-238, 249-254, 259-264, 278-292, 294-312, 319-330 and 167-191 of Seq ID No 357; 7-28, 36-42, 50-61, 63-80, 122-152, 161-174, 176-191 and 140-190 of Seq ID No 358; 20-57, 59-65, 70-78, 86-102, 119-133, 142-161, 163-173, 177-188, 192-202, 204-220, 222-236, 240-253, 279-319, 326-331, 337-383, 390-399, 406-412, 420-427, 431-438 and 381-395 of Seq ID No 359; 13-18, 28-34, 37-43, 50-59, 75-81, 83-97, 105-121, 139-147, 200-206, 209-227, 231-247, 260-271, 318-327, 366-381, 388-394, 399-406 and 182-201 of Seq ID No 360; 6-29, 37-43, 51-56, 70-77, 82-102, 110-119, 127-143, 178-190, 201-209, 216-243, 261-269, 281-292, 305-313, 327-339, 341-354, 356-373, 391-397, 423-429, 438-445, 450-478 and 21-314 of Seq ID No 361; 4-12, 15-21, 32-41, 59-76, 80-89, 96-104 and 90-103 of Seq ID No 362; 9-28, 30-41, 44-54, 69-74, 77-82, 90-97, 104-123, 125-135, 149-155, 164-173, 177-184, 217-226, 230-235, 238-244, 258-272, 282-297, 300-305, 309-315, 317-322, 327-336, 348-362, 368-374, 380-387, 400-411, 414-424, 451-458, 460-466, 483-494, 497-503, 506-511, 521-528, 540-553, 569-587, 598-606, 628-642, 661-681, 688-700, 718-733, 740-749, 752-764, 769-783, 823-834, 848-854, 862-872, 878-884, 886-898, 915-920, 938-951, 954-961, 963-972, 982-989, 996-1003, 1010-1016, 1021-1032, 1038-1044, 1047-1057, 1060-1070, 1079-1088, 1094-1102, 1117-1127, 1129-1135, 1142-1153, 1158-1204, 1212-1229, 1234-1263, 1269-1277, 1308-1313, 1327-1338, 1344-1376, 1400-1415, 1436-1443, 1448-1458, 1497-1504, 1511-1522, 1544-1566, 3-82 and 509-576 of Seq ID No 363; 8-36, 40-64, 71-79, 88-94, 102-109, 118-127, 138-148, 151-159, 163-174, 192-198, 200-206, 220-233, 268-273, 290-301, 304-309, 316-323, 331-349, 378-391, 414-420, 427-437, 455-475, 494-510, 541-547, 549-555, 616-640, 1-60, 55-139, 212-308, 386-458 and 458-624 of Seq ID No 364; 16-31, 35-42, 70-77, 91-101, 120-130, 132-140, 143-153, 185-190, 195-202, 215-222, 228-238, 241-251, 257-264, 268-277, 288-302, 312-324, 326-333, 341-348, 364-382, 415-429, 438-454, 458-466, 491-499, 501-521 and 273-281 of Seq ID No 365; 8-14, 32-57, 74-149, 155-177, 179-212, 221-266, 271-296, 304-324, 329-346, 349-359, 368-401, 413-419, 426-454, 465-478, 493-510 and 466-490 of Seq ID No 366; 22-28, 33-51, 64-89, 96-119, 126-132, 138-146, 152-159, 161-169, 172-179, 193-198, 205-211, 221-231, 235-254, 273-280, 297-303, 312-320, 328-346, 351-373, 378-384, 391-398, 448-454, 460-468, 470-481, 516-558, 574-593, 597-602, 613-623, 626-646, 649-656, 668-673, 675-683, 696-708, 715-722, 724-739, 745-751, 759-777, 780-804, 816-822 and 102-113 of Seq ID No 367; 12-28, 41-91, 98-107, 112-120, 125-131, 151-193, 215-221, 240-250, 263-280 and 128-138 of Seq ID No 368; 16-24, 32-38, 46-62, 68-81, 90-105, 127-133, 144-150, 160-166, 178-184, 186-202, 210-219, 232-240, 252-258, 264-273, 293-324, 337-344, 349-357, 360-369, 385-398, 410-416, 419-427, 441-449, 458-476, 508-515, 523-539, 544-549, 562-569, 571-579, 96-109 and 127-139 of Seq ID No 369; 19-25, 28-34, 56-61, 85-97, 110-116 and 39-53 of Seq ID No 370; 4-37, 41-50, 62-72, 91-97, 99-109, 114-125, 136-141, 149-158, 160-166, 201-215 and 27-225 of Seq ID No 371; 15-31, 44-51, 96-105, 122-130, 149-157, 162-168, 178-183, 185-192, 198-204, 206-213, 221-234, 239-245, 248-255, 257-266, 289-335, 349-357, 415-422, 425-441, 448-454, 462-468 and 463-481 of Seq ID No 372; 5-31, 39-55, 63-72, 76-99, 106-155, 160-177, 179-199, 207-217, 223-240, 245-255, 261-267, 294-316, 321-343, 354-378, 382-452, 477-488, 529-536, 555-569, 584-591, 593-612, 620-627, 632-640, 647-654, 671-680, 698-704, 723-730, 732-750, 769-775, 781-788, 822-852 and 505-525 of Seq ID No 373; 3-18 of Seq ID No 374; 4-14 and 12-24 of Seq ID No 375; 4-11, 22-30 and 12-25 of Seq ID No 376; 5-12 and 4-18 of Seq ID No 377; 4-28 and 7-14 of Seq ID No 378; 6-16 and 8-16 of Seq ID No 379; 4-15, 18-33 and 24-36 of Seq ID No 380; 4-10, 16-21 and 20-31 of Seq ID No 381; 6-19 of Seq ID No 382; 11-18 and 3-10 of Seq ID No 383; 13-24 and 3-15 of Seq ID No 384; 15-27 and 7-16 of Seq ID No 385; 11-16 and 1-15 of Seq ID No 386; 4-16 and 9-21 of Seq ID No 387; 4-24, 40-48, 54-67 and 22-39 of Seq ID No 388; 6-30, 34-55, 62-68, 78-106 and 68-74 of Seq ID No 389; 3-14 of Seq ID No 390; 9-19 and 6-21 of Seq ID No 391; 4-17 and 1-9 of Seq ID No 392; 5-30 and 1-8 of Seq ID No

393; 4-16, 23-46, 51-56 and 45-55 of Seq ID No 394; 7-16 of Seq ID No 395; 2-14 of Seq ID No 396; 4-36, 43-65 and 50-62 of Seq ID No 397; 10-30 and 14-21 of Seq ID No 398; 9-17 and 1-10 of Seq ID No 399; 4-12 and 3-16 of Seq ID No 400; 4-15 and 5-23 of Seq ID No 401; 10-21 of Seq ID No 402; 6-16 of Seq ID No 403; 4-29, 31-38 and 2-14 of Seq ID No 404; 4-35 and 33-42 of Seq ID No 405; 2-17 of Seq ID No 406; 9-18, 30-35 and 15-33 of Seq ID No 407; 4-9 and 6-12 of Seq ID No 408; 3-17 of Seq ID No 409; 12-21, 37-44, 52-61, 72-80 and 38-48 of Seq ID No 410; 4-10, 29-44, 54-61, 69-78 and 13-27 of Seq ID No 411; 13-23, 36-53 and 2-15 of Seq ID No 412; 4-25, 28-46, 56-72, 81-99, 120-132, 134-142, 154-160 and 129-141 of Seq ID No 413; 4-15, 24-33, 35-41, 64-86 and 21-33 of Seq ID No 414; 9-15 and 4-13 of Seq ID No 415; 4-11, 13-19, 34-48 and 15-32 of Seq ID No 416; 4-21 and 11-31 of Seq ID No 417; 23-57 and 38-50 of Seq ID No 418; 4-32 and 3-13 of Seq ID No 419; 4-10, 13-25, 32-42, 56-68, 72-84 and 26-38 of Seq ID No 420; 4-20, 31-48, 52-58, 65-71, 80-93, 99-108, 114-123 and 37-49 of Seq ID No 421; 6-12, 14-20 and 3-25 of Seq ID No 422; 14-25, 27-38 and 5-14 of Seq ID No 423; 4-41, 57-105, 109-118, 123-136, 144-152 and 86-99 of Seq ID No 424; 6-19 of Seq ID No 425; 2-19 of Seq ID No 426; 14-47 and 1-14 of Seq ID No 427; 4-21, 29-44 and 2-18 of Seq ID No 428; 23-29 and 10-28 of Seq ID No 429; 6-16, 22-36 and 11-22 of Seq ID No 430; 4-19, 30-44 and 18-27 of Seq ID No 431; 5-15, 37-45, 58-65 and 38-47 of Seq ID No 432; 4-15, 23-34 and 4-15 of Seq ID No 433; 30-36, 44-54, 79-85, 101-114, 138-152, 154-164, 170-175, 179-200, 213-220, 223-240, 243-255, 258-264, 268-284 and 10-28 of Seq ID No 434; the peptides comprising amino acid sequences of column "Identical region" of the Table 1B, especially peptides comprising amino acid 210-226 and 738-753 of Seq ID No 449; 326-344, 326-348, 338-354, 371-392, 801-809 and 877-901 of Seq ID No 450; 893-906 of Seq ID No 451; 51-69 of Seq ID No 452; 110-125 of Seq ID No 453; 291-305 of Seq ID No 454; 210-226 and 738-753 of Seq ID No 455; 326-344, 326-348, 338-354, 371-392, 801-809 and 877-901 of Seq ID No 456; 893-906 of Seq ID No 457; 51-69 of Seq ID No 458; 110-125 of Seq ID No 459; 291-305 of Seq ID No 460; 32-44 of Seq ID No 461; 399-410 of Seq ID No 462; the serum reactive epitopes as specified in the column of "aa from" to "aa to" of Table 2, especially peptides comprising amino acid 120-143, 138-161 and 156-179 of Seq ID No 218; 110-129 and 168-184 of Seq ID No 219; 74-90 of Seq ID No 222; 759-773 of Seq ID No 223; 237-260 of Seq ID No 224; 265-284 of Seq ID No 225; 65-74 of Seq ID No 226; 41-50 of Seq ID No 227; 163-174 of Seq ID No 229; 26-37 of Seq ID No 230; 174-189 of Seq ID No 232; 240-256 of Seq ID No 234; 285-297 of Seq ID No 236; 238-247 of Seq ID No 238; 491-519 of Seq ID No 239; 114-140 of Seq ID No 243; 267-284 of Seq ID No 250; 439-453 of Seq ID No 252; 162-178 of Seq ID No 253; 347-364 of Seq ID No 254; 699-715 of Seq ID No 255; 60-71 of Seq ID No 256; 244-257 of Seq ID No 257; 44-63 and 57-76 of Seq ID No 258; 185-196 of Seq ID No 260; 119-129 of Seq ID No 263; 182-195 of Seq ID No 266; 32-44 and 424-442 of Seq ID No 267; 247-256 of Seq ID No 268; 678-694, 785-805, 55-77 and 72-94 of Seq ID No 269; 210-226 of Seq ID No 281; 37-59 of Seq ID No 289; 13-29 of Seq ID No 296; 136-159 of Seq ID No 348; 205-222 of Seq ID No 349; 99-110 of Seq ID No 350; 160-176 of Seq ID No 351; 457-470 of Seq ID No 355; 221-237 of Seq ID No 356; 167-190 of Seq ID No 357; 96-120 of Seq ID No 361; 399-417, 503-519 and 544-563 of Seq ID No 364; 46-68, 159-183 and 184-198 of Seq ID No 371; 463-481 of Seq ID No 372; the immunogenic epitopes as specified in the column of "aa from" to "aa to" of Table 4; especially peptides comprising amino acid 110-129 and 168-184 of Seq ID No 219; 877-901, 333-354, 326-344 and 801-809 of Seq ID No 277; 1-54 of Seq ID No 347; 544-563, 31-51, 107-119, 399-417 and 503-519 of Seq ID No 364; 120-198 of Seq ID No 218; 20-35 of Seq ID No 219; 118-201 of Seq ID No 221; 48-132 of Seq ID No 242; 118-136 of Seq ID No 249; 162-178 of Seq ID No 253; 347-364 of Seq ID No 254; 699-715 of Seq ID No 255; 50-76 of Seq ID No 258; 785-819 and 44-128 of Seq ID No 269; 90-128 of Seq ID No 274; 314-384 of Seq ID No 289; 327-349 of Seq ID No 293; 242-314, 405-478 and 23-100 of Seq ID No 304; 129-210 of Seq ID No 305; 162-188 of Seq ID No 307; 750-772 of Seq ID No 310; 1-56 of Seq ID No 335; 322-337 of Seq ID No 337; 72-90 of Seq ID No 339; 374-395 of Seq ID No 345; 136-159 of Seq ID No 348; 141-164 of Seq ID No 358; 96-157 of Seq ID No 361; 1-82 of Seq ID No 363; 489-556 of Seq ID No 364; 159-183 and 49-133 of Seq ID No 371; The peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region (aa)" of Table 5, especially peptides comprising amino acid 4-26, 35-41, 53-61, 73-84, 103-108, 114-120, 140-146, 156-162, 192-208, 214-219, 227-233, 239-252, 260-268, 284-297, 1-48 and 113-133 of Seq ID No 475; 4-27, 38-44, 50-56, 59-64, 72-79, 83-89, 92-97, 108-116, 123-148, 152-167, 183-196, 200-220, 232-244, 255-261, 265-274, 282-302, 309-317, 1-79 and 231-302 of Seq ID No 476; 6-28, 66-72, 85-105, 115-121, 144-151, 160-170, 176-185, 223-230, 252-288, 296-

310, 319-333, 367-374, 458-464, 471-480, 483-488, 520-528, 530-549, 559-564, 593-601, 606-616, 636-643, 655-662, 676-682, 684-699, 719-726, 735-750, 757-764, 777-785, 799-810, 812-843, 846-853, 868-873, 880-889, 891-899, 909-929, 934-940, 963-969, 998-1004, 1007-1014, 1016-1022, 1030-1046, 1-80 and 808-821 of Seq ID No 477; 7-24, 35-41, 75-81, 91-114, 122-132, 137-144, 148-156, 183-192, 194-200, 212-228, 233-238, 251-258, 275-295, 326-332, 337-346, 1-79 and 305-321 of Seq ID No 478; 31-38, 42-52, 66-72, 86-92, 98-104, 115-122, 127-146, 154-164, 169-187, 198-212, 225-237, 255-269, 13-92 and 135-142 of Seq ID No 479; 4-36, 39-49, 63-69, 71-77, 81-88, 123-131, 133-139, 160-169, 174-180, 188-194, 210-217, 273-278, 289-300, 317-334, 336-341, 383-401, 425-438, 1-68, 212-270 and 402-446 of Seq ID No 480; 21-29, 31-42, 49-63, 72-79, 81-93, 112-132, 159-165, 188-195, 197-232, 262-267, 279-286, 294-301, 318-326, 348-366, 381-405, 409-426, 436-465, 471-480, 484-492, 497-505, 521-544, 554-561, 567-577, 581-589, 601-609, 611-622, 636-651, 653-667, 669-685, 700-708, 716-722, 729-744, 749-766, 780-786, 789-811, 814-864, 1-57 and 84-106 of Seq ID No 481; 6-24, 35-48, 57-63, 72-78, 87-92, 113-119, 123-137, 147-153, 173-181, 212-233 and 1-124 of Seq ID No 482; 13-34, 62-69, 78-83, 86-91, 98-104, 107-115, 146-159, 179-188, 195-205, 209-221, 226-233, 239-253, 276-282, 284-294, 297-308, 331-354, 375-382, 388-399, 421-433, 449-458, 464-469, 472-491, 508-513, 525-531, 534-550, 575-593, 601-618, 629-635, 654-661, 666-680, 706-721, 723-740, 771-805, 810-830, 845-851 and 1-84 of Seq ID No 483; 4-32, 45-64, 73-83, 86-92, 100-111, 125-147, 157-163, 170-175, 177-188, 226-232, 245-252, 258-274, 320-335, 348-359 and 1-71 of Seq ID No 484; 13-40, 43-71, 76-83, 87-101, 109-119, 125-156, 162-175, 182-219, 226-232, 240-262, 270-287, 306-318, 326-342, 344-408, 414-444, 449-456 and 1-51 of Seq ID No 485; 4-16, 18-34, 45-54, 99-108, 134-140, 203-212, 241-257, 266-274, 279-291, 308-315, 330-336, 355-370, 374-382, 402-410, 428-455, 466-472, 474-480, 531-554, 560-566, 572-580, 597-618, 632-660, 664-674, 676-685, 691-705, 708-735, 750-768, 1-87 and 342-480 of Seq ID No 486; The serum reactive epitopes as specified in the column of "aa from" to "aa to" of Table 6, especially peptides comprising amino acid 115-132 and 1-26 of Seq ID No 475; 33-55 of Seq ID No 476; 1-25 of Seq ID No 478; 37-61 of Seq ID No 479; 1-24 of Seq ID No 480; 1-23 of Seq ID No 481; 46-60 of Seq ID No 482; 1-28, 23-50 and 45-71 of Seq ID No 483; 1-22 and 17-38 of Seq ID No 484; 1-22 and 17-38 of Seq ID No 485; 1-27, 22-47 and 422-447 of Seq ID No 486; The immunogenic epitopes as specified in the column of "aa from" to "aa to" of Table 7, especially peptides comprising amino acid 115-132 and 1-47 of Seq ID No 475; 1-55 of Seq ID No 476; 22-85 of Seq ID No 477; 307-320 and 1-44 of Seq ID No 478; 15-76 and 40-92 of Seq ID No 479; 1-59, 213-269 and 403-445 of Seq ID No 480; 1-56 and 85-105 of Seq ID No 481; 37-121 of Seq ID No 482; 1-71 of Seq ID No 483; 1-38 of Seq ID No 484; 1-38 of Seq ID No 485; 1-47 of Seq ID No 486.

The present invention also provides a process for producing a *S. agalactiae* hyperimmune serum reactive antigen or a fragment thereof according to the present invention comprising expressing one or more of the nucleic acid molecules according to the present invention in a suitable expression system.

Moreover, the present invention provides a process for producing a cell, which expresses a *S. agalactiae* hyperimmune serum reactive antigen or a fragment thereof according to the present invention comprising transforming or transfecting a suitable host cell with the vector according to the present invention.

According to the present invention a pharmaceutical composition, especially a vaccine, comprising a hyperimmune serum-reactive antigen or a fragment thereof as defined in the present invention or a nucleic acid molecule as defined in the present invention is provided.

In a preferred embodiment the pharmaceutical composition further comprises an immunostimulatory substance, preferably selected from the group comprising polycationic polymers, especially polycationic peptides, immunostimulatory deoxynucleotides (ODNs), peptides containing at least two LysLeuLys motifs, especially KLKLSKLK, neuroactive compounds, especially human growth hormone, alum, Freund's complete or incomplete adjuvants or combinations thereof.

In a more preferred embodiment the immunostimulatory substance is a combination of either a polycationic polymer and immunostimulatory deoxynucleotides or of a peptide containing at least two

LysLeuLys motifs and immunostimulatory deoxynucleotides.

In a still more preferred embodiment the polycationic polymer is a polycationic peptide, especially polyarginine.

According to the present invention the use of a nucleic acid molecule according to the present invention or a hyperimmune serum-reactive antigen or fragment thereof according to the present invention for the manufacture of a pharmaceutical preparation, especially for the manufacture of a vaccine against *S. agalactiae* infection, is provided.

Also an antibody, or at least an effective part thereof, which binds at least to a selective part of the hyperimmune serum-reactive antigen or a fragment thereof according to the present invention, is provided herewith.

In a preferred embodiment the antibody is a monoclonal antibody.

In another preferred embodiment the effective part of the antibody comprises Fab fragments.

In a further preferred embodiment the antibody is a chimeric antibody.

In a still preferred embodiment the antibody is a humanized antibody.

The present invention also provides a hybridoma cell line, which produces an antibody according to the present invention.

Moreover, the present invention provides a method for producing an antibody according to the present invention, characterized by the following steps:

- initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in the invention, to said animal,
- removing an antibody containing body fluid from said animal, and
- producing the antibody by subjecting said antibody containing body fluid to further purification steps.

Accordingly, the present invention also provides a method for producing an antibody according to the present invention, characterized by the following steps:

- initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in the present invention, to said animal,
- removing the spleen or spleen cells from said animal,
- producing hybridoma cells of said spleen or spleen cells,
- selecting and cloning hybridoma cells specific for said hyperimmune serum-reactive antigens or a fragment thereof,
- producing the antibody by cultivation of said cloned hybridoma cells and optionally further purification steps.

The antibodies provided or produced according to the above methods may be used for the preparation of a medicament for treating or preventing *S. agalactiae* infections.

According to another aspect the present invention provides an antagonist, which binds to a hyperimmune serum-reactive antigen or a fragment thereof according to the present invention.

Such an antagonist capable of binding to a hyperimmune serum-reactive antigen or fragment thereof according to the present invention may be identified by a method comprising the following steps:

- a) contacting an isolated or immobilized hyperimmune serum-reactive antigen or a fragment thereof according to the present invention with a candidate antagonist under conditions to permit binding of said candidate antagonist to said hyperimmune serum-reactive antigen or fragment, in the presence of a component capable of providing a detectable signal in response to the binding of the candidate antagonist to said hyperimmune serum reactive antigen or fragment thereof; and
- b) detecting the presence or absence of a signal generated in response to the binding of the antagonist to the hyperimmune serum reactive antigen or the fragment thereof.

An antagonist capable of reducing or inhibiting the interaction activity of a hyperimmune serum-reactive antigen or a fragment thereof according to the present invention to its interaction partner may be identified by a method comprising the following steps:

- a) providing a hyperimmune serum reactive antigen or a hyperimmune fragment thereof according to the present invention,
- b) providing an interaction partner to said hyperimmune serum reactive antigen or a fragment thereof, especially an antibody according to the present invention,
- c) allowing interaction of said hyperimmune serum reactive antigen or fragment thereof to said interaction partner to form an interaction complex,
- d) providing a candidate antagonist,
- e) allowing a competition reaction to occur between the candidate antagonist and the interaction complex,
- f) determining whether the candidate antagonist inhibits or reduces the interaction activities of the hyperimmune serum reactive antigen or the fragment thereof with the interaction partner.

The hyperimmune serum reactive antigens or fragments thereof according to the present invention may be used for the isolation and/or purification and/or identification of an interaction partner of said hyperimmune serum reactive antigen or fragment thereof.

The present invention also provides a process for *in vitro* diagnosing a disease related to expression of a hyperimmune serum-reactive antigen or a fragment thereof according to the present invention comprising determining the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen or fragment thereof according to the present invention or the presence of the hyperimmune serum reactive antigen or fragment thereof according to the present invention.

The present invention also provides a process for *in vitro* diagnosis of a bacterial infection, especially a *S. agalactiae* infection, comprising analyzing for the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen or fragment thereof according to the present invention or the presence of the hyperimmune serum reactive antigen or fragment thereof according to the present invention.

Moreover, the present invention provides the use of a hyperimmune serum reactive antigen or fragment thereof according to the present invention for the generation of a peptide binding to said hyperimmune serum reactive antigen or fragment thereof, wherein the peptide is an anticaline.

The present invention also provides the use of a hyperimmune serum-reactive antigen or fragment thereof according to the present invention for the manufacture of a functional nucleic acid, wherein the functional nucleic acid is selected from the group comprising aptamers and spiegelmers.

The nucleic acid molecule according to the present invention may also be used for the manufacture of a functional ribonucleic acid, wherein the functional ribonucleic acid is selected from the group comprising ribozymes, antisense nucleic acids and siRNA.

The present invention advantageously provides an efficient, relevant and comprehensive set of isolated nucleic acid molecules and their encoded hyperimmune serum reactive antigens or fragments thereof identified from *S. agalactiae* using an antibody preparation from multiple human plasma pools and surface expression libraries derived from the genome of *S. agalactiae*. Thus, the present invention fulfils a widely felt demand for *S. agalactiae* antigens, vaccines, diagnostics and products useful in procedures for preparing antibodies and for identifying compounds effective against *S. agalactiae* infection.

An effective vaccine should be composed of proteins or polypeptides, which are expressed by all strains and are able to induce high affinity, abundant antibodies against cell surface components of *S. agalactiae*. The antibodies should be IgG1 and/or IgG3 for opsonization, and any IgG subtype and IgA for neutralisation of adherence and toxin action. A chemically defined vaccine must be definitely superior compared to a whole cell vaccine (attenuated or killed), since components of *S. agalactiae*, which cross-react with human tissues or inhibit opsonization can be eliminated, and the individual proteins inducing protective antibodies and/or a protective immune response can be selected.

The approach, which has been employed for the present invention, is based on the interaction of GBS proteins or peptides with the antibodies present in human sera. The antibodies produced against *S. agalactiae* by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity. In addition, the antigenic proteins as identified by the bacterial surface display expression libraries using pools of pre-selected sera, are processed in a second and third round of screening by individual selected or generated sera. Thus the present invention supplies an efficient, relevant, comprehensive set of GBS antigens as a pharmaceutical composition, especially a vaccine preventing infection by *S. agalactiae*.

In the antigen identification program for identifying a comprehensive set of antigens according to the present invention, at least two different bacterial surface expression libraries are screened with several serum pools or plasma fractions or other pooled antibody containing body fluids (antibody pools). The antibody pools are derived from a serum collection, which has been tested against antigenic compounds of *S. agalactiae*, such as whole cell extracts and culture supernatant proteins. Preferably, three distinct serum collections are used, obtained ad 1. from healthy pregnant women tested negative for cervical and anorectal carriage of GBS, ad 2. healthy pregnant women tested positive for cervical and/or anorectal carriage of GBS who's newborn remained GBS-free (although with antibiotic prevention), ad 3. from adults below <45 years of age without clinical disease. Sera have to react with multiple GBS-specific antigens in order to be considered hyperimmune and therefore relevant in the screening method applied for the present invention.

The expression libraries as used in the present invention should allow expression of all potential antigens, e.g. derived from all secreted and surface proteins of *S. agalactiae*. Bacterial surface display libraries will be represented by a recombinant library of a bacterial host displaying a (total) set of expressed peptide sequences of *S. agalactiae* on two selected outer membrane proteins (LamB and FhuA) at the bacterial host membrane [Georgiou, G., 1997]; [Etz, H. et al., 2001]. One of the advantages of using recombinant expression libraries is that the identified hyperimmune serum-reactive antigens may be instantly produced by expression of the coding sequences of the screened and selected clones expressing the hyperimmune serum-reactive antigens without further recombinant DNA technology or cloning steps necessary.

The comprehensive set of antigens identified by the described program according to the present invention is analysed further by one or more additional rounds of screening. Therefore individual antibody preparations or antibodies generated against selected peptides, which were identified as immunogenic are used. According to a preferred embodiment the individual antibody preparations for the second round of screening are derived from pregnant women and non-pregnant adults who show an antibody titer above a certain minimum level, for example an antibody titer being higher than 80

percentile, preferably higher than 90 percentile, especially higher than 95 percentile of the human (patient or healthy individual) sera tested. Using such high titer individual antibody preparations in the second screening round allows a very selective identification of the hyperimmune serum-reactive antigens and fragments thereof from *S. agalactiae*.

Following the comprehensive screening procedure, the selected antigenic proteins, expressed as recombinant proteins or *in vitro* translated products, in case it can not be expressed in prokaryotic expression systems, or the identified antigenic peptides (produced synthetically) are tested in a second screening by a series of ELISA and Western blotting assays for the assessment of their immunogenicity with a large human serum collection (minimum ~150 healthy and patients sera).

It is important that the individual antibody preparations (which may also be the selected serum) allow a selective identification of the most promising candidates of all the hyperimmune serum-reactive antigens from all the promising candidates from the first round. Therefore, preferably at least 10 individual antibody preparations (i.e. antibody preparations (e.g. sera) from at least 10 different individuals having suffered from an infection to the chosen pathogen) should be used in identifying these antigens in the second screening round. Of course, it is possible to use also less than 10 individual preparations, however, selectivity of the step may not be optimal with a low number of individual antibody preparations. On the other hand, if a given hyperimmune serum-reactive antigen (or an antigenic fragment thereof) is recognized by at least 10 individual antibody preparations, preferably at least 30, especially at least 50 individual antibody preparations, identification of the hyperimmune serum-reactive antigen is also selective enough for a proper identification. Hyperimmune serum-reactivity may of course be tested with as many individual preparations as possible (e.g. with more than 100 or even with more than 1,000).

Therefore, the relevant portion of the hyperimmune serum-reactive antibody preparations according to the method of the present invention should preferably be at least 10, more preferred at least 30, especially at least 50 individual antibody preparations. Alternatively (or in combination) hyperimmune serum-reactive antigens may preferably be also identified with at least 20%, preferably at least 30%, especially at least 40% of all individual antibody preparations used in the second screening round.

According to a preferred embodiment of the present invention, the sera from which the individual antibody preparations for the second round of screening are prepared (or which are used as antibody preparations), are selected by their titer against *S. agalactiae* (e.g. against a preparation of this pathogen, such as a lysate, cell wall components and recombinant proteins). Preferably, some are selected with a total IgA titer above 300 U, especially above 500 U, and/or an IgG titer above 5,000 U, especially above 10,000 U (U = units, calculated from the OD<sub>405nm</sub> reading at a given dilution) when the whole organism (total lysate or whole cells) is used as antigen in the ELISA.

The antibodies produced against streptococci by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity. The recognition of linear epitopes recognized by serum antibodies can be based on sequences as short as 4-5 amino acids. Of course it does not necessarily mean that these short peptides are capable of inducing the given antibody *in vivo*. For that reason the defined epitopes, polypeptides and proteins are further to be tested in animals (mainly in mice) for their capacity to induce antibodies against the selected proteins *in vivo*.

The preferred antigens are located on the cell surface or secreted, and are therefore accessible extracellularly. Antibodies against cell wall proteins are expected to serve multiple purposes: to inhibit adhesion, to interfere with nutrient acquisition, to inhibit immune evasion and to promote phagocytosis [Hornef, M. et al., 2002]. Antibodies against secreted proteins are beneficial in neutralisation of their function as toxin or virulence component. It is also known that bacteria communicate with each other



through secreted proteins. Neutralizing antibodies against these proteins will interrupt growth-promoting cross-talk between or within streptococcal species. Bioinformatic analyses (signal sequences, cell wall localisation signals, transmembrane domains) proved to be very useful in assessing cell surface localisation or secretion. The experimental approach includes the isolation of antibodies with the corresponding epitopes and proteins from human serum, and the generation of immune sera in mice against (poly) peptides selected by the bacterial surface display screens. These sera are then used in a third round of screening as reagents in the following assays: cell surface staining of *S. agalactiae* grown under different conditions (FACS or microscopy), determination of neutralizing capacity (toxin, adherence), and promotion of opsonization and phagocytosis (*in vitro* phagocytosis assay).

For that purpose, bacterial *E. coli* clones are directly injected into mice and immune sera are taken and tested in the relevant *in vitro* assay for functional opsonic or neutralizing antibodies. Alternatively, specific antibodies may be purified from human or mouse sera using peptides or proteins as substrate.

Host defence against *S. agalactiae* relies mainly on opsonophagocytic killing mechanism. Inducing high affinity antibodies of the opsonic and neutralizing type by vaccination helps the innate immune system to eliminate bacteria and toxins. This makes the method according to the present invention an optimal tool for the identification of GBS antigenic proteins.

The skin and mucous membranes are formidable barriers against invasion by streptococci. However, once the skin or the mucous membranes are breached the first line of non-adaptive cellular defence begins its co-ordinate action through complement and phagocytes, especially the polymorphonuclear leukocytes (PMNs). These cells can be regarded as the cornerstones in eliminating invading bacteria. As *Streptococcus agalactiae* is a primarily extracellular pathogen, the major anti-streptococcal adaptive response comes from the humoral arm of the immune system, and is mediated through three major mechanisms: promotion of opsonization, toxin neutralisation, and inhibition of adherence. It is believed that opsonization is especially important, because of its requirement for an effective phagocytosis. For efficient opsonization the microbial surface has to be coated with antibodies and complement factors for recognition by PMNs through receptors to the Fc fragment of the IgG molecule or to activated C3b. After opsonization, streptococci are phagocytosed and killed. Antibodies bound to specific antigens on the cell surface of bacteria serve as ligands for the attachment to PMNs and to promote phagocytosis. The very same antibodies bound to the adhesins and other cell surface proteins are expected to neutralize adhesion and prevent colonization. The selection of antigens as provided by the present invention is thus well suited to identify those that will lead to protection against infection in an animal model or in humans.

According to the antigen identification method used herein, the present invention can surprisingly provide a set of comprehensive novel nucleic acids and novel hyperimmune serum reactive antigens and fragments thereof of *S. agalactiae*, among other things, as described below. According to one aspect, the invention particularly relates to the nucleotide sequences encoding hyperimmune serum reactive antigens which sequences are set forth in the Sequence listing Seq ID No: 1-217, 435-448 and 463-474 and the corresponding encoded amino acid sequences representing hyperimmune serum reactive antigens are set forth in the Sequence Listing Seq ID No 218-434, 449-462 and 475-486.

In a preferred embodiment of the present invention, a nucleic acid molecule is provided which exhibits 70% identity over their entire length to a nucleotide sequence set forth with Seq ID No 14, 90, 157-216.. Most highly preferred are nucleic acids that comprise a region that is at least 80% or at least 85% identical over their entire length to a nucleic acid molecule set forth with Seq ID No 14, 90, 157-216. In this regard, nucleic acid molecules at least 90%, 91%, 92%, 93%, 94%, 95%, or 96% identical over their entire length to the same are particularly preferred. Furthermore, those with at least 97% are highly preferred, those with at least 98% and at least 99% are particularly highly preferred, with at least 99% or 99.5% being the more preferred, with 100% identity being especially preferred. Moreover, preferred embodiments in this respect are nucleic acids which encode hyperimmune serum reactive antigens or fragments thereof

(polypeptides) which retain substantially the same biological function or activity as the mature polypeptide encoded by said nucleic acids set forth in the Seq ID No 14, 90, 157-216.

Identity, as known in the art and used herein, is the relationship between two or more polypeptide sequences or two or more polynucleotide sequences, as determined by comparing the sequences. In the art, identity also means the degree of sequence relatedness between polypeptide or polynucleotide sequences, as the case may be, as determined by the match between strings of such sequences. Identity can be readily calculated. While there exist a number of methods to measure identity between two polynucleotide or two polypeptide sequences, the term is well known to skilled artisans (e.g. *Sequence Analysis in Molecular Biology*, von Heinje, G., Academic Press, 1987). Preferred methods to determine identity are designed to give the largest match between the sequences tested. Methods to determine identity are codified in computer programs. Preferred computer program methods to determine identity between two sequences include, but are not limited to, GCG program package (Devereux, J. et al., 1984), BLASTP, BLASTN, and FASTA [Altschul, S. et al., 1990].

According to another aspect of the invention, nucleic acid molecules are provided which exhibit 96 % or more than 96 %, especially 100 % sequence identity to the nucleic acid sequence set forth with Seq ID No 1, 3, 5-13, 15, 18-25, 27-31, 33-36, 39-68, 70-85, 92-100, 103-126, 128-145, 147, 149-156, 217, 435-448 and 463-474.

According to a further aspect of the present invention, nucleic acid molecules having 98 % or more than 98%, especially 100 % sequence identity to a nucleic acid molecule are provided which are identical to the nucleic acid sequences set forth with Seq ID No 32, 86, 91, 101, 127.

The nucleic acid molecules according to the present invention can as a second alternative also be a nucleic acid molecule which is at least essentially complementary to the nucleic acid described as the first alternative above. As used herein complementary means that a nucleic acid strand is base pairing via Watson-Crick base pairing with a second nucleic acid strand. Essentially complementary as used herein means that the base pairing is not occurring for all of the bases of the respective strands but leaves a certain number or percentage of the bases unpaired or wrongly paired. The percentage of correctly pairing bases is preferably at least 70 %, more preferably 80 %, even more preferably 90 % and most preferably any percentage higher than 90 %. It is to be noted that a percentage of 70 % matching bases is considered as homology and the hybridization having this extent of matching base pairs is considered as stringent. Hybridization conditions for this kind of stringent hybridization may be taken from Current Protocols in Molecular Biology (John Wiley and Sons, Inc., 1987). More particularly, the hybridization conditions can be as follows:

- Hybridization performed e.g. in 5 x SSPE, 5 x Denhardt's reagent, 0.1% SDS, 100 g/mL sheared DNA at 68°C
- Moderate stringency wash in 0.2xSSC, 0.1% SDS at 42°C
- High stringency wash in 0.1xSSC, 0.1% SDS at 68°C

Genomic DNA with a GC content of 50% has an approximate  $T_m$  of 96°C. For 1% mismatch, the  $T_m$  is reduced by approximately 1°C.

In addition, any of the further hybridization conditions described herein are in principle applicable as well.

Of course, all nucleic acid sequence molecules which encode the same polypeptide molecule as those identified by the present invention are encompassed by any disclosure of a given coding sequence, since the degeneracy of the genetic code is directly applicable to unambiguously determine all possible nucleic acid molecules which encode a given polypeptide molecule, even if the number of such degenerated

nucleic acid molecules may be high. This is also applicable for fragments of a given polypeptide, as long as the fragments encode a polypeptide being suitable to be used in a vaccination connection, e.g. as an active or passive vaccine.

The nucleic acid molecule according to the present invention can as a third alternative also be a nucleic acid which comprises a stretch of at least 15 bases of the nucleic acid molecule according to the first and second alternative of the nucleic acid molecules according to the present invention as outlined above. Preferably, the bases form a contiguous stretch of bases. However, it is also within the scope of the present invention that the stretch consists of two or more moieties, which are separated by a number of bases.

The present nucleic acids may preferably consist of at least 20, even more preferred at least 30, especially at least 50 contiguous bases from the sequences disclosed herein. The suitable length may easily be optimized due to the planned area of use (e.g. as (PCR) primers, probes, capture molecules (e.g. on a (DNA) chip), etc.). Preferred nucleic acid molecules contain at least a contiguous 15 base portion of one or more of the predicted immunogenic amino acid sequences listed in tables 1 and 2, especially the sequences of table 2 with scores of more than 10, preferably more than 20, especially with a score of more than 25. Specifically preferred are nucleic acids containing a contiguous portion of a DNA sequence of any sequence in the sequence protocol of the present application which shows 1 or more, preferably more than 2, especially more than 5, non-identical nucleic acid residues compared to the published *Streptococcus agalactiae* strain NEM316 (ATCC 12403) genome ([Glaser, P. et al., 2002]; GenBank accession AL732656) and/or any other published *S. agalactiae* genome sequence or parts thereof, especially of the serotype V 2603 V/R (A909) strain [Tettelin, H. et al., 2002]; GenBank accession AE009948). Specifically preferred non-identical nucleic acid residues are residues, which lead to a non-identical amino acid residue. Preferably, the nucleic acid sequences encode polypeptides having at least 1, preferably at least 2, preferably at least 3 different amino acid residues compared to the published *S. agalactiae* counterparts mentioned above. Also such isolated polypeptides, being fragments of the proteins (or the whole protein) mentioned herein e.g. in the sequence listing, having at least 6, 7, or 8 amino acid residues and being encoded by these nucleic acids are preferred.

The nucleic acid molecule according to the present invention can as a fourth alternative also be a nucleic acid molecule which anneals under stringent hybridisation conditions to any of the nucleic acids of the present invention according to the above outlined first, second, and third alternative. Stringent hybridisation conditions are typically those described herein.

Finally, the nucleic acid molecule according to the present invention can as a fifth alternative also be a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to any of the nucleic acid molecules according to any nucleic acid molecule of the present invention according to the first, second, third, and fourth alternative as outlined above. This kind of nucleic acid molecule refers to the fact that preferably the nucleic acids according to the present invention code for the hyperimmune serum reactive antigens or fragments thereof according to the present invention. This kind of nucleic acid molecule is particularly useful in the detection of a nucleic acid molecule according to the present invention and thus the diagnosis of the respective microorganisms such as *S. agalactiae* and any disease or diseased condition where this kind of microorganisms is involved. Preferably, the hybridisation would occur or be preformed under stringent conditions as described in connection with the fourth alternative described above.

Nucleic acid molecule as used herein generally refers to any ribonucleic acid molecule or deoxyribonucleic acid molecule, which may be unmodified RNA or DNA or modified RNA or DNA. Thus, for instance, nucleic acid molecule as used herein refers to, among other, single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded RNA, and RNA that is a mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-

stranded or, more typically, double-stranded, or triple-stranded, or a mixture of single- and double-stranded regions. In addition, nucleic acid molecule as used herein refers to triple-stranded regions comprising RNA or DNA or both RNA and DNA. The strands in such regions may be from the same molecule or from different molecules. The regions may include all of one or more of the molecules, but more typically involve only a region of some of the molecules. One of the molecules of a triple-helical region often is an oligonucleotide. As used herein, the term nucleic acid molecule includes DNAs or RNAs as described above that contain one or more modified bases. Thus, DNAs or RNAs with backbones modified for stability or for other reasons are "nucleic acid molecule" as that term is intended herein. Moreover, DNAs or RNAs comprising unusual bases, such as inosine, or modified bases, such as tritylated bases, to name just two examples, are nucleic acid molecule as the term is used herein. It will be appreciated that a great variety of modifications have been made to DNA and RNA that serve many useful purposes known to those of skill in the art. The term nucleic acid molecule as it is employed herein embraces such chemically, enzymatically or metabolically modified forms of nucleic acid molecule, as well as the chemical forms of DNA and RNA characteristic of viruses and cells, including simple and complex cells, *inter alia*. The term nucleic acid molecule also embraces short nucleic acid molecules often referred to as oligonucleotide(s). "Polynucleotide" and "nucleic acid" or "nucleic acid molecule" are often used interchangeably herein.

Nucleic acid molecules provided in the present invention also encompass numerous unique fragments, both longer and shorter than the nucleic acid molecule sequences set forth in the sequencing listing of the *S. agalactiae* coding regions, which can be generated by standard cloning methods. To be unique, a fragment must be of sufficient size to distinguish it from other known nucleic acid sequences, most readily determined by comparing any selected *S. agalactiae* fragment to the nucleotide sequences in computer databases such as GenBank.

Additionally, modifications can be made to the nucleic acid molecules and polypeptides that are encompassed by the present invention. For example, nucleotide substitutions can be made which do not affect the polypeptide encoded by the nucleic acid, and thus any nucleic acid molecule which encodes a hyperimmune serum reactive antigen or fragments thereof is encompassed by the present invention.

Furthermore, any of the nucleic acid molecules encoding hyperimmune serum reactive antigens or fragments thereof provided by the present invention can be functionally linked, using standard techniques such as standard cloning techniques, to any desired regulatory sequences, whether a *S. agalactiae* regulatory sequence or a heterologous regulatory sequence, heterologous leader sequence, heterologous marker sequence or a heterologous coding sequence to create a fusion protein.

Nucleic acid molecules of the present invention may be in the form of RNA, such as mRNA or cRNA, or in the form of DNA, including, for instance, cDNA and genomic DNA obtained by cloning or produced by chemical synthetic techniques or by a combination thereof. The DNA may be triple-stranded, double-stranded or single-stranded. Single-stranded DNA may be the coding strand, also known as the sense strand, or it may be the non-coding strand, also referred to as the anti-sense strand.

The present invention further relates to variants of the herein above described nucleic acid molecules which encode fragments, analogs and derivatives of the hyperimmune serum reactive antigens and fragments thereof having a deduced *S. agalactiae* amino acid sequence set forth in the Sequence Listing. A variant of the nucleic acid molecule may be a naturally occurring variant such as a naturally occurring allelic variant, or it may be a variant that is not known to occur naturally. Such non-naturally occurring variants of the nucleic acid molecule may be made by mutagenesis techniques, including those applied to nucleic acid molecules, cells or organisms.

Among variants in this regard are variants that differ from the aforementioned nucleic acid molecules by nucleotide substitutions, deletions or additions. The substitutions, deletions or additions may involve one

or more nucleotides. The variants may be altered in coding or non-coding regions or both. Alterations in the coding regions may produce conservative or non-conservative amino acid substitutions, deletions or additions. Preferred are nucleic acid molecules encoding a variant, analog, derivative or fragment, or a variant, analogue or derivative of a fragment, which have a *S. agalactiae* sequence as set forth in the Sequence Listing, in which several, a few, 5 to 10, 1 to 5, 1 to 3, 2, 1 or no amino acid(s) is substituted, deleted or added, in any combination. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the *S. agalactiae* polypeptides set forth in the Sequence Listing. Also especially preferred in this regard are conservative substitutions.

The peptides and fragments according to the present invention also include modified epitopes wherein preferably one or two of the amino acids of a given epitope are modified or replaced according to the rules disclosed in e.g. [Tourdot, S. et al., 2000], as well as the nucleic acid sequences encoding such modified epitopes.

It is clear that also epitopes derived from the present epitopes by amino acid exchanges improving, conserving or at least not significantly impeding the T cell activating capability of the epitopes are covered by the epitopes according to the present invention. Therefore the present epitopes also cover epitopes, which do not contain the original sequence as derived from *S. agalactiae*, but trigger the same or preferably an improved T cell response. These epitopes are referred to as "heteroclitic"; they need to have a similar or preferably greater affinity to MHC/HLA molecules, and the need the ability to stimulate the T cell receptors (TCR) directed to the original epitope in a similar or preferably stronger manner.

Heteroclitic epitopes can be obtained by rational design i.e. taking into account the contribution of individual residues to binding to MHC/HLA as for instance described by [Rammensee, H. et al., 1999], combined with a systematic exchange of residues potentially interacting with the TCR and testing the resulting sequences with T cells directed against the original epitope. Such a design is possible for a skilled man in the art without much experimentation.

Another possibility includes the screening of peptide libraries with T cells directed against the original epitope. A preferred way is the positional scanning of synthetic peptide libraries. Such approaches have been described in detail for instance by [Hemmer, B. et al., 1999] and the references given therein.

As an alternative to epitopes represented by the present derived amino acid sequences or heteroclitic epitopes, also substances mimicking these epitopes e.g. "peptidemimetics" or "retro-inverso-peptides" can be applied.

Another aspect of the design of improved epitopes is their formulation or modification with substances increasing their capacity to stimulate T cells. These include T helper cell epitopes, lipids or liposomes or preferred modifications as described in WO 01/78767.

Another way to increase the T cell stimulating capacity of epitopes is their formulation with immune stimulating substances for instance cytokines or chemokines like interleukin-2, -7, -12, -18, class I and II interferons (IFN), especially IFN-gamma, GM-CSF, TNF-alpha, flt3-ligand and others.

As discussed additionally herein regarding nucleic acid molecule assays of the invention, for instance, nucleic acid molecules of the invention as discussed above, may be used as a hybridization probe for RNA, cDNA and genomic DNA to isolate full-length cDNAs and genomic clones encoding polypeptides of the present invention and to isolate cDNA and genomic clones of other genes that have a high sequence similarity to the nucleic acid molecules of the present invention. Such probes generally will comprise at least 15 bases. Preferably, such probes will have at least 20, at least 25 or at least 30 bases, and may have at least 50 bases. Particularly preferred probes will have at least 30 bases, and will have 50 bases or less, such as 30, 35, 40, 45, or 50 bases.

For example, the coding region of a nucleic acid molecule of the present invention may be isolated by screening a relevant library using the known DNA sequence to synthesize an oligonucleotide probe. A labeled oligonucleotide having a sequence complementary to that of a gene of the present invention is then used to screen a library of cDNA, genomic DNA or mRNA to determine to which members of the library the probe hybridizes.

The nucleic acid molecules and polypeptides of the present invention may be employed as reagents and materials for development of treatments of and diagnostics for disease, particularly human disease, as further discussed herein relating to nucleic acid molecule assays, *inter alia*.

The nucleic acid molecules of the present invention that are oligonucleotides can be used in the processes herein as described, but preferably for PCR, to determine whether or not the *S. agalactiae* genes identified herein in whole or in part are present and/or transcribed in infected tissue such as blood. It is recognized that such sequences will also have utility in diagnosis of the stage of infection and type of infection the pathogen has attained. For this and other purposes the arrays comprising at least one of the nucleic acids according to the present invention as described herein, may be used.

The nucleic acid molecules according to the present invention may be used for the detection of nucleic acid molecules and organisms or samples containing these nucleic acids. Preferably such detection is for diagnosis, more preferable for the diagnosis of a disease related or linked to the presence or abundance of *S. agalactiae*.

Eukaryotes (herein also "individual(s)"), particularly mammals, and especially humans, infected with *S. agalactiae* may be identifiable by detecting any of the nucleic acid molecules according to the present invention detected at the DNA level by a variety of techniques. Preferred nucleic acid molecules candidates for distinguishing a *S. agalactiae* from other organisms can be obtained.

The invention provides a process for diagnosing disease, arising from infection with *S. agalactiae*, comprising determining from a sample isolated or derived from an individual an increased level of expression of a nucleic acid molecule having the sequence of a nucleic acid molecule set forth in the Sequence Listing. Expression of nucleic acid molecules can be measured using any one of the methods well known in the art for the quantitation of nucleic acid molecules, such as, for example, PCR, RT-PCR, Rnase protection, Northern blotting, other hybridisation methods and the arrays described herein.

Isolated as used herein means separated "by the hand of man" from its natural state; i.e., that, if it occurs in nature, it has been changed or removed from its original environment, or both. For example, a naturally occurring nucleic acid molecule or a polypeptide naturally present in a living organism in its natural state is not "isolated," but the same nucleic acid molecule or polypeptide separated from the coexisting materials of its natural state is "isolated", as the term is employed herein. As part of or following isolation, such nucleic acid molecules can be joined to other nucleic acid molecules, such as DNAs, for mutagenesis, to form fusion proteins, and for propagation or expression in a host, for instance. The isolated nucleic acid molecules, alone or joined to other nucleic acid molecules such as vectors, can be introduced into host cells, in culture or in whole organisms. Introduced into host cells in culture or in whole organisms, such DNAs still would be isolated, as the term is used herein, because they would not be in their naturally occurring form or environment. Similarly, the nucleic acid molecules and polypeptides may occur in a composition, such as a media formulations, solutions for introduction of nucleic acid molecules or polypeptides, for example, into cells, compositions or solutions for chemical or enzymatic reactions, for instance, which are not naturally occurring compositions, and, therein remain isolated nucleic acid molecules or polypeptides within the meaning of that term as it is employed herein.

The nucleic acids according to the present invention may be chemically synthesized. Alternatively, the

nucleic acids can be isolated from *S. agalactiae* by methods known to the one skilled in the art.

According to another aspect of the present invention, a comprehensive set of novel hyperimmune serum reactive antigens and fragments thereof are provided by using the herein described antigen identification method. In a preferred embodiment of the invention, a hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by any one of the nucleic acids molecules herein described and fragments thereof are provided. In another preferred embodiment of the invention a novel set of hyperimmune serum-reactive antigens which comprises amino acid sequences selected from a group consisting of the polypeptide sequences as represented in Seq ID No 231, 307, 374-433 and fragments thereof are provided. In a further preferred embodiment of the invention hyperimmune serum-reactive antigens which comprise amino acid sequences selected from a group consisting of the polypeptide sequences as represented in Seq ID No 218, 220, 222-230, 232, 235-242, 244-248, 250-253, 256-285, 287-302, 309-317, 320-343, 345-362, 364, 366-373, 434, 449-462 and 475-486 and fragments thereof are provided. In a still preferred embodiment of the invention hyperimmune serum-reactive antigens which comprise amino acid sequences selected from a group consisting of the polypeptide sequences as represented in Seq ID No 249, 303, 308, 318, 344 and fragments thereof are provided.

The hyperimmune serum reactive antigens and fragments thereof as provided in the invention include any polypeptide set forth in the Sequence Listing as well as polypeptides which have at least 70% identity to a polypeptide set forth in the Sequence Listing, preferably at least 80% or 85% identity to a polypeptide set forth in the Sequence Listing, and more preferably at least 90% similarity (more preferably at least 90% identity) to a polypeptide set forth in the Sequence Listing and still more preferably at least 95%, 96%, 97%, 98%, 99% or 99.5% similarity (still more preferably at least 95%, 96%, 97%, 98%, 99%, or 99.5% identity) to a polypeptide set forth in the Sequence Listing and also include portions of such polypeptides with such portion of the polypeptide generally containing at least 4 amino acids and more preferably at least 8, still more preferably at least 30, still more preferably at least 50 amino acids, such as 4, 8, 10, 20, 30, 35, 40, 45 or 50 amino acids.

The invention also relates to fragments, analogs, and derivatives of these hyperimmune serum reactive antigens and fragments thereof. The terms "fragment", "derivative" and "analog" when referring to an antigen whose amino acid sequence is set forth in the Sequence Listing, means a polypeptide which retains essentially the same or a similar biological function or activity as such hyperimmune serum reactive antigen and fragment thereof.

The fragment, derivative or analog of a hyperimmune serum reactive antigen and fragment thereof may be 1) one in which one or more of the amino acid residues are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code, or 2) one in which one or more of the amino acid residues includes a substituent group, or 3) one in which the mature hyperimmune serum reactive antigen or fragment thereof is fused with another compound, such as a compound to increase the half-life of the hyperimmune serum reactive antigen and fragment thereof (for example, polyethylene glycol), or 4) one in which the additional amino acids are fused to the mature hyperimmune serum reactive antigen or fragment thereof, such as a leader or secretory sequence or a sequence which is employed for purification of the mature hyperimmune serum reactive antigen or fragment thereof or a proprotein sequence. Such fragments, derivatives and analogs are deemed to be within the scope of those skilled in the art from the teachings herein.

The present invention also relates to antigens of different *S. agalactiae* isolates. Such homologues may easily be isolated based on the nucleic acid and amino acid sequences disclosed herein. There are 9 serotypes distinguished to date and the typing is based on serotype specific antisera. The presence of any antigen can accordingly be determined for every serotype. In addition it is possible to determine the variability of a particular antigen in the various serotypes as described for the *S. pyogenes* sic gene [Hoe,

N. et al., 2001). The contribution of the various serotypes to the different GBS infections varies in the different age groups and geographical regions. It is an important aspect that the most valuable protective antigens are expected to be conserved among various clinical strains.

Among the particularly preferred embodiments of the invention in this regard are the hyperimmune serum reactive antigens set forth in the Sequence Listing, variants, analogs, derivatives and fragments thereof, and variants, analogs and derivatives of fragments. Additionally, fusion polypeptides comprising such hyperimmune serum reactive antigens, variants, analogs, derivatives and fragments thereof, and variants, analogs and derivatives of the fragments are also encompassed by the present invention. Such fusion polypeptides and proteins, as well as nucleic acid molecules encoding them, can readily be made using standard techniques, including standard recombinant techniques for producing and expression of a recombinant polynucleic acid encoding a fusion protein.

Among preferred variants are those that vary from a reference by conservative amino acid substitutions. Such substitutions are those that substitute a given amino acid in a polypeptide by another amino acid of like characteristics. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxyl residues Ser and Thr, exchange of the acidic residues Asp and Glu, substitution between the amide residues Asn and Gln, exchange of the basic residues Lys and Arg and replacements among the aromatic residues Phe and Tyr.

Further particularly preferred in this regard are variants, analogs, derivatives and fragments, and variants, analogs and derivatives of the fragments, having the amino acid sequence of any polypeptide set forth in the Sequence Listing, in which several, a few, 5 to 10, 1 to 5, 1 to 3, 2, 1 or no amino acid residues are substituted, deleted or added, in any combination. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the polypeptide of the present invention. Also especially preferred in this regard are conservative substitutions. Most highly preferred are polypeptides having an amino acid sequence set forth in the Sequence Listing without substitutions.

The hyperimmune serum reactive antigens and fragments thereof of the present invention are preferably provided in an isolated form, and preferably are purified to homogeneity.

Also among preferred embodiments of the present invention are polypeptides comprising fragments of the polypeptides having the amino acid sequence set forth in the Sequence Listing, and fragments of variants and derivatives of the polypeptides set forth in the Sequence Listing.

In this regard a fragment is a polypeptide having an amino acid sequence that entirely is the same as part but not all of the amino acid sequence of the afore mentioned hyperimmune serum reactive antigen and fragment thereof, and variants or derivative, analogs, fragments thereof. Such fragments may be "free-standing", i.e., not part of or fused to other amino acids or polypeptides, or they may be comprised within a larger polypeptide of which they form a part or region. Also preferred in this aspect of the invention are fragments characterised by structural or functional attributes of the polypeptide of the present invention, i.e. fragments that comprise alpha-helix and alpha-helix forming regions, beta-sheet and beta-sheet forming regions, turn and turn-forming regions, coil and coil-forming regions, hydrophilic regions, hydrophobic regions, alpha amphipathic regions, beta-amphipathic regions, flexible regions, surface-forming regions, substrate binding regions, and high antigenic index regions of the polypeptide of the present invention, and combinations of such fragments. Preferred regions are those that mediate activities of the hyperimmune serum reactive antigens and fragments thereof of the present invention. Most highly preferred in this regard are fragments that have a chemical, biological or other activity of the hyperimmune serum reactive antigen and fragments thereof of the present invention, including those with a similar activity or an improved activity, or with a decreased undesirable activity. Particularly preferred are fragments comprising receptors or domains of enzymes that confer a function essential for



viability of *S. agalactiae* or the ability to cause disease in humans. Further preferred polypeptide fragments are those that comprise or contain antigenic or immunogenic determinants in an animal, especially in a human.

An antigenic fragment is defined as a fragment of the identified antigen, which is for itself antigenic or may be made antigenic when provided as a hapten. Therefore, also antigens or antigenic fragments showing one or (for longer fragments) only a few amino acid exchanges are enabled with the present invention, provided that the antigenic capacities of such fragments with amino acid exchanges are not severely deteriorated on the exchange(s), i.e., suited for eliciting an appropriate immune response in an individual vaccinated with this antigen and identified by individual antibody preparations from individual sera.

Preferred examples of such fragments of hyperimmune serum-reactive antigens selected from the group consisting of peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region" of Table 1A, **especially peptides comprising amino acid 4-20, 35-44, 65-70, 73-87, 92-98, 112-137, 152-161, 177-186, 193-200, 206-213, 229-255, 282-294, 308-313, 320-326, 349-355, 373-384, 388-406, 420-425 and 115-199 of Seq ID No 218; 5-24, 35-41, 44-70, 73-89, 103-109, 127-143, 155-161, 185-190, 192-207, 212-219, 246-262, 304-336, 372-382, 384-393, 398-407, 412-418, 438-444, 1-75, 76-161 and 164-239 of Seq ID No 219; 4-10, 16-58, 60-71, 77-92, 100-126, 132-146, 149-164, 166-172, 190-209, 214-220, 223-229, 241-256, 297-312, 314-319, 337-343, 351-359, 378-387, 398-418, 421-428, 430-437, 440-448, 462-471, 510-519, 525-536, 552-559, 561-568, 573-582, 596-602, 608-630, 637-649, 651-665, 681-702, 714-732, 739-745, 757-778, 790-805, 807-815, 821-829, 836-842, 846-873, 880-903, 908-914, 916-923, 931-940, 943-948, 956-970, 975-986, 996-1015, 1031-1040, 1051-1069, 1072-1095, 1114-1119, 1130-1148, 1150-1157, 1169-1176, 1229-1238 and 802-812 of Seq ID No 220; 5-12, 14-26, 35-47, 52-67, 72-78, 83-98, 121-141, 152-159, 163-183, 186-207, 209-257, 264-277, 282-299, 301-309, 312-318, 324-339, 358-368, 372-378, 387-397, 425-431 and 46-291 of Seq ID No 221; 29-38, 44-64, 70-76, 78-87, 94-100, 102-112, 119-134, 140-149, 163-173, 178-186, 188-194, 207-234, 247-262, 269-290 and 73-92 of Seq ID No 222; 10-28, 36-63, 77-87, 103-119, 127-136, 141-169, 171-183, 195-200, 207-232, 236-246, 251-265, 268-283, 287-297, 314-322, 335-343, 354-363, 384-390, 405-411, 419-436, 443-455, 467-473, 480-513, 518-529, 550-557, 565-585, 602-608, 616-625, 632-660, 665-677, 685-701, 726-736, 738-747, 752-761, 785-796, 801-813, 838-853, 866-871 and 757-774 of Seq ID No 223; 31-38, 61-66, 74-81, 90-115, 123-145, 154-167, 169-179, 182-193, 200-206, 238-244, 267-272 and 235-251 of Seq ID No 224; 19-25, 38-54, 56-64, 66-72, 74-92, 94-100, 116-129, 143-149, 156-183, 204-232, 253-266, 269-275, 294-307 and 241-313 of Seq ID No 225; 5-34, 50-56, 60-65, 74-85, 89-97, 108-119, 159-165, 181-199, 209-225, 230-240, 245-251, 257-262, 274-282, 300-305 and 64-75 of Seq ID No 226; 5-13, 16-21, 27-42, 45-52, 58-66, 74-87, 108-114, 119-131 and 39-51 of Seq ID No 227; 6-23, 46-54, 59-65, 78-84, 100-120, 128-133, 140-146, 159-165, 171-183, 190-204, 224-232, 240-248, 250-259, 274-280, 288-296, 306-315 and 267-274 of Seq ID No 228; 5-12, 15-24, 26-36, 42-65, 68-80, 82-104, 111-116, 125-144, 159-167, 184-189, 209-218, 235-243, 254-265, 269-283, 287-300, 306-316, 318-336, 338-352, 374-392 and 162-174 of Seq ID No 229; 30-42, 45-54 and 25-37 of Seq ID No 230; 10-30, 53-59, 86-95, 116-130, 132-147, 169-189, 195-201, 212-221, 247-256, 258-265, 278-283, 291-298, 310-316, 329-339, 341-352, 360-367, 388-396, 398-411, 416-432, 443-452, 460-466, 506-512, 515-521, 542-548 and 419-431 of Seq ID No 231; 4-27, 30-53, 60-67, 70-90, 92-151, 159-185, 189-195, 198-210, 215-239 and 173-189 of Seq ID No 232; 4-26, 41-54, 71-78, 116-127, 140-149, 151-158, 161-175, 190-196, 201-208, 220-226, 240-252, 266-281, 298-305, 308-318, 321-329, 344-353, 372-378, 384-405, 418-426, 429-442, 457-463, 494-505, 514-522 and 174-188 of Seq ID No 233; 17-25, 27-39, 61-67, 81-89, 99-110, 120-131, 133-139, 147-161, 167-172, 179-185, 192-198, 203-213, 226-238, 243-258, 261-267, 284-290, 296-307, 311-328, 340-352, 356-371 and 239-256 of Seq ID No 234; 8-30, 40-49, 67-80, 114-123, 126-142, 152-162, 188-194 and 57-70 of Seq ID No 235; 4-23, 28-34, 36-47, 50-61, 76-81, 89-94, 96-104, 112-119, 126-146, 155-181, 195-200, 208-214, 220-229, 244-260, 263-276, 282-288, 292-300, 317-323, 336-351, 353-359, 363-375, 382-399, 415-432, 444-455, 458-471, 476-481, 484-492, 499-517, 522-529, 535-541, 543-568, 572-584, 586-600, 607-617, 626-637, 656-675 and 282-297 of Seq ID No 236; 6-24, 30-35, 38-45, 63-91, 134-140, 146-160, 167-188, 214-220, 226-234, 244-250, 260-270, 286-301, 316-329, 340-371, 429-446, 448-459, 474-481, 485-491, 512-526, 537-544, 550-565, 573-583, 596-613, 621-630, 652-658 and 87-97 of Seq ID No 237; 8-20, 26-48, 56-67, 76-86, 94-109, 115-121, 123-**

129, 143-160, 178-186, 191-198, 201-208, 221-236, 238-244, 260-268 and 237-247 of Seq ID No 238; 4-40, 42-57, 73-87, 98-117, 126-135, 150-156, 166-174, 196-217, 231-236, 248-258, 276-284, 293-301, 307-313, 339-347, 359-365, 375-387, 395-402, 428-440, 445-456, 485-490, 497-505, 535-541, 547-555, 610-625, 648-656, 665-671 and 448-528 of Seq ID No 239; 10-18, 39-45, 51-61, 80-96, 98-106, 110-115, 158-172, 174-183, 191-200, 220-237, 249-255, 274-289, 308-324, 331-341, 372-381, 384-397, 405-414 and 322-338 of Seq ID No 240; 30-36, 38-56, 85-108, 134-147, 149-160, 163-183, 188-201, 206-211, 219-238, 247-254 and 5-13 of Seq ID No 241; 11-40, 98-103, 110-115, 133-145, 151-159, 172-179, 192-201, 204-212, 222-228, 235-245, 258-268, 283-296, 298-309, 322-329, 342-351, 354-362, 372-378, 385-393, 407-418, 495-516 and 1-148 of Seq ID No 242; 5-19, 21-36, 73-94, 112-119, 122-137, 139-145, 152-167, 184-190, 198-204, 208-224, 249-265, 267-281, 299-304, 309-317, 326-333, 356-364, 368-374, 381-389, 391-414, 419-425, 430-435 and 113-140 of Seq ID No 243; 45-54, 59-67, 78-91 and 15-23 of Seq ID No 244; 11-22, 33-47, 52-80, 88-112, 124-129 and 6-25 of Seq ID No 245; 26-41, 51-63, 80-89, 93-115, 150-163, 187-193, 220-237, 240-249, 286-294, 296-306, 316-329, 345-353, 361-370, 407-425, 428-437, 474-482, 484-494, 504-517, 533-541, 549-558, 595-613, 616-625, 660-668, 673-685, 711-726, 736-744, 749-761, 787-802, 812-820, 825-837, 863-878, 888-896, 901-913, 939-954, 964-972, 977-989, 1003-1008, 1016-1022, 1028-1034, 1041-1053, 1059-1074, 1101-1122, 420-511 and 581-704 of Seq ID No 246; 18-25, 27-55, 71-83, 89-95, 102-113, 120-146, 150-156, 174-185 and 159-175 of Seq ID No 247; 24-30, 38-56, 63-68, 87-93, 136-142, 153-164, 183-199, 213-219, 226-234, 244-261, 269-278, 283-289, 291-297, 320-328, 330-336, 340-346, 348-356, 358-366, 382-387, 401-408, 414-419, 449-455, 468-491, 504-512, 531-537, 554-560, 597-608, 621-627, 632-643, 650-662, 667-692, 703-716, 724-737, 743-758, 783-794, 800-818, 846-856 and 806-884 of Seq ID No 248; 4-14, 21-39, 86-92, 99-107, 121-131, 136-144, 147-154, 158-166, 176-185, 193-199, 207-222, 224-230 and 117-136 of Seq ID No 249; 65-76, 85-97, 103-109, 115-121, 125-146, 163-169, 196-205, 212-219, 228-237, 241-247, 254-262, 269-288, 294-303, 305-313, 328-367, 395-401, 405-412, 418-429, 437-447, 481-488, 506-513, 519-524, 530-541, 546-557 and 266-284 of Seq ID No 250; 5-14, 37-42, 49-71, 78-92, 97-112, 127-136, 147-154, 156-163, 186-198, 216-225, 233-243, 248-253, 295-307, 323-332, 359-366, 368-374, 380-398 and 194-223 of Seq ID No 251; 4-11, 33-39, 45-72, 100-113, 119-129, 136-144, 169-175, 177-185, 200-208, 210-219, 262-276, 278-297, 320-326, 336-344, 347-362, 381-394, 443-453 and 438-454 of Seq ID No 252; 4-29, 31-52, 55-61, 95-110, 138-158, 162-171, 179-187, 202-229, 239-248, 251-256, 262-267, 269-285, 304-310, 351-360, 362-368, 381-388, 415-428, 435-440, 448-458 and 161-178 of Seq ID No 253; 4-17, 19-28, 32-43, 47-59, 89-110, 112-126, 128-134, 140-148, 152-161, 169-184, 191-204, 230-235, 255-264, 328-338, 341-347, 401-409, 413-419, 433-441, 449-458, 463-468, 476-482, 486-492, 500-506, 529-545 and 305-381 of Seq ID No 254; 10-29, 38-45, 53-61, 134-145, 152-160, 163-170, 202-208, 219-229, 248-258, 266-275, 282-288, 315-320, 328-334, 377-385, 392-402, 418-424, 447-453, 460-471, 479-487, 491-497, 500-507, 531-537, 581-594, 615-623, 629-635, 644-652, 659-666, 668-678, 710-717, 719-728, 736-741, 747-760, 766-773, 784-789, 794-800, 805-817, 855-861, 866-887 and 698-715 of Seq ID No 255; 16-26, 29-37, 44-58, 62-68, 74-80, 88-95, 97-120, 125-144, 165-196 and 58-72 of Seq ID No 256; 14-21, 23-46, 49-60, 63-74, 78-92, 96-103, 117-129, 134-161, 169-211, 217-231, 239-248, 252-281, 292-299, 313-343 and 243-257 of Seq ID No 257; 11-27, 46-52, 67-72, 76-84, 91-112, 116-153, 160-175, 187-196, 202-211, 213-220 and 43-76 of Seq ID No 258; 5-29, 37-56, 78-86, 108-118, 152-161 and 120-130 of Seq ID No 259; 8-14, 19-41, 52-66, 75-82, 87-92, 106-121, 127-133, 136-143, 158-175, 180-187, 196-204, 221-228, 239-245, 259-265, 291-306, 318-323, 328-340, 352-358, 361-368, 375-381, 391-399, 411-418, 431-442, 446-455, 484-496, 498-510, 527-533, 541-549, 558-565, 575-585, 587-594, 644-655, 661-668, 671-677 and 184-196 of Seq ID No 260; 4-22, 29-38, 55-62, 75-81, 102-107, 110-134, 143-150, 161-167, 172-179, 191-215, 223-233, 241-247, 251-264, 266-272, 288-309, 340-352, 354-366, 394-402, 414-438 and 198-218 of Seq ID No 261; 24-44, 49-70, 80-91, 105-118, 128-136, 140-154 and 77-92 of Seq ID No 262; 5-22, 31-36, 41-47, 67-74, 83-90, 105-122, 135-143, 160-167 and 118-129 of Seq ID No 263; 4-25, 33-73, 81-93, 96-106, 114-120, 122-128, 130-172, 179-208, 210-241, 251-283, 296-301 and 92-100 of Seq ID No 264; 14-24, 29-38, 43-50, 52-72, 86-97, 101-107, 110-125, 127-141, 145-157, 168-175, 177-184, 186-195, 205-226, 238-250, 255-261, 284-290, 293-304, 307-314, 316-323, 325-356, 363-371, 383-390, 405-415, 423-432, 442-454, 466-485, 502-511, 519-527, 535-556, 558-565, 569-574, 612-634, 641-655, 672-686, 698-709, 715-722, 724-732, 743-753, 760-769, 783-792, 818-825, 830-839, 842-849, 884-896, 905-918, 926-940, 957-969, 979-1007, 1015-1021, 1049-1057 and 336-349 of Seq ID No 265; 6-16, 26-31, 33-39, 62-73, 75-85, 87-100, 113-123, 127-152, 157-164, 168-181, 191-198, 208-214, 219-226, 233-254, 259-266, 286-329 and 181-195 of Seq ID No 266; 4-13, 32-39, 53-76, 99-108, 110-116, 124-135, 137-146, 149-157, 162-174, 182-190, 207-231, 242-253, 255-264, 274-283, 291-323, 334-345, 351-360, 375-388, 418-425, 456-474, 486-492, 508-517,

520-536, 547-560, 562-577, 31-45 and 419-443 of Seq ID No 267; 15-26, 30-37, 42-49, 58-90, 93-99, 128-134, 147-154, 174-179, 190-197, 199-205, 221-230, 262-274, 277-287, 300-314, 327-333, 343-351, 359-377, 388-396, 408-413, 416-425, 431-446 and 246-256 of Seq ID No 268; 5-26, 34-42, 47-54, 61-67, 71-104, 107-115, 131-138, 144-153, 157-189, 196-202, 204-210, 228-245, 288-309, 316-329, 332-341, 379-386, 393-399, 404-412, 414-421, 457-468, 483-489, 500-506, 508-517, 523-534, 543-557, 565-580, 587-605, 609-617, 619-627, 631-636, 640-646, 662-668, 675-682, 705-710, 716-723, 727-732, 750-758, 784-789, 795-809, 869-874, 14-138, 166-286, 372-503, 674-696 and 754-859 of Seq ID No 269; 5-17, 32-38, 40-47, 80-89, 113-119, 125-137, 140-154, 157-163, 170-177, 185-199, 213-225, 228-236, 242-248, 277-290, 292-305, 323-333, 347-353, 364-370, 385-394, 399-406, 423-433, 441-451, 462-474, 477-487 and 116-124 of Seq ID No 270; 7-16, 18-30, 32-49, 53-61, 63-85, 95-101, 105-115, 119-134, 143-150, 159-178, 185-202, 212-229, 236-250, 254-265, 268-294 and 63-72 of Seq ID No 271; 4-12, 19-47, 73-81, 97-103, 153-169, 188-198, 207-213, 217-223, 236-242, 255-265, 270-278, 298-305, 309-317, 335-347, 354-363, 373-394, 419-424, 442-465, 486-492, 500-507, 542-549, 551-558, 560-572, 580-589, 607-614, 617-623, 647-653, 666-676, 694-704, 706-714, 748-754, 765-772, 786-792, 795-806 and 358-370 of Seq ID No 272; 18-28, 30-38, 40-46, 49-55, 69-78, 82-98, 104-134, 147-153, 180-190, 196-202, 218-236, 244-261, 266-273, 275-286, 290-295, 301-314, 378-387, 390-395, 427-434 and 290-305 of Seq ID No 273; 4-13, 20-31, 39-51, 54-61, 69-84, 87-105, 117-124 and 108-125 of Seq ID No 274; 24-34, 43-54, 56-66, 68-79 and 50-69 of Seq ID No 275; 5-43, 71-77, 102-131, 141-148, 150-156, 159-186, 191-207, 209-234, 255-268, 280-286, 293-299, 317-323, 350-357, 363-372, 391-397, 406-418, 428-435, 455-465, 484-497, 499-505, 525-531, 575-582, 593-607, 621-633, 638-649, 655-673, 684-698, 711-725, 736-741, 743-752, 759-769, 781-793, 813-831, 843-853, 894-905, 908-916, 929-946, 953-963, 970-978, 1001-1007, 1011-1033, 165-178 and 818-974 of Seq ID No 276; 16-44, 63-86, 98-108, 185-191, 222-237, 261-274, 282-294, 335-345, 349-362, 374-384, 409-420, 424-430, 440-447, 453-460, 465-473, 475-504, 522-534, 538-551, 554-560, 567-582, 598-607, 611-619, 627-640, 643-653, 655-661, 669-680, 684-690, 701-707, 715-731, 744-750, 756-763, 768-804, 829-837, 845-853, 855-879, 884-890, 910-928, 77-90, 144-212, 279-355, 434-536, 782-810 and 875-902 of Seq ID No 277; 4-22, 29-41, 45-51, 53-66, 70-77, 86-95, 98-104, 106-124, 129-135, 142-151, 153-161, 169-176, 228-251, 284-299, 331-337, 339-370, 380-387, 393-398, 406-411, 423-433, 440-452, 461-469, 488-498, 501-516, 523-530, 532-559, 562-567, 570-602, 612-628, 630-645, 649-659, 666-672, 677-696, 714-723, 727-747 and 212-227 of Seq ID No 278; 4-9, 17-31, 35-41, 56-61, 66-75, 81-87, 90-124, 133-138, 149-163, 173-192, 213-219, 221-262, 265-275, 277-282, 292-298, 301-307, 333-346, 353-363, 371-378, 419-430, 435-448, 456-469, 551-570, 583-599, 603-612 and 275-291 of Seq ID No 279; 28-34, 53-58, 72-81, 100-128, 145-154, 159-168, 172-189, 217-225, 227-249, 256-263, 299-309, 322-330, 361-379, 381-388, 392-401, 404-417, 425-436, 440-446, 451-464, 469-487, 502-511, 543-551, 559-564, 595-601, 606-612, 615-626, 633-642, 644-650, 664-670, 674-684, 692-701, 715-723, 726-734, 749-756, 763-771, 781-787, 810-843, 860-869, 882-889, 907-917, 931-936, 941-948, 951-958, 964-971, 976-993, 1039-1049, 1051-1065, 1092-1121, 1126-1132, 1145-1151, 1158-1173, 1181-1192, 1194-1208, 1218-1223, 1229-1243, 1249-1254, 1265-1279, 1287-1297, 1303-1320, 1334-1341, 1343-1358, 1372-1382, 1406-1417, 1419-1425, 1428-1434, 1441-1448, 1460-1473, 1494-1504, 1509-1514, 1529-1550, 654-669 and 1400-1483 of Seq ID No 280; 10-16, 20-25, 58-65, 97-109, 118-132, 134-146, 148-155, 186-195, 226-233, 244-262, 275-284, 295-310, 317-322, 330-339, 345-351, 366-375, 392-403, 408-415, 423-430, 435-444, 446-457, 467-479, 486-499, 503-510, 525-537, 540-585, 602-612, 614-623, 625-634, 639-645, 650-669, 700-707, 717-724, 727-739, 205-230 and 733-754 of Seq ID No 281; 5-22, 37-43, 72-81, 105-113, 128-133, 148-160, 188-194, 204-230, 238-245, 251-257 and 194-213 of Seq ID No 282; 16-21, 35-41, 56-72, 74-92, 103-109 and 62-68 of Seq ID No 283; 4-15, 17-82, 90-104, 107-159, 163-170, 188-221, 234-245, 252-265 and 220-235 of Seq ID No 284; 16-22, 36-46, 61-75, 92-107, 113-121, 139-145, 148-160 and 30-42 of Seq ID No 285; 4-12, 20-26, 43-49, 55-62, 66-78, 121-127, 135-141, 146-161, 164-170, 178-189, 196-205, 233-238, 269-279, 288-318, 325-332, 381-386, 400-407 and 328-346 of Seq ID No 286; 5-12, 31-49, 57-63, 69-79, 89-97, 99-114, 116-127, 134-142, 147-154, 160-173, 185-193, 199-204, 211-222, 229-236, 243-249, 256-274 and 58-68 of Seq ID No 287; 10-20, 28-34, 39-53, 68-79, 84-90, 99-106 and 73-79 of Seq ID No 288; 14-37, 45-50, 61-66, 77-82, 93-98, 109-114, 125-130, 141-146, 157-162, 173-178, 189-194, 205-210, 221-226, 237-242, 253-258, 269-274, 285-290, 301-306, 316-332, 349-359, 371-378, 385-406, 34-307 and 312-385 of Seq ID No 289; 4-10, 17-38, 50-85, 93-99, 109-116, 128-185, 189-197, 199-210, 223-256, 263-287, 289-312, 327-337, 371-386, 389-394, 406-419, 424-432, 438-450, 458-463, 475-502, 507-513, 519-526, 535-542, 550-567 and 361-376 of Seq ID No 290; 10-39, 42-93, 100-144, 155-176, 178-224, 230-244, 246-255, 273-282, 292-301, 308-325, 332-351, 356-361, 368-379, 386-393, 400-421 and 138-155 of Seq ID No 291; 5-11, 17-34, 40-45, 50-55, 72-80, 101-123, 145-151, 164-172,

182-187, 189-195, 208-218, 220-241, 243-252, 255-270, 325-331, 365-371, 391-398, 402-418, 422-428, 430-435, 443-452, 463-469, 476-484, 486-494, 503-509, 529-553, 560-565, 570-590, 608-614, 619-627, 654-661, 744-750, 772-780, 784-790, 806-816, 836-853, 876-885, 912-918, 926-933, 961-975, 980-987, 996-1006, 1016-1028, 1043-1053, 1057-1062, 994-1003 and 1033-1056 of Seq ID No 292; 17-45, 64-71, 73-81, 99-109, 186-192, 223-238, 262-275, 283-295, 336-346, 350-363, 375-385, 410-421, 425-431, 441-448, 454-463, 468-474, 476-512, 523-537, 539-552, 568-583, 599-608, 612-620, 628-641, 644-654, 656-662, 670-681, 685-695, 702-708, 716-723, 725-735, 757-764, 769-798, 800-806, 808-816, 826-840, 846-854, 856-862, 874-881, 885-902, 907-928, 274-350 and 443-513 of Seq ID No 293; 4-22, 29-41, 45-51, 53-61, 70-76, 85-92, 99-104, 111-122, 134-140, 142-154, 163-174, 224-232, 255-265, 273-279, 283-297, 330-335, 337-348, 356-367, 373-385, 391-396, 421-431, 442-455, 475-485, 493-505, 526-538, 544-561, 587-599, 605-620, 622-651, 662-670, 675-681, 687-692, 697-712, 714-735 and 252-262 of Seq ID No 294; 4-12, 15-35, 40-46, 50-59, 67-94, 110-128, 143-169, 182-188, 207-215, 218-228, 238-250 and 74-90 of Seq ID No 295; 9-18, 42-58, 78-85, 88-95, 97-106, 115-122, 128-134, 140-145, 154-181, 186-202, 204-223, 261-267, 269-278, 284-293, 300-336, 358-368 and 12-29 of Seq ID No 296; 7-34, 46-53, 62-72, 82-88, 100-105, 111-117, 132-137, 144-160, 166-180, 183-189, 209-221, 231-236, 246-253, 268-282, 286-293, 323-336, 364-372, 378-392, 422-433 and 388-405 of Seq ID No 297; 21-27, 34-50, 72-77, 80-95, 164-177, 192-198, 202-220, 226-236, 239-247, 270-279, 285-292, 315-320, 327-334, 348-355, 364-371, 388-397, 453-476, 488-497, 534-545, 556-576, 582-588, 601-607, 609-616, 642-662, 674-681, 687-697, 709-715, 721-727, 741-755 and 621-739 of Seq ID No 298; 4-14, 16-77, 79-109 and 25-99 of Seq ID No 299; 4-9, 17-23, 30-37, 44-55, 65-72, 77-93, 102-121, 123-132, 146-153 and 17-29 of Seq ID No 300; 4-18, 25-41, 52-60, 83-92, 104-112, 117-123, 149-155, 159-167, 170-192, 201-210, 220-227, 245-250 and 124-137 of Seq ID No 301; 8-25, 50-55, 89-95, 138-143, 148-153, 159-169, 173-179, 223-238, 262-268, 288-295, 297-308, 325-335, 403-409, 411-417, 432-446, 463-475, 492-501, 524-530, 542-548, 561-574, 576-593, 604-609, 612-622, 637-654, 665-672, 678-685, 720-725, 731-739, 762-767, 777-783, 820-838, 851-865, 901-908, 913-920, 958-970, 1000-1006, 1009-1015, 1020-1026, 1043-1052, 1055-1061, 1-128, 252-341, 771-793 and 1043-1058 of Seq ID No 302; 16-26, 33-46 and 64-76 of Seq ID No 303; 4-27, 69-77, 79-101, 117-123, 126-142, 155-161, 171-186, 200-206, 213-231, 233-244, 267-273, 313-329, 335-344, 347-370, 374-379, 399-408, 422-443, 445-453, 461-468, 476-482, 518-534, 544-553, 556-567, 578-595, 601-620, 626-636, 646-658, 666-681, 715-721, 762-768, 778-785, 789-803, 809-819, 22-108, 153-318, 391-527 and 638-757 of Seq ID No 304; 6-21, 32-43, 62-92, 104-123, 135-141, 145-152, 199-216, 218-226, 237-247, 260-269, 274-283, 297-303, 1-72 and 127-211 of Seq ID No 305; 6-26, 50-56, 83-89, 108-114, 123-131, 172-181, 194-200, 221-238, 241-247, 251-259, 263-271, 284-292, 304-319, 321-335, 353-358, 384-391, 408-417, 424-430, 442-448, 459-466, 487-500, 514-528, 541-556, 572-578, 595-601, 605-613, 620-631, 635-648, 660-670, 673-679, 686-693, 702-708, 716-725, 730-735, 749-755, 770-777, 805-811, 831-837, 843-851, 854-860, 863-869, 895-901, 904-914, 922-929, 933-938, 947-952, 956-963, 1000-1005, 1008-1014, 1021-1030, 1097-1103, 1120-1130, 1132-1140, 1-213, 269-592 and 992-1120 of Seq ID No 306; 9-16, 33-39, 47-59, 65-79, 81-95, 103-108, 115-123, 138-148, 163-171, 176-185, 191-196, 205-211, 213-221, 224-256, 261-276, 294-302, 357-363, 384-390, 95-111 and 161-189 of Seq ID No 307; 21-27, 35-45, 70-76, 92-105, 129-143, 145-155, 161-166, 170-191, 204-211, 214-231, 234-246, 249-255, 259-275 and 1-18 of Seq ID No 308; 21-35, 45-53, 56-64, 69-97 and 1-16 of Seq ID No 309; 25-33, 41-47, 61-68, 86-101, 106-114, 116-129, 134-142, 144-156, 163-176, 181-190, 228-251, 255-261, 276-292, 295-305, 334-357, 368-380, 395-410, 424-429, 454-460, 469-482, 510-516, 518-527, 531-546, 558-570, 579-606, 628-636, 638-645, 651-656, 668-674, 691-698, 717-734, 742-754, 765-770, 792-797, 827-835, 847-859, 874-881, 903-909, 926-933, 942-961, 964-977, 989-1004, 1010-1028, 1031-1047, 1057-1075, 1081-1095, 1108-1117, 1138-1144, 1182-1189, 1193-1206, 1220-1229, 1239-1246, 1257-1267, 1271-1279, 1284-1301, 1312-1320, 1329-1335, 1341-1347, 1358-1371, 1399-1404, 1417-1426, 1458-1463, 1468-1476, 1478-1485, 1493-1506, 1535-1541, 1559-1574, 1583-1590, 1595-1601, 1603-1611, 1622-1628, 1634-1644, 1671-1685, 1689-1696, 1715-1720, 1734-1746, 1766-1775, 1801-1806, 1838-1844, 1858-1871, 1910-1917, 1948-1955, 1960-1974, 2000-2015, 2019-2036, 2041-2063, 748-847 and 1381-1391 of Seq ID No 310; 5-12, 18-24, 27-53, 56-63, 96-113, 119-124, 131-136, 157-163, 203-209, 215-223, 233-246, 264-273, 311-316, 380-389, 393-399, 425-433, 445-450, 457-462, 464-470, 475-482, 507-513, 527-535, 542-548, 550-565, 591-602, 607-613, 627-642, 644-664, 673-712, 714-732, 739-764, 769-782, 812-818, 826-838, 848-854, 860-871, 892-906, 930-938, 940-954, 957-973, 990-998, 1002-1021, 1024-1033, 1037-1042, 1050-1060, 1077-1083, 1085-1092, 1100-1129, 1144-1161, 1169-1175, 1178-1189, 1192-1198, 1201-1207, 1211-1221, 1229-1239, 1250-1270, 1278-1292, 1294-1300, 1314-1335, 1344-1352, 1360-1374, 1394-1405, 1407-1414, 1416-1424, 1432-1452, 1456-1462, 1474-1497, 1500-1510, 1516-1522, 1534-1542, 1550-1559, 1584-1603, 1608-1627, 187-

273 and 306-441 of Seq ID No 311; 70-80, 90-97, 118-125, 128-140, 142-148, 154-162, 189-202, 214-222, 224-232, 254-260, 275-313, 317-332, 355-360, 392-398, 425-432, 448-456, 464-470, 476-482, 491-505, 521-528, 533-546, 560-567, 592-597, 605-614, 618-626, 637-644, 646-653, 660-666, 677-691 and 207-227 of Seq ID No 312; 5-19, 26-34, 37-55, 57-66, 69-83, 86-102, 115-134, 138-143, 154-172, 178-195, 209-246, 251-257, 290-302, 306-311 and 256-266 of Seq ID No 313; 10-20, 22-28, 35-57, 72-79, 87-103, 108-128, 130-144, 158-171, 190-198, 225-242, 274-291, 301-315, 317-324, 374-385 and 353-365 of Seq ID No 314; 4-9, 17-30, 34-54, 59-66, 73-94, 118-130, 135-150, 158-171, 189-198, 219-239, 269-275, 283-301, 89-106 and 176-193 of Seq ID No 315; 14-20, 22-74, 77-86, 89-99, 104-109, 126-135, 154-165, 181-195, 197-212, 216-224, 264-275 and 107-118 of Seq ID No 316; 4-18, 21-38, 63-72, 101-109, 156-162, 165-179, 183-192, 195-210, 212-218, 230-239, 241-256, 278-290, 299-311, 313-322, 332-341, 348-366, 386-401, 420-426, 435-450, 455-460, 468-479, 491-498, 510-518, 532-538, 545-552, 557-563, 567-573, 586-595, 599-609, 620-626, 628-636, 652-657, 665-681 and 1-198 of Seq ID No 317; 4-10, 16-38, 51-68, 73-79, 94-115, 120-125, 132-178, 201-208, 216-223, 238-266, 269-295, 297-304, 337-342, 347-356, 374-401, 403-422, 440-447, 478-504, 510-516, 519-530, 537-544 and 191-206 of Seq ID No 318; 12-40, 42-48, 66-71, 77-86, 95-102, 113-120, 129-137, 141-148, 155-174, 208-214, 218-225, 234-240, 256-267, 275-283, 300-306, 313-321, 343-350, 359-367, 370-383, 398-405, 432-439, 443-461, 492-508, 516-526, 528-535 and 370-478 of Seq ID No 319; 6-14, 20-37, 56-62, 90-95, 97-113, 118-125, 140-145, 161-170, 183-202, 237-244, 275-284, 286-305, 309-316, 333-359, 373-401, 405-412 and 176-187 of Seq ID No 320; 33-44, 50-55, 59-80, 86-101, 129-139, 147-153, 157-163, 171-176, 189-201, 203-224, 239-245, 257-262, 281-287, 290-297, 304-320, 322-331, 334-350, 372-390, 396-401, 71-88 and 353-372 of Seq ID No 321; 5-11, 15-24, 26-33, 40-47, 75-88, 95-103, 105-112 and 17-30 of Seq ID No 322; 5-11, 16-39, 46-54, 62-82, 100-107, 111-124, 126-150, 154-165, 167-183, 204-238, 245-295, 301-313, 316-335 and 8-16 of Seq ID No 323; 4-19, 34-48, 69-74, 79-107, 115-127, 129-135, 143-153, 160-169, 171-182 and 142-153 of Seq ID No 324; 4-30, 65-74, 82-106, 110-120, 124-132, 135-140, 146-175, 179-184, 190-196, 217-223, 228-233, 250-267, 275-292, 303-315, 322-332 and 174-186 of Seq ID No 325; 9-16, 29-41, 47-57, 68-84, 87-109, 113-119, 162-180, 186-193, 195-201, 203-208, 218-230, 234-243, 265-271, 281-292, 305-312, 323-332, 341-347, 349-363, 368-374, 383-390, 396-410, 434-440, 446-452, 455-464, 466-473, 515-522, 529-542, 565-570, 589-600, 602-613, 618-623, 637-644, 1019-1027, 1238-1244, 1258-1264, 1268-1276, 1281-1292, 1296-1302 and 883-936 of Seq ID No 326; 10-17, 23-32, 39-44, 54-72, 75-81, 88-111, 138-154, 160-167, 178-185, 201-210, 236-252, 327-334, 336-342, 366-376, 388-400, 410-430, 472-482, 493-526, 552-558, 586-592, 598-603, 612-621, 630-635, 641-660 and 384-393 of Seq ID No 327; 4-22, 24-39, 50-59, 73-84, 100-105, 111-117, 130-138, 155-161, 173-178, 182-189, 205-215, 266-284, 308-313, 321-328, 330-337, 346-363, 368-374, 388-395, 397-405, 426-434, 453-459, 482-492, 501-507, 509-515, 518-523, 527-544, 559-590, 598-612, 614-629, 646-659, 663-684, 686-694, 698-721 and 445-461 of Seq ID No 328; 14-22, 27-33 and 3-17 of Seq ID No 329; 29-41, 66-73, 81-87, 90-108, 140-146, 150-159, 165-184, 186-196, 216-226, 230-238, 247-253, 261-269 and 126-140 of Seq ID No 330; 5-12, 16-25, 27-33, 36-45, 60-68, 83-88, 103-126 and 86-101 of Seq ID No 331; 14-23, 36-47, 56-66, 84-89, 94-105, 111-127, 140-153, 160-174, 176-183, 189-203, 219-225, 231-237, 250-257 and 194-227 of Seq ID No 332; 4-25, 54-60, 64-71, 73-82, 89-106, 117-124, 157-169, 183-188, 199-210, 221-232, 236-244, 255-264 and 58-98 of Seq ID No 333; 13-19, 26-36, 41-53, 55-71, 77-84, 86-108, 114-135, 157-172, 177-183, 187-194, 208-213, 218-226, 110-125 and 156-170 of Seq ID No 334; 5-24, 63-69, 77-85, 94-112, 120-137, 140-146, 152-159, 166-172, 179-187, 193-199, 206-212, 222-228, 234-240, 244-252, 257-264, 270-289, 298-309, 316-328, 337-348, 363-375, 1-56 and 340-352 of Seq ID No 335; 18-39, 42-71, 78-120, 124-144, 152-173, 179-189, 199-209, 213-222, 228-258, 269-304, 329-361, 364-372, 374-389, 396-441 and 313-327 of Seq ID No 336; 19-25, 91-98, 108-120, 156-162, 168-174, 191-204, 211-216, 232-266, 272-278, 286-308, 316-321, 327-333, 344-355, 358-364, 384-391, 395-428, 464-476, 487-495, 497-511, 544-561, 563-573, 575-582, 588-594, 10-25 and 322-338 of Seq ID No 337; 14-26, 32-49, 51-57, 59-72, 80-91, 102-112, 119-125, 147-161, 164-173, 175-183, 188-213, 217-222, 246-254, 260-276, 282-303, 308-318, 321-328, 333-350, 352-359, 371-378, 392-401, 407-414, 416-443, 448-463, 471-484, 490-497, 501-514, 519-527, 539-551, 557-570, 578-590, 592-598, 600-610, 618-629, 633-647, 654-667, 676-689, 702-709, 718-726, 728-737, 741-760, 764-780, 786-795, 808-826, 836-842, 845-852, 865-874, 881-887, 931-945, 949-957, 968-974, 979-986, 1003-1009, 1023-1029 and 90-103 of Seq ID No 338; 11-16, 37-56, 60-66, 69-77, 80-88, 93-106, 117-139, 166-171 and 72-90 of Seq ID No 339; 59-84, 123-133, 145-150, 161-167, 178-189 and 115-128 of Seq ID No 340; 15-33, 39-46, 52-64, 74-87, 108-124, 127-144, 150-156, 173-179, 184-194, 201-208, 219-236, 243-269, 272-295, 302-309, 343-349, 356-361, 370-379, 405-411, 414-423, 430-451, 457-464, 466-475, 477-483, 496-502, 507-522, 541-548, 557-563, 571-577, 579-585, 590-605, 626-642, 650-662,

671-691, 704-710, 751-769, 775-781, 786-791, 794-829, 851-858, 868-878, 884-904, 913-919, 931-939 and 132-142 of Seq ID No 341; 33-58, 64-71, 74-80, 83-88, 96-120, 122-139, 146-157, 167-177, 207-213, 220-225, 236-242, 264-279, 300-305, 326-336, 340-347, 350-360, 97-115 and 199-211 of Seq ID No 342; 4-26, 43-57, 70-99, 102-117, 121-133, 142-148, 151-168, 170-183, 192-220, 235-249, 258-279 and 30-41 of Seq ID No 343; 34-42, 48-58, 70-94, 110-130, 154-160, 164-172, 178-183, 195-203, 211-222, 229-250, 256-261, 274-284, 286-292, 312-323 and 222-233 of Seq ID No 344; 4-9, 15-36, 38-45, 49-74, 78-88, 100-112, 136-191, 211-220, 226-233, 239-246, 254-274, 287-307, 316-322, 342-353, 356-366, 373-378, 384-393, 405-431, 449-457, 459-468, 487-511, 515-524, 529-541, 544-552, 562-568, 571-576 and 208-280 of Seq ID No 345; 10-27, 31-37, 39-54, 71-108, 124-143 and 2-107 of Seq ID No 346; 16-27, 38-57, 64-70, 90-102, 104-113, 116-137, 160-166 and 1-80 of Seq ID No 347; 13-21, 31-36, 56-67, 127-136, 153-171, 173-180, 184-200, 214-222, 225-231, 239-263, 267-273 and 135-159 of Seq ID No 348; 12-27, 31-51, 68-74, 77-87, 94-101, 108-114, 117-123, 127-134, 138-168, 173-196, 201-207, 212-217, 227-237, 247-257, 264-280 and 205-223 of Seq ID No 349; 17-22, 25-54, 70-76, 92-100 and 98-110 of Seq ID No 350; 7-29, 40-50, 60-67, 87-96, 105-111, 119-164, 172-199, 206-212, 220-227, 237-259, 272-279, 282-293, 295-309, 313-319, 321-328, 345-363, 376-386 and 159-176 of Seq ID No 351; 4-19, 24-30, 36-43, 50-68, 71-89, 93-106, 141-152, 154-172, 179-197, 199-215, 229-239, 246-252, 255-263, 281-298, 319-325, 329-356, 358-368, 374-390, 397-409, 420-429, 432-444, 450-456, 459-475, 483-494, 496-502, 520-528, 532-556 and 362-377 of Seq ID No 352; 18-25, 40-62, 77-85, 91-97, 105-116, 123-133, 139-184, 189-197 and 122-140 of Seq ID No 353; 4-49, 52-58, 62-70, 79-105, 109-133, 142-150, 163-168, 206-214, 220-228, 233-240, 243-254, 274-281, 303-311, 327-338, 357-373, 378-396, 403-413, 420-436, 441-453, 461-467, 475-481, 484-498, 506-512, 514-521, 523-529, 562-579, 589-595, 598-603, 615-648, 714-722, 728-742, 749-758, 777-792, 795-807 and 643-658 of Seq ID No 354; 8-27, 37-48, 51-56, 72-79, 87-106, 120-138, 140-147, 167-176, 187-197, 205-216, 222-229, 234-239, 243-249, 277-288, 292-315, 334-343, 347-353, 363-391, 398-404, 430-447, 461-467, 478-492, 498-507 and 456-470 of Seq ID No 355; 5-12, 18-24, 59-69, 80-93, 95-109, 119-125, 130-137, 139-147, 158-163, 168-176, 182-202, 206-215, 222-239, 241-249, 267-277, 291-298, 311-318, 321-327, 338-344, 348-355, 373-386, 393-406, 411-417, 434-443, 446-465, 473-484, 514-521, 532-553, 584-594 and 221-237 of Seq ID No 356; 4-14, 27-34, 50-58, 63-72, 79-106, 109-114, 121-142, 146-154, 161-167, 169-175, 178-201, 223-238, 249-254, 259-264, 278-292, 294-312, 319-330 and 167-191 of Seq ID No 357; 7-28, 36-42, 50-61, 63-80, 122-152, 161-174, 176-191 and 140-190 of Seq ID No 358; 20-57, 59-65, 70-78, 86-102, 119-133, 142-161, 163-173, 177-188, 192-202, 204-220, 222-236, 240-253, 279-319, 326-331, 337-383, 390-399, 406-412, 420-427, 431-438 and 381-395 of Seq ID No 359; 13-18, 28-34, 37-43, 50-59, 75-81, 83-97, 105-121, 139-147, 200-206, 209-227, 231-247, 260-271, 318-327, 366-381, 388-394, 399-406 and 182-201 of Seq ID No 360; 6-29, 37-43, 51-56, 70-77, 82-102, 110-119, 127-143, 178-190, 201-209, 216-243, 261-269, 281-292, 305-313, 327-339, 341-354, 356-373, 391-397, 423-429, 438-445, 450-478 and 21-314 of Seq ID No 361; 4-12, 15-21, 32-41, 59-76, 80-89, 96-104 and 90-103 of Seq ID No 362; 9-28, 30-41, 44-54, 69-74, 77-82, 90-97, 104-123, 125-135, 149-155, 164-173, 177-184, 217-226, 230-235, 238-244, 258-272, 282-297, 300-305, 309-315, 317-322, 327-336, 348-362, 368-374, 380-387, 400-411, 414-424, 451-458, 460-466, 483-494, 497-503, 506-511, 521-528, 540-553, 569-587, 598-606, 628-642, 661-681, 688-700, 718-733, 740-749, 752-764, 769-783, 823-834, 848-854, 862-872, 878-884, 886-898, 915-920, 938-951, 954-961, 963-972, 982-989, 996-1003, 1010-1016, 1021-1032, 1038-1044, 1047-1057, 1060-1070, 1079-1088, 1094-1102, 1117-1127, 1129-1135, 1142-1153, 1158-1204, 1212-1229, 1234-1263, 1269-1277, 1308-1313, 1327-1338, 1344-1376, 1400-1415, 1436-1443, 1448-1458, 1497-1504, 1511-1522, 1544-1566, 3-82 and 509-576 of Seq ID No 363; 8-36, 40-64, 71-79, 88-94, 102-109, 118-127, 138-148, 151-159, 163-174, 192-198, 200-206, 220-233, 268-273, 290-301, 304-309, 316-323, 331-349, 378-391, 414-420, 427-437, 455-475, 494-510, 541-547, 549-555, 616-640, 1-60, 55-139, 212-308, 386-458 and 458-624 of Seq ID No 364; 16-31, 35-42, 70-77, 91-101, 120-130, 132-140, 143-153, 185-190, 195-202, 215-222, 228-238, 241-251, 257-264, 268-277, 288-302, 312-324, 326-333, 341-348, 364-382, 415-429, 438-454, 458-466, 491-499, 501-521 and 273-281 of Seq ID No 365; 8-14, 32-57, 74-149, 155-177, 179-212, 221-266, 271-296, 304-324, 329-346, 349-359, 368-401, 413-419, 426-454, 465-478, 493-510 and 466-490 of Seq ID No 366; 22-28, 33-51, 64-89, 96-119, 126-132, 138-146, 152-159, 161-169, 172-179, 193-198, 205-211, 221-231, 235-254, 273-280, 297-303, 312-320, 328-346, 351-373, 378-384, 391-398, 448-454, 460-468, 470-481, 516-558, 574-593, 597-602, 613-623, 626-646, 649-656, 668-673, 675-683, 696-708, 715-722, 724-739, 745-751, 759-777, 780-804, 816-822 and 102-113 of Seq ID No 367; 12-28, 41-91, 98-107, 112-120, 125-131, 151-193, 215-221, 240-250, 263-280 and 128-138 of Seq ID No 368; 16-24, 32-38, 46-62, 68-81, 90-105, 127-133, 144-150, 160-166, 178-184, 186-202, 210-219, 232-240, 252-258, 264-273, 293-324, 337-344, 349-357, 360-369,



385-398, 410-416, 419-427, 441-449, 458-476, 508-515, 523-539, 544-549, 562-569, 571-579, 96-109 and 127-139 of Seq ID No 369; 19-25, 28-34, 56-61, 85-97, 110-116 and 39-53 of Seq ID No 370; 4-37, 41-50, 62-72, 91-97, 99-109, 114-125, 136-141, 149-158, 160-166, 201-215 and 27-225 of Seq ID No 371; 15-31, 44-51, 96-105, 122-130, 149-157, 162-168, 178-183, 185-192, 198-204, 206-213, 221-234, 239-245, 248-255, 257-266, 289-335, 349-357, 415-422, 425-441, 448-454, 462-468 and 463-481 of Seq ID No 372; 5-31, 39-55, 63-72, 76-99, 106-155, 160-177, 179-199, 207-217, 223-240, 245-255, 261-267, 294-316, 321-343, 354-378, 382-452, 477-488, 529-536, 555-569, 584-591, 593-612, 620-627, 632-640, 647-654, 671-680, 698-704, 723-730, 732-750, 769-775, 781-788, 822-852 and 505-525 of Seq ID No 373; 3-18 of Seq ID No 374; 4-14 and 12-24 of Seq ID No 375; 4-11, 22-30 and 12-25 of Seq ID No 376; 5-12 and 4-18 of Seq ID No 377; 4-28 and 7-14 of Seq ID No 378; 6-16 and 8-16 of Seq ID No 379; 4-15, 18-33 and 24-36 of Seq ID No 380; 4-10, 16-21 and 20-31 of Seq ID No 381; 6-19 of Seq ID No 382; 11-18 and 3-10 of Seq ID No 383; 13-24 and 3-15 of Seq ID No 384; 15-27 and 7-16 of Seq ID No 385; 11-16 and 1-15 of Seq ID No 386; 4-16 and 9-21 of Seq ID No 387; 4-24, 40-48, 54-67 and 22-39 of Seq ID No 388; 6-30, 34-55, 62-68, 78-106 and 68-74 of Seq ID No 389; 3-14 of Seq ID No 390; 9-19 and 6-21 of Seq ID No 391; 4-17 and 1-9 of Seq ID No 392; 5-30 and 1-8 of Seq ID No 393; 4-16, 23-46, 51-56 and 45-55 of Seq ID No 394; 7-16 of Seq ID No 395; 2-14 of Seq ID No 396; 4-36, 43-65 and 50-62 of Seq ID No 397; 10-30 and 14-21 of Seq ID No 398; 9-17 and 1-10 of Seq ID No 399; 4-12 and 3-16 of Seq ID No 400; 4-15 and 5-23 of Seq ID No 401; 10-21 of Seq ID No 402; 6-16 of Seq ID No 403; 4-29, 31-38 and 2-14 of Seq ID No 404; 4-35 and 33-42 of Seq ID No 405; 2-17 of Seq ID No 406; 9-18, 30-35 and 15-33 of Seq ID No 407; 4-9 and 6-12 of Seq ID No 408; 3-17 of Seq ID No 409; 12-21, 37-44, 52-61, 72-80 and 38-48 of Seq ID No 410; 4-10, 29-44, 54-61, 69-78 and 13-27 of Seq ID No 411; 13-23, 36-53 and 2-15 of Seq ID No 412; 4-25, 28-46, 56-72, 81-99, 120-132, 134-142, 154-160 and 129-141 of Seq ID No 413; 4-15, 24-33, 35-41, 64-86 and 21-33 of Seq ID No 414; 9-15 and 4-13 of Seq ID No 415; 4-11, 13-19, 34-48 and 15-32 of Seq ID No 416; 4-21 and 11-31 of Seq ID No 417; 23-57 and 38-50 of Seq ID No 418; 4-32 and 3-13 of Seq ID No 419; 4-10, 13-25, 32-42, 56-68, 72-84 and 26-38 of Seq ID No 420; 4-20, 31-48, 52-58, 65-71, 80-93, 99-108, 114-123 and 37-49 of Seq ID No 421; 6-12, 14-20 and 3-25 of Seq ID No 422; 14-25, 27-38 and 5-14 of Seq ID No 423; 4-41, 57-105, 109-118, 123-136, 144-152 and 86-99 of Seq ID No 424; 6-19 of Seq ID No 425; 2-19 of Seq ID No 426; 14-47 and 1-14 of Seq ID No 427; 4-21, 29-44 and 2-18 of Seq ID No 428; 23-29 and 10-28 of Seq ID No 429; 6-16, 22-36 and 11-22 of Seq ID No 430; 4-19, 30-44 and 18-27 of Seq ID No 431; 5-15, 37-45, 58-65 and 38-47 of Seq ID No 432; 4-15, 23-34 and 4-15 of Seq ID No 433; 30-36, 44-54, 79-85, 101-114, 138-152, 154-164, 170-175, 179-200, 213-220, 223-240, 243-255, 258-264, 268-284 and 10-28 of Seq ID No 434; the peptides comprising amino acid sequences of column "Identical region" of the Table 1B, especially peptides comprising amino acid 210-226 and 738-753 of Seq ID No 449; 326-344, 326-348, 338-354, 371-392, 801-809 and 877-901 of Seq ID No 450; 893-906 of Seq ID No 451; 51-69 of Seq ID No 452; 110-125 of Seq ID No 453; 291-305 of Seq ID No 454; 210-226 and 738-753 of Seq ID No 455; 326-344, 326-348, 338-354, 371-392, 801-809 and 877-901 of Seq ID No 456; 893-906 of Seq ID No 457; 51-69 of Seq ID No 458; 110-125 of Seq ID No 459; 291-305 of Seq ID No 460; 32-44 of Seq ID No 461; 399-410 of Seq ID No 462; the serum reactive epitopes as specified in the column of "aa from" to "aa to" of Table 2, especially peptides comprising amino acid 120-143, 138-161 and 156-179 of Seq ID No 218; 110-129 and 168-184 of Seq ID No 219; 74-90 of Seq ID No 222; 759-773 of Seq ID No 223; 237-260 of Seq ID No 224; 265-284 of Seq ID No 225; 65-74 of Seq ID No 226; 41-50 of Seq ID No 227; 163-174 of Seq ID No 229; 26-37 of Seq ID No 230; 174-189 of Seq ID No 232; 240-256 of Seq ID No 234; 285-297 of Seq ID No 236; 238-247 of Seq ID No 238; 491-519 of Seq ID No 239; 114-140 of Seq ID No 243; 267-284 of Seq ID No 250; 439-453 of Seq ID No 252; 162-178 of Seq ID No 253; 347-364 of Seq ID No 254; 699-715 of Seq ID No 255; 60-71 of Seq ID No 256; 244-257 of Seq ID No 257; 44-63 and 57-76 of Seq ID No 258; 185-196 of Seq ID No 260; 119-129 of Seq ID No 263; 182-195 of Seq ID No 266; 32-44 and 424-442 of Seq ID No 267; 247-256 of Seq ID No 268; 678-694, 785-805, 55-77 and 72-94 of Seq ID No 269; 210-226 of Seq ID No 281; 37-59 of Seq ID No 289; 13-29 of Seq ID No 296; 136-159 of Seq ID No 348; 205-222 of Seq ID No 349; 99-110 of Seq ID No 350; 160-176 of Seq ID No 351; 457-470 of Seq ID No 355; 221-237 of Seq ID No 356; 167-190 of Seq ID No 357; 96-120 of Seq ID No 361; 399-417, 503-519 and 544-563 of Seq ID No 364; 46-68, 159-183 and 184-198 of Seq ID No 371; 463-481 of Seq ID No 372; the immunogenic epitopes as specified in the column of "aa from" to "aa to" of Table 4; especially peptides comprising amino acid 110-129 and 168-184 of Seq ID No 219; 877-901, 333-354, 326-344 and 801-809 of Seq ID No 277; 1-54 of

Seq ID No 347; 544-563, 31-51, 107-119, 399-417 and 503-519 of Seq ID No 364; 120-198 of Seq ID No 218; 20-35 of Seq ID No 219; 118-201 of Seq ID No 221; 48-132 of Seq ID No 242; 118-136 of Seq ID No 249; 162-178 of Seq ID No 253; 347-364 of Seq ID No 254; 699-715 of Seq ID No 255; 50-76 of Seq ID No 258; 785-819 and 44-128 of Seq ID No 269; 90-128 of Seq ID No 274; 314-384 of Seq ID No 289; 327-349 of Seq ID No 293; 242-314, 405-478 and 23-100 of Seq ID No 304; 129-210 of Seq ID No 305; 162-188 of Seq ID No 307; 750-772 of Seq ID No 310; 1-56 of Seq ID No 335; 322-337 of Seq ID No 337; 72-90 of Seq ID No 339; 374-395 of Seq ID No 345; 136-159 of Seq ID No 348; 141-164 of Seq ID No 358; 96-157 of Seq ID No 361; 1-82 of Seq ID No 363; 489-556 of Seq ID No 364; 159-183 and 49-133 of Seq ID No 371; The peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region (aa)" of Table 5, especially peptides comprising amino acid 4-26, 35-41, 53-61, 73-84, 103-108, 114-120, 140-146, 156-162, 192-208, 214-219, 227-233, 239-252, 260-268, 284-297, 1-48 and 113-133 of Seq ID No 475; 4-27, 38-44, 50-56, 59-64, 72-79, 83-89, 92-97, 108-116, 123-148, 152-167, 183-196, 200-220, 232-244, 255-261, 265-274, 282-302, 309-317, 1-79 and 231-302 of Seq ID No 476; 6-28, 66-72, 85-105, 115-121, 144-151, 160-170, 176-185, 223-230, 252-288, 296-310, 319-333, 367-374, 458-464, 471-480, 483-488, 520-528, 530-549, 559-564, 593-601, 606-616, 636-643, 655-662, 676-682, 684-699, 719-726, 735-750, 757-764, 777-785, 799-810, 812-843, 846-853, 868-873, 880-889, 891-899, 909-929, 934-940, 963-969, 998-1004, 1007-1014, 1016-1022, 1030-1046, 1-80 and 808-821 of Seq ID No 477; 7-24, 35-41, 75-81, 91-114, 122-132, 137-144, 148-156, 183-192, 194-200, 212-228, 233-238, 251-258, 275-295, 326-332, 337-346, 1-79 and 305-321 of Seq ID No 478; 31-38, 42-52, 66-72, 86-92, 98-104, 115-122, 127-146, 154-164, 169-187, 198-212, 225-237, 255-269, 13-92 and 135-142 of Seq ID No 479; 4-36, 39-49, 63-69, 71-77, 81-88, 123-131, 133-139, 160-169, 174-180, 188-194, 210-217, 273-278, 289-300, 317-334, 336-341, 383-401, 425-438, 1-68, 212-270 and 402-446 of Seq ID No 480; 21-29, 31-42, 49-63, 72-79, 81-93, 112-132, 159-165, 188-195, 197-232, 262-267, 279-286, 294-301, 318-326, 348-366, 381-405, 409-426, 436-465, 471-480, 484-492, 497-505, 521-544, 554-561, 567-577, 581-589, 601-609, 611-622, 636-651, 653-667, 669-685, 700-708, 716-722, 729-744, 749-766, 780-786, 789-811, 814-864, 1-57 and 84-106 of Seq ID No 481; 6-24, 35-48, 57-63, 72-78, 87-92, 113-119, 123-137, 147-153, 173-181, 212-233 and 1-124 of Seq ID No 482; 13-34, 62-69, 78-83, 86-91, 98-104, 107-115, 146-159, 179-188, 195-205, 209-221, 226-233, 239-253, 276-282, 284-294, 297-308, 331-354, 375-382, 388-399, 421-433, 449-458, 464-469, 472-491, 508-513, 525-531, 534-550, 575-593, 601-618, 629-635, 654-661, 666-680, 706-721, 723-740, 771-805, 810-830, 845-851 and 1-84 of Seq ID No 483; 4-32, 45-64, 73-83, 86-92, 100-111, 125-147, 157-163, 170-175, 177-188, 226-232, 245-252, 258-274, 320-335, 348-359 and 1-71 of Seq ID No 484; 13-40, 43-71, 76-83, 87-101, 109-119, 125-156, 162-175, 182-219, 226-232, 240-262, 270-287, 306-318, 326-342, 344-408, 414-444, 449-456 and 1-51 of Seq ID No 485; 4-16, 18-34, 45-54, 99-108, 134-140, 203-212, 241-257, 266-274, 279-291, 308-315, 330-336, 355-370, 374-382, 402-410, 428-455, 466-472, 474-480, 531-554, 560-566, 572-580, 597-618, 632-660, 664-674, 676-685, 691-705, 708-735, 750-768, 1-87 and 342-480 of Seq ID No 486; The serum reactive epitopes as specified in the column of "aa from" to "aa to" of Table 6, especially peptides comprising amino acid 115-132 and 1-26 of Seq ID No 475; 33-55 of Seq ID No 476; 1-25 of Seq ID No 478; 37-61 of Seq ID No 479; 1-24 of Seq ID No 480; 1-23 of Seq ID No 481; 46-60 of Seq ID No 482; 1-28, 23-50 and 45-71 of Seq ID No 483; 1-22 and 17-38 of Seq ID No 484; 1-22 and 17-38 of Seq ID No 485; 1-27, 22-47 and 422-447 of Seq ID No 486; The immunogenic epitopes as specified in the column of "aa from" to "aa to" of Table 7, especially peptides comprising amino acid 115-132 and 1-47 of Seq ID No 475; 1-55 of Seq ID No 476; 22-85 of Seq ID No 477; 307-320 and 1-44 of Seq ID No 478; 15-76 and 40-92 of Seq ID No 479; 1-59, 213-269 and 403-445 of Seq ID No 480; 1-56 and 85-105 of Seq ID No 481; 37-121 of Seq ID No 482; 1-71 of Seq ID No 483; 1-38 of Seq ID No 484; 1-38 of Seq ID No 485; 1-47 of Seq ID No 486 and fragments comprising at least 6, preferably more than 8, especially more than 10 aa and preferably not more than 70, 50, 40, 20, 15 or 11 aa of said sequences. All these fragments individually and each independently form a preferred selected aspect of the present invention.

All linear hyperimmune serum reactive fragments of a particular antigen may be identified by analysing the entire sequence of the protein antigen by a set of peptides overlapping by 1 amino acid with a length of at least 10 amino acids. Subsequently, non-linear epitopes can be identified by analysis of the protein antigen with hyperimmune sera using the expressed full-length protein or domain polypeptides thereof. Assuming that a distinct domain of a protein is sufficient to form the 3D structure independent from the



native protein, the analysis of the respective recombinant or synthetically produced domain polypeptide with hyperimmune serum would allow the identification of conformational epitopes within the individual domains of multi-domain proteins. For those antigens where a domain possesses linear as well as conformational epitopes, competition experiments with peptides corresponding to the linear epitopes may be used to confirm the presence of conformational epitopes.

It will be appreciated that the invention also relates to, among others, nucleic acid molecules encoding the aforementioned fragments, nucleic acid molecules that hybridise to nucleic acid molecules encoding the fragments, particularly those that hybridise under stringent conditions, and nucleic acid molecules, such as PCR primers, for amplifying nucleic acid molecules that encode the fragments. In these regards, preferred nucleic acid molecules are those that correspond to the preferred fragments, as discussed above.

The present invention also relates to vectors, which comprise a nucleic acid molecule or nucleic acid molecules of the present invention, host cells which are genetically engineered with vectors of the invention and the production of hyperimmune serum reactive antigens and fragments thereof by recombinant techniques.

A great variety of expression vectors can be used to express a hyperimmune serum reactive antigen or fragment thereof according to the present invention. Generally, any vector suitable to maintain, propagate or express nucleic acids to express a polypeptide in a host may be used for expression in this regard. In accordance with this aspect of the invention the vector may be, for example, a plasmid vector, a single or double-stranded phage vector, a single or double-stranded RNA or DNA viral vector. Starting plasmids disclosed herein are either commercially available, publicly available, or can be constructed from available plasmids by routine application of well-known, published procedures. Preferred among vectors, in certain respects, are those for expression of nucleic acid molecules and hyperimmune serum reactive antigens or fragments thereof of the present invention. Nucleic acid constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Alternatively, the hyperimmune serum reactive antigens and fragments thereof of the invention can be synthetically produced by conventional peptide synthesizers. Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA construct of the present invention.

Host cells can be genetically engineered to incorporate nucleic acid molecules and express nucleic acid molecules of the present invention. Representative examples of appropriate hosts include bacterial cells, such as streptococci, staphylococci, *E. coli*, *Streptomyces* and *Bacillus subtilis* cells; fungal cells, such as yeast cells and *Aspergillus* cells; insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS, Hela, C127, 3T3, BHK, 293 and Bowes melanoma cells; and plant cells.

The invention also provides a process for producing a *S. agalactiae* hyperimmune serum reactive antigen and a fragment thereof comprising expressing from the host cell a hyperimmune serum reactive antigen or fragment thereof encoded by the nucleic acid molecules provided by the present invention. The invention further provides a process for producing a cell, which expresses a *S. agalactiae* hyperimmune serum reactive antigen or a fragment thereof comprising transforming or transfecting a suitable host cell with the vector according to the present invention such that the transformed or transfected cell expresses the polypeptide encoded by the nucleic acid contained in the vector.

The polypeptide may be expressed in a modified form, such as a fusion protein, and may include not only secretion signals but also additional heterologous functional regions. Thus, for instance, a region of additional amino acids, particularly charged amino acids, may be added to the N- or C-terminus of the polypeptide to improve stability and persistence in the host cell, during purification or during

subsequent handling and storage. Also, regions may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to polypeptides to engender secretion or excretion, to improve stability or to facilitate purification, among others, are familiar and routine techniques in the art. A preferred fusion protein comprises a heterologous region from immunoglobulin that is useful to solubilize or purify polypeptides. For example, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another protein or part thereof. In drug discovery, for example, proteins have been fused with antibody Fc portions for the purpose of high-throughout screening assays to identify antagonists. See for example, {Bennett, D. et al., 1995} and {Johanson, K. et al., 1995}.

The *S. agalactiae* hyperimmune serum reactive antigen or a fragment thereof can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, hydroxylapatite chromatography and lectin chromatography.

The hyperimmune serum reactive antigens and fragments thereof according to the present invention can be produced by chemical synthesis as well as by biotechnological means. The latter comprise the transfection or transformation of a host cell with a vector containing a nucleic acid according to the present invention and the cultivation of the transfected or transformed host cell under conditions, which are known to the ones skilled in the art. The production method may also comprise a purification step in order to purify or isolate the polypeptide to be manufactured. In a preferred embodiment the vector is a vector according to the present invention.

The hyperimmune serum reactive antigens and fragments thereof according to the present invention may be used for the detection of the organism or organisms in a sample containing these organisms or polypeptides derived thereof. Preferably such detection is for diagnosis, more preferable for the diagnosis of a disease, most preferably for the diagnosis of a diseases related or linked to the presence or abundance of Gram-positive bacteria, especially bacteria selected from the group comprising streptococci, staphylococci and lactococci. More preferably, the microorganisms are selected from the group comprising *Streptococcus pneumoniae*, *Streptococcus pyogenes* and *Streptococcus mutans*, especially the microorganism is *Streptococcus pyogenes*.

The present invention also relates to diagnostic assays such as quantitative and diagnostic assays for detecting levels of the hyperimmune serum reactive antigens and fragments thereof of the present invention in cells and tissues, including determination of normal and abnormal levels. Thus, for instance, a diagnostic assay in accordance with the invention for detecting over-expression of the polypeptide compared to normal control tissue samples may be used to detect the presence of an infection, for example, and to identify the infecting organism. Assay techniques that can be used to determine levels of a polypeptide, in a sample derived from a host are well known to those of skill in the art. Such assay methods include radioimmunoassays, competitive-binding assays, Western Blot analysis and ELISA assays. Among these, ELISAs frequently are preferred. An ELISA assay initially comprises preparing an antibody specific to the polypeptide, preferably a monoclonal antibody. In addition, a reporter antibody generally is prepared which binds to the monoclonal antibody. The reporter antibody is attached to a detectable reagent such as radioactive, fluorescent or enzymatic reagent, such as horseradish peroxidase enzyme.

The hyperimmune serum reactive antigens and fragments thereof according to the present invention may also be used for the purpose of or in connection with an array. More particularly, at least one of the hyperimmune serum reactive antigens and fragments thereof according to the present invention may be immobilized on a support. Said support typically comprises a variety of hyperimmune serum reactive

antigens and fragments thereof whereby the variety may be created by using one or several of the hyperimmune serum reactive antigens and fragments thereof according to the present invention and/or hyperimmune serum reactive antigens and fragments thereof being different. The characterizing feature of such array as well as of any array in general is the fact that at a distinct or predefined region or position on said support or a surface thereof, a distinct polypeptide is immobilized. Because of this any activity at a distinct position or region of an array can be correlated with a specific polypeptide. The number of different hyperimmune serum reactive antigens and fragments thereof immobilized on a support may range from as little as 10 to several 1000 different hyperimmune serum reactive antigens and fragments thereof. The density of hyperimmune serum reactive antigens and fragments thereof per  $\text{cm}^2$  is in a preferred embodiment as little as 10 peptides/polypeptides per  $\text{cm}^2$  to at least 400 different peptides/polypeptides per  $\text{cm}^2$  and more particularly at least 1000 different hyperimmune serum reactive antigens and fragments thereof per  $\text{cm}^2$ .

The manufacture of such arrays is known to the one skilled in the art and, for example, described in US patent 5,744,309. The array preferably comprises a planar, porous or non-porous solid support having at least a first surface. The hyperimmune serum reactive antigens and fragments thereof as disclosed herein, are immobilized on said surface. Preferred support materials are, among others, glass or cellulose. It is also within the present invention that the array is used for any of the diagnostic applications described herein. Apart from the hyperimmune serum reactive antigens and fragments thereof according to the present invention also the nucleic acid molecules according to the present invention may be used for the generation of an array as described above. This applies as well to an array made of antibodies, preferably monoclonal antibodies as, among others, described herein.

In a further aspect the present invention relates to an antibody directed to any of the hyperimmune serum reactive antigens and fragments thereof, derivatives or fragments thereof according to the present invention. The present invention includes, for example, monoclonal and polyclonal antibodies, chimeric, single chain, and humanized antibodies, as well as Fab fragments, or the product of a Fab expression library. It is within the present invention that the antibody may be chimeric, i. e. that different parts thereof stem from different species or at least the respective sequences are taken from different species.

Antibodies generated against the hyperimmune serum reactive antigens and fragments thereof corresponding to a sequence of the present invention can be obtained by direct injection of the hyperimmune serum reactive antigens and fragments thereof into an animal or by administering the hyperimmune serum reactive antigens and fragments thereof to an animal, preferably a non-human. The antibody so obtained will then bind the hyperimmune serum reactive antigens and fragments thereof itself. In this manner, even a sequence encoding only a fragment of a hyperimmune serum reactive antigen and fragments thereof can be used to generate antibodies binding the whole native hyperimmune serum reactive antigen and fragments thereof. Such antibodies can then be used to isolate the hyperimmune serum reactive antigens and fragments thereof from tissue expressing those hyperimmune serum reactive antigens and fragments thereof.

For preparation of monoclonal antibodies, any technique known in the art, which provides antibodies produced by continuous cell line cultures can be used (as described originally in {Kohler, G. et al., 1975}).

Techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778) can be adapted to produce single chain antibodies to immunogenic hyperimmune serum reactive antigens and fragments thereof according to this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies to immunogenic hyperimmune serum reactive antigens and fragments thereof according to this invention.

Alternatively, phage display technology or ribosomal display could be utilized to select antibody genes with binding activities towards the hyperimmune serum reactive antigens and fragments thereof either

from repertoires of PCR amplified v-genes of lymphocytes from humans screened for possessing respective target antigens or from naïve libraries {McCafferty, J. et al., 1990}; {Marks, J. et al., 1992}. The affinity of these antibodies can also be improved by chain shuffling {Clackson, T. et al., 1991}.

If two antigen binding domains are present, each domain may be directed against a different epitope – termed 'bispecific' antibodies.

The above-described antibodies may be employed to isolate or to identify clones expressing the hyperimmune serum reactive antigens and fragments thereof or purify the hyperimmune serum reactive antigens and fragments thereof of the present invention by attachment of the antibody to a solid support for isolation and/or purification by affinity chromatography.

Thus, among others, antibodies against the hyperimmune serum reactive antigens and fragments thereof of the present invention may be employed to inhibit and/or treat infections, particularly bacterial infections and especially infections arising from *S. agalactiae*.

Hyperimmune serum reactive antigens and fragments thereof include antigenically, epitopically or immunologically equivalent derivatives, which form a particular aspect of this invention. The term "antigenically equivalent derivative" as used herein encompasses a hyperimmune serum reactive antigen and fragments thereof or its equivalent which will be specifically recognized by certain antibodies which, when raised to the protein or hyperimmune serum reactive antigen and fragments thereof according to the present invention, interfere with the interaction between pathogen and mammalian host. The term "immunologically equivalent derivative" as used herein encompasses a peptide or its equivalent which when used in a suitable formulation to raise antibodies in a vertebrate, the antibodies act to interfere with the interaction between pathogen and mammalian host.

The hyperimmune serum reactive antigens and fragments thereof, such as an antigenically or immunologically equivalent derivative or a fusion protein thereof can be used as an antigen to immunize a mouse or other animal such as a rat or chicken. The fusion protein may provide stability to the hyperimmune serum reactive antigens and fragments thereof. The antigen may be associated, for example by conjugation, with an immunogenic carrier protein, for example bovine serum albumin (BSA) or keyhole limpet haemocyanin (KLH). Alternatively, an antigenic peptide comprising multiple copies of the protein or hyperimmune serum reactive antigen and fragments thereof, or an antigenically or immunologically equivalent hyperimmune serum reactive antigen and fragments thereof, may be sufficiently antigenic to improve immunogenicity so as to obviate the use of a carrier.

Preferably the antibody or derivative thereof is modified to make it less immunogenic in the individual. For example, if the individual is human the antibody may most preferably be "humanized", wherein the complementarity determining region(s) of the hybridoma-derived antibody has been transplanted into a human monoclonal antibody, for example as described in {Jones, P. et al., 1986} or {Tempest, P. et al., 1991}.

The use of a polynucleotide of the invention in genetic immunization will preferably employ a suitable delivery method such as direct injection of plasmid DNA into muscle, delivery of DNA complexed with specific protein carriers, coprecipitation of DNA with calcium phosphate, encapsulation of DNA in various forms of liposomes, particle bombardment {Tang, D. et al., 1992}, {Eisenbraun, M. et al., 1993} and *in vivo* infection using cloned retroviral vectors {Seeger, C. et al., 1984}.

In a further aspect the present invention relates to a peptide binding to any of the hyperimmune serum reactive antigens and fragments thereof according to the present invention, and a method for the manufacture of such peptides whereby the method is characterized by the use of the hyperimmune serum reactive antigens and fragments thereof according to the present invention and the basic steps are

known to the one skilled in the art.

Such peptides may be generated by using methods according to the state of the art such as phage display or ribosome display. In case of phage display, basically a library of peptides is generated, in form of phages, and this kind of library is contacted with the target molecule, in the present case a hyperimmune serum reactive antigen and fragments thereof according to the present invention. Those peptides binding to the target molecule are subsequently removed, preferably as a complex with the target molecule, from the respective reaction. It is known to the one skilled in the art that the binding characteristics, at least to a certain extent, depend on the particularly realized experimental set-up such as the salt concentration and the like. After separating those peptides binding to the target molecule with a higher affinity or a bigger force, from the non-binding members of the library, and optionally also after removal of the target molecule from the complex of target molecule and peptide, the respective peptide(s) may subsequently be characterised. Prior to the characterisation optionally an amplification step is realized such as, e. g. by propagating the peptide encoding phages. The characterisation preferably comprises the sequencing of the target binding peptides. Basically, the peptides are not limited in their lengths, however, preferably peptides having a lengths from about 8 to 20 amino acids are preferably obtained in the respective methods. The size of the libraries may be about  $10^2$  to  $10^{18}$ , preferably  $10^8$  to  $10^{15}$  different peptides, however, is not limited thereto.

A particular form of target binding hyperimmune serum reactive antigens and fragments thereof are the so-called "anticalines" which are, among others, described in German patent application DE 197 42 706.

In a further aspect the present invention relates to functional nucleic acids interacting with any of the hyperimmune serum reactive antigens and fragments thereof according to the present invention, and a method for the manufacture of such functional nucleic acids whereby the method is characterized by the use of the hyperimmune serum reactive antigens and fragments thereof according to the present invention and the basic steps are known to the one skilled in the art. The functional nucleic acids are preferably aptamers and spiegelmers.

Aptamers are D-nucleic acids, which are either single stranded or double stranded and which specifically interact with a target molecule. The manufacture or selection of aptamers is, e.g. described in European patent EP 0 533 838. Basically the following steps are realized. First, a mixture of nucleic acids, i. e. potential aptamers, is provided whereby each nucleic acid typically comprises a segment of several, preferably at least eight subsequent randomised nucleotides. This mixture is subsequently contacted with the target molecule whereby the nucleic acid(s) bind to the target molecule, such as based on an increased affinity towards the target or with a bigger force thereto, compared to the candidate mixture. The binding nucleic acid(s) are/is subsequently separated from the remainder of the mixture. Optionally, the thus obtained nucleic acid(s) is amplified using, e.g. polymerase chain reaction. These steps may be repeated several times giving at the end a mixture having an increased ratio of nucleic acids specifically binding to the target from which the final binding nucleic acid is then optionally selected. These specifically binding nucleic acid(s) are referred to as aptamers. It is obvious that at any stage of the method for the generation or identification of the aptamers samples of the mixture of individual nucleic acids may be taken to determine the sequence thereof using standard techniques. It is within the present invention that the aptamers may be stabilized such as, e. g., by introducing defined chemical groups which are known to the one skilled in the art of generating aptamers. Such modification may for example reside in the introduction of an amino group at the 2'-position of the sugar moiety of the nucleotides. Aptamers are currently used as therapeutical agents. However, it is also within the present invention that the thus selected or generated aptamers may be used for target validation and/or as lead substance for the development of medicaments, preferably of medicaments based on small molecules. This is actually done by a competition assay whereby the specific interaction between the target molecule and the aptamer is inhibited by a candidate drug whereby upon replacement of the aptamer from the complex of target and aptamer it may be assumed that the respective drug candidate allows a specific inhibition of the

- 40 -

interaction between target and aptamer, and if the interaction is specific, said candidate drug will, at least in principle, be suitable to block the target and thus decrease its biological availability or activity in a respective system comprising such target. The thus obtained small molecule may then be subject to further derivatisation and modification to optimise its physical, chemical, biological and/or medical characteristics such as toxicity, specificity, biodegradability and bioavailability.

Spiegelmers and their generation or manufacture is based on a similar principle. The manufacture of Spiegelmers is described in international patent application WO 98/08856. Spiegelmers are L-nucleic acids, which means that they are composed of L-nucleotides rather than D-nucleotides as aptamers are. Spiegelmers are characterized by the fact that they have a very high stability in biological systems and, comparable to aptamers, specifically interact with the target molecule against which they are directed. In the process of generating Spiegelmers, a heterogeneous population of D-nucleic acids is created and this population is contacted with the optical antipode of the target molecule, in the present case for example with the D-enantiomer of the naturally occurring L-enantiomer of the hyperimmune serum reactive antigens and fragments thereof according to the present invention. Subsequently, those D-nucleic acids are separated which do not interact with the optical antipode of the target molecule. But those D-nucleic acids interacting with the optical antipode of the target molecule are separated, optionally identified and/or sequenced and subsequently the corresponding L-nucleic acids are synthesized based on the nucleic acid sequence information obtained from the D-nucleic acids. These L-nucleic acids which are identical in terms of sequence with the aforementioned D-nucleic acids interacting with the optical antipode of the target molecule, will specifically interact with the naturally occurring target molecule rather than with the optical antipode thereof. Similar to the method for the generation of aptamers it is also possible to repeat the various steps several times and thus to enrich those nucleic acids specifically interacting with the optical antipode of the target molecule.

In a further aspect the present invention relates to functional nucleic acids interacting with any of the nucleic acid molecules according to the present invention, and a method for the manufacture of such functional nucleic acids whereby the method is characterized by the use of the nucleic acid molecules and their respective sequences according to the present invention and the basic steps are known to the one skilled in the art. The functional nucleic acids are preferably ribozymes, antisense oligonucleotides and siRNA.

Ribozymes are catalytically active nucleic acids, which preferably consist of RNA, which basically comprises two moieties. The first moiety shows a catalytic activity whereas the second moiety is responsible for the specific interaction with the target nucleic acid, in the present case the nucleic acid coding for the hyperimmune serum reactive antigens and fragments thereof according to the present invention. Upon interaction between the target nucleic acid and the second moiety of the ribozyme, typically by hybridisation and Watson-Crick base pairing of essentially complementary stretches of bases on the two hybridising strands, the catalytically active moiety may become active which means that it catalyses, either intramolecularly or intermolecularly, the target nucleic acid in case the catalytic activity of the ribozyme is a phosphodiesterase activity. Subsequently, there may be a further degradation of the target nucleic acid, which in the end results in the degradation of the target nucleic acid as well as the protein derived from the said target nucleic acid. Ribozymes, their use and design principles are known to the one skilled in the art, and, for example described in [Doherty, E. et al., 2001] and [Lewin, A. et al., 2001].

The activity and design of antisense oligonucleotides for the manufacture of a medicament and as a diagnostic agent, respectively, is based on a similar mode of action. Basically, antisense oligonucleotides hybridise based on base complementarity, with a target RNA, preferably with a mRNA, thereby activating RNase H. RNase H is activated by both phosphodiester and phosphorothioate-coupled DNA. Phosphodiester-coupled DNA, however, is rapidly degraded by cellular nucleases with the exception of phosphorothioate-coupled DNA. These resistant, non-naturally occurring DNA derivatives do not inhibit

RNase H upon hybridisation with RNA. In other words, antisense polynucleotides are only effective as DNA RNA hybrid complexes. Examples for this kind of antisense oligonucleotides are described, among others, in US-patent US 5,849,902 and US 5,989,912. In other words, based on the nucleic acid sequence of the target molecule which in the present case are the nucleic acid molecules for the hyperimmune serum reactive antigens and fragments thereof according to the present invention, either from the target protein from which a respective nucleic acid sequence may in principle be deduced, or by knowing the nucleic acid sequence as such, particularly the mRNA, suitable antisense oligonucleotides may be designed base on the principle of base complementarity.

Particularly preferred are antisense-oligonucleotides, which have a short stretch of phosphorothioate DNA (3 to 9 bases). A minimum of 3 DNA bases is required for activation of bacterial RNase H and a minimum of 5 bases is required for mammalian RNase H activation. In these chimeric oligonucleotides there is a central region that forms a substrate for RNase H that is flanked by hybridising "arms" comprised of modified nucleotides that do not form substrates for RNase H. The hybridising arms of the chimeric oligonucleotides may be modified such as by 2'-O-methyl or 2'-fluoro. Alternative approaches used methylphosphonate or phosphoramidate linkages in said arms. Further embodiments of the antisense oligonucleotide useful in the practice of the present invention are P-methoxyoligonucleotides, partial P-methoxyoligodeoxyribonucleotides or P-methoxyoligonucleotides.

Of particular relevance and usefulness for the present invention are those antisense oligonucleotides, as more particularly described in the above two mentioned US patents. These oligonucleotides contain no naturally occurring 5'→3'-linked nucleotides. Rather the oligonucleotides have two types of nucleotides: 2'-deoxyphosphorothioate, which activate RNase H, and 2'-modified nucleotides, which do not. The linkages between the 2'-modified nucleotides can be phosphodiester, phosphorothioate or P-ethoxyphosphodiester. Activation of RNase H is accomplished by a contiguous RNase H-activating region, which contains between 3 and 5 2'-deoxyphosphorothioate nucleotides to activate bacterial RNase H and between 5 and 10 2'-deoxyphosphorothioate nucleotides to activate eucaryotic and, particularly, mammalian RNase H. Protection from degradation is accomplished by making the 5' and 3' terminal bases highly nuclease resistant and, optionally, by placing a 3' terminal blocking group.

More particularly, the antisense oligonucleotide comprises a 5' terminus and a 3' terminus; and from position 11 to 59 5'→3'-linked nucleotides independently selected from the group consisting of 2'-modified phosphodiester nucleotides and 2'-modified P-alkoxyphosphotriester nucleotides; and wherein the 5'-terminal nucleoside is attached to an RNase H-activating region of between three and ten contiguous phosphorothioate-linked deoxyribonucleotides, and wherein the 3'-terminus of said oligonucleotide is selected from the group consisting of an inverted deoxyribonucleotide, a contiguous stretch of one to three phosphorothioate 2'-modified ribonucleotides, a biotin group and a P-alkoxyphosphotriester nucleotide.

Also an antisense oligonucleotide may be used wherein not the 5' terminal nucleoside is attached to an RNase H-activating region but the 3' terminal nucleoside as specified above. Also, the 5' terminus is selected from the particular group rather than the 3' terminus of said oligonucleotide.

The nucleic acids as well as the hyperimmune serum reactive antigens and fragments thereof according to the present invention may be used as or for the manufacture of pharmaceutical compositions, especially vaccines. Preferably such pharmaceutical composition, preferably vaccine is for the prevention or treatment of diseases caused by, related to or associated with *S. agalactiae*. In so far another aspect of the invention relates to a method for inducing an immunological response in an individual, particularly a mammal, which comprises inoculating the individual with the hyperimmune serum reactive antigens and fragments thereof of the invention, or a fragment or variant thereof, adequate to produce antibodies to protect said individual from infection, particularly *streptococcal* infection and most particularly *S. agalactiae* infections.

Yet another aspect of the invention relates to a method of inducing an immunological response in an individual which comprises, through gene therapy or otherwise, delivering a nucleic acid functionally encoding hyperimmune serum reactive antigens and fragments thereof, or a fragment or a variant thereof, for expressing the hyperimmune serum reactive antigens and fragments thereof, or a fragment or a variant thereof *in vivo* in order to induce an immunological response to produce antibodies or a cell mediated T cell response, either cytokine-producing T cells or cytotoxic T cells, to protect said individual from disease, whether that disease is already established within the individual or not. One-way of administering the gene is by accelerating it into the desired cells as a coating on particles or otherwise.

A further aspect of the invention relates to an immunological composition which, when introduced into a host capable of having induced within it an immunological response, induces an immunological response in such host, wherein the composition comprises recombinant DNA which codes for and expresses an antigen of the hyperimmune serum reactive antigens and fragments thereof of the present invention. The immunological response may be used therapeutically or prophylactically and may take the form of antibody immunity or cellular immunity such as that arising from CTL or CD4<sup>+</sup> T cells.

The hyperimmune serum reactive antigens and fragments thereof of the invention or a fragment thereof may be fused with a co-protein which may not by itself produce antibodies, but is capable of stabilizing the first protein and producing a fused protein which will have immunogenic and protective properties. This fused recombinant protein preferably further comprises an antigenic co-protein, such as Glutathione-S-transferase (GST) or beta-galactosidase, relatively large co-proteins which solubilise the protein and facilitate production and purification thereof. Moreover, the co-protein may act as an adjuvant in the sense of providing a generalized stimulation of the immune system. The co-protein may be attached to either the amino or carboxy terminus of the first protein.

Also, provided by this invention are methods using the described nucleic acid molecule or particular fragments thereof in such genetic immunization experiments in animal models of infection with *S. agalactiae*. Such fragments will be particularly useful for identifying protein epitopes able to provoke a prophylactic or therapeutic immune response. This approach can allow for the subsequent preparation of monoclonal antibodies of particular value from the requisite organ of the animal successfully resisting or clearing infection for the development of prophylactic agents or therapeutic treatments of *S. agalactiae* infection in mammals, particularly humans.

The hyperimmune serum reactive antigens and fragments thereof may be used as an antigen for vaccination of a host to produce specific antibodies which protect against invasion of bacteria, for example by blocking adherence of bacteria to damaged tissue. Examples of tissue damage include wounds in skin or connective tissue and mucosal tissues caused e.g. by viral infection (esp. respiratory, such as the flu) mechanical, chemical or thermal damage or by implantation of indwelling devices, or wounds in the mucous membranes, such as the mouth, mammary glands, urethra or vagina.

The present invention also includes a vaccine formulation, which comprises the immunogenic recombinant protein together with a suitable carrier. Since the protein may be broken down in the stomach, it is preferably administered parenterally, including, for example, administration that is subcutaneous, intramuscular, intravenous, intradermal intranasal or transdermal. Formulations suitable for parenteral administration include aqueous and non-aqueous sterile injection solutions which may contain anti-oxidants, buffers, bacteriostats and solutes which render the formulation isotonic with the bodily fluid, preferably the blood, of the individual; and aqueous and non-aqueous sterile suspensions which may include suspending agents or thickening agents. The formulations may be presented in unit-dose or multi-dose containers, for example, sealed ampoules and vials, and may be stored in a freeze-dried condition requiring only the addition of the sterile liquid carrier immediately prior to use. The vaccine formulation may also include adjuvant systems for enhancing the immunogenicity of the



formulation, such as oil-in-water systems and other systems known in the art. The dosage will depend on the specific activity of the vaccine and can be readily determined by routine experimentation.

According to another aspect, the present invention relates to a pharmaceutical composition comprising such a hyperimmune serum-reactive antigen or a fragment thereof as provided in the present invention for *S. agalactiae*. Such a pharmaceutical composition may comprise one preferably at least two or more hyperimmune serum reactive antigens or fragments thereof against *S. agalactiae*. Optionally, such *S. agalactiae* hyperimmune serum reactive antigens or fragments thereof may also be combined with antigens against other pathogens in a combination pharmaceutical composition. Preferably, said pharmaceutical composition is a vaccine for preventing or treating an infection caused by *S. agalactiae* and/or other pathogens against which the antigens have been included in the vaccine.

According to a further aspect, the present invention relates to a pharmaceutical composition comprising a nucleic acid molecule encoding a hyperimmune serum-reactive antigen or a fragment thereof as identified above for *S. agalactiae*. Such a pharmaceutical composition may comprise one or more nucleic acid molecules encoding hyperimmune serum reactive antigens or fragments thereof against *S. agalactiae*. Optionally, such *S. agalactiae* nucleic acid molecules encoding hyperimmune serum reactive antigens or fragments thereof may also be combined with nucleic acid molecules encoding antigens against other pathogens in a combination pharmaceutical composition. Preferably, said pharmaceutical composition is a vaccine for preventing or treating an infection caused by *S. agalactiae* and/or other pathogens against which the antigens have been included in the vaccine.

The pharmaceutical composition may contain any suitable auxiliary substances, such as buffer substances, stabilisers or further active ingredients, especially ingredients known in connection of pharmaceutical composition and/or vaccine production.

A preferable carrier/or excipient for the hyperimmune serum-reactive antigens, fragments thereof or a coding nucleic acid molecule thereof according to the present invention is an immunostimulatory compound for further stimulating the immune response to the given hyperimmune serum-reactive antigen, fragment thereof or a coding nucleic acid molecule thereof. Preferably the immunostimulatory compound in the pharmaceutical preparation according to the present invention is selected from the group of polycationic substances, especially polycationic peptides, immunostimulatory nucleic acids molecules, preferably immunostimulatory deoxynucleotides, alum, Freund's complete adjuvants, Freund's incomplete adjuvants, neuroactive compounds, especially human growth hormone, or combinations thereof.

It is also within the scope of the present invention that the pharmaceutical composition, especially vaccine, comprises apart from the hyperimmune serum reactive antigens, fragments thereof and/or coding nucleic acid molecules thereof according to the present invention other compounds which are biologically or pharmaceutically active. Preferably, the vaccine composition comprises at least one polycationic peptide. The polycationic compound(s) to be used according to the present invention may be any polycationic compound, which shows the characteristic effects according to the WO 97/30721. Preferred polycationic compounds are selected from basic polypeptides, organic polycations, basic polyamino acids or mixtures thereof. These polyamino acids should have a chain length of at least 4 amino acid residues (WO 97/30721). Especially preferred are substances like polylysine, polyarginine and polypeptides containing more than 20 %, especially more than 50 % of basic amino acids in a range of more than 8, especially more than 20, amino acid residues or mixtures thereof. Other preferred polycations and their pharmaceutical compositions are described in WO 97/30721 (e.g. polyethyleneimine) and WO 99/38528. Preferably these polypeptides contain between 20 and 500 amino acid residues, especially between 30 and 200 residues.

These polycationic compounds may be produced chemically or recombinantly or may be derived from

natural sources.

Cationic (poly)peptides may also be anti-microbial with properties as reviewed in (Ganz, T., 1999). These (poly)peptides may be of prokaryotic or animal or plant origin or may be produced chemically or recombinantly (WO 02/13857). Peptides may also belong to the class of defensins (WO 02/13857). Sequences of such peptides can be, for example, found in the Antimicrobial Sequences Database under the following internet address:

<http://www.bbcm.univ.trieste.it/~tossi/pag2.html>

Such host defence peptides or defensives are also a preferred form of the polycationic polymer according to the present invention. Generally, a compound allowing as an end product activation (or down-regulation) of the adaptive immune system, preferably mediated by APCs (including dendritic cells) is used as polycationic polymer.

Especially preferred for use as polycationic substances in the present invention are cathelicidin derived antimicrobial peptides or derivatives thereof (International patent application WO 02/13857, incorporated herein by reference), especially antimicrobial peptides derived from mammalian cathelicidin, preferably from human, bovine or mouse.

Polycationic compounds derived from natural sources include HIV-REV or HIV-TAT (derived cationic peptides, antennapedia peptides, chitosan or other derivatives of chitin) or other peptides derived from these peptides or proteins by biochemical or recombinant production. Other preferred polycationic compounds are cathelin or related or derived substances from cathelin. For example, mouse cathelin is a peptide which has the amino acid sequence NH<sub>2</sub>-RLAGLLRKGGKIGEKLLKIGOKIKNFFQKLVPQPE-COOH. Related or derived cathelin substances contain the whole or parts of the cathelin sequence with at least 15-20 amino acid residues. Derivations may include the substitution or modification of the natural amino acids by amino acids which are not among the 20 standard amino acids. Moreover, further cationic residues may be introduced into such cathelin molecules. These cathelin molecules are preferred to be combined with the antigen. These cathelin molecules surprisingly have turned out to be also effective as an adjuvant for an antigen without the addition of further adjuvants. It is therefore possible to use such cathelin molecules as efficient adjuvants in vaccine formulations with or without further immunactivating substances.

Another preferred polycationic substance to be used according to the present invention is a synthetic peptide containing at least 2 KLK-motifs separated by a linker of 3 to 7 hydrophobic amino acids (International patent application WO 02/32451, incorporated herein by reference).

The pharmaceutical composition of the present invention may further comprise immunostimulatory nucleic acid(s). Immunostimulatory nucleic acids are e. g. neutral or artificial CpG containing nucleic acids, short stretches of nucleic acids derived from non-vertebrates or in form of short oligonucleotides (ODNs) containing non-methylated cytosine-guanine di-nucleotides (CpG) in a certain base context (e.g. described in WO 96/02555). Alternatively, also nucleic acids based on inosine and cytidine as e.g. described in the WO 01/93903, or deoxynucleic acids containing deoxy-inosine and/or deoxyuridine residues (described in WO 01/93905 and PCT/EP 02/05448, incorporated herein by reference) may preferably be used as immunostimulatory nucleic acids for the present invention. Preferably, the mixtures of different immunostimulatory nucleic acids may be used according to the present invention.

It is also within the present invention that any of the aforementioned polycationic compounds is combined with any of the immunostimulatory nucleic acids as aforementioned. Preferably, such combinations are according to the ones as described in WO 01/93905, WO 02/32451, WO 01/54720, WO

01/93903, WO 02/13857 and PCT/EP 02/05448 and the Austrian patent application A 1924/2001, incorporated herein by reference.

In addition or alternatively such vaccine composition may comprise apart from the hyperimmune serum reactive antigens and fragments thereof, and the coding nucleic acid molecules thereof according to the present invention a neuroactive compound. Preferably, the neuroactive compound is human growth factor as, e.g. described in WO 01/24822. Also preferably, the neuroactive compound is combined with any of the polycationic compounds and/or immunostimulatory nucleic acids as afore-mentioned.

In a further aspect the present invention is related to a pharmaceutical composition. Such pharmaceutical composition is, for example, the vaccine described herein. Also a pharmaceutical composition is a pharmaceutical composition which comprises any of the following compounds or combinations thereof: the nucleic acid molecules according to the present invention, the hyperimmune serum reactive antigens and fragments thereof according to the present invention, the vector according to the present invention, the cells according to the present invention, the antibody according to the present invention, the functional nucleic acids according to the present invention and the binding peptides such as the anticalines according to the present invention, any agonists and antagonists screened as described herein. In connection therewith any of these compounds may be employed in combination with a non-sterile or sterile carrier or carriers for use with cells, tissues or organisms, such as a pharmaceutical carrier suitable for administration to a subject. Such compositions comprise, for instance, a media additive or a therapeutically effective amount of a hyperimmune serum reactive antigen and fragments thereof of the invention and a pharmaceutically acceptable carrier or excipient. Such carriers may include, but are not limited to, saline, buffered saline, dextrose, water, glycerol, ethanol and combinations thereof. The formulation should suit the mode of administration.

The pharmaceutical compositions may be administered in any effective, convenient manner including, for instance, administration by topical, oral, anal, vaginal, intravenous, intraperitoneal, intramuscular, subcutaneous, intranasal, intratracheal or intradermal routes among others.

In therapy or as a prophylactic, the active agent may be administered to an individual as an injectable composition, for example as a sterile aqueous dispersion, preferably isotonic.

Alternatively the composition may be formulated for topical application, for example in the form of ointments, creams, lotions, eye ointments, eye drops, ear drops, mouthwash, impregnated dressings and sutures and aerosols, and may contain appropriate conventional additives, including, for example, preservatives, solvents to assist drug penetration, and emollients in ointments and creams. Such topical formulations may also contain compatible conventional carriers, for example cream or ointment bases, and ethanol or oleyl alcohol for lotions. Such carriers may constitute from about 1 % to about 98 % by weight of the formulation; more usually they will constitute up to about 80 % by weight of the formulation.

In addition to the therapy described above, the compositions of this invention may be used generally as a wound treatment agent to prevent adhesion of bacteria to matrix proteins exposed in wound tissue and for prophylactic use in dental treatment as an alternative to, or in conjunction with, antibiotic prophylaxis.

A vaccine composition is conveniently in injectable form. Conventional adjuvants may be employed to enhance the immune response. A suitable unit dose for vaccination is 0.05-5  $\mu$ g antigen / per kg of body weight, and such dose is preferably administered 1-3 times and with an interval of 1-3 weeks.

With the indicated dose range, no adverse toxicological effects should be observed with the compounds of the invention, which would preclude their administration to suitable individuals.

In a further embodiment the present invention relates to diagnostic and pharmaceutical packs and kits comprising one or more containers filled with one or more of the ingredients of the aforementioned compositions of the invention. The ingredient(s) can be present in a useful amount, dosage, formulation or combination. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, reflecting approval by the agency of the manufacture, use or sale of the product for human administration.

In connection with the present invention any disease related use as disclosed herein such as, e. g. use of the pharmaceutical composition or vaccine, is particularly a disease or diseased condition which is caused by, linked or associated with Streptococci, more preferably, *S. pyogenes* and *pneumoniae*. In connection therewith it is to be noted that *S. agalactiae* comprises several strains including those disclosed herein. A disease related, caused or associated with the bacterial infection to be prevented and/or treated according to the present invention includes besides others bacterial pharyngitis, otitis media, pneumonia, bacteremia, meningitis, peritonitis, wound infection and sepsis in humans.

In a still further embodiment the present invention is related to a screening method using any of the hyperimmune serum reactive antigens or nucleic acids according to the present invention. Screening methods as such are known to the one skilled in the art and can be designed such that an agonist or an antagonist is screened. Preferably an antagonist is screened which in the present case inhibits or prevents the binding of any hyperimmune serum reactive antigen and fragment thereof according to the present invention to an interaction partner. Such interaction partner can be a naturally occurring interaction partner or a non-naturally occurring interaction partner.

The invention also provides a method of screening compounds to identify those, which enhance (agonist) or block (antagonist) the function of hyperimmune serum reactive antigens and fragments thereof or nucleic acid molecules of the present invention, such as its interaction with a binding molecule. The method of screening may involve high-throughput.

For example, to screen for agonists or antagonists, the interaction partner of the nucleic acid molecule and nucleic acid, respectively, according to the present invention, maybe a synthetic reaction mix, a cellular compartment, such as a membrane, cell envelope or cell wall, or a preparation of any thereof, may be prepared from a cell that expresses a molecule that binds to the hyperimmune serum reactive antigens and fragments thereof of the present invention. The preparation is incubated with labelled hyperimmune serum reactive antigens and fragments thereof in the absence or the presence of a candidate molecule, which may be an agonist or antagonist. The ability of the candidate molecule to bind the binding molecule is reflected in decreased binding of the labelled ligand. Molecules which bind gratuitously, i. e., without inducing the functional effects of the hyperimmune serum reactive antigens and fragments thereof, are most likely to be good antagonists. Molecules that bind well and elicit functional effects that are the same as or closely related to the hyperimmune serum reactive antigens and fragments thereof are good agonists.

The functional effects of potential agonists and antagonists may be measured, for instance, by determining the activity of a reporter system following interaction of the candidate molecule with a cell or appropriate cell preparation, and comparing the effect with that of the hyperimmune serum reactive antigens and fragments thereof of the present invention or molecules that elicit the same effects as the hyperimmune serum reactive antigens and fragments thereof. Reporter systems that may be useful in this regard include but are not limited to colorimetric labelled substrate converted into product, a reporter gene that is responsive to changes in the functional activity of the hyperimmune serum reactive antigens and fragments thereof, and binding assays known in the art.

- 47 -

Another example of an assay for antagonists is a competitive assay that combines the hyperimmune serum reactive antigens and fragments thereof of the present invention and a potential antagonist with membrane-bound binding molecules, recombinant binding molecules, natural substrates or ligands, or substrate or ligand mimetics, under appropriate conditions for a competitive inhibition assay. The hyperimmune serum reactive antigens and fragments thereof can be labelled such as by radioactivity or a colorimetric compound, such that the molecule number of hyperimmune serum reactive antigens and fragments thereof bound to a binding molecule or converted to product can be determined accurately to assess the effectiveness of the potential antagonist.

Potential antagonists include small organic molecules, peptides, polypeptides and antibodies that bind to a hyperimmune serum reactive antigen and fragments thereof of the invention and thereby inhibit or extinguish its activity. Potential antagonists also may be small organic molecules, a peptide, a polypeptide such as a closely related protein or antibody that binds to the same sites on a binding molecule without inducing functional activity of the hyperimmune serum reactive antigens and fragments thereof of the invention.

Potential antagonists include a small molecule, which binds to and occupies the binding site of the hyperimmune serum reactive antigens and fragments thereof thereby preventing binding to cellular binding molecules, such that normal biological activity is prevented. Examples of small molecules include but are not limited to small organic molecules, peptides or peptide-like molecules.

Other potential antagonists include antisense molecules (see {Okano, H. et al., 1991}; OLIGODEOXYNUCLEOTIDES AS ANTISENSE INHIBITORS OF GENE EXPRESSION; CRC Press, Boca Raton, FL (1988), for a description of these molecules).

Preferred potential antagonists include derivatives of the hyperimmune serum reactive antigens and fragments thereof of the invention.

As used herein the activity of a hyperimmune serum reactive antigen and fragment thereof according to the present invention is its capability to bind to any of its interaction partner or the extent of such capability to bind to its or any interaction partner.

In a particular aspect, the invention provides the use of the hyperimmune serum reactive antigens and fragments thereof, nucleic acid molecules or inhibitors of the invention to interfere with the initial physical interaction between a pathogen and mammalian host responsible for sequelae of infection. In particular the molecules of the invention may be used: i) in the prevention of adhesion of *S. agalactiae* to mammalian extracellular matrix proteins at mucosal surfaces and on in-dwelling devices or to extracellular matrix proteins in wounds; ii) to block bacterial adhesion between mammalian extracellular matrix proteins and bacterial proteins which mediate tissue damage or invasion iii) or lead to evasion of immune defense; iv) to block the normal progression of pathogenesis in infections initiated other than by the implantation of in-dwelling devices or by other surgical techniques, e.g. through inhibiting nutrient acquisition.

Each of the DNA coding sequences provided herein may be used in the discovery and development of antibacterial compounds. The encoded protein upon expression can be used as a target for the screening of antibacterial drugs. Additionally, the DNA sequences encoding the amino terminal regions of the encoded protein or Shine-Delgarno or other translation facilitating sequences of the respective mRNA can be used to construct antisense sequences to control the expression of the coding sequence of interest.

The antagonists and agonists may be employed, for instance, to inhibit diseases arising from infection with *Streptococcus*, especially *S. agalactiae*, such as sepsis.

In a still further aspect the present invention is related to an affinity device such affinity device comprises as least a support material and any of the hyperimmune serum reactive antigens and fragments thereof according to the present invention, which is attached to the support material. Because of the specificity of the hyperimmune serum reactive antigens and fragments thereof according to the present invention for their target cells or target molecules or their interaction partners, the hyperimmune serum reactive antigens and fragments thereof allow a selective removal of their interaction partner(s) from any kind of sample applied to the support material provided that the conditions for binding are met. The sample may be a biological or medical sample, including but not limited to, fermentation broth, cell debris, cell preparation, tissue preparation, organ preparation, blood, urine, lymph liquid, liquor and the like.

The hyperimmune serum reactive antigens and fragments thereof may be attached to the matrix in a covalent or non-covalent manner. Suitable support material is known to the one skilled in the art and can be selected from the group comprising cellulose, silicon, glass, aluminium, paramagnetic beads, starch and dextrane.

The present invention is further illustrated by the following figures, examples and the sequence listing, from which further features, embodiments and advantages may be taken. It is to be understood that the present examples are given by way of illustration only and not by way of limitation of the disclosure.

In connection with the present invention

Figure 1 shows the characterization of human antibody sources for *S. agalactiae*.

Figure 2 shows the characterization of the small fragment genomic library, LSAg-70, from *Streptococcus agalactiae* ATCC 12403.

Figure 3 shows the selection of bacterial cells by MACS using biotinylated human IgGs.

Figure 4 shows the serotypes of the applied strains and an example for the gene distribution analysis with one of the identified antigens.

Figure 5 shows examples for induction of epitope-specific antibodies in mice by immunization with *E. coli* lysates.

Figure 6 shows examples for cell surface staining with epitope-specific antisera by flow cytometry.

Figure 7 shows the determination of bactericidal activity of antibodies induced by selected epitopes in an *in vitro* assay.

Table 1A shows the summary of all screens performed with genomic *S. agalactiae* libraries and human serum. Table 1B shows antigenic proteins identified by sequence identity within antigenic regions of the proteins listed in Table 1A.

Table 2 shows the summary of epitope serology analysis with human sera.

Table 3 shows the summary of the gene distribution analysis for the identified antigens in 46 *S. agalactiae* strains.

Table 4 shows the summary of mouse immunogenicity experiments.

Table 5 shows the summary of all screens performed with genomic *S. agalactiae* libraries and human serum.

Table 6 shows the summary of epitope serology analysis with human sera.

Table 7 shows the summary of mouse immunogenicity experiments.

The figures to which it might be referred to in the specification are described in the following in more details.

**Figure 1** shows the characterization of human sera and cervical secretions for anti-*S. agalactiae* antibodies as measured by immune assays. Total anti-*S. agalactiae* IgG and IgA antibody levels were measured by standard ELISA using total bacterial lysates or culture supernatant fractions prepared from *S. agalactiae* serotype III strain ATCC 12403 as coating antigens. (A) Results of representative experiments are shown with healthy adult sera with total bacterial lysate proteins. Data are expressed as ELISA units calculated from absorbance at 405nm at a serum dilution in the linear range of detection (2,000X for IgA, 10,000 for IgG). Selected sera (out of 52) included in the healthy adult non-pregnant serum pool (NSag8-IgG,-IgA) are indicated by bold numbers. (B) Immunoblot analysis was performed on high titer sera selected by ELISA in order to ensure multiple immune reactivity with protein antigens. Results of a representative experiment using total bacterial lysate prepared from *S. agalactiae* serotype III ATCC 12403 strain and selected patients' sera at 5,000X dilution are shown. Blots were developed with anti-human IgG secondary antibody reagent. Low titer sera were included as negative controls. Mw: molecular weight markers. (C) shows selection of cervical secretions from noncolonized pregnant women by immunoblot analysis. Antibodies extracted from cervical wicks were quantitated for IgA content. 2 µg IgA from each preparations were tested for immunoreactivity using total bacterial lysate in a multi-well blotting apparatus. Blots were developed with anti-human IgA secondary antibodies. IgA preparation showing reactivity with GBS proteins (indicated by arrows) were selected and pooled.

**Figure 2 (A)** shows the fragment size distribution of the *Streptococcus agalactiae* ATCC 12403 small fragment genomic library, LSAg-70. After sequencing 576 randomly selected clones, sequences were trimmed (464) to eliminate vector residues and the numbers of clones with various genomic fragment sizes were plotted. (B) shows the graphic illustration of the distribution of the same set of randomly sequenced clones of LSAg-70 over the *S. agalactiae* ATCC 12403 chromosome. Rectangles indicate matching sequences to annotated ORFs and diamonds represent fully matched clones to non-coding chromosomal sequences in +/+ or +/- orientation. Circles position all clones with chimeric sequences. Numeric distances in base pairs are indicated over the circular genome for orientation. Partitioning of various clone sets within the library is given in numbers and percentage at the bottom of the figure.

**Figure 3 (A)** shows the MACS selection with biotinylated human IgGs. The LSAg-70 library in pMAL9.1 was screened with 15-20 µg biotinylated IgG (PSag11-IgG, purified from human serum). As negative control, no serum was added to the library cells for screening. Number of cells selected after the 1<sup>st</sup>, 2<sup>nd</sup> and 3<sup>rd</sup> elution are shown for each selection round (upper, middle and lower panel, respectively). (B) shows the reactivity of specific clones (1-26) selected by bacterial surface display as analysed by immunoblot analysis with the human serum IgG pool (PSag11-IgG, 4 µg/µl) used for selection by MACS at a dilution of 1:3,000. As a loading control the same blot was also analysed with antibodies directed against the platform protein LamB at a dilution of 1:5,000 of hyperimmune rabbit serum. M, Molecular weight marker; L, Extract from a clone expressing LamB without foreign peptide insert.

**Figure 4 (A)** shows the representation of different serotypes of *S. agalactiae* clinical isolates analysed for the gene distribution study. A number of the strains were not typable and may represent additional serotypes. (B) shows the PCR analysis for the gene distribution of gbs0061 with the respective oligonucleotides and 46 *S. agalactiae* strains. The predicted size of the PCR fragments is 814 bp. 1-46, *S. agalactiae* strains, clinical isolates as shown under A; -, no genomic DNA added; +, genomic DNA from *S.*

*agalactiae* ATCC 12403, which served as template for library construction.

Figure 5 shows the measurement of epitope-specific mouse serum IgG antibody levels induced by total bacterial lysates of Lamb or FhuA expressing *E. coli* clones with *S. agalactiae*-derived epitopes. (A) shows representative peptide ELISA experiments with three sets of mouse sera (5 mice in each group, 1-5) generated by gbs0428, gbs0628 and gbs632 epitopes, respectively. Sera were tested at two different dilutions: black bars: 100X; grey bars; 1000X. Biotin-labeled synthetic peptides corresponding to the respective epitopes were used in the peptide ELISA. Sera induced with *E. coli* lysate without *S. agalactiae* derived epitopes are indicated as FhuA or Lamb. (B) shows a typical immunoblotting experiment using lysates prepared from individual *E. coli* clones selected for mouse injections. Sera were depleted by *E. coli* lysate not carrying epitope to remove antibodies against *E. coli* proteins. Examples are shown for gbs0918, gbs0428, gbs0628 and gbs632 epitopes. Negative controls (-) are *E. coli* clones with empty platform proteins. Location of platform proteins Lamb and FhuA is indicated by arrows.

Figure 6 shows the detection of specific antibody binding on the cell surface of *Streptococcus agalactiae* by flow cytometry. In Figure 6A preimmune mouse sera and polyclonal sera raised against *S. agalactiae* serotype III lysate were incubated with *S. agalactiae* strain serotype III and analysed by flow cytometry. Control shows the level of non-specific binding of the secondary antibody to the surface of *S. agalactiae* cells. The histograms in figure 6B indicates the increased fluorescence due to specific binding of anti-gbs0031, anti-gbs1925 and anti-gbs0012 antibodies in comparison to the control sera generated against *E. coli* lysate containing only the 'empty' platform protein FhuA.

Figure 7 shows the bactericidal activity of epitope specific antibodies as determined in *in vitro* killing assay. The killing activity of immune sera is measured parallel with and calculated relative to the appropriate control sera. Data are expressed as percentage of killing, that is the reduction on bacterial cfu numbers as a consequence of the presence of specific antibodies. Hyperimmune polyclonal mouse sera generated with *S. agalactiae* lysate and sera from non-immunized mice served as positive and negative controls for the assay, respectively. Immune sera generated with (A) gbs0012, gbs0016, gbs0031, gbs0428, gbs1306 and gbs2018 epitopes and with (B) gbs0233, gbs0419, gbs0942, gbs0975, gbs1038, gbs1144 and gbs2093 epitopes were tested for bactericidal activity and data are expressed relative to appropriate controls, such as sera induced with Lamb or FhuA expressing *E. coli* clones without *S. agalactiae*-derived epitopes. *S. agalactiae* serotype III cells were incubated with mouse phagocytic cells for 60 min, and surviving bacteria were quantified by counting cfus after plating on blood agar.

**Table 1: Immunogenic proteins identified by bacterial surface display.**

(A) Columns A, 300bp library of *S. agalactiae* ATCC 12403 in fhuA with NSag8-IgA (826), B, 300bp library in fhuA with PSag10-IgA (768), C, 300bp library in fhuA with PSag10-IgG (711), D, 300bp library in fhuA with PSag11-IgG (640), E, 70bp library in lamB with NSag8-IgA (1057), F, 70bp library in lamB with NSag8-IgG (869), G, 70bp library in lamB with PSag10-IgA (904), H, 70bp library in lamB with PSag10-IgA-adsorbed (493), I, 70bp library in lamB with PSag10-IgG (910), J, 70bp library in lamB with PSag11-IgA (631), K, 70bp library in lamB with PSag11-IgG (926), L, 70bp library in lamB with PSag18-IgA (691), M, 70bp library in lamB with PSag-sIgA (628); \*, prediction of antigenic sequences longer than 5 amino acids was performed with the program ANTIGENIC (Kolaskar and Tongaonkar, 1990). Table 1B lists the immunogenic proteins identified by amino acid sequence identity with peptides identified by bacterial surface display. Antigenic peptides, which have been identified by bacterial surface-display possess identical counterparts in the listed proteins from *S. agalactiae*. The peptides have been shown to react with multiple human sera (see Table 2). Sera directed against these peptides can therefore recognize multiple proteins.

**Table 2: Epitope serology with human sera.**

Immune reactivity of individual synthetic peptides representing selected epitopes with human sera is shown. Extent of reactivity is expressed as +, ++ or +++, and summed from individual reactivities of



peptides with individual sera (13 patient and 9 healthy adult, 22 total). A total score for each peptide was calculated based on ELISA units as the sum of all reactivities. Scores were 2-8 for +, 9-16 for ++ and 17-26 for +++. ELISA units were calculated from OD<sub>405nm</sub> readings and the serum dilution after correction for background. Location of synthetic peptides within the antigenic ORFs according to the genome annotation of ATCC 12403 strain is given in columns aa from and aa to indicating the first and last amino acid residues, respectively. Peptide names: gbs0012.1 present in annotated ORF: gbs0012.

**Table 3: Gene distribution in *S. agalactiae* strains.**

Fourty six *S. agalactiae* strains as shown in Figure 4A were tested by PCR with oligonucleotides specific for the genes encoding relevant antigens. The PCR fragment of one selected PCR reaction was sequenced in order to confirm the amplification of the correct DNA fragment. \*, number of amino acid substitutions in a serotype IA strain as derived from sequencing as compared to *S. agalactiae* ATCC 12403. #, alternative strain used for sequencing, because gene was not present in the serotype IA strain.

**Table 4: Immunogenicity of antigenic epitopes.**

*S. agalactiae* antigens were tested for immunogenicity by immunization with *E. coli* clones harboring plasmids encoding the platform proteins LamB or FhuA fused to *S. agalactiae* peptides. The presence of epitope-specific antibodies were detected and measured by peptide ELISA and/or immunoblotting using the corresponding *E. coli* clone lysate, which served as immunogen. Results are expressed as + to +++++, and calculated for peptide ELISA as the sum of the reactivity of individual mouse sera based on ELISA units (as indicated on Fig. 5A) and for immunoblotting (IB) as the strength of reactivity of pooled (5 individual) mouse sera with the epitope containing platform protein (as indicated on Fig. 5B). Location of synthetic peptides within the antigenic ORFs according to the genome annotation of ATCC 12403 strain is given in columns aa from and aa to indicating the first and last amino acid residues, respectively.

**Table 5: Immunogenic proteins identified by bacterial surface display.**

(A) 300bp library of *S. agalactiae* ATCC 12403 in fhuA with IC8-IgA (826), B, 300bp library in fhuA with P10-IgA (768), C, 300bp library in fhuA with P10-IgG (711), D, 300bp library in fhuA with P11-IgG (640), E, 70bp library in lamB with IC8-IgA (1057), F, 70bp library in lamB with IC8-IgG (869), G, 70bp library in lamB with P10-IgA (904), H, 70bp library in lamB with P10-IgA-adsorbed (493), I, 70bp library in lamB with P10-IgG (910), J, 70bp library in lamB with P11-IgA (631), K, 70bp library in lamB with P11-IgG (926), \*, prediction of antigenic sequences longer than 5 amino acids was performed with the program ANTIGENIC (Kolaskar and Tongaonkar, 1990).

**Table 6: Epitope serology with human sera.**

Immune reactivity of individual synthetic peptides representing selected epitopes with human sera is shown. Extent of reactivity is expressed as +, ++ or +++, and summed from individual reactivities of peptides with individual sera (13 patient and 9 healthy adult, 22 total). A total score for each peptide was calculated based on ELISA units as the sum of all reactivities. Scores were 2-8 for +, 9-16 for ++ and 17-30 for +++. ELISA units were calculated from OD<sub>405nm</sub> readings and the serum dilution after correction for background. Location of synthetic peptides within the antigenic ORFs according to the genome annotation of ATCC 12403 strain is given in columns aa from and aa to indicating the first and last amino acid residues, respectively. Peptide names: gbs0233.1 present in annotated ORF: gbs0233.

**Table 7: Immunogenicity of antigenic epitopes in mice.**

*S. agalactiae* antigens were tested for immunogenicity by immunization with *E. coli* clones harboring plasmids encoding the platform proteins LamB or FhuA fused to *S. agalactiae* peptides. The presence of epitope-specific antibodies were detected and measured by peptide ELISA. Results are expressed as + to +++++, and calculated for peptide ELISA as the sum of the reactivity of individual mouse sera based on ELISA units (as indicated on Fig. 5). Location of epitopes within the antigenic ORFs according to the genome annotation of ATCC 12403 strain is given in columns aa from and aa to indicating the first and last amino acid residues, respectively.

## EXAMPLES

### Example 1: Characterization and selection of human serum sources based on anti-*S. agalactiae* antibodies, preparation of antibody screening reagents

#### *Experimental procedures*

##### *Enzyme linked immune assay (ELISA).*

ELISA plates (Maxisorb, Millipore) were coated with 5-10 µg/ml total protein diluted in coating buffer (0.1M sodium carbonate pH 9.2). Three dilutions of sera (2,000X, 10,000X, 50,000X) were made in PBS-BSA. Highly specific Horse Radish Peroxidase (HRP)-conjugated anti-human IgG or anti-human IgA secondary antibodies (Southern Biotech) were used according to the manufacturers' recommendations (dilution: 1,000x). Antigen-antibody complexes were quantified by measuring the conversion of the substrate (ABTS) to colored product based on OD<sub>405nm</sub> readings by automatic ELIAS reader (TECAN SUNRISE).

##### *Preparation of bacterial antigen extracts*

**Total bacterial lysate:** Bacteria were grown overnight in THB (Todd-Hewitt Broth) and lysed by repeated freeze-thaw cycles: incubation on dry ice/ethanol-mixture until frozen (1 min), then thawed at 37°C (5 min): repeated 3 times. This was followed by sonication and collection of supernatant by centrifugation (3,500 rpm, 15 min, 4°C).

**Culture supernatant:** After removal of bacteria by centrifugation, the supernatant of overnight grown bacterial cultures was precipitated with ice-cold ethanol by mixing 1 part supernatant with 3 parts absolute ethanol and incubated overnight at -20°C. Precipitates were collected by centrifugation (2,600 g, for 15 min). Dry pellets were dissolved either in PBS for ELISA, or in urea and SDS-sample buffer for SDS-PAGE and immunoblotting. The protein concentration of samples was determined by Bradford assay.

##### *Immunoblotting*

Total bacterial lysate and culture supernatant samples were prepared from *in vitro* grown *S. agalactiae* serotype III strain. 10 to 25µg total protein/lane was separated by SDS-PAGE using the BioRad Mini-Protean Cell electrophoresis system and proteins transferred to nitrocellulose membrane (ECL, Amersham Pharmacia). After overnight blocking in 5% milk, human sera were added at 2,000x dilution, and HRPO labeled anti-human IgG was used for detection.

##### *Extraction of antibodies from cervical wicks*

Cervical secretions were collected by absorbent cylindrical wicks (Polyfiltronics) which were introduced into the cervical canal during speculum examination and thereafter kept frozen until extraction. Extraction was done according to Hordnes *et al*, 1998 (provider of the samples). Briefly, wicks were mixed with PBS containing protease inhibitors, vortexed and fluid was drained from the tubes containing the wicks. The concentrations of total IgA and IgG antibodies in extracts were determined.

**Purification of antibodies for genomic screening.** Five sera from both the patient and the healthy group were selected based on the overall anti-GBS titers for serum or cervical secretion pools used in the screening procedure. Antibodies against *E. coli* proteins were removed by incubating the heat-inactivated sera with whole cell *E. coli* cells (DH5alpha, transformed with pHIE11, grown under the same condition as used for bacterial surface display). Highly enriched preparations of IgGs from the pooled, depleted sera were generated by protein G affinity chromatography, according to the manufacturer's instructions (UltraLink Immobilized Protein G, Pierce). IgA antibodies were purified also by affinity chromatography using biotin-labeled anti-human IgA (Southern Biotech) immobilized on Streptavidin-agarose (GIBCO BRL). The efficiency of depletion and purification was checked by SDS-PAGE, Western blotting, ELISA and protein concentration measurements.

## Results

The antibodies produced against *S. agalactiae* by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity. These molecules are essential for the identification of individual antigens in the approach as described in the present invention, which is based on the interaction of the specific anti-GBS antibodies and the corresponding *S. agalactiae* peptides or proteins. To gain access to relevant antibody repertoires, human sera were collected from

- I. healthy pregnant women tested negative for cervical and anorectal carriage of GBS
- II. healthy pregnant women tested positive for cervical and/or anorectal carriage of GBS who's newborn remained GBS-free (although with antibiotic prevention).
- III. adults below <45 years of age without clinical disease.
- IV. naïve individuals, young children between 5 and 10 months of age, after they already lost maternal antibodies and have not acquired GBS-specific ones due to the lack of GBS disease.

In addition cervical secretions were also collected from the first two groups of donors. The extrem value of these antibody sources is mainly the secretory IgA component, which is directly implicated as protective effector molecule on mucosal surfaces.

It is important to screen with antibodies from at least two different populations, pregnant women and nonpregnant adults, since GBS disease affects elderly and immunocompromised adults, as well. Within the pregnant study group, there are again two different patient categories, women who are GBS colonized and those who are noncolonized, to be included in the antigen screen.

Antibodies in serum and other body fluids, such as mucosal secretions induced in individuals exposed to the pathogens are crucial for antigen identification. The exposure to GBS results in asymptomatic colonization, current or past acute or chronic infection. *S. agalactiae* colonization and infections are common, and antibodies are present as a consequence of natural immunization from previous encounters. It is likely that sera from high titer noncolonized individuals contain functional antibodies, which are able to eliminate carriage. At the same time certain antibodies might be induced against GBS components only if the antigen persist. For that reason sera from colonized individuals were also included. It has been shown that colonization is associated with capsular polysaccharide (CPS)-specific antibody responses. However, it is not clear whether sufficient level of antibodies to CPS's would prevent GBS colonization, since there are colonized women with both high and low levels of anti-CPS antibody, and the same is true for noncolonized pregnant women.

However, there are reports that effector function and avidity of antibodies produced during pregnancy might be altered. It is important to recognize that most healthy adults are protected from invasive GBS disease and are less susceptible than newborns and the elderly. Antibodies from these individuals seem to be especially valuable for identification of the corresponding antigens. It is known that anti-GBS antibody levels increase with age.

GBS is a mucosal pathogen and should induce IgA response; for that reason it was important to perform IgA-based screens, as well as IgG-based screens. The fact that some *S. agalactiae* strains express high affinity IgA-binding receptor also points to the importance of IgA in host response. Recently it was reported that not only IgG, but also IgA serum antibodies can be recognized by the FcRIII receptors of PMNs and promote opsonization [Phillips-Quagliata, J. et al., 2000]; [Shibuya, A. et al., 2000]. The primary role of IgA antibodies is neutralization, mainly at the mucosal surface. The level of serum IgA reflects the quality, quantity and specificity of the dimeric secretory IgA. For that reason the serum collection was not only analyzed for anti-streptococcal IgG, but also for IgA levels. In the ELISA assays highly specific secondary reagents were used to detect antibodies from the high affinity types, such as

IgG and IgA, but avoided IgM. Production of IgM antibodies occurs during the primary adaptive humoral response, and results in low affinity antibodies, while IgG and IgA antibodies had already undergone affinity maturation, and are more valuable in fighting or preventing disease.

127 serum samples and 97 cervical secretions from pregnant women and 50 sera from healthy adults were characterized for anti-*S. agalactiae* antibodies by a series of immune assays. Primary characterization was done by ELISA using two different antigen preparations, such as total bacterial extract and culture supernatant proteins prepared from *S. agalactiae* serotype III ATCC 12403 strain. A representative experiment is shown in Fig. 1A using sera from the healthy adult population. Antibody titers were compared at given dilutions where the response was linear. Sera were ranked based on the IgG and IgA reactivity against the two complex antigenic mixtures (including serotype specific type III capsule), and the highest ones were selected for further testing by immunoblotting. This analysis confirmed a high antibody reactivity of the pre-selected sera against multiple GBS proteins, especially when compared to not selected, low-titer sera (Fig 1B). However, ELISA ranking of sera did not always correlated with immunoblot signals suggesting that anti-capsular antibodies were abundant and dominated the ELISA reactivities against total bacterial extracts. Thus the final selection of sera to be included in antibody-pools was based mainly on multiple immunogenic bands in immunoblotting experiments. This extensive antibody characterization approach has led to the unambiguous identification of anti-GBS hyperimmune sera.

The 97 cervical secretions were determined for IgA content, and same amount (2µg) was tested for anti-GBS reactivity by immunoblotting. Positively selected sera (as it is shown in Fig. 1C) were divided into colonized and noncolonized IgA pools and used separately in bacterial surface display experiments.

5 sera from both donor groups were selected and pooled for antigen identification by bacterial surface display. Selected sera included in the four pregnant women pools (PSAg10-IgG,-IgA, PSAg11-IgG, PSAg18-IgG and PSAg-sIgA) and one healthy adult (non-pregnant) pool (NSAg8-IgG,-IgA). IgG and IgA antibodies were purified from pooled sera by affinity chromatography and depleted of *E. coli* -reactive antibodies to avoid background in the bacterial surface display screen.

## **Example 2: Generation of highly random, frame-selected, small-fragment, genomic DNA libraries of *Streptococcus agalactiae***

### ***Experimental procedures***

*Preparation of streptococcal genomic DNA.* 50 ml Todd-Hewitt Broth medium was inoculated with *S. agalactiae* ATCC 12403 bacteria from a frozen stab and grown with aeration and shaking for 18 h at 37°C. The culture was then harvested, centrifuged with 1,600x g for 15 min and the supernatant was removed. Bacterial pellets were washed 3 x with PBS and carefully re-suspended in 0.5 ml of Lysozyme solution (100 mg/ml). 0.1 ml of 10 mg/ml heat treated RNase A and 20 U of RNase T1 were added, mixed carefully and the solution was incubated for 1 h at 37°C. Following the addition of 0.2 ml of 20 % SDS solution and 0.1 ml of Proteinase K (10 mg/ml) the tube was incubated overnight at 55°C. 1/3 volume of saturated NaCl was then added and the solution was incubated for 20 min at 4°C. The extract was pelleted in a microfuge (13,000 rpm) and the supernatant transferred into a new tube. The solution was extracted with PhOH/CHCl<sub>3</sub>/IAA (25:24:1) and with CHCl<sub>3</sub>/IAA (24:1). DNA was precipitated at room temperature by adding 0.6x volume of Isopropanol, spooled from the solution with a sterile Pasteur pipette and transferred into tubes containing 80% ice-cold ethanol. DNA was recovered by centrifuging the precipitates with 10-12,000x g, then dried on air and dissolved in ddH<sub>2</sub>O.

*Preparation of small genomic DNA fragments.* Genomic DNA fragments were mechanically sheared into fragments ranging in size between 150 and 300 bp using a cup-horn sonicator (Bandelin Sonoplus UV

- 55 -

2200 sonicator equipped with a BB5 cup horn, 10 sec. pulses at 100 % power output) or into fragments of size between 50 and 70 bp by mild DNase I treatment (Novagen). It was observed that sonication yielded a much tighter fragment size distribution when breaking the DNA into fragments of the 150-300 bp size range. However, despite extensive exposure of the DNA to ultrasonic wave-induced hydromechanical shearing force, subsequent decrease in fragment size could not be efficiently and reproducibly achieved. Therefore, fragments of 50 to 70 bp in size were obtained by mild DNase I treatment using Novagen's shotgun cleavage kit. A 1:20 dilution of DNase I provided with the kit was prepared and the digestion was performed in the presence of  $MnCl_2$  in a 60  $\mu$ l volume at 20°C for 5 min to ensure double-stranded cleavage by the enzyme. Reactions were stopped with 2  $\mu$ l of 0.5 M EDTA and the fragmentation efficiency was evaluated on a 2% TAE-agarose gel. This treatment resulted in total fragmentation of genomic DNA into near 50-70 bp fragments. Fragments were then blunt-ended twice using T4 DNA Polymerase in the presence of 100  $\mu$ M each of dNTPs to ensure efficient flushing of the ends. Fragments were used immediately in ligation reactions or frozen at -20°C for subsequent use.

*Description of the vectors.* The vector pMAL4.31 was constructed on a pASK-IBA backbone [Skerra, A., 1994] with the beta-lactamase (*bla*) gene exchanged with the Kanamycin resistance gene. In addition the *bla* gene was cloned into the multiple cloning site. The sequence encoding mature beta-lactamase is preceded by the leader peptide sequence of *ompA* to allow efficient secretion across the cytoplasmic membrane. Furthermore a sequence encoding the first 12 amino acids (spacer sequence) of mature beta-lactamase follows the *ompA* leader peptide sequence to avoid fusion of sequences immediately after the leader peptidase cleavage site, since e.g. clusters of positive charged amino acids in this region would decrease or abolish translocation across the cytoplasmic membrane [Kajava, A. et al., 2000]. A *Sma*I restriction site serves for library insertion. An upstream *Fse*I site and a downstream *Not*I site, which were used for recovery of the selected fragment, flank the *Sma*I site. The three restriction sites are inserted after the sequence encoding the 12 amino acid spacer sequence in such a way that the *bla* gene is transcribed in the -1 reading frame resulting in a stop codon 15 bp after the *Not*I site. A +1 bp insertion restores the *bla* ORF so that beta-lactamase protein is produced with a consequent gain of Ampicillin resistance.

The vector pMAL9.1 was constructed by cloning the *lamB* gene into the multiple cloning site of pEH1 [Hashemzadeh-Bonehi, L. et al., 1998]. Subsequently, a sequence was inserted in *lamB* after amino acid 154, containing the restriction sites *Fse*I, *Sma*I and *Not*I. The reading frame for this insertion was constructed in such a way that transfer of frame-selected DNA fragments excised by digestion with *Fse*I and *Not*I from plasmid pMAL4.31 yields a continuous reading frame of *lamB* and the respective insert.

The vector pHIE11 was constructed by cloning the *fhuA* gene into the multiple cloning site of pEH1. Thereafter, a sequence was inserted in *fhuA* after amino acid 405, containing the restriction site *Fse*I, *Xba*I and *Not*I. The reading frame for this insertion was chosen in a way that transfer of frame-selected DNA fragments excised by digestion with *Fse*I and *Not*I from plasmid pMAL4.31 yields a continuous reading frame of *fhuA* and the respective insert.

*Cloning and evaluation of the library for frame selection.* Genomic *S. agalactiae* DNA fragments were ligated into the *Sma*I site of the vector pMAL4.31. Recombinant DNA was electroporated into DH10B electrocompetent *E. coli* cells (GIBCO BRL) and transformants plated on LB-agar supplemented with Kanamycin (50  $\mu$ g/ml) and Ampicillin (50  $\mu$ g/ml). Plates were incubated over night at 37°C and colonies collected for large scale DNA extraction. A representative plate was stored and saved for collecting colonies for colony PCR analysis and large-scale sequencing. A simple colony PCR assay was used to initially determine the rough fragment size distribution as well as insertion efficiency. From sequencing data the precise fragment size was evaluated, junction intactness at the insertion site as well as the frame selection accuracy ( $3n+1$  rule).

*Cloning and evaluation of the library for bacterial surface display.* Genomic DNA fragments were excised from the pMAL4.31 vector, containing the *S. agalactiae* library with the restriction enzymes *Fse*I and *Not*I. The

entire population of fragments was then transferred into plasmids pMAL9.1 (LamB) or pHIE11 (FhuA), which have been digested with *FseI* and *NotI*. Using these two restriction enzymes, which recognise an 8 bp GC rich sequence, the reading frame that was selected in the pMAL4.31 vector is maintained in each of the platform vectors. The plasmid library was then transformed into *E. coli* DH5alpha cells by electroporation. Cells were plated onto large LB-agar plates supplemented with 50 µg/ml Kanamycin and grown over night at 37°C at a density yielding clearly visible single colonies. Cells were then scraped off the surface of these plates, washed with fresh LB medium and stored in aliquots for library screening at -80°C.

## Results

**Libraries for frame selection.** Two libraries (LSAg-70 and LSAg-300) were generated in the pMAL4.31 vector with sizes of approximately 70 and 300 bp, respectively. For each library, ligation and subsequent transformation of approximately 1 µg of pMAL4.31 plasmid DNA and 50 ng of fragmented genomic *S. agalactiae* DNA yielded  $4 \times 10^5$  to  $2 \times 10^6$  clones after frame selection. To assess the randomness of the libraries, approximately 576 randomly chosen clones of LSAg-70 were sequenced. The bioinformatic analysis showed that of these clones only very few were present more than once. Furthermore, it was shown that approximately 80% of the clones fell in the size range between 25 and 100 bp with an average size of approximately 40 bp (Figure 2). Almost all sequences followed the 3n+1 rule, showing that all clones were properly frame selected.

**Bacterial surface display libraries.** The display of peptides on the surface of *E. coli* required the transfer of the inserts from the LSAg-70 and LSAg-300 libraries from the frame selection vector pMAL4.31 to the display plasmids pMAL9.1 (LamB) or pHIE11 (FhuA). Genomic DNA fragments were excised by *FseI* and *NotI* restriction and ligation of 5ng inserts with 0.1µg plasmid DNA and subsequent transformation into DH5alpha cells resulted in  $2\text{-}5 \times 10^6$  clones. The clones were scraped off the LB plates and frozen without further amplification.

### Example 3: Identification of highly immunogenic peptide sequences from *S. agalactiae* using bacterial surface displayed genomic libraries and human serum

#### Experimental procedures

**MACS screening.** Approximately  $2.5 \times 10^8$  cells from a given library were grown in 5 ml LB-medium supplemented with 50 µg/ml Kanamycin for 2 h at 37°C. Expression was induced by the addition of 1 mM IPTG for 30 min. Cells were washed twice with fresh LB medium and approximately  $2 \times 10^7$  cells re-suspended in 100 µl LB medium and transferred to an Eppendorf tube.

10 to 20 µg of biotinylated, human IgGs purified from serum was added to the cells and the suspension incubated overnight at 4°C with gentle shaking. 900 µl of LB medium was added, the suspension mixed and subsequently centrifuged for 10 min at 6,000 rpm at 4°C (For IgA screens, 10 µg of purified IgAs were used and these captured with biotinylated anti-human-IgG secondary antibodies). Cells were washed once with 1 ml LB and then re-suspended in 100 µl LB medium. 10 µl of MACS microbeads coupled to streptavidin (Miltenyi Biotech, Germany) were added and the incubation continued for 20 min at 4°C. Thereafter 900 µl of LB medium was added and the MACS microbead cell suspension was loaded onto the equilibrated MS column (Miltenyi Biotech, Germany) which was fixed to the magnet. (The MS columns were equilibrated by washing once with 1 ml 70% EtOH and twice with 2 ml LB medium.)

The column was then washed three times with 3 ml LB medium. After removal of the magnet, cells were eluted by washing with 2 ml LB medium. After washing the column with 3 ml LB medium, the 2 ml eluate was loaded a second time on the same column and the washing and elution process repeated. The loading, washing and elution process was performed a third time, resulting in a final eluate of 2 ml.

A second and third round of screening was performed as follows. The cells from the final eluate were collected by centrifugation and re-suspended in 1 ml LB medium supplemented with 50 µg/ml Kanamycin. The culture was incubated at 37°C for 90 min and then induced with 1 mM IPTG for 30 min. Cells were subsequently collected, washed once with 1 ml LB medium and suspended in 10 µl LB medium. 10 to 20 µg of human, biotinylated IgGs were added again and the suspension incubated overnight at 4°C with gentle shaking. All further steps were exactly the same as in the first selection round. Cells selected after two rounds of selection were plated onto LB-agar plates supplemented with 50 µg/ml Kanamycin and grown overnight at 37°C.

*Evaluation of selected clones by sequencing and Western blot analysis.* Selected clones were grown overnight at 37°C in 3 ml LB medium supplemented with 50 µg/ml Kanamycin to prepare plasmid DNA using standard procedures. Sequencing was performed at MWG (Germany) or in collaboration with TIGR (U.S.A.).

For Western blot analysis approximately 10 to 20 µg of total cellular protein was separated by 10% SDS-PAGE and blotted onto HybondC membrane (Amersham Pharmacia Biotech, England). The LamB or FhuA fusion proteins were detected using human serum as the primary antibody at a dilution of approximately 1:3,000 to 1:5,000 and anti-human IgG or IgA antibodies coupled to HRP at a dilution of 1:5,000 as secondary antibodies. Detection was performed using the ECL detection kit (Amersham Pharmacia Biotech, England). Alternatively, rabbit anti-FhuA or rabbit anti-LamB polyclonal immune sera were used as primary antibodies in combination with the respective secondary antibodies coupled to HRP for the detection of the fusion proteins.

## Results

*Screening of bacterial surface display libraries by magnetic activated cell sorting (MACS) using biotinylated Igs.* The libraries LSag-70 in pMAL9.1 and LSag-300 in pHIE11 were screened with pools of biotinylated, human IgGs and IgAs prepared from sera of healthy adults (NSag8-IgG,-IgA) or P10,11,18 (see Example 1: *Preparation of antibodies from human serum*). The selection procedure was performed as described under Experimental procedures. Figure 3A shows a representative example of a screen with the LSag-70 library and PSag11-IgGs. As can be seen from the colony count after the first selection cycle from MACS screening, the total number of cells recovered at the end is drastically reduced from  $2 \times 10^7$  cells to approximately  $2 \times 10^4$  cells, but the selection without antibodies added showed a similar reduction in cell numbers (Figure 3A). Therefore a second and third round of selection was performed. At the end of round three, approximately  $10^4$  cells was recovered with PSag11-IgGs, while only  $2 \times 10^3$  cells were recovered when no IgGs from human serum were added, clearly showing that selection was dependent on *S. agalactiae* specific antibodies. To evaluate the performance of the screen, 26 selected clones were picked randomly and subjected to immunoblot analysis with screening IgG pool (Figure 3B). This analysis revealed that more than 80% of the selected clones showed reactivity with antibodies present in the relevant serum whereas the control strain expressing LamB without a *S. agalactiae* specific insert did not react with the same serum. In general, the rate of reactivity was observed to lie within the range of 35 to 90%. Colony PCR analysis showed that all selected clones contained an insert in the expected size range.

Subsequent sequencing of a larger number of randomly picked clones (600 to 1200 per screen) led to the identification of the gene and the corresponding peptide or protein sequence that was specifically recognized by the human serum antibodies used for screening. The frequency with which a specific clone is selected reflects at least in part the abundance and/or affinity of the specific antibodies in the serum used for selection and recognizing the epitope presented by this clone. In that regard it is striking that clones derived from some ORFs (e.g. gbs1087, gbs1306, gbs2018) were picked more than 100 times, indicating their highly immunogenic property. Table 1 and Table 5 summarizes the data obtained for all

13 performed screens. All clones that are presented in Table 1 and Table 5 have been verified by immunoblot analysis using whole cellular extracts from single clones to show the indicated reactivity with the pool of human serum used in the respective screen. As can be seen from Table 1 and Table 5, distinct regions of the identified ORF are identified as immunogenic, since variably sized fragments of the proteins are displayed on the surface by the platform proteins.

It is further worth noticing that most of the genes identified by the bacterial surface display screen encode proteins that are either attached to the surface of *S. agalactiae* and/or are secreted. This is in accordance with the expected role of surface attached or secreted proteins in virulence of *S. agalactiae*.

#### **Example 4: Assessment of the reactivity of highly immunogenic peptide sequences with individual human sera.**

##### ***Experimental procedures***

###### ***Peptide synthesis***

Peptides were synthesized in small scale (4 mg resin; up to 288 in parallel) using standard F-moc chemistry on a Rink amide resin (PepChem, Tübingen, Germany) using a SyroII synthesizer (MultisynTech, Witten, Germany). After the sequence was assembled, peptides were elongated with Fmoc-epsilon-amino-hexanoic acid (as a linker) and biotin (Sigma, St. Louis, MO; activated like a normal amino acid). Peptides were cleaved off the resin with 93%TFA, 5% triethylsilane, and 2% water for one hour. Peptides were dried under vacuum and freeze dried three times from acetonitrile/water (1:1). The presence of the correct mass was verified by mass spectrometry on a Reflex III MALDI-TOF (Bruker, Bremen Germany). The peptides were used without further purification.

###### ***Enzyme linked immune assay (ELISA).***

Biotin-labeled peptides (at the N-terminus) were coated on Streptavidin ELISA plates (EXICON) at 10 µg/ml concentration according to the manufacturer's instructions. Highly specific Horse Radish Peroxidase (HRP)-conjugated anti-human IgG secondary antibodies (Southern Biotech) were used according to the manufacturers' recommendations (dilution: 1,000x). Sera were tested at two serum dilutions, 200X and 1,000X. Following manual coating, peptide plates were processed and analyzed by the Gemini 160 ELISA robot (TECAN) with a built-in ELISA reader (GENIOS, TECAN).

##### ***Results***

Following the bioinformatic analysis of selected clones, corresponding peptides were designed and synthesized. In case of epitopes with more than 26 amino acid residues, overlapping peptides were made. All peptides were synthesized with a N-terminal biotin-tag and used as coating reagents on Streptavidin-coated ELISA plates.

The analysis was performed with peptides that were selected based on their reactivity with the individual sera, which were included in the serum pools used for preparations of IgG and IgA screening reagents for bacterial surface display. A summary for serum reactivity of 74 peptides representing 55 different *S. agalactiae* antigenic proteins from the genomic screen analysed with 22 human sera (from 13 patient and 9 healthy exposed high titer individuals) used for the antigen identification is shown in Table 2 and Table 6. The peptides were compared by the score calculated for each peptide based on the number of positive sera and the extent of reactivity. Peptides range from highly and widely reactive to weakly positive ones.



**Example 5: Gene distribution studies with highly immunogenic proteins identified from *S. agalactiae*.****Experimental procedures**

*Gene distribution of GBS antigens by PCR.* An ideal vaccine antigen would be an antigen that is present in all, or the vast majority of strains of the target organism to which the vaccine is directed. In order to establish whether the genes encoding the identified *Streptococcus agalactiae* antigens occur ubiquitously in *S. agalactiae* strains, PCR was performed on a series of independent *S. agalactiae* isolates with primers specific for the gene of interest. *S. agalactiae* isolates were obtained covering the serotypes most frequently present in patients as shown in Figure 4A. Oligonucleotide sequences as primers were designed for all identified ORFs yielding products of approximately 1,000 bp, if possible covering all identified immunogenic epitopes. Genomic DNA of all *S. agalactiae* strains was prepared as described under Example 2. PCR was performed in a reaction volume of 25 µl using Taq polymerase (1U), 200 nM dNTPs, 10 pMol of each oligonucleotide and the kit according to the manufacturers instructions (Invitrogen, The Netherlands). As standard, 30 cycles (1x: 5min. 95°C, 30x: 30sec. 95°C, 30sec. 56°C, 30sec. 72°C, 1x 4min. 72°C) were performed, unless conditions had to be adapted for individual primer pairs.

**Results**

Identified genes encoding immunogenic proteins were tested by PCR for their presence in 46 different strains of *S. agalactiae* (Figure 4A). As an example, figure 4B shows the PCR reaction for GBS0061 with all indicated 46 strains. As clearly visible, the gene is present in all strains analysed. The PCR fragment from a type IA strain was sequenced and showed that all 657 bp were identical as compared to the *S. agalactiae* ATCC 12403 strain, indicating a high level of conservation between the two isolates.

From a total of 117 genes analysed, more than 100 were present in all or almost all strains tested, while only 5 genes were absent in more than 10% of the tested 46 strains (Table 3). In addition, only few genes (e.g. GBS0016, GBS1087, GBS1528 and GBS2018) showed variation in size but were present in all or most strain isolates. Sequencing of the generated PCR fragment from one strain and subsequent comparison to the type III strain ATCC 12403 confirmed the amplification of the correct DNA fragment and revealed a degree of sequence divergence as indicated in Table 3. Importantly, many of the identified antigens are well conserved in all strains in sequence and size and are therefore novel vaccine candidates to prevent infections by GBS.

**Example 6: Characterization of immune sera obtained from mice immunized with highly immunogenic proteins/peptides from *S. agalactiae* displayed on the surface of *E. coli*.****Experimental procedures***Generation of immune sera from mice*

*E. coli* clones harboring plasmids encoding the platform protein fused to a *S. agalactiae* peptide, were grown in LB medium supplemented with 50 µg/ml Kanamycin at 37°C. Overnight cultures were diluted 1:10, grown until an OD<sub>600</sub> of 0.5 and induced with 0.2 mM IPTG for 2 hours. Pelleted bacterial cells were suspended in PBS buffer and disrupted by sonication on ice, generating a crude cell extract. According to the OD<sub>600</sub> measurement, an aliquot corresponding to 5x10<sup>7</sup> cells was injected into NMRI mice i.v., followed by a boost after 2 weeks. Serum was taken 1 week after the second injection. Epitope specific antibody levels were measured by peptide ELISA.

*In vitro expression of antigens*

Expression of antigens by *in vitro* grown *S. agalactiae* serotype III was tested by immunoblotting. Different growth media and culture conditions were tested to detect the presence of antigens in total lysates and bacterial culture supernatants. Expression was considered confirmed when a specific band corresponding to the predicted molecular weight and electrophoretic mobility was detected.

#### Cell surface staining

Flow cytometric analysis was carried out as follows. Bacteria were grown under culture conditions, which resulted in expression of the antigen as shown by the immunoblot analysis. Cells were washed twice in Hanks Balanced Salt Solution (HBSS) and the cell density was adjusted to approximately  $1 \times 10^6$  CFU in 100  $\mu$ l HBSS, 0.5% BSA. After incubation for 30 to 60 min at 4°C with mouse antisera diluted 50 to 100-fold, unbound antibodies were washed away by centrifugation in excess HBSS, 0.5% BSA. Secondary goat anti-mouse antibody (F(ab')<sub>2</sub> fragment specific) labeled with fluorescein (FITC) was incubated with the cells at 4°C for 30 to 60 min. After washing, cells were fixed with 2% paraformaldehyde. Bound antibodies were detected using a Becton Dickinson FACScan flow cytometer and data further analyzed with the computer program CELLQuest. Negative control sera included mouse pre-immune serum and mouse polyclonal serum generated with lysates prepared from IPTG induced *E. coli* cells transformed with plasmids encoding the genes *lamB* or *fhuA* without *S. agalactiae* genomic insert.

#### Bactericidal (killing) assay

Murine macrophage cells (RAW246.7 or P388.D1) and bacteria were incubated and the loss of viable bacteria after 60 min was determined by colony counting. In brief, bacteria were washed twice in Hanks Balanced Salt Solution (HBSS) and the cell density was adjusted to approximately  $1 \times 10^5$  CFU in 50  $\mu$ l HBSS. Bacteria were incubated with mouse sera (up to 25%) and guinea pig complement (up to 5%) in a total volume of 100  $\mu$ l for 60 min at 4°C. Pre-opsonized bacteria were mixed with macrophages (murine cell line RAW246.7 or P388.D1;  $2 \times 10^6$  cells per 100  $\mu$ l) at a 1:20 ratio and were incubated at 37°C on a rotating shaker at 500 rpm. An aliquot of each sample was diluted in sterile water and incubated for 5 min at room temperature to lyse macrophages. Serial dilutions were then plated onto Todd-Hewitt Broth agar plates. The plates were incubated overnight at 37°C, and the colonies were counted with the Counterstat flash colony counter (IUL Instruments). Control sera included mouse pre-immune serum and mouse polyclonal serum generated with lysates prepared from IPTG induced *E. coli* transformed with plasmids harboring the genes *lamB* or *fhuA* without *S. agalactiae* genomic insert.

#### Results

**Immunogenicity in mice.** The presence of specific antibodies was determined by peptide ELISA and/or immunoblotting using the *E. coli* clone expressing the given epitope embedded in LamB or FhuA platform proteins, as it is exemplified in Fig. 5A and B, respectively, and summarized in Table 4 and Table 7. 43 novel GBS antigens represented by 61 different epitope regions were shown to be immunogenic in mice. Positive sera were then analysed by immunoblotting using total bacterial lysates and culture supernatants prepared from *S. agalactiae* serotype III strain (data not shown). This analysis served as a first step to determine whether the antigenic proteins were expressed, and if, under which growth conditions, in order to evaluate surface expression of the polypeptide by FACS analysis. It was anticipated based on literature data that not all proteins would be expressed under *in vitro* conditions.

**Cell surface staining of *S. agalactiae*.** Cell surface accessibility for several antigenic proteins was subsequently demonstrated by an assay based on flow cytometry. GBS cells were incubated with preimmune and polyclonal mouse sera raised against *S. agalactiae* lysate or *E. coli* clones harboring plasmids encoding the platform protein fused to a *S. agalactiae* peptide, followed by detection with fluorescently tagged secondary antibody. As shown in Fig. 6A, antisera raised against *S. agalactiae* lysate contains antibodies against surface components, demonstrated by a significant shift in fluorescence of the *S. agalactiae* serotype III cell population. Similar cell surface staining of *S. agalactiae* serotype III cells was observed with polyclonal sera raised against peptides of many of the GBS antigens identified (Fig. 6B). In some instances, a subpopulation of the bacteria was not stained, as indicated by the detection of two peaks in the histograms (Fig. 6B). This phenomenon may be a result of differential expression of the gene products during the growth of the bacterium, insufficient antibody levels or partial inhibition of antibody binding caused by other surface molecules or plasma proteins. Importantly, a well-known protective GBS

- 61 -

antigen, Sip/gbs0031 is proved to be also positive in this assay.

*In vitro bactericidal activity.* Opsonophagocytic killing is the cornerstone of host defense against extracellular bacteria, such as *S. agalactiae*. Cell surface binding of antibodies to bacterial antigens are opsonizing and induce killing (bactericidal) by phagocytic cells (macrophages and neutrophil granulocytes) if the antibodies induced by the particular antigens can bind activated complement components (C3bi). In Figure 7 data are presented on bactericidal activity measured by antigen-specific antibodies generated in mice with corresponding epitopes. According to these data, several of the novel GBS antigens, for example gbs0012, gbs0016, gbs0428, gbs1306 and gbs2018 induce functional antibodies. Importantly, a well-known protective GBS antigen, Sip/gbs0031 is proved to be strongly positive in the very same assay.

These experiments confirmed the bioinformatic prediction that many of the proteins are exported due to their signal peptide sequence and in addition showed that they are present on the cell surface of *S. agalactiae* serotype III. They also confirm that these proteins are available for recognition by human antibodies with functional properties and make them valuable candidates for the development of a vaccine against GBS diseases.

Table 1A: Immunogenic proteins identified by bacterial surface display.

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs0012	weakly similar to beta-lactamase	4-20,35-44,65-70,73-87,92-98,112-137,152-161,177- 186,193-200,206-213,229-255,282-294,308-313,320- 326,349-355,373-384,388-406,420-425	B:13, C:6	115-199	1, 218
gbs0016	glucan-binding protein B	5-24,35-41,44-70,73-89,103-109,127-143,155-161,185- 190,192-207,212-219,246-262,304-336,372-382,384- 393,398-407,412-418,438-444	B:12, C:4, D:3, E:5, H:4, I:12, M:2	1-75, 76-161, 164-239	2, 219
gbs0024	phosphoribosylformyl glycinamide synthase	4-10,16-58,60-71,77-92,100-126,132-146,149-164,166- 172,190-209,214-220,223-229,241-256,297-312,314- 319,337-343,351-359,378-387,398-418,421-428,430- 437,440-448,462-471,510-519,525-536,552-559,561- 568,573-582,596-602,608-630,637-649,651-665,681- 702,714-732,739-745,757-778,790-805,807-815,821- 829,836-842,846-873,880-903,908-914,916-923,931- 940,943-948,956-970,975-986,996-1015,1031-1040,1051- 1069,1072-1095,1114-1119,1130-1148,1150-1157,1169- 1176,1229-1238	F:4	802-812	3, 220
gbs0031	surface immunogenic protein	5-12,14-26,35-47,52-67,72-78,83-98,121-141,152-159,163- 183,186-207,209-257,264-277,282-299,301-309,312- 318,324-339,358-368,372-378,387-397,425-431	A:17, B:53, C:36, D:4	46-291	4, 221
gbs0048	Hypothetical protein	29-38,44-64,70-76,78-87,94-100,102-112,119-134,140- 149,163-173,178-186,188-194,207-234,247-262,269-290	K:13	73-92	5, 222
gbs0053	aldehyde-alcohol dehydrogenase (adhE)	10-28,36-63,77-87,103-119,127-136,141-169,171-183,195- 200,207-232,236-246,251-265,268-283,287-297,314- 322,335-343,354-363,384-390,405-411,419-436,443- 455,467-473,480-513,518-529,550-557,565-585,602- 608,616-625,632-660,665-677,685-701,726-736,738- 747,752-761,785-796,801-813,838-853,866-871	E:4	757-774	6, 223
gbs0061	rplB ribosomal protein L2	31-38,61-66,74-81,90-115,123-145,154-167,169-179,182- 193,200-206,238-244,267-272	F:2, I:12	235-251	7, 224
gbs0084	DNA-directed RNA polymerase, alpha subunit (rpoA)	19-25,38-54,56-64,66-72,74-92,94-100,116-129,143- 149,156-183,204-232,253-266,269-275,294-307	C:4, D:6	241-313	8, 225
gbs0107	conserved hypothetical protein	5-34,50-56,60-65,74-85,89-97,108-119,159-165,181- 199,209-225,230-240,245-251,257-262,274-282,300-305	K:2	64-75	9, 226

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs0108	deoxyuridine 5'- triphosphate nucleotidohydrolase	5-13,16-21,27-42,45-52,58-66,74-87,108-114,119-131	E:5	39-51	10, 227
gbs0113	ribose ABC transporter	6-23,46-54,59-65,78-84,100-120,128-133,140-146,159- 165,171-183,190-204,224-232,240-248,250-259,274- 280,288-296,306-315	F:4	267-274	11, 228
gbs0123	similar to argininosuccinate synthase	5-12,15-24,26-36,42-65,68-80,82-104,111-116,125- 144,159-167,184-189,209-218,235-243,254-265,269- 283,287-300,306-316,318-336,338-352,374-392	K:17	162-174	12, 229
gbs0127	rpmV 50S ribosomal protein L28	30-42,45-54	F:11	25-37	13, 230
gbs0144	oligopeptide ABC transporter, substrate-binding	10-30,53-59,86-95,116-130,132-147,169-189,195-201,212- 221,247-256,258-265,278-283,291-298,310-316,329- 339,341-352,360-367,388-396,398-411,416-432,443- 452,460-466,506-512,515-521,542-548	E:7	419-431	14, 231
gbs0183	membrane protein, putative	4-27,30-53,60-67,70-90,92-151,159-185,189-195,198- 210,215-239	F:9	173-189	15, 232
gbs0184	oligopeptide ABC transporter, oligopeptide-binding	4-26,41-54,71-78,116-127,140-149,151-158,161-175,190- 196,201-208,220-226,240-252,266-281,298-305,308- 318,321-329,344-353,372-378,384-405,418-426,429- 442,457-463,494-505,514-522	E:6	174-188	16, 233
gbs0235	glycine betaine/carnitine/chol ine ABC transporter	17-25,27-39,61-67,81-89,99-110,120-131,133-139,147- 161,167-172,179-185,192-198,203-213,226-238,243- 258,261-267,284-290,296-307,311-328,340-352,356-371	G:8, H:15	239-256	17, 234
gbs0255	conserved hypothetical protein	8-30,40-49,67-80,114-123,126-142,152-162,188-194	E:2	57-70	18, 235
gbs0260	glycyl-tRNA synthetase (beta subunit)	4-23,28-34,36-47,50-61,76-81,89-94,96-104,112-119,126- 146,155-181,195-200,208-214,220-229,244-260,263- 276,282-288,292-300,317-323,336-351,353-359,363- 375,382-399,415-432,444-455,458-471,476-481,484- 492,499-517,522-529,535-541,543-568,572-584,586- 600,607-617,626-637,656-675	F:3	282-297	19, 236
gbs0268	transketolase (tkt)	6-24,30-35,38-45,63-91,134-140,146-160,167-188,214- 220,226-234,244-250,260-270,286-301,316-329,340- 371,429-446,448-459,474-481,485-491,512-526,537- 544,550-565,573-583,596-613,621-630,652-658	E:7	87-97	20, 237
gbs0286	NH3-dependent	8-20,26-48,56-67,76-86,94-109,115-121,123-129,143-	F:12, G:7, H:8	237-247	21, 238

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
	NAD <sup>+</sup> synthetase	160,178-186,191-198,201-208,221-236,238-244,260-268			
gbs0288	similar to penicillin- binding protein 1A	4-40,42-57,73-87,98-117,126-135,150-156,166-174,196- 217,231-236,248-258,276-284,293-301,307-313,339- 347,359-365,375-387,395-402,428-440,445-456,485- 490,497-505,535-541,547-555,610-625,648-656,665-671	D:5, K:3	448-528	22, 239
gbs0343	seryl-tRNA synthetase (serS)	10-18,39-45,51-61,80-96,98-106,110-115,158-172,174- 183,191-200,220-237,249-255,274-289,308-324,331- 341,372-381,384-397,405-414	I:3	322-338	23, 240
gbs0411	Hypothetical protein	30-36,38-56,85-108,134-147,149-160,163-183,188- 201,206-211,219-238,247-254	I:11	5-13	24, 241
gbs0428	similar to fibrinogen binding protein, putative peptidoglycan linked protein (LPXTG motif)	11-40,98-103,110-115,133-145,151-159,172-179,192- 201,204-212,222-228,235-245,258-268,283-296,298- 309,322-329,342-351,354-362,372-378,385-393,407- 418,495-516	A:7, B:2, C:31	1-148	25, 242
gbs0437	glucose-6-phosphate isomerase (pgi)	5-19,21-36,73-94,112-119,122-137,139-145,152-167,184- 190,198-204,208-224,249-265,267-281,299-304,309- 317,326-333,356-364,368-374,381-389,391-414,419- 425,430-435	I:26	113-140	26, 243
gbs0460	decarboxylase	45-54,59-67,78-91	I:7, K:11	15-23	27, 244
gbs0465	oxydoreductase	11-22,33-47,52-80,88-112,124-129	F:4	6-25	28, 245
gbs0470	similar to alpha protein, putative peptidoglycan linked protein (LPXTG motif)	26-41,51-63,80-89,93-115,150-163,187-193,220-237,240- 249,286-294,296-306,316-329,345-353,361-370,407- 425,428-437,474-482,484-494,504-517,533-541,549- 558,595-613,616-625,660-668,673-685,711-726,736- 744,749-761,787-802,812-820,825-837,863-878,888- 896,901-913,939-954,964-972,977-989,1003-1008,1016- 1022,1028-1034,1041-1053,1059-1074,1101-1122	B:4, C:2, D:8	420-511, 581- 704	29, 246
gbs0489	acetyltransferase, GNAT family	18-25,27-55,71-83,89-95,102-113,120-146,150-156,174- 185	E:32	159-175	30, 247
gbs0492	gbs0492 valyl-tRNA synthetase	24-30,38-56,63-68,87-93,136-142,153-164,183-199,213- 219,226-234,244-261,269-278,283-289,291-297,320- 328,330-336,340-346,348-356,358-366,382-387,401- 408,414-419,449-455,468-491,504-512,531-537,554- 560,597-608,621-627,632-643,650-662,667-692,703- 716,724-737,743-758,783-794,800-818,846-856	A:3	806-884	31, 248

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs0538	amino acid ABC transporter (ATP- binding protein)	4-14,21-39,86-92,99-107,121-131,136-144,147-154,158- 166,176-185,193-199,207-222,224-230	G:1	117-136	32, 249
gbs0539	similar to phosphomannomuta se	65-76,85-97,103-109,115-121,125-146,163-169,196- 205,212-219,228-237,241-247,254-262,269-288,294- 303,305-313,328-367,395-401,405-412,418-429,437- 447,481-488,506-513,519-524,530-541,546-557	K:4	266-284	33, 250
gbs0555	beta-lactam resistance factor (fibA)	5-14,37-42,49-71,78-92,97-112,127-136,147-154,156- 163,186-198,216-225,233-243,248-253,295-307,323- 332,359-366,368-374,380-398	E:3	194-223	34, 251
gbs0579	dipeptidase	4-11,33-39,45-72,100-113,119-129,136-144,169-175,177- 185,200-208,210-219,262-276,278-297,320-326,336- 344,347-362,381-394,443-453	L:4	438-454	35, 252
gbs0580	zinc ABC transporter, zinc-binding adhesion, lipoprotein	4-29,31-52,55-61,95-110,138-158,162-171,179-187,202- 229,239-248,251-256,262-267,269-285,304-310,351- 360,362-368,381-388,415-428,435-440,448-458	L:11	161-178	36, 253
gbs0628	cell wall surface anchor family protein (IPxTG)	4-17,19-28,32-43,47-59,89-110,112-126,128-134,140- 148,152-161,169-184,191-204,230-235,255-264,328- 338,341-347,401-409,413-419,433-441,449-458,463- 468,476-482,486-492,500-506,529-545	L:9, H:1	305-381	37, 254
gbs0632	cell wall surface anchor family protein, putative (FPKTG motive)	10-29,38-45,53-61,134-145,152-160,163-170,202-208,219- 229,248-258,266-275,282-288,315-320,328-334,377- 385,392-402,418-424,447-453,460-471,479-487,491- 497,500-507,531-537,581-594,615-623,629-635,644- 652,659-666,668-678,710-717,719-728,736-741,747- 760,766-773,784-789,794-800,805-817,855-861,866-887	H:3	698-715	38, 255
gbs0634	putative surface protein	16-26,29-37,44-58,62-68,74-80,88-95,97-120,125-144,165- 196	H:1	58-72	39, 256
gbs0667	regulatory protein, putative, truncation	14-21,23-46,49-60,63-74,78-92,96-103,117-129,134- 161,169-211,217-231,239-248,252-281,292-299,313-343	L:2	243-257	40, 257
gbs0672	transcriptional regulator (GntR family)	11-27,46-52,67-72,76-84,91-112,116-153,160-175,187- 196,202-211,213-220	G:11	43-76	41, 258
gbs0687	Hypothetical protein	5-29,37-56,78-86,108-118,152-161	L:4	120-130	42, 259
gbs0785	Similar to penicillin binding protein 2B	8-14,19-41,52-66,75-82,87-92,106-121,127-133,136- 143,158-175,180-187,196-204,221-228,239-245,259- 265,291-306,318-323,328-340,352-358,361-368,375-	K:3	184-196	43, 260

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
		381,391-399,411-418,431-442,446-455,484-496,498- 510,527-533,541-549,558-565,575-585,587-594,644- 655,661-668,671-677			
gbs0811	beta-glucosidase	4-22,29-38,55-62,75-81,102-107,110-134,143-150,161- 167,172-179,191-215,223-233,241-247,251-264,266- 272,288-309,340-352,354-366,394-402,414-438	L:13	198-218	44, 261
gbs0828	hypothetical protein	24-44,49-70,80-91,105-118,128-136,140-154	L:3	77-92	45, 262
gbs0851	hypothetical protein	5-22,31-36,41-47,67-74,83-90,105-122,135-143,160-167	E:2	118-129	46, 263
gbs0865	hypothetical protein	4-25,33-73,81-93,96-106,114-120,122-128,130-172,179- 208,210-241,251-283,296-301	K:4	92-100	47, 264
gbs0890	exonuclease RxB (rxB)	14-24,29-38,43-50,52-72,86-97,101-107,110-125,127- 141,145-157,168-175,177-184,186-195,205-226,238- 250,255-261,284-290,293-304,307-314,316-323,325- 356,363-371,383-390,405-415,423-432,442-454,466- 485,502-511,519-527,535-556,558-565,569-574,612- 634,641-655,672-686,698-709,715-722,724-732,743- 753,760-769,783-792,818-825,830-839,842-849,884- 896,905-918,926-940,957-969,979-1007,1015-1021,1049- 1057	E:5	336-349	48, 265
gbs0896	similar to acetoin dehydrogenase	6-16,26-31,33-39,62-73,75-85,87-100,113-123,127- 152,157-164,168-181,191-198,208-214,219-226,233- 254,259-266,286-329	K:2	181-195	49, 266
gbs0898	acetoin dehydrogenase, thymine PPi dependent	4-13,32-39,53-76,99-108,110-116,124-135,137-146,149- 157,162-174,182-190,207-231,242-253,255-264,274- 283,291-323,334-345,351-360,375-388,418-425,456- 474,486-492,508-517,520-536,547-560,562-577	E:13, F:2, I:2, J:2	31-45, 419- 443	50, 267
gbs0904	phosphoglucosmutase /phosphomannomuta se family protein	15-26,30-37,42-49,58-90,93-99,128-134,147-154,174- 179,190-197,199-205,221-230,262-274,277-287,300- 314,327-333,343-351,359-377,388-396,408-413,416- 425,431-446	L:3	246-256	51, 268
gbs0918	weakly similar to histidine triad protein, putative lipoprotein	5-26,34-42,47-54,61-67,71-104,107-115,131-138,144- 153,157-189,196-202,204-210,228-245,288-309,316- 329,332-341,379-386,393-399,404-412,414-421,457- 468,483-489,500-506,508-517,523-534,543-557,565- 580,587-605,609-617,619-627,631-636,640-646,662- 668,675-682,705-710,716-723,727-732,750-758,784- 789,795-809,869-874	B:5, C:11, D:36, E:3, K:3	14-138, 166- 286, 372-503, 674-696, 754- 859	52, 269



- 67 -

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs0931	pyruvate kinase	5-17,32-38,40-47,80-89,113-119,125-137,140-154,157-163,170-177,185-199,213-225,228-236,242-248,277-290,292-305,323-333,347-353,364-370,385-394,399-406,423-433,441-451,462-474,477-487	F:78	116-124	53, 270
gbs0947	similar to L-Lactate Dehydrogenase	7-16,18-30,32-49,53-61,63-85,95-101,105-115,119-134,143-150,159-178,185-202,212-229,236-250,254-265,268-294	K:28	63-72	54, 271
gbs0948	DNA gyrase, A subunit (gyrA)	4-12,19-47,73-81,97-103,153-169,188-198,207-213,217-223,236-242,255-265,270-278,298-305,309-317,335-347,354-363,373-394,419-424,442-465,486-492,500-507,542-549,551-558,560-572,580-589,607-614,617-623,647-653,666-676,694-704,706-714,748-754,765-772,786-792,795-806	L:4	358-370	55, 272
gbs0969	similar to unknown plasmid protein	18-28,30-38,40-46,49-55,69-78,82-98,104-134,147-153,180-190,196-202,218-236,244-261,266-273,275-286,290-295,301-314,378-387,390-395,427-434	E:3	290-305	56, 273
gbs0971	similar to putative plasmid replication protein	4-13,20-31,39-51,54-61,69-84,87-105,117-124	K:17	108-125	57, 274
gbs0972	Hypothetical protein	24-34,43-54,56-66,68-79	E:3	50-69	58, 275
gbs0983	similar to plasmid protein	5-43,71-77,102-131,141-148,150-156,159-186,191-207,209-234,255-268,280-286,293-299,317-323,350-357,363-372,391-397,406-418,428-435,455-465,484-497,499-505,525-531,575-582,593-607,621-633,638-649,655-673,684-698,711-725,736-741,743-752,759-769,781-793,813-831,843-853,894-905,908-916,929-946,953-963,970-978,1001-1007,1011-1033	D:11, E:2, F:2, J:10, K:10, L:46, M:3	165-178, 818-974	59, 276
gbs0986	surface antigen proteins, putative peptidoglycan bound	16-44,63-86,98-108,185-191,222-237,261-274,282-294,335-345,349-362,374-384,409-420,424-430,440-447,453-460,465-473,475-504,522-534,538-551,554-560,567-582,598-607,611-619,627-640,643-653,655-661,669-680,684-690,701-707,715-731,744-750,756-763,768-804,829-837,845-853,855-879,884-890,910-928	B:3, C:12, D:2, E:3, F:20, H:3, I:3, J:5, M:2	77-90, 144-212, 279-355, 434-536, 782-810, 875-902	60, 277
gbs0988	similar to plasmid surface exclusion protein, putative peptidoglycan bound	4-22,29-41,45-51,53-66,70-77,86-95,98-104,106-124,129-135,142-151,153-161,169-176,228-251,284-299,331-337,339-370,380-387,393-398,406-411,423-433,440-452,461-469,488-498,501-516,523-530,532-559,562-	J:2	212-227	61, 278

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
	protein (LPXTG motif)	567,570-602,612-628,630-645,649-659,666-672,677- 696,714-723,727-747			
gbs0991	ATP-dependent Clp protease, ATP- binding subunit ClpA	4-9,17-31,35-41,56-61,66-75,81-87,90-124,133-138,149- 163,173-192,213-219,221-262,265-275,277-282,292- 298,301-307,333-346,353-363,371-378,419-430,435- 448,456-469,551-570,583-599,603-612	F:15	275-291	62, 279
gbs0993	similar to plasmid proteins	28-34,53-58,72-81,100-128,145-154,159-168,172-189,217- 225,227-249,256-263,299-309,322-330,361-379,381- 388,392-401,404-417,425-436,440-446,451-464,469- 487,502-511,543-551,559-564,595-601,606-612,615- 626,633-642,644-650,664-670,674-684,692-701,715- 723,726-734,749-756,763-771,781-787,810-843,860- 869,882-889,907-917,931-936,941-948,951-958,964- 971,976-993,1039-1049,1051-1065,1092-1121,1126- 1132,1145-1151,1158-1173,1181-1192,1194-1208,1218- 1223,1229-1243,1249-1254,1265-1279,1287-1297,1303- 1320,1334-1341,1343-1358,1372-1382,1406-1417,1419- 1425,1428-1434,1441-1448,1460-1473,1494-1504,1509- 1514,1529-1550	B:2, F:2, J:4, K:2, M:7	654-669, 1400-1483	63, 280
gbs0995	hypothetical protein	10-16,20-25,58-65,97-109,118-132,134-146,148-155,186- 195,226-233,244-262,275-284,295-310,317-322,330- 339,345-351,366-375,392-403,408-415,423-430,435- 444,446-457,467-479,486-499,503-510,525-537,540- 585,602-612,614-623,625-634,639-645,650-669,700- 707,717-724,727-739	H:3, I:39, J:3, M:3	205-230, 733- 754	64, 281
gbs0997	hypothetical protein	5-22,37-43,72-81,105-113,128-133,148-160,188-194,204- 230,238-245,251-257	D:2, F:52	194-213	65, 282
gbs0998	hypothetical protein	16-21,35-41,56-72,74-92,103-109	I:2	62-68	66, 283
gbs1001	hypothetical protein	4-15,17-82,90-104,107-159,163-170,188-221,234-245,252- 265	G:8	220-235	67, 284
gbs1015	hypothetical protein	16-22,36-46,61-75,92-107,113-121,139-145,148-160	K:17	30-42	68, 285
gbs1035	conserved hypothetical protein	4-12,20-26,43-49,55-62,66-78,121-127,135-141,146- 161,164-170,178-189,196-205,233-238,269-279,288- 318,325-332,381-386,400-407	E:3	328-346	69, 286
gbs1041	hypothetical protein	5-12,31-49,57-63,69-79,89-97,99-114,116-127,134- 142,147-154,160-173,185-193,199-204,211-222,229- 236,243-249,256-274	L:2	58-68	70, 287

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs1066	hypothetical protein	10-20,28-34,39-53,68-79,84-90,99-106	K:2	73-79	71, 288
gbs1087	FbsA	14-37,45-50,61-66,77-82,93-98,109-114,125-130,141-146,157-162,173-178,189-194,205-210,221-226,237-242,253-258,269-274,285-290,301-306,316-332,349-359,371-378,385-406	A:7, B:2, C:4, E:277, G:523, J:25	34-307, 312-385	72, 289
gbs1103	ABC transporter (ATP-binding protein)	4-10,17-38,50-85,93-99,109-116,128-185,189-197,199-210,223-256,263-287,289-312,327-337,371-386,389-394,406-419,424-432,438-450,458-463,475-502,507-513,519-526,535-542,550-567	I:5	361-376	73, 290
gbs1116	xanthine permease (pbuX)	10-39,42-93,100-144,155-176,178-224,230-244,246-255,273-282,292-301,308-325,332-351,356-361,368-379,386-393,400-421	I:48	138-155	74, 291
gbs1126	similar to plasmid unknown protein	5-11,17-34,40-45,50-55,72-80,101-123,145-151,164-172,182-187,189-195,208-218,220-241,243-252,255-270,325-331,365-371,391-398,402-418,422-428,430-435,443-452,463-469,476-484,486-494,503-509,529-553,560-565,570-590,608-614,619-627,654-661,744-750,772-780,784-790,806-816,836-853,876-885,912-918,926-933,961-975,980-987,996-1006,1016-1028,1043-1053,1057-1062	E:2, K:3	994-1003, 1033-1056	75, 292
gbs1143	putative peptidoglycan linked protein (LPXTG)	17-45,64-71,73-81,99-109,186-192,223-238,262-275,283-295,336-346,350-363,375-385,410-421,425-431,441-448,454-463,468-474,476-512,523-537,539-552,568-583,599-608,612-620,628-641,644-654,656-662,670-681,685-695,702-708,716-723,725-735,757-764,769-798,800-806,808-816,826-840,846-854,856-862,874-881,885-902,907-928	C:3, D:2, F:15, J:3	274-350, 443-513	76, 293
gbs1145	surface exclusion protein Sec10	4-22,29-41,45-51,53-61,70-76,85-92,99-104,111-122,134-140,142-154,163-174,224-232,255-265,273-279,283-297,330-335,337-348,356-367,373-385,391-396,421-431,442-455,475-485,493-505,526-538,544-561,587-599,605-620,622-651,662-670,675-681,687-692,697-712,714-735	C:2	252-262	77, 294
gbs1158	Similar to oxidoreductase	4-12,15-35,40-46,50-59,67-94,110-128,143-169,182-188,207-215,218-228,238-250	K:2	74-90	78, 295
gbs1165	cysteine desulphurase (iscS-1)	9-18,42-58,78-85,88-95,97-106,115-122,128-134,140-145,154-181,186-202,204-223,261-267,269-278,284-	F:5	12-29	79, 296

- 70 -

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
		293,300-336,358-368			
gbs1195	staphylokinase and streptokinase	7-34,46-53,62-72,82-88,100-105,111-117,132-137,144- 160,166-180,183-189,209-221,231-236,246-253,268- 282,286-293,323-336,364-372,378-392,422-433	B:3, C:2, D:2, G:3, H:8	388-405	80, 297
gbs1209	ATP-dependent DNA helicase PcrA	21-27,34-50,72-77,80-95,164-177,192-198,202-220,226- 236,239-247,270-279,285-292,315-320,327-334,348- 355,364-371,388-397,453-476,488-497,534-545,556- 576,582-588,601-607,609-616,642-662,674-681,687- 697,709-715,721-727,741-755	C:3, I:5	621-739	81, 298
gbs1214	conserved hypothetical protein	4-14,16-77,79-109	B:2	25-99	82, 299
gbs1242	CpsG, beta-1,4- galactosyltransferase	4-9,17-23,30-37,44-55,65-72,77-93,102-121,123-132,146- 153	L:24	17-29	83, 300
gbs1260	ABC transporter, ATP-binding protein	4-18,25-41,52-60,83-92,104-112,117-123,149-155,159- 167,170-192,201-210,220-227,245-250	I:17	124-137	84, 301
gbs1270	gbs1270 hyaluronate lyase	8-25,50-55,89-95,138-143,148-153,159-169,173-179,223- 238,262-268,288-295,297-308,325-335,403-409,411- 417,432-446,463-475,492-501,524-530,542-548,561- 574,576-593,604-609,612-622,637-654,665-672,678- 685,720-725,731-739,762-767,777-783,820-838,851- 865,901-908,913-920,958-970,1000-1006,1009-1015,1020- 1026,1043-1052,1055-1061	C:19, D:5, L:19	1-128, 252- 341, 771-793, 1043-1058	85, 302
gbs1305	hypothetical protein	16-26,33-46	I:2	64-76	86, 303
gbs1306	Laminin binding protein	4-27,69-77,79-101,117-123,126-142,155-161,171-186,200- 206,213-231,233-244,267-273,313-329,335-344,347- 370,374-379,399-408,422-443,445-453,461-468,476- 482,518-534,544-553,556-567,578-595,601-620,626- 636,646-658,666-681,715-721,762-768,778-785,789- 803,809-819	A:6, B:7, C:17, D:72, E:8, F:91, G:2, H:4, I:26, J:3, K:14	22-108, 153- 318, 391-527, 638-757	87, 304
gbs1307	Lmb, laminin- binding surface protein	6-21,32-43,62-92,104-123,135-141,145-152,199-216,218- 226,237-247,260-269,274-283,297-303	A:2, D:3	1-72, 127-211	88, 305
gbs1308	C5a peptidase, authentic frameshift	6-26,50-56,83-89,108-114,123-131,172-181,194-200,221- 238,241-247,251-259,263-271,284-292,304-319,321- 335,353-358,384-391,408-417,424-430,442-448,459- 466,487-500,514-528,541-556,572-578,595-601,605- 613,620-631,635-648,660-670,673-679,686-693,702-	B:4, C:15, D:70, E:18, F:26, G:5, H:4, J:2, K:40	1-213, 269- 592, 992-1120	89, 306

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
		708,716-725,730-735,749-755,770-777,805-811,831- 837,843-851,854-860,863-869,895-901,904-914,922- 929,933-938,947-952,956-963,1000-1005,1008-1014,1021- 1030,1097-1103,1120-1130,1132-1140			
gbs1309	hypothetical protein	9-16,33-39,47-59,65-79,81-95,103-108,115-123,138- 148,163-171,176-185,191-196,205-211,213-221,224- 256,261-276,294-302,357-363,384-390	E:2, F:4, H:2, J:2	95-111, 161- 189	90, 307
gbs1311	transposase, C- terminal part	21-27,35-45,70-76,92-105,129-143,145-155,161-166,170- 191,204-211,214-231,234-246,249-255,259-275	F:3	1-18	91, 308
gbs1321	hypothetical protein	21-35,45-53,56-64,69-97	F:7	1-16	92, 309
gbs1352	putative helicase and methylase	25-33,41-47,61-68,86-101,106-114,116-129,134-142,144- 156,163-176,181-190,228-251,255-261,276-292,295- 305,334-357,368-380,395-410,424-429,454-460,469- 482,510-516,518-527,531-546,558-570,579-606,628- 636,638-645,651-656,668-674,691-698,717-734,742- 754,765-770,792-797,827-835,847-859,874-881,903- 909,926-933,942-961,964-977,989-1004,1010-1028,1031- 1047,1057-1075,1081-1095,1108-1117,1138-1144,1182- 1189,1193-1206,1220-1229,1239-1246,1257-1267,1271- 1279,1284-1301,1312-1320,1329-1335,1341-1347,1358- 1371,1399-1404,1417-1426,1458-1463,1468-1476,1478- 1485,1493-1506,1535-1541,1559-1574,1583-1590,1595- 1601,1603-1611,1622-1628,1634-1644,1671-1685,1689- 1696,1715-1720,1734-1746,1766-1775,1801-1806,1838- 1844,1858-1871,1910-1917,1948-1955,1960-1974,2000- 2015,2019-2036,2041-2063	E:3, H:2, M:4	748-847, 1381-1391	93, 310
gbs1356	Putative peptidoglycan linked protein (LPXTG motif) - Agglutinin receptor	5-12,18-24,27-53,56-63,96-113,119-124,131-136,157- 163,203-209,215-223,233-246,264-273,311-316,380- 389,393-399,425-433,445-450,457-462,464-470,475- 482,507-513,527-535,542-548,550-565,591-602,607- 613,627-642,644-664,673-712,714-732,739-764,769- 782,812-818,826-838,848-854,860-871,892-906,930- 938,940-954,957-973,990-998,1002-1021,1024-1033,1037- 1042,1050-1060,1077-1083,1085-1092,1100-1129,1144- 1161,1169-1175,1178-1189,1192-1198,1201-1207,1211- 1221,1229-1239,1250-1270,1278-1292,1294-1300,1314- 1335,1344-1352,1360-1374,1394-1405,1407-1414,1416- 1424,1432-1452,1456-1462,1474-1497,1500-1510,1516-	C:5, D:62, I:22	187-273, 306- 441	94, 311

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
		1522,1534-1542,1550-1559,1584-1603,1608-1627			
gbs1376	similar to ATP- dependent Clp proteinase (ATP- binding subunit), ClpL	70-80,90-97,118-125,128-140,142-148,154-162,189- 202,214-222,224-232,254-260,275-313,317-332,355- 360,392-398,425-432,448-456,464-470,476-482,491- 505,521-528,533-546,560-567,592-597,605-614,618- 626,637-644,646-653,660-666,677-691	K:4	207-227	95, 312
gbs1377	similar to homocysteine S- methyltransferase	5-19,26-34,37-55,57-66,69-83,86-102,115-134,138- 143,154-172,178-195,209-246,251-257,290-302,306-311	M:2	256-266	96, 313
gbs1386	hydroxy-3- methylglutaryl- coenzyme A synthase	10-20,22-28,35-57,72-79,87-103,108-128,130-144,158- 171,190-198,225-242,274-291,301-315,317-324,374-385	G:2	353-365	97, 314
gbs1390	hypothetical protein	4-9,17-30,34-54,59-66,73-94,118-130,135-150,158- 171,189-198,219-239,269-275,283-301	E:3, K:4	89-106, 176- 193	98, 315
gbs1391	hypothetical protein	14-20,22-74,77-86,89-99,104-109,126-135,154-165,181- 195,197-212,216-224,264-275	E:3	107-118	99, 316
gbs1403	similar to 5'- nucleotidase, putative peptidoglycan bound protein (LPXTN)	4-18,21-38,63-72,101-109,156-162,165-179,183-192,195- 210,212-218,230-239,241-256,278-290,299-311,313- 322,332-341,348-366,386-401,420-426,435-450,455- 460,468-479,491-498,510-518,532-538,545-552,557- 563,567-573,586-595,599-609,620-626,628-636,652- 657,665-681	A:3, C:12, D:4, J:2	1-198	100, 317
gbs1408	Similar to ABC transporter (ATP- binding protein)	4-10,16-38,51-68,73-79,94-115,120-125,132-178,201- 208,216-223,238-266,269-295,297-304,337-342,347- 356,374-401,403-422,440-447,478-504,510-516,519- 530,537-544	D:2, K:4	191-206	101, 318
gbs1420	similar to cell wall proteins, putative peptidoglycan linked protein (LPXTG motif)	12-40,42-48,66-71,77-86,95-102,113-120,129-137,141- 148,155-174,208-214,218-225,234-240,256-267,275- 283,300-306,313-321,343-350,359-367,370-383,398- 405,432-439,443-461,492-508,516-526,528-535	C:3, D:4	370-478	102, 319
gbs1429	hypothetical protein	6-14,20-37,56-62,90-95,97-113,118-125,140-145,161- 170,183-202,237-244,275-284,286-305,309-316,333- 359,373-401,405-412	B:2, C:2	176-187	103, 320
gbs1442	hypothetical thiamine biosynthesis protein, ThiI	33-44,50-55,59-80,86-101,129-139,147-153,157-163,171- 176,189-201,203-224,239-245,257-262,281-287,290- 297,304-320,322-331,334-350,372-390,396-401	L:28	71-88, 353- 372	104, 321

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs1452	rpIT 50S ribosomal protein L20	5-11,15-24,26-33,40-47,75-88,95-103,105-112	E:2	17-30	105, 322
gbs1464	ferrichrome ABC transporter (permease)	5-11,16-39,46-54,62-82,100-107,111-124,126-150,154- 165,167-183,204-238,245-295,301-313,316-335	F:4	8-16	106, 323
gbs1470	conserved hypothetical protein	4-19,34-48,69-74,79-107,115-127,129-135,143-153,160- 169,171-182	E:4	142-153	107, 324
gbs1528	conserved hypothetical protein	4-30,65-74,82-106,110-120,124-132,135-140,146-175,179- 184,190-196,217-223,228-233,250-267,275-292,303- 315,322-332	E:7	174-186	108, 325
gbs1529	Putative peptidoglycan bound protein (LPXTG motif)	9-16,29-41,47-57,68-84,87-109,113-119,162-180,186- 193,195-201,203-208,218-230,234-243,265-271,281- 292,305-312,323-332,341-347,349-363,368-374,383- 390,396-410,434-440,446-452,455-464,466-473,515- 522,529-542,565-570,589-600,602-613,618-623,637- 644,1019-1027,1238-1244,1258-1264,1268-1276,1281- 1292,1296-1302	C:2	883-936	109, 326
gbs1531	UvrB excinuclease ABC chain B	10-17,23-32,39-44,54-72,75-81,88-111,138-154,160- 167,178-185,201-210,236-252,327-334,336-342,366- 376,388-400,410-430,472-482,493-526,552-558,586- 592,598-603,612-621,630-635,641-660	M:2	384-393	110, 327
gbs1533	glutamine ABC transporter, glutamine-binding protein	4-22,24-39,50-59,73-84,100-105,111-117,130-138,155- 161,173-178,182-189,205-215,266-284,308-313,321- 328,330-337,346-363,368-374,388-395,397-405,426- 434,453-459,482-492,501-507,509-515,518-523,527- 544,559-590,598-612,614-629,646-659,663-684,686- 694,698-721	L:4	445-461	111, 328
gbs1536	hypothetical protein	14-22,27-33	E:10	3-17	112, 329
gbs1542	oxidoreductase, aldo/keto reductase family	29-41,66-73,81-87,90-108,140-146,150-159,165-184,186- 196,216-226,230-238,247-253,261-269	L:13	126-140	113, 330
gbs1547	small protein, SmpB	5-12,16-25,27-33,36-45,60-68,83-88,103-126	L:11	86-101	114, 331
gbs1565	hypothetical protein	14-23,36-47,56-66,84-89,94-105,111-127,140-153,160- 174,176-183,189-203,219-225,231-237,250-257	F:2, J:2, K:8, L:21	194-227	115, 332
gbs1586	peptidyl-prolyl cis- trans isomerase, cyclophilin-type	4-25,54-60,64-71,73-82,89-106,117-124,157-169,183- 188,199-210,221-232,236-244,255-264	E:3	58-98	116, 333

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs1591	5-methylthioadenosine nucleosidase/S- adenosylhomocysteine nucleosidase (pfs)	13-19,26-36,41-53,55-71,77-84,86-108,114-135,157- 172,177-183,187-194,208-213,218-226	I:18, L:2	110-125, 156- 170	117, 334
gbs1632	similar to branched- chain amino acid ABC transporter, amino acid-binding protein	5-24,63-69,77-85,94-112,120-137,140-146,152-159,166- 172,179-187,193-199,206-212,222-228,234-240,244- 252,257-264,270-289,298-309,316-328,337-348,363-375	B:2, E:4, I:3	1-56, 340-352	118, 335
gbs1638	amino acid permease	18-39,42-71,78-120,124-144,152-173,179-189,199- 209,213-222,228-258,269-304,329-361,364-372,374- 389,396-441	E:8, G:9, H:9	313-327	119, 336
gbs1662	conserved hypothetical protein	19-25,91-98,108-120,156-162,168-174,191-204,211- 216,232-266,272-278,286-308,316-321,327-333,344- 355,358-364,384-391,395-428,464-476,487-495,497- 511,544-561,563-573,575-582,588-594	E:3, H:2	10-25, 322- 338	120, 337
gbs1666	SWI/SNF family helicase	14-26,32-49,51-57,59-72,80-91,102-112,119-125,147- 161,164-173,175-183,188-213,217-222,246-254,260- 276,282-303,308-318,321-328,333-350,352-359,371- 378,392-401,407-414,416-443,448-463,471-484,490- 497,501-514,519-527,539-551,557-570,578-590,592- 598,600-610,618-629,633-647,654-667,676-689,702- 709,718-726,728-737,741-760,764-780,786-795,808- 826,836-842,845-852,865-874,881-887,931-945,949- 957,968-974,979-986,1003-1009,1023-1029	F:4	90-103	121, 338
gbs1673	conserved hypothetical protein	11-16,37-56,60-66,69-77,80-88,93-106,117-139,166-171	E:2	72-90	122, 339
gbs1695	dihydroxyacetone kinase family protein	59-84,123-133,145-150,161-167,178-189	I:8	115-128	123, 340
gbs1754	excinuclease ABC, A subunit (uvrA)	15-33,39-46,52-64,74-87,108-124,127-144,150-156,173- 179,184-194,201-208,219-236,243-269,272-295,302- 309,343-349,356-361,370-379,405-411,414-423,430- 451,457-464,466-475,477-483,496-502,507-522,541- 548,557-563,571-577,579-585,590-605,626-642,650- 662,671-691,704-710,751-769,775-781,786-791,794- 829,851-858,868-878,884-904,913-919,931-939	I:2	132-142	124, 341
gbs1760	Similar to A/G- specific adenine	33-58,64-71,74-80,83-88,96-120,122-139,146-157,167- 177,207-213,220-225,236-242,264-279,300-305,326-	K:8	97-115, 199- 211	125, 342



- 75 -

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
	glycosylase	336,340-347,350-360			
gbs1777	glycerol uptake facilitator protein, putative	4-26,43-57,70-99,102-117,121-133,142-148,151-168,170- 183,192-220,235-249,258-279	E:4	30-41	126, 343
gbs1783	polyprenyl synthetase family protein	34-42,48-58,70-94,110-130,154-160,164-172,178-183,195- 203,211-222,229-250,256-261,274-284,286-292,312-323	I:3	222-233	127, 344
gbs1784	ABC transporter, ATP-binding protein CydC	4-9,15-36,38-45,49-74,78-88,100-112,136-191,211- 220,226-233,239-246,254-274,287-307,316-322,342- 353,356-366,373-378,384-393,405-431,449-457,459- 468,487-511,515-524,529-541,544-552,562-568,571-576	C:2, D:2	208-280	128, 345
gbs1790	hypothetical protein	10-27,31-37,39-54,71-108,124-143	A:23, C:6	2-107	129, 346
gbs1805	Similar to secreted unknown protein	16-27,38-57,64-70,90-102,104-113,116-137,160-166	A:197, C:2	1-80	130, 347
gbs1816	HD domain protein	13-21,31-36,56-67,127-136,153-171,173-180,184-200,214- 222,225-231,239-263,267-273	F:8	135-159	131, 348
gbs1821	Similar to 23S ribosomal RNA methyltransferase	12-27,31-51,68-74,77-87,94-101,108-114,117-123,127- 134,138-168,173-196,201-207,212-217,227-237,247- 257,264-280	K:5	205-223	132, 349
gbs1823	triad family protein	17-22,25-54,70-76,92-100	G:6, H:3	98-110	133, 350
gbs1834	two-component sensor histidine kinase	7-29,40-50,60-67,87-96,105-111,119-164,172-199,206- 212,220-227,237-259,272-279,282-293,295-309,313- 319,321-328,345-363,376-386	E:3, F:6	159-176	134, 351
gbs1842	transcriptional antiterminator, BglG family	4-19,24-30,36-43,50-68,71-89,93-106,141-152,154- 172,179-197,199-215,229-239,246-252,255-263,281- 298,319-325,329-356,358-368,374-390,397-409,420- 429,432-444,450-456,459-475,483-494,496-502,520- 528,532-556	I:19	362-377	135, 352
gbs1850	hypothetical transaldolase	18-25,40-62,77-85,91-97,105-116,123-133,139-184,189- 197	G:2	122-140	136, 353
gbs1869	phosphoglycerate kinase	4-49,52-58,62-70,79-105,109-133,142-150,163-168,206- 214,220-228,233-240,243-254,274-281,303-311,327- 338,357-373,378-396,403-413,420-436,441-453,461- 467,475-481,484-498,506-512,514-521,523-529,562- 579,589-595,598-603,615-648,714-722,728-742,749- 758,777-792,795-807	L:9	643-658	137, 354
gbs1875	alkyl hydroperoxide	8-27,37-48,51-56,72-79,87-106,120-138,140-147,167-	F:3	456-470	138, 355

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
	reductase (large subunit) and NADH dehydrogenase	176,187-197,205-216,222-229,234-239,243-249,277- 288,292-315,334-343,347-353,363-391,398-404,430- 447,461-467,478-492,498-507			
gbs1879	endopeptidase O (pepO)	5-12,18-24,59-69,80-93,95-109,119-125,130-137,139- 147,158-163,168-176,182-202,206-215,222-239,241- 249,267-277,291-298,311-318,321-327,338-344,348- 355,373-386,393-406,411-417,434-443,446-465,473- 484,514-521,532-553,584-594	L:26	221-237	139, 356
gbs1893	2-keto-3- deoxygluconate kinase	4-14,27-34,50-58,63-72,79-106,109-114,121-142,146- 154,161-167,169-175,178-201,223-238,249-254,259- 264,278-292,294-312,319-330	F:8, K:9	167-191	140, 357
gbs1899	N-acetylmuramoyl- L-alanine amidase, family 4 protein	7-28,36-42,50-61,63-80,122-152,161-174,176-191	B:2, C:2, E:3	140-190	141, 358
gbs1907	citrate carrier protein, CCS family	20-57,59-65,70-78,86-102,119-133,142-161,163-173,177- 188,192-202,204-220,222-236,240-253,279-319,326- 331,337-383,390-399,406-412,420-427,431-438	L:2	381-395	142, 359
gbs1924	similar to pneumococcal histidine triad protein B precursor (C-terminal part)	13-18,28-34,37-43,50-59,75-81,83-97,105-121,139- 147,200-206,209-227,231-247,260-271,318-327,366- 381,388-394,399-406	K:3	182-201	143, 360
gbs1925	similar to pneumococcal histidine triad protein B precursor (N-terminal part)	6-29,37-43,51-56,70-77,82-102,110-119,127-143,178- 190,201-209,216-243,261-269,281-292,305-313,327- 339,341-354,356-373,391-397,423-429,438-445,450-478	A:2, B:5, C:12, D:57	21-314	144, 361
gbs1962	conserved hypothetical protein	4-12,15-21,32-41,59-76,80-89,96-104	E:3	90-103	145, 362
gbs2008	similar to C5A peptidase, putative peptidoglycan linked protein (LPXTG motif)	9-28,30-41,44-54,69-74,77-82,90-97,104-123,125-135,149- 155,164-173,177-184,217-226,230-235,238-244,258- 272,282-297,300-305,309-315,317-322,327-336,348- 362,368-374,380-387,400-411,414-424,451-458,460- 466,483-494,497-503,506-511,521-528,540-553,569- 587,598-606,628-642,661-681,688-700,718-733,740- 749,752-764,769-783,823-834,848-854,862-872,878- 884,886-898,915-920,938-951,954-961,963-972,982-	A:253, B:2, C:3, D:6, H:2	3-82, 509-576	146, 363

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
		989,996-1003,1010-1016,1021-1032,1038-1044,1047-1057,1060-1070,1079-1088,1094-1102,1117-1127,1129-1135,1142-1153,1158-1204,1212-1229,1234-1263,1269-1277,1308-1313,1327-1338,1344-1376,1400-1415,1436-1443,1448-1458,1497-1504,1511-1522,1544-1566			
gbs2018	putative peptidoglycan linked protein (LPXTG motif)	8-36,40-64,71-79,88-94,102-109,118-127,138-148,151-159,163-174,192-198,200-206,220-233,268-273,290-301,304-309,316-323,331-349,378-391,414-420,427-437,455-475,494-510,541-547,549-555,616-640	A:132, B:6, C:13, D:63, E:15, H:2, J:9, K:13	1-60, 55-139, 212-308, 386- 458, 458-624	147, 364
gbs2029	hypothetical protein	16-31,35-42,70-77,91-101,120-130,132-140,143-153,185-190,195-202,215-222,228-238,241-251,257-264,268-277,288-302,312-324,326-333,341-348,364-382,415-429,438-454,458-466,491-499,501-521	G:8	273-281	148, 365
gbs2042	hypothetical protein	8-14,32-57,74-149,155-177,179-212,221-266,271-296,304-324,329-346,349-359,368-401,413-419,426-454,465-478,493-510	L:11	466-490	149, 366
gbs2054	DNA mismatch repair protein HexA	22-28,33-51,64-89,96-119,126-132,138-146,152-159,161-169,172-179,193-198,205-211,221-231,235-254,273-280,297-303,312-320,328-346,351-373,378-384,391-398,448-454,460-468,470-481,516-558,574-593,597-602,613-623,626-646,649-656,668-673,675-683,696-708,715-722,724-739,745-751,759-777,780-804,816-822	E:8	102-113	150, 367
gbs2058	hypothetical protein	12-28,41-91,98-107,112-120,125-131,151-193,215-221,240-250,263-280	L:3	128-138	151, 368
gbs2060	aspartyl-tRNA synthetase (aspS)	16-24,32-38,46-62,68-81,90-105,127-133,144-150,160-166,178-184,186-202,210-219,232-240,252-258,264-273,293-324,337-344,349-357,360-369,385-398,410-416,419-427,441-449,458-476,508-515,523-539,544-549,562-569,571-579	L:3, L:12	96-109, 127- 139	152, 369
gbs2075	hypothetical protein	19-25,28-34,56-61,85-97,110-116	M:2	39-53	153, 370
gbs2106	protein of unknown function/lipoprotein, putative	4-37,41-50,62-72,91-97,99-109,114-125,136-141,149-158,160-166,201-215	A:5, B:6, C:4, D:14, E:11, I:8, K:23	27-225	154, 371
gbs2118	similar to inosine monophosphate dehydrogenase	15-31,44-51,96-105,122-130,149-157,162-168,178-183,185-192,198-204,206-213,221-234,239-245,248-255,257-266,289-335,349-357,415-422,425-441,448-454,462-468	K:17	463-481	155, 372

- 78 -

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
gbs2131	ABC transporter, permease protein, putative	5-31,39-55,63-72,76-99,106-155,160-177,179-199,207- 217,223-240,245-255,261-267,294-316,321-343,354- 378,382-452,477-488,529-536,555-569,584-591,593- 612,620-627,632-640,647-654,671-680,698-704,723- 730,732-750,769-775,781-788,822-852	I:2	505-525	156, 373
ARF0112	Hypothetical protein	none	F:6	3-18	157, 374
ARF0147	Hypothetical protein	4-14	E:3, I:3	12-24	158, 375
ARF0532	Hypothetical protein	4-11,22-30	F:10	12-25	159, 376
ARF0534	Hypothetical protein	5-12	E:2, G:2	4-18	160, 377
ARF0557	Hypothetical protein	4-28	E:2, G:6, H:4	7-14	161, 378
ARF0862	Hypothetical protein	6-16	G:7, H:4	8-16	162, 379
ARF0891	Hypothetical protein	4-15,18-33	K:6	24-36	163, 380
ARF0895	Hypothetical protein	4-10,16-21	I:21	20-31	164, 381
ARF0943	Hypothetical protein	none	C:2, K:9	6-19	165, 382
ARF0973	Hypothetical protein	11-18	D:2, G:3, H:8, I:2, K:2	3-10	166, 383
ARF0999	Hypothetical protein	13-24	B:4, K:3	3-15	167, 384
ARF1010	Hypothetical protein	15-27	K:2	7-16	168, 385
ARF1230	Hypothetical protein	11-16	K:11	1-15	169, 386
ARF1503	Hypothetical protein	4-16	E:13	9-21	170, 387
ARF1556	Hypothetical protein	4-24,40-48,54-67	F:2	22-39	171, 388
ARF1585	Hypothetical protein	6-30,34-55,62-68,78-106	I:5, J:4	68-74	172, 389
ARF1588	Hypothetical protein	none	I:2	3-14	173, 390
ARF1735	Hypothetical protein	9-19	I:13	6-21	174, 391
ARF1809	Hypothetical protein	4-17	H:2, L:17	1-9	175, 392
ARF1826	Hypothetical protein	5-30	I:6	1-8	176, 393
ARF1882	Hypothetical protein	4-16,23-46,51-56	K:23	45-55	177, 394
ARF1996	Hypothetical protein	none	F:3	7-16	178, 395
CRF0123	Hypothetical protein	none	F:32	2-14	179, 396
CRF0180	Hypothetical protein	4-36,43-65	E:6, G:6, H:12	50-62	180, 397
CRF0208	Hypothetical protein	10-30	I:2	14-21	181, 398
CRF0258	Hypothetical protein	9-17	I:2	1-10	182, 399
CRF0285	Hypothetical protein	4-12	F:2	3-16	183, 400
CRF0311	Hypothetical protein	4-15	H:4	5-23	184, 401
CRF0446	Hypothetical protein	none	L:20	10-21	185, 402

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogeni c region (aa)	Seq. ID (DNA, Prot.)
CRF0455	Hypothetical protein	none	F:5	6-16	186, 403
CRF0491	Hypothetical protein	4-29,31-38	G:4	2-14	187, 404
CRF0520	Hypothetical protein	4-35	H:4	33-42	188, 405
CRF0530	Hypothetical protein	none	G:13, H:8, K:3	2-17	189, 406
CRF0570	Hypothetical protein	9-18,30-35	I:2	15-33	190, 407
CRF0649	Hypothetical protein	4-9	G:8, H:6	6-12	191, 408
CRF0853	Hypothetical protein	none	I:6	3-17	192, 409
CRF0955	Hypothetical protein	12-21,37-44,52-61,72-80	E:7, L:44	38-48	193, 410
CRF0983.1	Hypothetical protein	4-10,29-44,54-61,69-78	K:59	13-27	194, 411
CRF0983.2	Hypothetical protein	13-23,36-53	L:33	2-15	195, 412
CRF1083	Hypothetical protein	4-25,28-46,56-72,81-99,120-132,134-142,154-160	F:18	129-141	196, 413
CRF1095	Hypothetical protein	4-15,24-33,35-41,64-86	L:15	21-33	197, 414
CRF1212.1	Hypothetical protein	9-15	I:5	4-13	198, 415
CRF1212.2	Hypothetical protein	4-11,13-19,34-48	L:30	15-32	199, 416
CRF1290	Hypothetical protein	4-21	I:7	11-31	200, 417
CRF1383	Hypothetical protein	23-57	K:13	38-50	201, 418
CRF1416	Hypothetical protein	4-32	E:16, J:7	3-13	202, 419
CRF1500	Hypothetical protein	4-10,13-25,32-42,56-68,72-84	E:16	26-38	203, 420
CRF1513	Hypothetical protein	4-20,31-48,52-58,65-71,80-93,99-108,114-123	I:2	37-49	204, 421
CRF1518	Hypothetical protein	6-12,14-20	F:28	3-25	205, 422
CRF1663	Hypothetical protein	14-25,27-38	F:10	5-14	206, 423
CRF1667	Hypothetical protein	4-41,57-105,109-118,123-136,144-152	G:4	86-99	207, 424
CRF1832	Hypothetical protein	None	E:5, L:8	6-19	208, 425
CRF1866	Hypothetical protein	none	G:3, H: 18	2-19	209, 426
CRF1892	Hypothetical protein	14-47	L:11	1-14	210, 427
CRF1942	Hypothetical protein	4-21,29-44	F:14	2-18	211, 428
CRF1992	Hypothetical protein	23-29	K:10	10-28	212, 429
CRF2047	Hypothetical protein	6-16,22-36	K:9	11-22	213, 430
CRF2050	Hypothetical protein	4-19,30-44	I:2	18-27	214, 431
CRF2096	Hypothetical protein	5-15,37-45,58-65	G:2	38-47	215, 432
CRF2113	Hypothetical protein	4-15,23-34	I:5	4-15	216, 433
NRF1311	transposase, C- terminal part	30-36,44-54,79-85,101-114,138-152,154-164,170-175,179- 200,213-220,223-240,243-255,258-264,268-284	F:3	10-28	217, 434

Table 1B: Immunogenic proteins identified by amino acid sequence identity with peptides identified by bacterial surface display.

S. <i>agalactiae</i> antigenic protein (new)	Identical region	Peptide sequence	Peptide name	Protein identified by BSD	Immunogenic region (aa)	Sequence ID (DNA, protein)
gbs0384	210 - 226 738 - 753	MEYKGNFSQKTINRFKS QTQRSGKINTDFMRQL	gbs0995.1 gbs0995.2	gbs0995 gbs0995	210 - 226 738 - 753	435, 449
gbs0393	326 - 344 326 - 348 338 - 354 371 - 392 801 - 809 877 - 901	VKTIGYGKLTGKVNHHYVA VKTIGYGKLTGKVNHHYVANKDG VNHHYVANKDGSVTAFFV AAVNQNIVFRVLTKDGRPIFEK TVIKKGTNL VTHTTEKSKPVEPQKATPKAPAKGL	gbs0986.2 gbs1143.1 gbs0986.3 gbs1143.2 gbs0986.4 gbs0986.5	gbs0986 gbs1143 gbs0986 gbs1143 gbs0986 gbs0986	326 - 344 327 - 349 338 - 354 372 - 393 801 - 809 877 - 901	436, 450
gbs0396	893 - 906	RQELLTPTQLSKLQ	gbs0983.1	gbs0983	893 - 906	437, 451
gbs0407	51 - 69	VRYDKLEALVAYHGAKSAS	gbs0972.1	gbs0972	51 - 69	438, 452
gbs0408	110 - 125	HQPNRIYLTDKLVPII	gbs0971.1	gbs0971	110 - 125	439, 453
gbs0410	291 - 305	QSIKQHDKEKLRTVL	gbs0969.1	gbs0969	291 - 305	440, 454
gbs0714	210 - 226 738 - 753	MEYKGNFSQKTINRFKS QTQRSGKINTDFMRQL	gbs0995.1 gbs0995.2	gbs0995 gbs0995	210 - 226 738 - 753	441, 455
gbs0723	326 - 344 326 - 348 338 - 354 371 - 392 801 - 809 877 - 901	VKTIGYGKLTGKVNHHYVA VKTIGYGKLTGKVNHHYVANKDG VNHHYVANKDGSVTAFFV AAVNQNIVFRVLTKDGRPIFEK TVIKKGTNL VTHTTEKSKPVEPQKATPKAPAKGL	gbs0986.2 gbs1143.1 gbs0986.3 gbs1143.2 gbs0986.4 gbs0986.5	gbs0986 gbs1143 gbs0986 gbs1143 gbs0986 gbs0986	326 - 344 327 - 349 338 - 354 372 - 393 801 - 809 877 - 901	442, 456
gbs0726	893 - 906	RQELLTPTQLSKLQ	gbs0983.1	gbs0983	893 - 906	443, 457
gbs0737	51 - 69	VRYDKLEALVAYHGAKSAS	gbs0972.1	gbs0972	51 - 69	444, 458
gbs0738	110 - 125	HQPNRIYLTDKLVPII	gbs0971.1	gbs0971	110 - 125	445, 459
gbs0740	291 - 305	QSIKQHDKEKLRTVL	gbs0969.1	gbs0969	291 - 305	446, 460
gbs0897	32 - 44	EGDVLLEIMSDKT	gbs0898.1	gbs0898	32 - 44	447, 461
gbs0966	399 - 410	PGLTVEEKFTVF	gbs0144.1	gbs0144	420 - 431	448, 462

Table 2. Epitope serology with human sera

Peptides	positivity	aa from	aa to	Seq ID
gbs0012.1	++	120	143	218
gbs0012.2	+	138	161	218
gbs0012.3	+	156	179	218
gbs0016.2	+++	110	129	219
gbs0016.3	+	168	184	219
gbs0048.1	+	74	90	222
gbs0053.1	+++	759	773	223
gbs0061.1	+++	237	260	224
gbs0084.1	+	265	284	225
gbs0107.1	++	65	74	226
gbs0108.1	++	41	50	227
gbs0123.1	+	163	174	229
gbs0127.1	++	26	37	230
gbs0183.1	+	174	189	232
gbs0235.1	++	240	256	234
gbs0260.1	+	285	297	236
gbs0286.1	+	238	247	238
gbs0288.1	+	491	519	239
gbs0437.1	++	114	140	243
gbs0539.1	+	267	284	250
gbs0579.1	+	439	453	252
gbs0580.1	++	162	178	253
gbs0628.1	++	347	364	254
gbs0632.1	+++	699	715	255
gbs0634.1	+	60	71	256
gbs0667.1	++	244	257	257
gbs0672.1	+	44	63	258
gbs0672.2	+	57	76	258
gbs0785.1	+	185	196	260
gbs0851.1	+	119	129	263
gbs0896.1	++	182	195	266
gbs0898.1	++	32	44	267
gbs0898.2	+	424	442	267
gbs0904.1	+	247	256	268
gbs0918.1	++	678	694	269
gbs0918.2	+	785	805	269
gbs0918.4	+	55	77	269
gbs0918.5	+++	72	94	269
gbs0995.1	+	210	226	281
gbs1087.3	+	37	59	289
gbs1165.1	+	13	29	296
gbs1816.1	+	136	159	348
gbs1821.1	+	205	222	349
gbs1823.1	+	99	110	350
gbs1834.1	+	160	176	351
gbs1875.1	+	457	470	355
gbs1879.1	+	221	237	356
gbs1893.1	+	167	190	357
gbs1925.1	+	96	120	361
gbs2018.3	+++	399	417	364
gbs2018.4	+++	503	519	364
gbs2018.5	+++	544	563	364
gbs2106.2	+	46	68	371
gbs2106.7	+	159	183	371
gbs2106.8	+	184	198	371
gbs2118.1	++	463	481	372

Table 3: Gene distribution in *S. agalactiae* strains.

ORF	Common name	Gene distribution (present of 50)	Amino acid substitutions (in serotype 1A strain) <sup>a</sup>	Seq. ID (DNA, Prot.)
gbs0012	weakly similar to beta-lactamase	44/44	n.d.	1, 218
gbs0016	glucan-binding protein B ( <i>S.mutans</i> )	40/44	0/224	2, 219
gbs0024	Phosphoribosylformylglycinamide	46/46	10/228	3, 220
gbs0031	surface immunogenic protein	46/46	1/225	4, 221
gbs0048	Unknown	30/46	0/61	5, 222
gbs0053	aldehyde-alcohol dehydrogenase ( <i>adhE</i> )	45/45	0/224	6, 223
gbs0061	rplB ribosomal protein L2	46/46	0/218	7, 224
gbs0084	DNA-directed RNA polymerase, alpha subunit ( <i>rpoA</i> )	45/45	0/207	8, 225
gbs0107	conserved hypothetical protein	46/46	0/235	9, 226
gbs0108	deoxyuridine 5'-triphosphate nucleotidohydrolase	44/44	0/125	10, 227
gbs0113	ribose ABC transporter	44/45	0/227	11, 228
gbs0123	similar to argininosuccinate synthase	44/44	0/184	12, 229
gbs0127	rpmV 50S ribosomal protein L28	46/46	0/40	13, 230
gbs0144	oligopeptide ABC transporter, substrate- binding	45/45	0/282	14, 231
gbs0183	membrane protein, putative	44/44	0/223	15, 232
gbs0184	oligopeptide ABC transporter, oligopeptide-binding	46/46	1/203	16, 233
gbs0235	glycine betaine/carnitine/choline ABC transporter	46/46	0/219	17, 234
gbs0255	conserved hypothetical protein	46/46	0/180	18, 235
gbs0260	glycyl-tRNA synthetase (beta subunit	46/46	0/209	19, 236
gbs0268	transketolase ( <i>tkt</i> )	46/46	0/208	20, 237
gbs0286	NH <sub>3</sub> -dependent NAD <sup>+</sup> synthetase	45/45	0/191	21, 238
gbs0288	similar to penicillin-binding protein 1A	45/45	0/212	22, 239
gbs0343	seryl-tRNA synthetase ( <i>serS</i> )	46/46	0/228	23, 240
gbs0428	similar to fibrinogen binding protein, putative peptidoglycan linked protein (LPXTG motif)	45/46	1/126	25, 242
gbs0437	glucose-6-phosphate isomerase ( <i>pgi</i> )	45/45	0/232	26, 243
gbs0460	decarboxylase	46/46	1/81	27, 244



- 83 -

ORF	Common name	Gene distribution (present of 50)	Amino acid substitutions (in serotype IA strain)*	Seq. ID (DNA, Prot.)
gbs0465	oxydoreductase	46/46	0/126	28, 245
gbs0489	acetyltransferase, GNAT family	45/45	3/144	30, 247
gbs0492	gbs0492 valyl-tRNA synthetase	44/44	3/125	31, 248
gbs0538	amino acid ABC transporter (ATP-binding protein)	46/46	0/214	32, 249
gbs0539	similar to phosphomannomutase	46/46	0/244	33, 250
gbs0555	beta-lactam resistance factor (fibA)	46/46	0/218	34, 251
gbs0579	dipeptidase	46/46	0/218	35, 252
gbs0580	zinc ABC transporter, zinc-binding adhesion liprot	45/45	2/235	36, 253
gbs0628	cell wall surface anchor family protein - (IPxTG)	42/44	0/219	37, 254
gbs0632	cell wall surface anchor family protein, putative (FPKTG motive)	44/45	0/238	38, 255
gbs0667	regulatory protein, putative, truncation	44/44	0/229	40, 257
gbs0672	transcriptional regulator (GntR family)	43/43	0/203	41, 258
gbs0687	unknown proteins	45/45	0/149	42, 259
gbs0785	Similar to penicillin binding protein 2B	45/45	0/218	43, 260
gbs0828	unknown proteins	46/46	1/120	45, 262
gbs0851	hypothetical protein	46/46	0/140	46, 263
gbs0865	gbs0865 Unknown	44/44	0/241	47, 264
gbs0890	exonuclease RexB (rexB)	46/46	0/232	48, 265
gbs0896	similar to acetoin dehydrogenase	46/46	0/239	49, 266
gbs0898	acetoin dehydrogenase, thymine PPi dependent	45/45	0/180	50, 267
gbs0904	phosphoglucosyltransferase/phosphomannomutase family prote	46/46	0/169	51, 268
gbs0918	weakly similar to histidine triad protein, putative lipoprotein	45/45	1/209	52, 269
gbs0931	pyruvate kinase	46/46	0/185	53, 270
gbs0947	similar to L-Lactate Dehydrogenase	46/46	0/233	54, 271
gbs0948	DNA gyrase, A subunit (gyrA)	44/44	0/172	55, 272
gbs1035	conserved hypothetical protein	46/46	0/210	69, 286
gbs1066	gbs1066 Unknown	17/46	2/92	71, 288
gbs1087	highly repetitive peptidoglycan bound protein (LPXTG motif)	42/45	n.d.	72, 289

- 84 -

ORF	Common name	Gene distribution (present of 50)	Amino acid substitutions (in serotype IA strain)*	Seq. ID (DNA, Prot.)
gbs1103	ABC transporter (ATP-binding protein)	46/46	1/165	73, 290
gbs1116	xanthine permease (pbuX)	45/45	1/170	74, 291
gbs1158	Similar to oxidoreductase	44/44	1/170	78, 295
gbs1165	cysteine desulphurase (iscS-1)	43/43	0/148#	79, 296
gbs1195	staphylokinase and streptokinase	45/45	60/142	80, 297
gbs1209	ATP-dependent DNA helicase PcrA	43/44	1/94#	81, 298
gbs1214	conserved hypothetical protein	43/46	0/97	82, 299
gbs1260	ABC transporter, ATP-binding protein	44/46	1/198	84, 301
gbs1306	Laminin binding protein (Spellerberg, B et al 1999)	45/46	0/215	87, 304
gbs1307	lmb laminin-binding surface protein	45/45	n.d.	88, 305
gbs1308	C5a peptidase, authentic frameshift	46/46	0/205	89, 306
gbs1309	hypothetical protein	44/46	0/214	90, 307
gbs1356	Putative peptidoglycan linked protein (LPXTG motif) - Agglutinin receptor	20/46	50/211#	94, 311
gbs1376	similar to ATP-dependent Clp proteinase (ATP-binding subunit), ClpL	45/45	0/197	95, 312
gbs1377	similar to homocysteine S-methyltransferase	45/45	0/55	96, 313
gbs1386	-hydroxy-3-methylglutaryl-coenzyme A synthase	44/44	0/219	97, 314
gbs1390	gbs1390 Unknown	43/43	0/198	98, 315
gbs1391	gbs1391 Unknown	44/44	0/214	99, 316
gbs1403	similar to 5'-nucleotidase, putative peptidoglycan bound protein (LPXTN)	45/45	3/189	100, 317
gbs1408	Similar to ABC transporter (ATP-binding protein)	45/45	0/205	101, 318
gbs1429	unknown proteins	46/46	1/193	103, 320
gbs1452	rplT 50S ribosomal protein L20	46/46	0/101	105, 322
gbs1464	ferrichrome ABC transporter (permease	44/44	2/232	106, 323
gbs1470	conserved hypothetical protein	46/46	2/164	107, 324
gbs1528	conserved hypothetical protein	45/45	0/213	108, 325
gbs1531	UvrB excinuclease ABC chain B	45/45	0/108	110, 327
gbs1533	glutamine ABC transporter, glutamine-binding prote	44/44	0/166	111, 328

ORF	Common name	Gene distribution (present of 50)	Amino acid substitutions (in serotype IA strain)*	Seq. ID (DNA, Prot.)
gbs1542	oxidoreductase, aldo/keto reductase family	45/45	1/219	113, 330
gbs1565	hypothetical protein	43/43	1/218	115, 332
gbs1586	peptidyl-prolyl cis-trans isomerase, cyclophilin-type	45/45	1/227	116, 333
gbs1591	5-methylthioadenosine nucleosidase/S- adenosylhomoc	45/45	0/203	117, 334
gbs1632	similar to branched-chain amino acid ABC transporter, amino acid-binding protein	45/45	0/223	118, 335
gbs1638	amino acid permease	45/45	0/100	119, 336
gbs1662	conserved hypothetical protein	45/45	0/213	120, 337
gbs1666	SWI/SNF family helicase	45/45	0/200	121, 338
gbs1673	conserved hypothetical protein	45/45	0/147	122, 339
gbs1695	dihydroxyacetone kinase family protein	43/43	1/165	123, 340
gbs1754	excinuclease ABC, A subunit (uvrA)	43/43	0/224	124, 341
gbs1760	Similar to A/G-specific adenine glycosylase	46/46	0/181	125, 342
gbs1777	glycerol uptake facilitator protein, putative	43/43	0/199	126, 343
gbs1783	polyprenyl synthetase family protein	45/45	0/217	127, 344
gbs1784	ABC transporter, ATP-binding protein CydC	45/45	1/220	128, 345
gbs1790	unknown proteins	41/43	3/75#	129, 346
gbs1805	Similar to secreted unknown proteins	45/45	0/66	130, 347
gbs1816	HD domain protein	43/43	1/176	131, 348
gbs1821	Similar to 23S ribosomal RNA methyltransferase	43/43	2/155#	132, 349
gbs1834	two-component sensor histidine kinase	44/44	0/213	134, 351
gbs1842	transcriptional antiterminator, BglG family	43/43	0/208	135, 352
gbs1850	hypothetical transaldolase	44/44	0/194	136, 353
gbs1875	alkyl hydroperoxide reductase (large subunit) and NADH dehydrogenase	46/46	0/192	138, 355
gbs1879	endopeptidase O (pepO)	43/43	0/135	139, 356
gbs1893	2-keto-3-deoxygluconate kinase	36/46	0/228	140, 357
gbs1899	N-acetylmuramoyl-L-alanine amidase, family 4 prote	43/43	0/149	141, 358
gbs1907	citrate carrier protein, CCS family	43/43	0/219	142, 359
gbs1925	similar to pneumococcal histidine triad protein B precursor (N-terminal part)	43/43	0/103	144, 361
gbs1962	conserved hypothetical protein	28/46	0/136	145, 362
gbs2008	similar to C5A peptidase, putative	43/43	n.d.	146, 363

- 86 -

ORF	Common name	Gene distribution (present of 50)	Amino acid substitutions (in serotype IA strain)*	Seq. ID (DNA, Prot.)
	peptidoglycan linked protein (LPXTG motif)			
gbs2018	putative peptidoglycan linked protein (LPXTG motif)	43/45	0/104	147, 364
gbs2029	unknown proteins	44/44	1/238	148, 365
gbs2054	DNA mismatch repair protein HexA	46/46	0/206	150, 367
gbs2060	aspartyl-tRNA synthetase (aspS)	46/46	2/211	152, 369
gbs2106	protein of unknown function/lipoprotein, putative	44/44	0/160	154, 371
gbs2118	similar to inosine monophosphate dehydrogenase	43/43	0/113	155, 372
gbs2131	ABC transporter, permease protein, putative	45/45	0/237	156, 373

Table 4. Immunogenicity of epitopes in mice

ORF	aa from	aa to	IB	Peptide ELISA	Seq ID
gbs0016	110	129	+		219
	168	184	+		
gbs0986	877	901	+		277
	333	354	+		
	326	344	+		
	801	809	+		
gbs1805	1	54		+++++	347
gbs2018	544	563	++	+++++	364
	31	51	+	+++	
	107	119	+		
	399	417	++	++++	
	503	519	+	++++	
gbs0012	120	198	++	+	218
gbs0016	20	35	+	++	219
gbs0031	118	201		++++	221
gbs0428	48	132	+	+++++	242
gbs0538	118	136	+	++++	249
gbs0580	162	178	+	+	253
gbs0628	347	364	+	+++++	254
gbs0632	699	715	+	+++++	255
gbs0672	50	76		+	258
gbs0918	785	819	+	+++++	269
	44	128	++		
gbs0971	90	128		+++++	274
gbs1087	314	384	+		289
gbs1143	327	349		+++	293
gbs1306	242	314	++	++++	304
	405	478	++		
	23	100	+		
gbs1307	129	210	++		305
gbs1309	162	188		++	307
gbs1352	750	772	++	+++++	310
gbs1632	1	56		++	335
gbs1662	322	337	+	+++++	337
gbs1673	72	90	+	+++++	339
gbs1784	374	395		+	345
gbs1816	136	159	+	++++	348
gbs1899	141	164	+		358
gbs1925	96	157	++	+	361
gbs2008	1	82		+	363
gbs2018	489	556	+	+++++	364
gbs2106	159	183		++	371
	49	133	+	+++++	

Table 5: Immunogenic proteins identified by bacterial surface display.

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
gbs0233	similar to glycine betaine/carnitine/choline ABC transporter (osmoprotectant-binding protein)	4-26, 35-41, 53-61, 73-84, 103-108, 114-120, 140-146, 156-162, 192-208, 214-219, 227-233, 239-252, 260-268, 284-297	A:5, B:9, H:3	I-48, 113-133	463, 475
gbs0419	protein of unknown function/lipoprotein	4-27, 38-44, 50-56, 59-64, 72-79, 83-89, 92-97, 108-116, 123-148, 152-167, 183-196, 200-220, 232-244, 255-261, 265-274, 282-302, 309-317	C:3, D:4, J:2, K:4	I-79, 231-302	464, 476
gbs0456	cell wall surface anchor family protein	6-28, 66-72, 85-105, 115-121, 144-151, 160-170, 176-185, 223-230, 252-288, 296-310, 319-333, 367-374, 458-464, 471-480, 483-488, 520-528, 530-549, 559-564, 593-601, 606-616, 636-643, 655-662, 676-682, 684-699, 719-726, 735-750, 757-764, 777-785, 799-810, 812-843, 846-853, 868-873, 880-889, 891-899, 909-929, 934-940, 963-969, 998-1004, 1007-1014, 1016-1022, 1030-1046	A:9, B:125, F:9	I-80, 808-821	465, 477
gbs0942	protein of unknown function/lipoprotein	7-24, 35-41, 75-81, 91-114, 122-132, 137-144, 148-156, 183-192, 194-200, 212-228, 233-238, 251-258, 275-295, 326-332, 337-346	A:3, B:9, C:2, J:3	I-79, 305-321	466, 478
gbs0973	gid protein (gid)	31-38, 42-52, 66-72, 86-92, 98-104, 115-122, 127-146, 154-164, 169-187, 198-212, 225-237, 255-269	D:2, G:3, H:8, I:2, K:2	I3-92, 135-142	467, 479
gbs0975	Unknown protein	4-36, 39-49, 63-69, 71-77, 81-88, 123-131, 133-139, 160-169, 174-180, 188-194, 210-217, 273-278, 289-300, 317-334, 336-341, 383-401, 425-438	A:3, B:5, C:5, D:2, J:2	I-68, 212-270, 402-446	468, 480
gbs1038	permease, putative	21-29, 31-42, 49-63, 72-79, 81-93, 112-132, 159-165, 188-195, 197-232, 262-267, 279-286, 294-301, 318-326, 348-366, 381-405, 409-426, 436-465, 471-480, 484-492, 497-505, 521-544, 554-561, 567-577, 581-589, 601-609, 611-622, 636-651, 653-667, 669-685, 700-708, 716-722, 729-744, 749-766, 780-786, 789-811, 814-864	B:2, C:3, E:3, J:2	I-57, 84-106	469, 481
gbs1144	Unknown protein	6-24, 35-48, 57-63, 72-78, 87-92, 113-119, 123-137, 147-153, 173-181, 212-233	C:30	I-124	470, 482
gbs1279	conserved domain protein	13-34, 62-69, 78-83, 86-91, 98-104, 107-115, 146-159, 179-188, 195-205, 209-221, 226-233, 239-253, 276-282, 284-294, 297-308, 331-354, 375-382, 388-399, 421-433,	A:44, B:2, C:4	I-84	471, 483

- 89 -

<i>S. agalactiae</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		449-458, 464-469, 472-491, 508-513, 525-531, 534-550, 575-593, 601-618, 629-635, 654-661, 666-680, 706-721, 723-740, 771-805, 810-830, 845-851			
gbs1441	conserved hypothetical protein	4-32, 45-64, 73-83, 86-92, 100-111, 125-147, 157-163, 170-175, 177-188, 226-232, 245-252, 258-274, 320-335, 348-359	A:2, B:8, C:2	1-71	472, 484
gbs1677	sodium transport family protein	13-40, 43-71, 76-83, 87-101, 109-119, 125-156, 162-175, 182-219, 226-232, 240-262, 270-287, 306-318, 326-342, 344-408, 414-444, 449-456	B:3, C:2, K:5	1-51	473, 485
gbs2093	Membrane protein, putative	4-16, 18-34, 45-54, 99-108, 134-140, 203-212, 241-257, 266-274, 279-291, 308-315, 330-336, 355-370, 374-382, 402-410, 428-455, 466-472, 474-480, 531-554, 560-566, 572-580, 597-618, 632-660, 664-674, 676-685, 691-705, 708-735, 750-768	B :5, C :8, D :2	1-87, 342-480	474, 486

Table 6. Immune reactivity of epitopes within identified antigens with human sera

Peptides	Positivity	aa from	aa to	Seq ID
gbs0233.1	+	115	132	475
gbs0233.2	+	1	26	475
gbs0419.1	++	33	55	476
gbs0942.2	+++	1	25	478
gbs0973.1	+	37	61	479
gbs0975.1	+	1	24	480
gbs1038.1	+	1	23	481
gbs1144.3	++	46	60	482
gbs1279.1	+++	1	28	483
gbs1279.2	+	23	50	483
gbs1279.3	++	45	71	483
gbs1441.1	+	1	22	484
gbs1441.2	++	17	38	484
gbs1677.1	+	1	22	485
gbs1677.2	+	17	38	485
gbs2093.1	+	1	27	486
gbs2093.2	++	22	47	486
gbs2093.4	+	422	447	486

Table 7. Immunogenicity of epitopes in mice

ORF	aa from	aa to	Peptide ELISA	Seq ID
gbs0233	115	132	++++	475
	1	47	++	
gbs0419	1	55	++++	476
gbs0456	22	85	++	477
gbs0942	307	320	+	478
	1	44	++	
gbs0973	15	76	++	479
	40	92	+++	
gbs0975	1	59	++	480
	213	269	+	
	403	445	+	
gbs1038	1	56	++++	481
	85	105	+	
gbs1144	37	121	+++++	482
gbs1279	1	71	+++++	483
gbs1441	1	38	+++	484
gbs1677	1	38	+++	485
gbs2093	1	47	+++	486



## References

- Altschul, S., et al. (1990). Journal of Molecular Biology 215: 403-10.
- Balter, S. et al. In Gram positive pathogens ed. by Fischetti V.A. et al. AMS Press 2000, 154-160.
- Bennett, D., et al. (1995). J Mol Recognit 8: 52-8.
- Brodeur, B., et al. (2000). Infect Immun 68: 5610-8.
- Burnie, J., et al. (1998). J Antimicrob Chemother 41: 319-22.
- Campbell, J., et al. (2000). Obstet Gynecol 96: 498-503.
- Cheng, Q., et al. (2002). Infect Immun 70: 6409-15.
- Clackson, T., et al. (1991). Nature 352: 624-8.
- Devereux, J., et al. (1984). Nucleic acids research 12: 387-95.
- Doherty, E., et al. (2001). Annu Rev Biophys Biomol Struct 30: 457-475.
- Eisenbraun, M., et al. (1993). DNA Cell Biol 12: 791-7.
- Etz, H., et al. (2001). J Bacteriol 183: 6924-35.
- Farley, M. (2001). Clin Infect Dis 33: 556-61.
- Ganz, T. (1999). Science 286: 420-421.
- Georgiou, G. (1997). Nature Biotechnology 15: 29-34.
- Glaser, P., et al. (2002). Mol Microbiol 45: 1499-513.
- Hashemzadeh-Bonehi, L., et al. (1998). Mol Microbiol 30: 676-678.
- Heinje, von G (1987) e.g. Sequence Analysis in Molecular Biology, Academic Press.
- Hemmer, B., et al. (1999). Nat Med 5: 1375-82.
- Hoe, N., et al. (2001). J Infect Dis 183: 633-9.
- Hornef, M., et al. (2002). Nat Immunol 3: 1033-40.
- Jackson, L., et al. (1995). Ann Intern Med 123: 415-20.
- Johanson, K., et al. (1995). J Biol Chem 270: 9459-71.
- Jones, P., et al. (1986). Nature 321: 522-5.
- Kajava, A., et al. (2000). J Bacteriol 182: 2163-9.
- Kohler, G., et al. (1975). Nature 256: 495-7.
- Larsson, C., et al. (1999). Vaccine 17: 454-8.
- Lewin, A., et al. (2001). Trends Mol Med 7: 221-8.
- Marks, J., et al. (1992). Biotechnology (N Y) 10: 779-83.
- McCafferty, J., et al. (1990). Nature 348: 552-4.
- Michel, J., et al. (1991). Infect Immun 59: 2023-8.
- Navarre, W., et al. (1999). Microbiol Mol Biol Rev 63: 174-229.
- Nizet, V. & Rubens, C.E. in Gram positive pathogens ed. by Fischetti V.A. et al. ASM Press 2000, pp 125-136.
- Okano, H., et al. (1991). J Neurochem 56: 560-7.
- Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression; CRC Press, Boca Ration, FL (1988).
- Paoletti, L., et al. (2002). Semin Neonatol 7: 315-23.
- Paoletti, L., et al. In Gram positive pathogens ed. by Fischetti V.A. et al. ASM Press 2000, pp 137-153.
- Phillips-Quagliata, J., et al. (2000). J Immunol 165: 2544-55.
- Rammensee, H., et al. (1999). Immunogenetics 50: 213-9.
- Seeger, C., et al. (1984). Proc Natl Acad Sci U S A 81: 5849-52.
- Shibuya, A., et al. (2000). Nature Immunology 1: 441-6.
- Skerra, A. (1994). Gene 151: 131-5.
- Tang, D., et al. (1992). Nature 356: 152-4.
- Tempest, P., et al. (1991). Biotechnology (N Y) 9: 266-71.
- Tettelin, H., et al. (2002). Proc Natl Acad Sci U S A 99: 12391-6.
- Tourdot, S., et al. (2000). Eur J Immunol 30: 3411-21.
- Wiley, J., et al. (1987) Current Protocols in Molecular Biology.

**Claims:**

1. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence, which is selected from the group consisting of:
  - a) a nucleic acid molecule having at least 70% sequence identity to a nucleic acid molecule selected from Seq ID No 14, 90, 157-216,
  - b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
  - c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
  - d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b), or c)
  - e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid molecule defined in a), b), c) or d).
2. The isolated nucleic acid molecule according to claim 1, wherein the sequence identity is at least 80%, preferably at least 95%, especially 100%.
3. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of
  - a) a nucleic acid molecule having 96 % or more than 96 %, preferably at least 98 %, especially 100 % sequence identity to a nucleic acid molecule selected from Seq ID No 1, 3, 5-13, 15, 18-25, 27-31, 33-36, 39-68, 70-85, 92-100, 103-126, 128-145, 147, 149-156, 217, 435-448 and 463-474.
  - b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
  - c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
  - d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b) or c),
  - e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).
4. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of
  - a) a nucleic acid molecule having 98 % or more than 98%, especially 100 % sequence identity to a nucleic acid molecule selected from Seq ID No 32, 86, 91, 101, 127,
  - b) a nucleic acid molecule which is complementary to the nucleic acid of a),
  - c) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).
5. The nucleic acid molecule according to any one of the claims 1, 2, 3 or 4, wherein the nucleic acid is DNA.
6. The nucleic acid molecule according to any one of the claims 1,2, 3, 4, or 5 wherein the nucleic acid is RNA.
7. An isolated nucleic acid molecule according to any one of claims 1 to 5, wherein the nucleic acid molecule is isolated from a genomic DNA, especially from a *S. agalactiae* genomic DNA.
8. A vector comprising a nucleic acid molecule according to any one of claims 1 to 7.
9. A vector according to claim 8, wherein the vector is adapted for recombinant expression of the hyperimmune serum reactive antigens or fragment thereof encoded by the nucleic acid molecule according to any one of claims 1 to 7.

10. A host cell comprising the vector according to claim 8 or 9.
11. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 1, 2, 5, 6 or 7 and fragments thereof, preferably the amino acid sequence is selected from the group consisting of Seq ID No 231, 307, 374-433.
12. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 3, 5, 6, or 7 and fragments thereof, preferably the amino acid sequence is selected from the group consisting of Seq ID No 218, 220, 222-230, 232, 235-242, 244-248, 250-253, 256-285, 287-302, 309-317, 320-343, 345-362, 364, 366-373, 434, 449-462 and 475-486.
13. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 4, 5, 6, or 7 and fragments thereof, preferably the amino acid sequence is selected from the group consisting of Seq ID No 249, 303, 308, 318, 344.
14. Fragments of hyperimmune serum-reactive antigens selected from the group consisting of peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region" of Table 1A, especially peptides comprising amino acid 4-20, 35-44, 65-70, 73-87, 92-98, 112-137, 152-161, 177-186, 193-200, 206-213, 229-255, 282-294, 308-313, 320-326, 349-355, 373-384, 388-406, 420-425 and 115-199 of Seq ID No 218; 5-24, 35-41, 44-70, 73-89, 103-109, 127-143, 155-161, 185-190, 192-207, 212-219, 246-262, 304-336, 372-382, 384-393, 398-407, 412-418, 438-444, 1-75, 76-161 and 164-239 of Seq ID No 219; 4-10, 16-58, 60-71, 77-92, 100-126, 132-146, 149-164, 166-172, 190-209, 214-220, 223-229, 241-256, 297-312, 314-319, 337-343, 351-359, 378-387, 398-418, 421-428, 430-437, 440-448, 462-471, 510-519, 525-536, 552-559, 561-568, 573-582, 596-602, 608-630, 637-649, 651-665, 681-702, 714-732, 739-745, 757-778, 790-805, 807-815, 821-829, 836-842, 846-873, 880-903, 908-914, 916-923, 931-940, 943-948, 956-970, 975-986, 996-1015, 1031-1040, 1051-1069, 1072-1095, 1114-1119, 1130-1148, 1150-1157, 1169-1176, 1229-1238 and 802-812 of Seq ID No 220; 5-12, 14-26, 35-47, 52-67, 72-78, 83-98, 121-141, 152-159, 163-183, 186-207, 209-257, 264-277, 282-299, 301-309, 312-318, 324-339, 358-368, 372-378, 387-397, 425-431 and 46-291 of Seq ID No 221; 29-38, 44-64, 70-76, 78-87, 94-100, 102-112, 119-134, 140-149, 163-173, 178-186, 188-194, 207-234, 247-262, 269-290 and 73-92 of Seq ID No 222; 10-28, 36-63, 77-87, 103-119, 127-136, 141-169, 171-183, 195-200, 207-232, 236-246, 251-265, 268-283, 287-297, 314-322, 335-343, 354-363, 384-390, 405-411, 419-436, 443-455, 467-473, 480-513, 518-529, 550-557, 565-585, 602-608, 616-625, 632-660, 665-677, 685-701, 726-736, 738-747, 752-761, 785-796, 801-813, 838-853, 866-871 and 757-774 of Seq ID No 223; 31-38, 61-66, 74-81, 90-115, 123-145, 154-167, 169-179, 182-193, 200-206, 238-244, 267-272 and 235-251 of Seq ID No 224; 19-25, 38-54, 56-64, 66-72, 74-92, 94-100, 116-129, 143-149, 156-183, 204-232, 253-266, 269-275, 294-307 and 241-313 of Seq ID No 225; 5-34, 50-56, 60-65, 74-85, 89-97, 108-119, 159-165, 181-199, 209-225, 230-240, 245-251, 257-262, 274-282, 300-305 and 64-75 of Seq ID No 226; 5-13, 16-21, 27-42, 45-52, 58-66, 74-87, 108-114, 119-131 and 39-51 of Seq ID No 227; 6-23, 46-54, 59-65, 78-84, 100-120, 128-133, 140-146, 159-165, 171-183, 190-204, 224-232, 240-248, 250-259, 274-280, 288-296, 306-315 and 267-274 of Seq ID No 228; 5-12, 15-24, 26-36, 42-65, 68-80, 82-104, 111-116, 125-144, 159-167, 184-189, 209-218, 235-243, 254-265, 269-283, 287-300, 306-316, 318-336, 338-352, 374-392 and 162-174 of Seq ID No 229; 30-42, 45-54 and 25-37 of Seq ID No 230; 10-30, 53-59, 86-95, 116-130, 132-147, 169-189, 195-201, 212-221, 247-256, 258-265, 278-283, 291-298, 310-316, 329-339, 341-352, 360-367, 388-396, 398-411, 416-432, 443-452, 460-466, 506-512, 515-521, 542-548 and 419-431 of Seq ID No 231; 4-27, 30-53, 60-67, 70-90, 92-151, 159-185, 189-195, 198-210, 215-239 and 173-189 of Seq ID No 232; 4-26, 41-54, 71-78, 116-127, 140-149, 151-158, 161-175, 190-196, 201-208, 220-226, 240-252, 266-281, 298-305,

308-318, 321-329, 344-353, 372-378, 384-405, 418-426, 429-442, 457-463, 494-505, 514-522 and 174-188 of Seq ID No 233; 17-25, 27-39, 61-67, 81-89, 99-110, 120-131, 133-139, 147-161, 167-172, 179-185, 192-198, 203-213, 226-238, 243-258, 261-267, 284-290, 296-307, 311-328, 340-352, 356-371 and 239-256 of Seq ID No 234; 8-30, 40-49, 67-80, 114-123, 126-142, 152-162, 188-194 and 57-70 of Seq ID No 235; 4-23, 28-34, 36-47, 50-61, 76-81, 89-94, 96-104, 112-119, 126-146, 155-181, 195-200, 208-214, 220-229, 244-260, 263-276, 282-288, 292-300, 317-323, 336-351, 353-359, 363-375, 382-399, 415-432, 444-455, 458-471, 476-481, 484-492, 499-517, 522-529, 535-541, 543-568, 572-584, 586-600, 607-617, 626-637, 656-675 and 282-297 of Seq ID No 236; 6-24, 30-35, 38-45, 63-91, 134-140, 146-160, 167-188, 214-220, 226-234, 244-250, 260-270, 286-301, 316-329, 340-371, 429-446, 448-459, 474-481, 485-491, 512-526, 537-544, 550-565, 573-583, 596-613, 621-630, 652-658 and 87-97 of Seq ID No 237; 8-20, 26-48, 56-67, 76-86, 94-109, 115-121, 123-129, 143-160, 178-186, 191-198, 201-208, 221-236, 238-244, 260-268 and 237-247 of Seq ID No 238; 4-40, 42-57, 73-87, 98-117, 126-135, 150-156, 166-174, 196-217, 231-236, 248-258, 276-284, 293-301, 307-313, 339-347, 359-365, 375-387, 395-402, 428-440, 445-456, 485-490, 497-505, 535-541, 547-555, 610-625, 648-656, 665-671 and 448-528 of Seq ID No 239; 10-18, 39-45, 51-61, 80-96, 98-106, 110-115, 158-172, 174-183, 191-200, 220-237, 249-255, 274-289, 308-324, 331-341, 372-381, 384-397, 405-414 and 322-338 of Seq ID No 240; 30-36, 38-56, 85-108, 134-147, 149-160, 163-183, 188-201, 206-211, 219-238, 247-254 and 5-13 of Seq ID No 241; 11-40, 98-103, 110-115, 133-145, 151-159, 172-179, 192-201, 204-212, 222-228, 235-245, 258-268, 283-296, 298-309, 322-329, 342-351, 354-362, 372-378, 385-393, 407-418, 495-516 and 1-148 of Seq ID No 242; 5-19, 21-36, 73-94, 112-119, 122-137, 139-145, 152-167, 184-190, 198-204, 208-224, 249-265, 267-281, 299-304, 309-317, 326-333, 356-364, 368-374, 381-389, 391-414, 419-425, 430-435 and 113-140 of Seq ID No 243; 45-54, 59-67, 78-91 and 15-23 of Seq ID No 244; 11-22, 33-47, 52-80, 88-112, 124-129 and 6-25 of Seq ID No 245; 26-41, 51-63, 80-89, 93-115, 150-163, 187-193, 220-237, 240-249, 286-294, 296-306, 316-329, 345-353, 361-370, 407-425, 428-437, 474-482, 484-494, 504-517, 533-541, 549-558, 595-613, 616-625, 660-668, 673-685, 711-726, 736-744, 749-761, 787-802, 812-820, 825-837, 863-878, 888-896, 901-913, 939-954, 964-972, 977-989, 1003-1008, 1016-1022, 1028-1034, 1041-1053, 1059-1074, 1101-1122, 420-511 and 581-704 of Seq ID No 246; 18-25, 27-55, 71-83, 89-95, 102-113, 120-146, 150-156, 174-185 and 159-175 of Seq ID No 247; 24-30, 38-56, 63-68, 87-93, 136-142, 153-164, 183-199, 213-219, 226-234, 244-261, 269-278, 283-289, 291-297, 320-328, 330-336, 340-346, 348-356, 358-366, 382-387, 401-408, 414-419, 449-455, 468-491, 504-512, 531-537, 554-560, 597-608, 621-627, 632-643, 650-662, 667-692, 703-716, 724-737, 743-758, 783-794, 800-818, 846-856 and 806-884 of Seq ID No 248; 4-14, 21-39, 86-92, 99-107, 121-131, 136-144, 147-154, 158-166, 176-185, 193-199, 207-222, 224-230 and 117-136 of Seq ID No 249; 65-76, 85-97, 103-109, 115-121, 125-146, 163-169, 196-205, 212-219, 228-237, 241-247, 254-262, 269-288, 294-303, 305-313, 328-367, 395-401, 405-412, 418-429, 437-447, 481-488, 506-513, 519-524, 530-541, 546-557 and 266-284 of Seq ID No 250; 5-14, 37-42, 49-71, 78-92, 97-112, 127-136, 147-154, 156-163, 186-198, 216-225, 233-243, 248-253, 295-307, 323-332, 359-366, 368-374, 380-398 and 194-223 of Seq ID No 251; 4-11, 33-39, 45-72, 100-113, 119-129, 136-144, 169-175, 177-185, 200-208, 210-219, 262-276, 278-297, 320-326, 336-344, 347-362, 381-394, 443-453 and 438-454 of Seq ID No 252; 4-29, 31-52, 55-61, 95-110, 138-158, 162-171, 179-187, 202-229, 239-248, 251-256, 262-267, 269-285, 304-310, 351-360, 362-368, 381-388, 415-428, 435-440, 448-458 and 161-178 of Seq ID No 253; 4-17, 19-28, 32-43, 47-59, 89-110, 112-126, 128-134, 140-148, 152-161, 169-184, 191-204, 230-235, 255-264, 328-338, 341-347, 401-409, 413-419, 433-441, 449-458, 463-468, 476-482, 486-492, 500-506, 529-545 and 305-381 of Seq ID No 254; 10-29, 38-45, 53-61, 134-145, 152-160, 163-170, 202-208, 219-229, 248-258, 266-275, 282-288, 315-320, 328-334, 377-385, 392-402, 418-424, 447-453, 460-471, 479-487, 491-497, 500-507, 531-537, 581-594, 615-623, 629-635, 644-652, 659-666, 668-678, 710-717, 719-728, 736-741, 747-760, 766-773, 784-789, 794-800, 805-817, 855-861, 866-887 and 698-715 of Seq ID No 255; 16-26, 29-37, 44-58, 62-68, 74-80, 88-95, 97-120, 125-144, 165-196 and 58-72 of Seq ID No 256; 14-21, 23-46, 49-60, 63-74, 78-92, 96-103, 117-129, 134-161, 169-211, 217-231, 239-248, 252-281, 292-299, 313-343 and 243-257 of Seq ID No 257; 11-27, 46-52, 67-72, 76-84, 91-112, 116-153, 160-175, 187-196, 202-211, 213-220 and 43-76 of Seq ID No 258; 5-29, 37-56, 78-86, 108-118, 152-161 and 120-130 of Seq ID No 259; 8-14, 19-41, 52-66, 75-82, 87-92, 106-121, 127-133, 136-143, 158-175, 180-187, 196-204, 221-228, 239-245, 259-265, 291-306, 318-323, 328-340, 352-358, 361-368, 375-381, 391-399, 411-418, 431-442, 446-455, 484-496, 498-510, 527-533, 541-549, 558-565,

575-585, 587-594, 644-655, 661-668, 671-677 and 184-196 of Seq ID No 260; 4-22, 29-38, 55-62, 75-81, 102-107, 110-134, 143-150, 161-167, 172-179, 191-215, 223-233, 241-247, 251-264, 266-272, 288-309, 340-352, 354-366, 394-402, 414-438 and 198-218 of Seq ID No 261; 24-44, 49-70, 80-91, 105-118, 128-136, 140-154 and 77-92 of Seq ID No 262; 5-22, 31-36, 41-47, 67-74, 83-90, 105-122, 135-143, 160-167 and 118-129 of Seq ID No 263; 4-25, 33-73, 81-93, 96-106, 114-120, 122-128, 130-172, 179-208, 210-241, 251-283, 296-301 and 92-100 of Seq ID No 264; 14-24, 29-38, 43-50, 52-72, 86-97, 101-107, 110-125, 127-141, 145-157, 168-175, 177-184, 186-195, 205-226, 238-250, 255-261, 284-290, 293-304, 307-314, 316-323, 325-356, 363-371, 383-390, 405-415, 423-432, 442-454, 466-485, 502-511, 519-527, 535-556, 558-565, 569-574, 612-634, 641-655, 672-686, 698-709, 715-722, 724-732, 743-753, 760-769, 783-792, 818-825, 830-839, 842-849, 884-896, 905-918, 926-940, 957-969, 979-1007, 1015-1021, 1049-1057 and 336-349 of Seq ID No 265; 6-16, 26-31, 33-39, 62-73, 75-85, 87-100, 113-123, 127-152, 157-164, 168-181, 191-198, 208-214, 219-226, 233-254, 259-266, 286-329 and 181-195 of Seq ID No 266; 4-13, 32-39, 53-76, 99-108, 110-116, 124-135, 137-146, 149-157, 162-174, 182-190, 207-231, 242-253, 255-264, 274-283, 291-323, 334-345, 351-360, 375-388, 418-425, 456-474, 486-492, 508-517, 520-536, 547-560, 562-577, 31-45 and 419-443 of Seq ID No 267; 15-26, 30-37, 42-49, 58-90, 93-99, 128-134, 147-154, 174-179, 190-197, 199-205, 221-230, 262-274, 277-287, 300-314, 327-333, 343-351, 359-377, 388-396, 408-413, 416-425, 431-446 and 246-256 of Seq ID No 268; 5-26, 34-42, 47-54, 61-67, 71-104, 107-115, 131-138, 144-153, 157-189, 196-202, 204-210, 228-245, 288-309, 316-329, 332-341, 379-386, 393-399, 404-412, 414-421, 457-468, 483-489, 500-506, 508-517, 523-534, 543-557, 565-580, 587-605, 609-617, 619-627, 631-636, 640-646, 662-668, 675-682, 705-710, 716-723, 727-732, 750-758, 784-789, 795-809, 869-874, 14-138, 166-286, 372-503, 674-696 and 754-859 of Seq ID No 269; 5-17, 32-38, 40-47, 80-89, 113-119, 125-137, 140-154, 157-163, 170-177, 185-199, 213-225, 228-236, 242-248, 277-290, 292-305, 323-333, 347-353, 364-370, 385-394, 399-406, 423-433, 441-451, 462-474, 477-487 and 116-124 of Seq ID No 270; 7-16, 18-30, 32-49, 53-61, 63-85, 95-101, 105-115, 119-134, 143-150, 159-178, 185-202, 212-229, 236-250, 254-265, 268-294 and 63-72 of Seq ID No 271; 4-12, 19-47, 73-81, 97-103, 153-169, 188-198, 207-213, 217-223, 236-242, 255-265, 270-278, 298-305, 309-317, 335-347, 354-363, 373-394, 419-424, 442-465, 486-492, 500-507, 542-549, 551-558, 560-572, 580-589, 607-614, 617-623, 647-653, 666-676, 694-704, 706-714, 748-754, 765-772, 786-792, 795-806 and 358-370 of Seq ID No 272; 18-28, 30-38, 40-46, 49-55, 69-78, 82-98, 104-134, 147-153, 180-190, 196-202, 218-236, 244-261, 266-273, 275-286, 290-295, 301-314, 378-387, 390-395, 427-434 and 290-305 of Seq ID No 273; 4-13, 20-31, 39-51, 54-61, 69-84, 87-105, 117-124 and 108-125 of Seq ID No 274; 24-34, 43-54, 56-66, 68-79 and 50-69 of Seq ID No 275; 5-43, 71-77, 102-131, 141-148, 150-156, 159-186, 191-207, 209-234, 255-268, 280-286, 293-299, 317-323, 350-357, 363-372, 391-397, 406-418, 428-435, 455-465, 484-497, 499-505, 525-531, 575-582, 593-607, 621-633, 638-649, 655-673, 684-698, 711-725, 736-741, 743-752, 759-769, 781-793, 813-831, 843-853, 894-905, 908-916, 929-946, 953-963, 970-978, 1001-1007, 1011-1033, 165-178 and 818-974 of Seq ID No 276; 16-44, 63-86, 98-108, 185-191, 222-237, 261-274, 282-294, 335-345, 349-362, 374-384, 409-420, 424-430, 440-447, 453-460, 465-473, 475-504, 522-534, 538-551, 554-560, 567-582, 598-607, 611-619, 627-640, 643-653, 655-661, 669-680, 684-690, 701-707, 715-731, 744-750, 756-763, 768-804, 829-837, 845-853, 855-879, 884-890, 910-928, 77-90, 144-212, 279-355, 434-536, 782-810 and 875-902 of Seq ID No 277; 4-22, 29-41, 45-51, 53-66, 70-77, 86-95, 98-104, 106-124, 129-135, 142-151, 153-161, 169-176, 228-251, 284-299, 331-337, 339-370, 380-387, 393-398, 406-411, 423-433, 440-452, 461-469, 488-498, 501-516, 523-530, 532-559, 562-567, 570-602, 612-628, 630-645, 649-659, 666-672, 677-696, 714-723, 727-747 and 212-227 of Seq ID No 278; 4-9, 17-31, 35-41, 56-61, 66-75, 81-87, 90-124, 133-138, 149-163, 173-192, 213-219, 221-262, 265-275, 277-282, 292-298, 301-307, 333-346, 353-363, 371-378, 419-430, 435-448, 456-469, 551-570, 583-599, 603-612 and 275-291 of Seq ID No 279; 28-34, 53-58, 72-81, 100-128, 145-154, 159-168, 172-189, 217-225, 227-249, 256-263, 299-309, 322-330, 361-379, 381-388, 392-401, 404-417, 425-436, 440-446, 451-464, 469-487, 502-511, 543-551, 559-564, 595-601, 606-612, 615-626, 633-642, 644-650, 664-670, 674-684, 692-701, 715-723, 726-734, 749-756, 763-771, 781-787, 810-843, 860-869, 882-889, 907-917, 931-936, 941-948, 951-958, 964-971, 976-993, 1039-1049, 1051-1065, 1092-1121, 1126-1132, 1145-1151, 1158-1173, 1181-1192, 1194-1208, 1218-1223, 1229-1243, 1249-1254, 1265-1279, 1287-1297, 1303-1320, 1334-1341, 1343-1358, 1372-1382, 1406-1417, 1419-1425, 1428-1434, 1441-1448, 1460-1473, 1494-1504, 1509-1514, 1529-1550, 654-669 and 1400-1483 of Seq ID No 280; 10-16, 20-25, 58-65, 97-109, 118-132,

134-146, 148-155, 186-195, 226-233, 244-262, 275-284, 295-310, 317-322, 330-339, 345-351, 366-375, 392-403, 408-415, 423-430, 435-444, 446-457, 467-479, 486-499, 503-510, 525-537, 540-585, 602-612, 614-623, 625-634, 639-645, 650-669, 700-707, 717-724, 727-739, 205-230 and 733-754 of Seq ID No 281; 5-22, 37-43, 72-81, 105-113, 128-133, 148-160, 188-194, 204-230, 238-245, 251-257 and 194-213 of Seq ID No 282; 16-21, 35-41, 56-72, 74-92, 103-109 and 62-68 of Seq ID No 283; 4-15, 17-82, 90-104, 107-159, 163-170, 188-221, 234-245, 252-265 and 220-235 of Seq ID No 284; 16-22, 36-46, 61-75, 92-107, 113-121, 139-145, 148-160 and 30-42 of Seq ID No 285; 4-12, 20-26, 43-49, 55-62, 66-78, 121-127, 135-141, 146-161, 164-170, 178-189, 196-205, 233-238, 269-279, 288-318, 325-332, 381-386, 400-407 and 328-346 of Seq ID No 286; 5-12, 31-49, 57-63, 69-79, 89-97, 99-114, 116-127, 134-142, 147-154, 160-173, 185-193, 199-204, 211-222, 229-236, 243-249, 256-274 and 58-68 of Seq ID No 287; 10-20, 28-34, 39-53, 68-79, 84-90, 99-106 and 73-79 of Seq ID No 288; 14-37, 45-50, 61-66, 77-82, 93-98, 109-114, 125-130, 141-146, 157-162, 173-178, 189-194, 205-210, 221-226, 237-242, 253-258, 269-274, 285-290, 301-306, 316-332, 349-359, 371-378, 385-406, 34-307 and 312-385 of Seq ID No 289; 4-10, 17-38, 50-85, 93-99, 109-116, 128-185, 189-197, 199-210, 223-256, 263-287, 289-312, 327-337, 371-386, 389-394, 406-419, 424-432, 438-450, 458-463, 475-502, 507-513, 519-526, 535-542, 550-567 and 361-376 of Seq ID No 290; 10-39, 42-93, 100-144, 155-176, 178-224, 230-244, 246-255, 273-282, 292-301, 308-325, 332-351, 356-361, 368-379, 386-393, 400-421 and 138-155 of Seq ID No 291; 5-11, 17-34, 40-45, 50-55, 72-80, 101-123, 145-151, 164-172, 182-187, 189-195, 208-218, 220-241, 243-252, 255-270, 325-331, 365-371, 391-398, 402-418, 422-428, 430-435, 443-452, 463-469, 476-484, 486-494, 503-509, 529-553, 560-565, 570-590, 608-614, 619-627, 654-661, 744-750, 772-780, 784-790, 806-816, 836-853, 876-885, 912-918, 926-933, 961-975, 980-987, 996-1006, 1016-1028, 1043-1053, 1057-1062, 994-1003 and 1033-1056 of Seq ID No 292; 17-45, 64-71, 73-81, 99-109, 186-192, 223-238, 262-275, 283-295, 336-346, 350-363, 375-385, 410-421, 425-431, 441-448, 454-463, 468-474, 476-512, 523-537, 539-552, 568-583, 599-608, 612-620, 628-641, 644-654, 656-662, 670-681, 685-695, 702-708, 716-723, 725-735, 757-764, 769-798, 800-806, 808-816, 826-840, 846-854, 856-862, 874-881, 885-902, 907-928, 274-350 and 443-513 of Seq ID No 293; 4-22, 29-41, 45-51, 53-61, 70-76, 85-92, 99-104, 111-122, 134-140, 142-154, 163-174, 224-232, 255-265, 273-279, 283-297, 330-335, 337-348, 356-367, 373-385, 391-396, 421-431, 442-455, 475-485, 493-505, 526-538, 544-561, 587-599, 605-620, 622-651, 662-670, 675-681, 687-692, 697-712, 714-735 and 252-262 of Seq ID No 294; 4-12, 15-35, 40-46, 50-59, 67-94, 110-128, 143-169, 182-188, 207-215, 218-228, 238-250 and 74-90 of Seq ID No 295; 9-18, 42-58, 78-85, 88-95, 97-106, 115-122, 128-134, 140-145, 154-181, 186-202, 204-223, 261-267, 269-278, 284-293, 300-336, 358-368 and 12-29 of Seq ID No 296; 7-34, 46-53, 62-72, 82-88, 100-105, 111-117, 132-137, 144-160, 166-180, 183-189, 209-221, 231-236, 246-253, 268-282, 286-293, 323-336, 364-372, 378-392, 422-433 and 388-405 of Seq ID No 297; 21-27, 34-50, 72-77, 80-95, 164-177, 192-198, 202-220, 226-236, 239-247, 270-279, 285-292, 315-320, 327-334, 348-355, 364-371, 388-397, 453-476, 488-497, 534-545, 556-576, 582-588, 601-607, 609-616, 642-662, 674-681, 687-697, 709-715, 721-727, 741-755 and 621-739 of Seq ID No 298; 4-14, 16-77, 79-109 and 25-99 of Seq ID No 299; 4-9, 17-23, 30-37, 44-55, 65-72, 77-93, 102-121, 123-132, 146-153 and 17-29 of Seq ID No 300; 4-18, 25-41, 52-60, 83-92, 104-112, 117-123, 149-155, 159-167, 170-192, 201-210, 220-227, 245-250 and 124-137 of Seq ID No 301; 8-25, 50-55, 89-95, 138-143, 148-153, 159-169, 173-179, 223-238, 262-268, 288-295, 297-308, 325-335, 403-409, 411-417, 432-446, 463-475, 492-501, 524-530, 542-548, 561-574, 576-593, 604-609, 612-622, 637-654, 665-672, 678-685, 720-725, 731-739, 762-767, 777-783, 820-838, 851-865, 901-908, 913-920, 958-970, 1000-1006, 1009-1015, 1020-1026, 1043-1052, 1055-1061, 1-128, 252-341, 771-793 and 1043-1058 of Seq ID No 302; 16-26, 33-46 and 64-76 of Seq ID No 303; 4-27, 69-77, 79-101, 117-123, 126-142, 155-161, 171-186, 200-206, 213-231, 233-244, 267-273, 313-329, 335-344, 347-370, 374-379, 399-408, 422-443, 445-453, 461-468, 476-482, 518-534, 544-553, 556-567, 578-595, 601-620, 626-636, 646-658, 666-681, 715-721, 762-768, 778-785, 789-803, 809-819, 22-108, 153-318, 391-527 and 638-757 of Seq ID No 304; 6-21, 32-43, 62-92, 104-123, 135-141, 145-152, 199-216, 218-226, 237-247, 260-269, 274-283, 297-303, 1-72 and 127-211 of Seq ID No 305; 6-26, 50-56, 83-89, 108-114, 123-131, 172-181, 194-200, 221-238, 241-247, 251-259, 263-271, 284-292, 304-319, 321-335, 353-358, 384-391, 408-417, 424-430, 442-448, 459-466, 487-500, 514-528, 541-556, 572-578, 595-601, 605-613, 620-631, 635-648, 660-670, 673-679, 686-693, 702-708, 716-725, 730-735, 749-755, 770-777, 805-811, 831-837, 843-851, 854-860, 863-869, 895-901, 904-914, 922-929, 933-938, 947-952, 956-963, 1000-1005,

1008-1014, 1021-1030, 1097-1103, 1120-1130, 1132-1140, 1-213, 269-592 and 992-1120 of Seq ID No 306; 9-16, 33-39, 47-59, 65-79, 81-95, 103-108, 115-123, 138-148, 163-171, 176-185, 191-196, 205-211, 213-221, 224-256, 261-276, 294-302, 357-363, 384-390, 95-111 and 161-189 of Seq ID No 307; 21-27, 35-45, 70-76, 92-105, 129-143, 145-155, 161-166, 170-191, 204-211, 214-231, 234-246, 249-255, 259-275 and 1-18 of Seq ID No 308; 21-35, 45-53, 56-64, 69-97 and 1-16 of Seq ID No 309; 25-33, 41-47, 61-68, 86-101, 106-114, 116-129, 134-142, 144-156, 163-176, 181-190, 228-251, 255-261, 276-292, 295-305, 334-357, 368-380, 395-410, 424-429, 454-460, 469-482, 510-516, 518-527, 531-546, 558-570, 579-606, 628-636, 638-645, 651-656, 668-674, 691-698, 717-734, 742-754, 765-770, 792-797, 827-835, 847-859, 874-881, 903-909, 926-933, 942-961, 964-977, 989-1004, 1010-1028, 1031-1047, 1057-1075, 1081-1095, 1108-1117, 1138-1144, 1182-1189, 1193-1206, 1220-1229, 1239-1246, 1257-1267, 1271-1279, 1284-1301, 1312-1320, 1329-1335, 1341-1347, 1358-1371, 1399-1404, 1417-1426, 1458-1463, 1468-1476, 1478-1485, 1493-1506, 1535-1541, 1559-1574, 1583-1590, 1595-1601, 1603-1611, 1622-1628, 1634-1644, 1671-1685, 1689-1696, 1715-1720, 1734-1746, 1766-1775, 1801-1806, 1838-1844, 1858-1871, 1910-1917, 1948-1955, 1960-1974, 2000-2015, 2019-2036, 2041-2063, 748-847 and 1381-1391 of Seq ID No 310; 5-12, 18-24, 27-53, 56-63, 96-113, 119-124, 131-136, 157-163, 203-209, 215-223, 233-246, 264-273, 311-316, 380-389, 393-399, 425-433, 445-450, 457-462, 464-470, 475-482, 507-513, 527-535, 542-548, 550-565, 591-602, 607-613, 627-642, 644-664, 673-712, 714-732, 739-764, 769-782, 812-818, 826-838, 848-854, 860-871, 892-906, 930-938, 940-954, 957-973, 990-998, 1002-1021, 1024-1033, 1037-1042, 1050-1060, 1077-1083, 1085-1092, 1100-1129, 1144-1161, 1169-1175, 1178-1189, 1192-1198, 1201-1207, 1211-1221, 1229-1239, 1250-1270, 1278-1292, 1294-1300, 1314-1335, 1344-1352, 1360-1374, 1394-1405, 1407-1414, 1416-1424, 1432-1452, 1456-1462, 1474-1497, 1500-1510, 1516-1522, 1534-1542, 1550-1559, 1584-1603, 1608-1627, 187-273 and 306-441 of Seq ID No 311; 70-80, 90-97, 118-125, 128-140, 142-148, 154-162, 189-202, 214-222, 224-232, 254-260, 275-313, 317-332, 355-360, 392-398, 425-432, 448-456, 464-470, 476-482, 491-505, 521-528, 533-546, 560-567, 592-597, 605-614, 618-626, 637-644, 646-653, 660-666, 677-691 and 207-227 of Seq ID No 312; 5-19, 26-34, 37-55, 57-66, 69-83, 86-102, 115-134, 138-143, 154-172, 178-195, 209-246, 251-257, 290-302, 306-311 and 256-266 of Seq ID No 313; 10-20, 22-28, 35-57, 72-79, 87-103, 108-128, 130-144, 158-171, 190-198, 225-242, 274-291, 301-315, 317-324, 374-385 and 353-365 of Seq ID No 314; 4-9, 17-30, 34-54, 59-66, 73-94, 118-130, 135-150, 158-171, 189-198, 219-239, 269-275, 283-301, 89-106 and 176-193 of Seq ID No 315; 14-20, 22-74, 77-86, 89-99, 104-109, 126-135, 154-165, 181-195, 197-212, 216-224, 264-275 and 107-118 of Seq ID No 316; 4-18, 21-38, 63-72, 101-109, 156-162, 165-179, 183-192, 195-210, 212-218, 230-239, 241-256, 278-290, 299-311, 313-322, 332-341, 348-366, 386-401, 420-426, 435-450, 455-460, 468-479, 491-498, 510-518, 532-538, 545-552, 557-563, 567-573, 586-595, 599-609, 620-626, 628-636, 652-657, 665-681 and 1-198 of Seq ID No 317; 4-10, 16-38, 51-68, 73-79, 94-115, 120-125, 132-178, 201-208, 216-223, 238-266, 269-295, 297-304, 337-342, 347-356, 374-401, 403-422, 440-447, 478-504, 510-516, 519-530, 537-544 and 191-206 of Seq ID No 318; 12-40, 42-48, 66-71, 77-86, 95-102, 113-120, 129-137, 141-148, 155-174, 208-214, 218-225, 234-240, 256-267, 275-283, 300-306, 313-321, 343-350, 359-367, 370-383, 398-405, 432-439, 443-461, 492-508, 516-526, 528-535 and 370-478 of Seq ID No 319; 6-14, 20-37, 56-62, 90-95, 97-113, 118-125, 140-145, 161-170, 183-202, 237-244, 275-284, 286-305, 309-316, 333-359, 373-401, 405-412 and 176-187 of Seq ID No 320; 33-44, 50-55, 59-80, 86-101, 129-139, 147-153, 157-163, 171-176, 189-201, 203-224, 239-245, 257-262, 281-287, 290-297, 304-320, 322-331, 334-350, 372-390, 396-401, 71-88 and 353-372 of Seq ID No 321; 5-11, 15-24, 26-33, 40-47, 75-88, 95-103, 105-112 and 17-30 of Seq ID No 322; 5-11, 16-39, 46-54, 62-82, 100-107, 111-124, 126-150, 154-165, 167-183, 204-238, 245-295, 301-313, 316-335 and 8-16 of Seq ID No 323; 4-19, 34-48, 69-74, 79-107, 115-127, 129-135, 143-153, 160-169, 171-182 and 142-153 of Seq ID No 324; 4-30, 65-74, 82-106, 110-120, 124-132, 135-140, 146-175, 179-184, 190-196, 217-223, 228-233, 250-267, 275-292, 303-315, 322-332 and 174-186 of Seq ID No 325; 9-16, 29-41, 47-57, 68-84, 87-109, 113-119, 162-180, 186-193, 195-201, 203-208, 218-230, 234-243, 265-271, 281-292, 305-312, 323-332, 341-347, 349-363, 368-374, 383-390, 396-410, 434-440, 446-452, 455-464, 466-473, 515-522, 529-542, 565-570, 589-600, 602-613, 618-623, 637-644, 1019-1027, 1238-1244, 1258-1264, 1268-1276, 1281-1292, 1296-1302 and 883-936 of Seq ID No 326; 10-17, 23-32, 39-44, 54-72, 75-81, 88-111, 138-154, 160-167, 178-185, 201-210, 236-252, 327-334, 336-342, 366-376, 388-400, 410-430, 472-482, 493-526, 552-558, 586-592, 598-603, 612-621, 630-635, 641-660 and 384-393 of Seq ID No 327; 4-22, 24-39, 50-59, 73-84, 100-105, 111-117, 130-138,

155-161, 173-178, 182-189, 205-215, 266-284, 308-313, 321-328, 330-337, 346-363, 368-374, 388-395, 397-405, 426-434, 453-459, 482-492, 501-507, 509-515, 518-523, 527-544, 559-590, 598-612, 614-629, 646-659, 663-684, 686-694, 698-721 and 445-461 of Seq ID No 328; 14-22, 27-33 and 3-17 of Seq ID No 329; 29-41, 66-73, 81-87, 90-108, 140-146, 150-159, 165-184, 186-196, 216-226, 230-238, 247-253, 261-269 and 126-140 of Seq ID No 330; 5-12, 16-25, 27-33, 36-45, 60-68, 83-88, 103-126 and 86-101 of Seq ID No 331; 14-23, 36-47, 56-66, 84-89, 94-105, 111-127, 140-153, 160-174, 176-183, 189-203, 219-225, 231-237, 250-257 and 194-227 of Seq ID No 332; 4-25, 54-60, 64-71, 73-82, 89-106, 117-124, 157-169, 183-188, 199-210, 221-232, 236-244, 255-264 and 58-98 of Seq ID No 333; 13-19, 26-36, 41-53, 55-71, 77-84, 86-108, 114-135, 157-172, 177-183, 187-194, 208-213, 218-226, 110-125 and 156-170 of Seq ID No 334; 5-24, 63-69, 77-85, 94-112, 120-137, 140-146, 152-159, 166-172, 179-187, 193-199, 206-212, 222-228, 234-240, 244-252, 257-264, 270-289, 298-309, 316-328, 337-348, 363-375, 1-56 and 340-352 of Seq ID No 335; 18-39, 42-71, 78-120, 124-144, 152-173, 179-189, 199-209, 213-222, 228-258, 269-304, 329-361, 364-372, 374-389, 396-441 and 313-327 of Seq ID No 336; 19-25, 91-98, 108-120, 156-162, 168-174, 191-204, 211-216, 232-266, 272-278, 286-308, 316-321, 327-333, 344-355, 358-364, 384-391, 395-428, 464-476, 487-495, 497-511, 544-561, 563-573, 575-582, 588-594, 10-25 and 322-338 of Seq ID No 337; 14-26, 32-49, 51-57, 59-72, 80-91, 102-112, 119-125, 147-161, 164-173, 175-183, 188-213, 217-222, 246-254, 260-276, 282-303, 308-318, 321-328, 333-350, 352-359, 371-378, 392-401, 407-414, 416-443, 448-463, 471-484, 490-497, 501-514, 519-527, 539-551, 557-570, 578-590, 592-598, 600-610, 618-629, 633-647, 654-667, 676-689, 702-709, 718-726, 728-737, 741-760, 764-780, 786-795, 808-826, 836-842, 845-852, 865-874, 881-887, 931-945, 949-957, 968-974, 979-986, 1003-1009, 1023-1029 and 90-103 of Seq ID No 338; 11-16, 37-56, 60-66, 69-77, 80-88, 93-106, 117-139, 166-171 and 72-90 of Seq ID No 339; 59-84, 123-133, 145-150, 161-167, 178-189 and 115-128 of Seq ID No 340; 15-33, 39-46, 52-64, 74-87, 108-124, 127-144, 150-156, 173-179, 184-194, 201-208, 219-236, 243-269, 272-295, 302-309, 343-349, 356-361, 370-379, 405-411, 414-423, 430-451, 457-464, 466-475, 477-483, 496-502, 507-522, 541-548, 557-563, 571-577, 579-585, 590-605, 626-642, 650-662, 671-691, 704-710, 751-769, 775-781, 786-791, 794-829, 851-858, 868-878, 884-904, 913-919, 931-939 and 132-142 of Seq ID No 341; 33-58, 64-71, 74-80, 83-88, 96-120, 122-139, 146-157, 167-177, 207-213, 220-225, 236-242, 264-279, 300-305, 326-336, 340-347, 350-360, 97-115 and 199-211 of Seq ID No 342; 4-26, 43-57, 70-99, 102-117, 121-133, 142-148, 151-168, 170-183, 192-220, 235-249, 258-279 and 30-41 of Seq ID No 343; 34-42, 48-58, 70-94, 110-130, 154-160, 164-172, 178-183, 195-203, 211-222, 229-250, 256-261, 274-284, 286-292, 312-323 and 222-233 of Seq ID No 344; 4-9, 15-36, 38-45, 49-74, 78-88, 100-112, 136-191, 211-220, 226-233, 239-246, 254-274, 287-307, 316-322, 342-353, 356-366, 373-378, 384-393, 405-431, 449-457, 459-468, 487-511, 515-524, 529-541, 544-552, 562-568, 571-576 and 208-280 of Seq ID No 345; 10-27, 31-37, 39-54, 71-108, 124-143 and 2-107 of Seq ID No 346; 16-27, 38-57, 64-70, 90-102, 104-113, 116-137, 160-166 and 1-80 of Seq ID No 347; 13-21, 31-36, 56-67, 127-136, 153-171, 173-180, 184-200, 214-222, 225-231, 239-263, 267-273 and 135-159 of Seq ID No 348; 12-27, 31-51, 68-74, 77-87, 94-101, 108-114, 117-123, 127-134, 138-168, 173-196, 201-207, 212-217, 227-237, 247-257, 264-280 and 205-223 of Seq ID No 349; 17-22, 25-54, 70-76, 92-100 and 98-110 of Seq ID No 350; 7-29, 40-50, 60-67, 87-96, 105-111, 119-164, 172-199, 206-212, 220-227, 237-259, 272-279, 282-293, 295-309, 313-319, 321-328, 345-363, 376-386 and 159-176 of Seq ID No 351; 4-19, 24-30, 36-43, 50-68, 71-89, 93-106, 141-152, 154-172, 179-197, 199-215, 229-239, 246-252, 255-263, 281-298, 319-325, 329-356, 358-368, 374-390, 397-409, 420-429, 432-444, 450-456, 459-475, 483-494, 496-502, 520-528, 532-556 and 362-377 of Seq ID No 352; 18-25, 40-62, 77-85, 91-97, 105-116, 123-133, 139-184, 189-197 and 122-140 of Seq ID No 353; 4-49, 52-58, 62-70, 79-105, 109-133, 142-150, 163-168, 206-214, 220-228, 233-240, 243-254, 274-281, 303-311, 327-338, 357-373, 378-396, 403-413, 420-436, 441-453, 461-467, 475-481, 484-498, 506-512, 514-521, 523-529, 562-579, 589-595, 598-603, 615-648, 714-722, 728-742, 749-758, 777-792, 795-807 and 643-658 of Seq ID No 354; 8-27, 37-48, 51-56, 72-79, 87-106, 120-138, 140-147, 167-176, 187-197, 205-216, 222-229, 234-239, 243-249, 277-288, 292-315, 334-343, 347-353, 363-391, 398-404, 430-447, 461-467, 478-492, 498-507 and 456-470 of Seq ID No 355; 5-12, 18-24, 59-69, 80-93, 95-109, 119-125, 130-137, 139-147, 158-163, 168-176, 182-202, 206-215, 222-239, 241-249, 267-277, 291-298, 311-318, 321-327, 338-344, 348-355, 373-386, 393-406, 411-417, 434-443, 446-465, 473-484, 514-521, 532-553, 584-594 and 221-237 of Seq ID No 356; 4-14, 27-34, 50-58, 63-72, 79-106, 109-114, 121-142, 146-154, 161-167, 169-175, 178-201, 223-238, 249-



254, 259-264, 278-292, 294-312, 319-330 and 167-191 of Seq ID No 357; 7-28, 36-42, 50-61, 63-80, 122-152, 161-174, 176-191 and 140-190 of Seq ID No 358; 20-57, 59-65, 70-78, 86-102, 119-133, 142-161, 163-173, 177-188, 192-202, 204-220, 222-236, 240-253, 279-319, 326-331, 337-383, 390-399, 406-412, 420-427, 431-438 and 381-395 of Seq ID No 359; 13-18, 28-34, 37-43, 50-59, 75-81, 83-97, 105-121, 139-147, 200-206, 209-227, 231-247, 260-271, 318-327, 366-381, 388-394, 399-406 and 182-201 of Seq ID No 360; 6-29, 37-43, 51-56, 70-77, 82-102, 110-119, 127-143, 178-190, 201-209, 216-243, 261-269, 281-292, 305-313, 327-339, 341-354, 356-373, 391-397, 423-429, 438-445, 450-478 and 21-314 of Seq ID No 361; 4-12, 15-21, 32-41, 59-76, 80-89, 96-104 and 90-103 of Seq ID No 362; 9-28, 30-41, 44-54, 69-74, 77-82, 90-97, 104-123, 125-135, 149-155, 164-173, 177-184, 217-226, 230-235, 238-244, 258-272, 282-297, 300-305, 309-315, 317-322, 327-336, 348-362, 368-374, 380-387, 400-411, 414-424, 451-458, 460-466, 483-494, 497-503, 506-511, 521-528, 540-553, 569-587, 598-606, 628-642, 661-681, 688-700, 718-733, 740-749, 752-764, 769-783, 823-834, 848-854, 862-872, 878-884, 886-898, 915-920, 938-951, 954-961, 963-972, 982-989, 996-1003, 1010-1016, 1021-1032, 1038-1044, 1047-1057, 1060-1070, 1079-1088, 1094-1102, 1117-1127, 1129-1135, 1142-1153, 1158-1204, 1212-1229, 1234-1263, 1269-1277, 1308-1313, 1327-1338, 1344-1376, 1400-1415, 1436-1443, 1448-1458, 1497-1504, 1511-1522, 1544-1566, 3-82 and 509-576 of Seq ID No 363; 8-36, 40-64, 71-79, 88-94, 102-109, 118-127, 138-148, 151-159, 163-174, 192-198, 200-206, 220-233, 268-273, 290-301, 304-309, 316-323, 331-349, 378-391, 414-420, 427-437, 455-475, 494-510, 541-547, 549-555, 616-640, 1-60, 55-139, 212-308, 386-458 and 458-624 of Seq ID No 364; 16-31, 35-42, 70-77, 91-101, 120-130, 132-140, 143-153, 185-190, 195-202, 215-222, 228-238, 241-251, 257-264, 268-277, 288-302, 312-324, 326-333, 341-348, 364-382, 415-429, 438-454, 458-466, 491-499, 501-521 and 273-281 of Seq ID No 365; 8-14, 32-57, 74-149, 155-177, 179-212, 221-266, 271-296, 304-324, 329-346, 349-359, 368-401, 413-419, 426-454, 465-478, 493-510 and 466-490 of Seq ID No 366; 22-28, 33-51, 64-89, 96-119, 126-132, 138-146, 152-159, 161-169, 172-179, 193-198, 205-211, 221-231, 235-254, 273-280, 297-303, 312-320, 328-346, 351-373, 378-384, 391-398, 448-454, 460-468, 470-481, 516-558, 574-593, 597-602, 613-623, 626-646, 649-656, 668-673, 675-683, 696-708, 715-722, 724-739, 745-751, 759-777, 780-804, 816-822 and 102-113 of Seq ID No 367; 12-28, 41-91, 98-107, 112-120, 125-131, 151-193, 215-221, 240-250, 263-280 and 128-138 of Seq ID No 368; 16-24, 32-38, 46-62, 68-81, 90-105, 127-133, 144-150, 160-166, 178-184, 186-202, 210-219, 232-240, 252-258, 264-273, 293-324, 337-344, 349-357, 360-369, 385-398, 410-416, 419-427, 441-449, 458-476, 508-515, 523-539, 544-549, 562-569, 571-579, 96-109 and 127-139 of Seq ID No 369; 19-25, 28-34, 56-61, 85-97, 110-116 and 39-53 of Seq ID No 370; 4-37, 41-50, 62-72, 91-97, 99-109, 114-125, 136-141, 149-158, 160-166, 201-215 and 27-225 of Seq ID No 371; 15-31, 44-51, 96-105, 122-130, 149-157, 162-168, 178-183, 185-192, 198-204, 206-213, 221-234, 239-245, 248-255, 257-266, 289-335, 349-357, 415-422, 425-441, 448-454, 462-468 and 463-481 of Seq ID No 372; 5-31, 39-55, 63-72, 76-99, 106-155, 160-177, 179-199, 207-217, 223-240, 245-255, 261-267, 294-316, 321-343, 354-378, 382-452, 477-488, 529-536, 555-569, 584-591, 593-612, 620-627, 632-640, 647-654, 671-680, 698-704, 723-730, 732-750, 769-775, 781-788, 822-852 and 505-525 of Seq ID No 373; 3-18 of Seq ID No 374; 4-14 and 12-24 of Seq ID No 375; 4-11, 22-30 and 12-25 of Seq ID No 376; 5-12 and 4-18 of Seq ID No 377; 4-28 and 7-14 of Seq ID No 378; 6-16 and 8-16 of Seq ID No 379; 4-15, 18-33 and 24-36 of Seq ID No 380; 4-10, 16-21 and 20-31 of Seq ID No 381; 6-19 of Seq ID No 382; 11-18 and 3-10 of Seq ID No 383; 13-24 and 3-15 of Seq ID No 384; 15-27 and 7-16 of Seq ID No 385; 11-16 and 1-15 of Seq ID No 386; 4-16 and 9-21 of Seq ID No 387; 4-24, 40-48, 54-67 and 22-39 of Seq ID No 388; 6-30, 34-55, 62-68, 78-106 and 68-74 of Seq ID No 389; 3-14 of Seq ID No 390; 9-19 and 6-21 of Seq ID No 391; 4-17 and 1-9 of Seq ID No 392; 5-30 and 1-8 of Seq ID No 393; 4-16, 23-46, 51-56 and 45-55 of Seq ID No 394; 7-16 of Seq ID No 395; 2-14 of Seq ID No 396; 4-36, 43-65 and 50-62 of Seq ID No 397; 10-30 and 14-21 of Seq ID No 398; 9-17 and 1-10 of Seq ID No 399; 4-12 and 3-16 of Seq ID No 400; 4-15 and 5-23 of Seq ID No 401; 10-21 of Seq ID No 402; 6-16 of Seq ID No 403; 4-29, 31-38 and 2-14 of Seq ID No 404; 4-35 and 33-42 of Seq ID No 405; 2-17 of Seq ID No 406; 9-18, 30-35 and 15-33 of Seq ID No 407; 4-9 and 6-12 of Seq ID No 408; 3-17 of Seq ID No 409; 12-21, 37-44, 52-61, 72-80 and 38-48 of Seq ID No 410; 4-10, 29-44, 54-61, 69-78 and 13-27 of Seq ID No 411; 13-23, 36-53 and 2-15 of Seq ID No 412; 4-25, 28-46, 56-72, 81-99, 120-132, 134-142, 154-160 and 129-141 of Seq ID No 413; 4-15, 24-33, 35-41, 64-86 and 21-33 of Seq ID No 414; 9-15 and 4-13 of Seq ID No 415; 4-11, 13-19, 34-48 and 15-32 of Seq ID No 416; 4-21 and 11-31 of Seq ID No 417; 23-57 and 38-

50 of Seq ID No 418; 4-32 and 3-13 of Seq ID No 419; 4-10, 13-25, 32-42, 56-68, 72-84 and 26-38 of Seq ID No 420; 4-20, 31-48, 52-58, 65-71, 80-93, 99-108, 114-123 and 37-49 of Seq ID No 421; 6-12, 14-20 and 3-25 of Seq ID No 422; 14-25, 27-38 and 5-14 of Seq ID No 423; 4-41, 57-105, 109-118, 123-136, 144-152 and 86-99 of Seq ID No 424; 6-19 of Seq ID No 425; 2-19 of Seq ID No 426; 14-47 and 1-14 of Seq ID No 427; 4-21, 29-44 and 2-18 of Seq ID No 428; 23-29 and 10-28 of Seq ID No 429; 6-16, 22-36 and 11-22 of Seq ID No 430; 4-19, 30-44 and 18-27 of Seq ID No 431; 5-15, 37-45, 58-65 and 38-47 of Seq ID No 432; 4-15, 23-34 and 4-15 of Seq ID No 433; 30-36, 44-54, 79-85, 101-114, 138-152, 154-164, 170-175, 179-200, 213-220, 223-240, 243-255, 258-264, 268-284 and 10-28 of Seq ID No 434; the peptides comprising amino acid sequences of column "Identical region" of the Table 1B, especially peptides comprising amino acid 210-226 and 738-753 of Seq ID No 449; 326-344, 326-348, 338-354, 371-392, 801-809 and 877-901 of Seq ID No 450; 893-906 of Seq ID No 451; 51-69 of Seq ID No 452; 110-125 of Seq ID No 453; 291-305 of Seq ID No 454; 210-226 and 738-753 of Seq ID No 455; 326-344, 326-348, 338-354, 371-392, 801-809 and 877-901 of Seq ID No 456; 893-906 of Seq ID No 457; 51-69 of Seq ID No 458; 110-125 of Seq ID No 459; 291-305 of Seq ID No 460; 32-44 of Seq ID No 461; 399-410 of Seq ID No 462; the serum reactive epitopes as specified in the column of "aa from" to "aa to" of Table 2, especially peptides comprising amino acid 120-143, 138-161 and 156-179 of Seq ID No 218; 110-129 and 168-184 of Seq ID No 219; 74-90 of Seq ID No 222; 759-773 of Seq ID No 223; 237-260 of Seq ID No 224; 265-284 of Seq ID No 225; 65-74 of Seq ID No 226; 41-50 of Seq ID No 227; 163-174 of Seq ID No 229; 26-37 of Seq ID No 230; 174-189 of Seq ID No 232; 240-256 of Seq ID No 234; 285-297 of Seq ID No 236; 238-247 of Seq ID No 238; 491-519 of Seq ID No 239; 114-140 of Seq ID No 243; 267-284 of Seq ID No 250; 439-453 of Seq ID No 252; 162-178 of Seq ID No 253; 347-364 of Seq ID No 254; 699-715 of Seq ID No 255; 60-71 of Seq ID No 256; 244-257 of Seq ID No 257; 44-63 and 57-76 of Seq ID No 258; 185-196 of Seq ID No 260; 119-129 of Seq ID No 263; 182-195 of Seq ID No 266; 32-44 and 424-442 of Seq ID No 267; 247-256 of Seq ID No 268; 678-694, 785-805, 55-77 and 72-94 of Seq ID No 269; 210-226 of Seq ID No 281; 37-59 of Seq ID No 289; 13-29 of Seq ID No 296; 136-159 of Seq ID No 348; 205-222 of Seq ID No 349; 99-110 of Seq ID No 350; 160-176 of Seq ID No 351; 457-470 of Seq ID No 355; 221-237 of Seq ID No 356; 167-190 of Seq ID No 357; 96-120 of Seq ID No 361; 399-417, 503-519 and 544-563 of Seq ID No 364; 46-68, 159-183 and 184-198 of Seq ID No 371; 463-481 of Seq ID No 372; the immunogenic epitopes as specified in the column of "aa from" to "aa to" of Table 4; especially peptides comprising amino acid 110-129 and 168-184 of Seq ID No 219; 877-901, 333-354, 326-344 and 801-809 of Seq ID No 277; 1-54 of Seq ID No 347; 544-563, 31-51, 107-119, 399-417 and 503-519 of Seq ID No 364; 120-198 of Seq ID No 218; 20-35 of Seq ID No 219; 118-201 of Seq ID No 221; 48-132 of Seq ID No 242; 118-136 of Seq ID No 249; 162-178 of Seq ID No 253; 347-364 of Seq ID No 254; 699-715 of Seq ID No 255; 50-76 of Seq ID No 258; 785-819 and 44-128 of Seq ID No 269; 90-128 of Seq ID No 274; 314-384 of Seq ID No 289; 327-349 of Seq ID No 293; 242-314, 405-478 and 23-100 of Seq ID No 304; 129-210 of Seq ID No 305; 162-188 of Seq ID No 307; 750-772 of Seq ID No 310; 1-56 of Seq ID No 335; 322-337 of Seq ID No 337; 72-90 of Seq ID No 339; 374-395 of Seq ID No 345; 136-159 of Seq ID No 348; 141-164 of Seq ID No 358; 96-157 of Seq ID No 361; 1-82 of Seq ID No 363; 489-556 of Seq ID No 364; 159-183 and 49-133 of Seq ID No 371; The peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region (aa)" of Table 5, especially peptides comprising amino acid 4-26, 35-41, 53-61, 73-84, 103-108, 114-120, 140-146, 156-162, 192-208, 214-219, 227-233, 239-252, 260-268, 284-297, 1-48 and 113-133 of Seq ID No 475; 4-27, 38-44, 50-56, 59-64, 72-79, 83-89, 92-97, 108-116, 123-148, 152-167, 183-196, 200-220, 232-244, 255-261, 265-274, 282-302, 309-317, 1-79 and 231-302 of Seq ID No 476; 6-28, 66-72, 85-105, 115-121, 144-151, 160-170, 176-185, 223-230, 252-288, 296-310, 319-333, 367-374, 458-464, 471-480, 483-488, 520-528, 530-549, 559-564, 593-601, 606-616, 636-643, 655-662, 676-682, 684-699, 719-726, 735-750, 757-764, 777-785, 799-810, 812-843, 846-853, 868-873, 880-889, 891-899, 909-929, 934-940, 963-969, 998-1004, 1007-1014, 1016-1022, 1030-1046, 1-80 and 808-821 of Seq ID No 477; 7-24, 35-41, 75-81, 91-114, 122-132, 137-144, 148-156, 183-192, 194-200, 212-228, 233-238, 251-258, 275-295, 326-332, 337-346, 1-79 and 305-321 of Seq ID No 478; 31-38, 42-52, 66-72, 86-92, 98-104, 115-122, 127-146, 154-164, 169-187, 198-212, 225-237, 255-269, 13-92 and 135-142

- of Seq ID No 479; 4-36, 39-49, 63-69, 71-77, 81-88, 123-131, 133-139, 160-169, 174-180, 188-194, 210-217, 273-278, 289-300, 317-334, 336-341, 383-401, 425-438, 1-68, 212-270 and 402-446 of Seq ID No 480; 21-29, 31-42, 49-63, 72-79, 81-93, 112-132, 159-165, 188-195, 197-232, 262-267, 279-286, 294-301, 318-326, 348-366, 381-405, 409-426, 436-465, 471-480, 484-492, 497-505, 521-544, 554-561, 567-577, 581-589, 601-609, 611-622, 636-651, 653-667, 669-685, 700-708, 716-722, 729-744, 749-766, 780-786, 789-811, 814-864, 1-57 and 84-106 of Seq ID No 481; 6-24, 35-48, 57-63, 72-78, 87-92, 113-119, 123-137, 147-153, 173-181, 212-233 and 1-124 of Seq ID No 482; 13-34, 62-69, 78-83, 86-91, 98-104, 107-115, 146-159, 179-188, 195-205, 209-221, 226-233, 239-253, 276-282, 284-294, 297-308, 331-354, 375-382, 388-399, 421-433, 449-458, 464-469, 472-491, 508-513, 525-531, 534-550, 575-593, 601-618, 629-635, 654-661, 666-680, 706-721, 723-740, 771-805, 810-830, 845-851 and 1-84 of Seq ID No 483; 4-32, 45-64, 73-83, 86-92, 100-111, 125-147, 157-163, 170-175, 177-188, 226-232, 245-252, 258-274, 320-335, 348-359 and 1-71 of Seq ID No 484; 13-40, 43-71, 76-83, 87-101, 109-119, 125-156, 162-175, 182-219, 226-232, 240-262, 270-287, 306-318, 326-342, 344-408, 414-444, 449-456 and 1-51 of Seq ID No 485; 4-16, 18-34, 45-54, 99-108, 134-140, 203-212, 241-257, 266-274, 279-291, 308-315, 330-336, 355-370, 374-382, 402-410, 428-455, 466-472, 474-480, 531-554, 560-566, 572-580, 597-618, 632-660, 664-674, 676-685, 691-705, 708-735, 750-768, 1-87 and 342-480 of Seq ID No 486; The serum reactive epitopes as specified in the column of "aa from" to "aa to" of Table 6, especially peptides comprising amino acid 115-132 and 1-26 of Seq ID No 475; 33-55 of Seq ID No 476; 1-25 of Seq ID No 478; 37-61 of Seq ID No 479; 1-24 of Seq ID No 480; 1-23 of Seq ID No 481; 46-60 of Seq ID No 482; 1-28, 23-50 and 45-71 of Seq ID No 483; 1-22 and 17-38 of Seq ID No 484; 1-22 and 17-38 of Seq ID No 485; 1-27, 22-47 and 422-447 of Seq ID No 486; The immunogenic epitopes as specified in the column of "aa from" to "aa to" of Table 7, especially peptides comprising amino acid 115-132 and 1-47 of Seq ID No 475; 1-55 of Seq ID No 476; 22-85 of Seq ID No 477; 307-320 and 1-44 of Seq ID No 478; 15-76 and 40-92 of Seq ID No 479; 1-59, 213-269 and 403-445 of Seq ID No 480; 1-56 and 85-105 of Seq ID No 481; 37-121 of Seq ID No 482; 1-71 of Seq ID No 483; 1-38 of Seq ID No 484; 1-38 of Seq ID No 485; 1-47 of Seq ID No 486.
15. A process for producing a *S. agalactiae* hyperimmune serum reactive antigen or a fragment thereof according to any one of the claims 11 to 14 comprising expressing the nucleic acid molecule according to any one of claims 1 to 7.
  16. A process for producing a cell, which expresses a *S. agalactiae* hyperimmune serum reactive antigen or a fragment thereof according to any one of the claims 11 to 14 comprising transforming or transfecting a suitable host cell with the vector according to claim 8 or claim 9.
  17. A pharmaceutical composition, especially a vaccine, comprising a hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of claims 11 to 14 or a nucleic acid molecule according to any one of claims 1 to 7.
  18. A pharmaceutical composition, especially a vaccine, according to claim 17, characterized in that it further comprises an immunostimulatory substance, preferably selected from the group comprising polycationic polymers, especially polycationic peptides, immunostimulatory deoxynucleotides (ODNs), peptides containing at least two LysLeuLys motifs, neuroactive compounds, especially human growth hormone, alum, Freund's complete or incomplete adjuvants or combinations thereof.
  19. Use of a nucleic acid molecule according to any one of claims 1 to 7 or a hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 for the manufacture of a pharmaceutical preparation, especially for the manufacture of a vaccine against *S. agalactiae* infection.
  20. An antibody, or at least an effective part thereof, which binds at least to a selective part of the

hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14.

21. An antibody according to claim 20, wherein the antibody is a monoclonal antibody.
22. An antibody according to claim 20 or 21, wherein said effective part comprises Fab fragments.
23. An antibody according to any one of claims 20 to 22, wherein the antibody is a chimeric antibody.
24. An antibody according to any one of claims 20 to 23, wherein the antibody is a humanized antibody.
25. A hybridoma cell line, which produces an antibody according to any one of claims 20 to 24.
26. A method for producing an antibody according to claim 20, characterized by the following steps:
  - initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of the claims 11 to 14, to said animal,
  - removing an antibody containing body fluid from said animal, and
  - producing the antibody by subjecting said antibody containing body fluid to further purification steps.
27. Method for producing an antibody according to claim 21, characterized by the following steps:
  - initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of the claims 12 to 15, to said animal,
  - removing the spleen or spleen cells from said animal,
  - producing hybridoma cells of said spleen or spleen cells,
  - selecting and cloning hybridoma cells specific for said hyperimmune serum-reactive antigens or a fragment thereof,
  - producing the antibody by cultivation of said cloned hybridoma cells and optionally further purification steps.
28. Use of the antibodies according to any one of claims 20 to 24 for the preparation of a medicament for treating or preventing *S. agalactiae* infections.
29. An antagonist, which binds to the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14.
30. A method for identifying an antagonist capable of binding to the hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 comprising:
  - a) contacting an isolated or immobilized hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 with a candidate antagonist under conditions to permit binding of said candidate antagonist to said hyperimmune serum-reactive antigen or fragment, in the presence of a component capable of providing a detectable signal in response to the binding of the candidate antagonist to said hyperimmune serum reactive antigen or fragment thereof; and
  - b) detecting the presence or absence of a signal generated in response to the binding of the antagonist to the hyperimmune serum reactive antigen or the fragment thereof.
31. A method for identifying an antagonist capable of reducing or inhibiting the interaction activity of a hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to

- 103 -

- 14 to its interaction partner comprising:
- a) providing a hyperimmune serum reactive antigen or a hyperimmune fragment thereof according to any one of claims 11-14,
  - b) providing an interaction partner to said hyperimmune serum reactive antigen or a fragment thereof, especially an antibody according to any one of the claims 20 to 24,
  - c) allowing interaction of said hyperimmune serum reactive antigen or fragment thereof to said interaction partner to form a interaction complex,
  - d) providing a candidate antagonist,
  - e) allowing a competition reaction to occur between the candidate antagonist and the interaction complex,
  - f) determining whether the candidate antagonist inhibits or reduces the interaction activities of the hyperimmune serum reactive antigen or the fragment thereof with the interaction partner.
32. Use of any of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14 for the isolation and/or purification and/or identification of an interaction partner of said hyperimmune serum reactive antigen or fragment thereof.
33. A process for *in vitro* diagnosing a disease related to expression of the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 comprising determining the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen and fragment according to any one of claims 1 to 7 or the presence of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11-14.
34. A process for *in vitro* diagnosis of a bacterial infection, especially a *S. agalactiae* infection, comprising analysing for the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen and fragment according to any one of claims 1 to 7 or the presence of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14.
35. Use of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14 for the generation of a peptide binding to said hyperimmune serum reactive antigen or fragment thereof, wherein the peptide is selected from the group comprising anticalines.
36. Use of the hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 for the manufacture of a functional nucleic acid, wherein the functional nucleic acid is selected from the group comprising aptamers and spiegelmers.
37. Use of a nucleic acid molecule according to any one of claims 11 to 14 for the manufacture of a functional ribonucleic acid, wherein the functional ribonucleic acid is selected from the group comprising ribozymes, antisense nucleic acids and siRNA.

**THIS PAGE BLANK (USPTC**




Fig. 1

**THIS PAGE BLANK (USPTO)**






Fig. 1

CONFIDENTIAL 07-000005

**THIS PAGE BLANK (USPTO)**




Fig. 2

IC20 Rec'd PCT/PTO 07 NOV 2005

THIS PAGE BLANK (USP 10)





Fig. 3

**THIS PAGE BLANK (USPTO;**





Fig. 4

**THIS PAGE BLANK (USPTO)**







Fig. 5

IC20 Rec'd PGT/PTO 07 NOV 2003

THIS PAGE BLANK (USPTO)




Fig. 6






Fig. 7

**THIS PAGE BLANK (USPTO)**

## SEQUENCE LISTING

1020 Rec'd PCT/PTO 07 NOV 2005

## SeqID 1

atgaagaaag	ttttaacctt	cttattatgt	agcttatatt	ttgtatcaat	cccagctata	60
agtaccgagg	agccattaac	gctttctcaa	aatagacgat	acgccttaac	tcagacagtt	120
gtggataaag	aatgtatatt	tgatgctatt	ccagagagac	caactacaaa	aattgaaata	180
agcagttttc	aagatgaagc	tttaaccata	acaggagaga	ctttagtctc	aaatacttta	240
ttgtcgattg	tttctcttac	aattaattca	aatggaattc	cagtattttac	tttgtccaat	300
ggacagttca	taaaggctag	tcgtgaagct	atTTTTaatg	atTTagtctc	taagcagcaa	360
tctgtctcat	tggattattg	gttaaaacct	tcttttTgtg	cttatgaagc	accttacaca	420
aatgggtgta	gtgaagttaa	aaataattta	aaacctttat	ccagagtgc	tttagtagaa	480
caagcagaaa	cagaacatgg	tatttattat	aaaacggaca	gtggTTTTtg	gatatacgt	540
gaagatctat	cgggtgctga	taatcgtag	gctaaggctc	aagaagtatt	attggaaaaa	600
tataataaag	ataaatatgg	tataacatc	aaacaattaa	atacacagac	agtagctggt	660
attaatattg	ataggtcaat	gtactctgca	agtattgcaa	aattagcaac	actttatgct	720
agccaagagc	aagtaaaatt	aggaaaactg	tcattggaca	gcaaatttga	atacaaagat	780
aatgttaact	aatttcctaa	tagctatgat	ccaagtggta	gtgggaaatt	agagaaaaaa	840
gctgctcata	aattatatac	cgTTaaggag	ttacttgaag	caactgccaa	ggaatcagat	900
aatgttgcaa	caaatatgct	aggttattat	gtcaataatc	aatatgattc	aatgtttcaa	960
acacaagtag	acacaatttc	tggtatgcac	tgggatatga	aaaaacgcca	gattttctcca	1020
caagctgcgg	gtaaaatgat	ggaagcaatt	tattatcaaa	atggagatat	tgTTaattac	1080
ctatcaaaga	ctgattttga	taatacaaga	atccctaaaa	atataccagt	taaagtagca	1140
cataaaattg	gagatgctta	tgactacaaa	catgatgcgg	ctattgttta	tgCagaacaa	1200
ccttttatta	tgattatctt	tacggataaa	tcactttacg	atgatatac	taagattgct	1260
gacgacgttt	accaggtttt	aaaataa				1287

## SeqID 2

atgaaaaaaa	gaatattatc	agcagtcctt	gtgagtgagg	taactcttgg	aactgctgcc	60
gtaacagtaa	acgctgatga	ctttgactcg	aaaattgctg	ctactgattc	agtaatcaat	120
actttatcag	ggcaacaagc	agcagcaca	aaccagggtga	ctgctattaa	aggacaagtt	180
ggtgctttag	agtctcaaca	atcagaatta	gaagcgc aaa	atgctcaact	tgaggctgta	240
tctcagcagt	taggtcaaga	gattcaaaact	ctttctaata	aaattgttgc	acgtaacgaa	300
tctttgaaaa	agcaagttcg	tagtgctcaa	aagggttaact	tgactaacta	tattaatact	360
atTTtaaaatt	cgaaatcagt	atctgatget	gttaatcgtg	ttgttgctat	tcgtgagggt	420
gtttcagcta	atgaaaagat	gttagcacaa	caagaggctg	acaaagcggc	cttagaagct	480
aaacaaattg	aaaatcaaaa	tgctataaat	actgtagcag	ctaacaagca	agctatcgaa	540
aataataaag	cagccttagc	aacacaaaga	gcacaattag	aagcagctca	attagagtta	600
tctgctcaat	tgactacagt	ccaaaatgaa	aaagcatctt	taattcaggc	aaaagcacaa	660
gctgaggaag	ctgcgcgtaa	ggcagctgaa	gcacaagcag	cagctgaagc	gaaagcacaa	720
gctgaagcga	aagcacaaagc	tgagtctgta	gcaaaagcac	aggcagcagc	acaagttgag	780
tctgccacag	ctcctactga	aacagttcaa	acacaaccga	gaactgaaat	aaagccttct	840
aatcttacgg	ctacttcttc	ggcaactact	gttgctacaa	ctacagctac	agctactaat	900
gagccaaaaag	ttactcaacc	ttctgtagta	actaaagcag	ttgaagcacc	taaagcagtt	960
gtttcttcaa	cacctagagc	ggatatcaaaa	cctgtttgca	gaagttatga	ttcaagtaac	1020
acatacccaa	tgggacaatg	tacttgggga	gctaagtc aa	tggtctcttg	ggttggtaac	1080
tattggggaa	atgctaatac	gtggggtgct	agtgcacgtg	cagctgggta	ttctgtagga	1140
actaccctc	gtgttggtgc	agtagctggt	tggccatatg	atgggtgggtg	ttacgggcac	1200
gttgcaagtag	taacgtcagt	ggctaacaat	tcacttatcc	aagttatgga	atcaaaactat	1260
gctggaaata	tgagtattgg	caattaccgt	ggttcattta	accctagtgc	ttctggctct	1320
gtttactata	tttaccacaa	ttaa				1344

## SeqID 3

atgaataaac	gtatTTTTgt	tgagaaaaag	gctgactttg	acattaaatc	ggctagtctt	60
gtgaaagagt	tgacgcataa	tctacaactg	acttctttga	aggatttgcg	tattgtgcag	120
gtctatgatg	tcttcaattt	ggctgaggat	ttgctggcgc	gtgctgagaa	gcatattttc	180
tctgagcagc	tgacagctg	tcttttgacg	gaaactgaaa	tcactgcgga	gcttgataag	240
gttgccctct	ttgccattga	ggcgcttcc	ggtcaatttg	accaacgtgc	tgctagtctg	300
caagaatctt	tgtatttgct	tggaaagtgc	agtcagggtta	aggtcaatac	agcccagctt	360
tacttggtca	ataaggatat	tgcaagaagc	gagcttgaag	ccgttaagaa	ctatcttttg	420
aatcctggtg	attcacgttt	caaggacatt	accttgccgc	ttgaagagca	ggctttctct	480
gtgtctgata	agacaatccc	tagtcttgat	ttctttgaaa	cttataaggc	tgacgatttt	540
gcggcctata	aggcagagca	gggcttggtc	atggaggtcg	atgatcttct	cttcatccaa	600
gattattttca	aatcaatcgg	gcgtgtgcc	actgagactg	agttgaaagt	tttgataact	660
tactggtcag	accactgccg	tcacacaacc	tttgaaactg	agttgaaaaa	catcgacttt	720
tcagcttcta	aattccaaaa	acaattgcag	gcgacttatg	acaaatatat	cgccatgcgt	780

gatgaacttg	gtcgttctga	aaagccgcag	acacttatgg	atatggcgac	tatcttttgg	840
cgttatgaac	gtgccaatgg	acgactggat	gatatggaag	tctcagatga	aatcaatgcc	900
tgctcagttg	aaattgaagt	agatgttgat	gggtgtaaaag	agccttggct	cctcatgttt	960
aagaatgaga	ctcacaatca	cccaacagaa	attgagccat	ttgggtggcgc	agcaacttgt	1020
atcgggtggg	ccattcgtga	cccgttgtca	ggacgttcat	acgtttatca	ggctatgcgt	1080
atttcaggcg	caggcgatat	tacgactccg	attgcggaag	cacgtgctgg	taaattggcg	1140
caacaggtta	tttctaaaac	tgcggcgcac	ggctattctt	catatggtaa	ccagattggg	1200
cttgcgacaa	cttatgtgcg	tgagtacttt	caccctggct	ttgtagccaa	acgcatggag	1260
cttggagctg	tggttgtgct	tgacacctaag	gaaaatgtgg	ttcgtgaaaa	accagaagca	1320
ggcgatgtgg	tcattcttgc	cgggtgtaaa	acaggtcgtg	acgggtgctgg	cgggtgcgaca	1380
ggttcatcta	aggttcaaac	ggttgaatct	gtggaacacg	ctggcgcgaga	gggtacaaaa	1440
gggaatgcc	tcgaagaacg	taagattcaa	cgccttttcc	gtaatggtaa	tgtcactcgc	1500
ctaatacaaga	aatcaaatga	cttcggtgca	gggtggtgct	gtgttgccat	cgggtgaattg	1560
gctgacggtc	ttgaaatcga	tttggacaag	gtaccgctta	aataccaagg	tcttaatggg	1620
aatgaaattg	caatctcaga	atcacaaag	cgtatgtcag	tcgttgttgc	tcctagtgc	1680
gtggatacct	tcattcgcagc	ctgcaacacg	atgacgctgt	gaaacgctgt	gggtgctact	1740
attactgcaa	aaccaaacct	tgtcatgact	tgggatgggtg	aaacaattgt	tgacttggaa	1800
cgccgtttcc	ttgataccaa	cgggtgtccgt	gtcgttgttg	atgctaaagt	cgttgacaaa	1860
gacttgacag	ttccagaggt	acgcacaaca	tcagcagaga	cacttgaagc	ggatagcgtt	1920
aaggctctgt	ctgacctcaa	ccacgctagt	caaaaagggtc	tccaaactat	ctttgactca	1980
tctgttggtc	gctcaaccgt	taaccaccca	atcgggtggcc	gttaccaaat	cacaccaaca	2040
gaaagctctg	ttcaaaaatt	gccagttcaa	cacgggtgtca	caacaactgc	atctgttatg	2100
gctcaagggt	acaatcctta	tattgcagaa	tggctacact	accacgggtgc	tgccatagct	2160
gtcattgaag	cgacagctcg	cttggtagca	acgggtgctg	actggtctcg	tgcacgtttc	2220
tcttaccaag	agtatttcga	gcgtatggat	aaacaggcag	agcgttttgg	tcagccagta	2280
tcagctcttc	ttggttctat	tgaggctcag	attcaacttg	gattgccatc	aatcggcggt	2340
aaggactcta	tgtctggtac	tttcgaagaa	ttgacagtac	cgccaacctt	ggtagctttc	2400
gggtgacaa	cagcggacag	ccgcaagggt	ctctctcctg	agtttaaagc	ggctgggtgag	2460
aatatctact	acattccagg	tcaagctatt	tcagaagata	ttgattttga	ccttatcaag	2520
gctaacttta	gccagttcga	gactattcaa	gctcaacata	agattactgc	tgcttcagct	2580
gttaaatacg	gtgggtgcct	agaaaagtctt	gctctcatga	cttttggtaa	ccgtatcggg	2640
gcctctgttg	aaattgcaga	gcttgacagt	agcttgacag	ctcaactcgg	aggctttgtc	2700
tttacatcag	ctgaggaaat	tgctgactcg	gtgaaaatcg	gtcaaaactca	ggcagccttt	2760
acacttactg	tcaatggaaa	tgaccttgct	ggggcaagcc	ttctatcagt	cttcgaaggc	2820
aaattggaaag	agggtttacc	aacagagttt	gaacaggcag	acgctcttga	agaagttcct	2880
gctgtggtat	cagatactgt	tatcaaggct	aaggaaacaa	ttgaaaaacc	agtggtttac	2940
attccagctc	tccctgggtac	caactcagaa	tatgattcag	ctaaggcctt	tgaacagggt	3000
ggagctagtg	tcaacttggg	agcatttgta	accttgaatg	aggctgctat	tgctgactca	3060
gttgacacaa	tgggtcgctaa	tattgctaag	gcaaatatca	tcttctttgc	tggaggattc	3120
tcagcagcgg	atgaaccaga	tgggtctgct	aagtttatcg	tcaatatctt	gcttaacaag	3180
aagggttcgg	cagctattga	cagcttcatc	gaaaagggtg	gccttatcat	cggatatctgt	3240
aatgggttcc	aagcccttgt	taaatcaggt	cttctccat	acggaaactt	cgaggaagct	3300
gggtgagacaa	gtccaaacct	cttctataac	gatgccaaac	agcacgttgc	caagatgggt	3360
gagactcgta	tcgcaaatac	caactcacct	tgggtggtag	gagttgaggt	cggecatatt	3420
catgccatcc	cagtttcaca	cgggtgaagg	aaatttggtg	tcagcgcttc	tgaatttgca	3480
gagctaagag	acaatgggtca	aatctggagc	caatatgtgg	actttgacgg	acaaccatct	3540
atggattcta	aatacaatcc	aatgggtctt	gtcaatgcc	tcgaagggat	taccagcaag	3600
aatgggtcaaa	tcacgggtaa	gatggggcac	tcagaacgct	gggaagacgg	cctcttccaa	3660
aatatccctg	gtaacaaaga	ccaagccttg	tttgctagt	cagtaaaata	ttttacagga	3720
aaataa						3726

## SeqID 4

atgaaaatga	ataaaaagggt	actattgaca	tcgacaatgg	cagcttcgct	attatcagtc	60
gcaagtgttc	aagcacaaga	aacagatacg	acgtggacag	cagctactgt	ttcagaggta	120
aaggctgatt	tggtataagca	agacaataaa	tcatacata	ctgtgaaata	tgggtatata	180
ctaagcggtta	tttcagaagc	aatgtcaatt	gatatgaatg	tcttagcaaa	aataaataac	240
attgcagata	tcaatcttat	ttatcctgag	acaacactga	cagtaactta	cgtacagaag	300
agtcatactg	ccacttcaat	gaaaatagaa	acaccagcaa	caaagtctgc	tgggtcaaca	360
acagctactg	tggatttgaa	aaaccaatcaa	gtttctgttg	cagacaaaa	agtttctctc	420
aatacaattt	cgggaaggat	gacaccagaa	gcagcaacaa	cgattgtttc	gccaatgaag	480
acataattctt	ctgcgccagc	tttgaaatca	aaagaagtat	tagcacaaga	gcaagctggt	540
agtcaagcag	cagctaatga	acaggtatca	ccagctcctg	tgaagtcgat	tacttcagaa	600
gttccagcag	ctaaagagga	agttaaacca	actcagcgt	cagtcagtca	gtcaacaaca	660
gtatcaccag	cttctgttgc	cgtgaaaca	ccagctccag	tagctaaagt	agcaccggta	720
agaactgtag	cagcccctag	agtggcaagt	gttaaagtag	tcactcctaa	agtagaaact	780



gggtgcatcac	cagagcatgt	atcagctcca	gcagttcctg	tgactacgac	ttcaccagct	840
acagacagta	agttacaagc	gactgaagtt	aagagcggtc	cggtagcaca	aaaagctcca	900
acagcaacac	cggtagcaca	accagcttca	acaacaaatg	cagtagctgc	acatcctgaa	960
aatgcagggc	tccaacctca	tgttgagctt	tataaagaaa	aagtagcgtc	aacttatgga	1020
gttaatgaat	tcagtacata	ccgtgcggga	gatccaggtg	atcatggtaa	aggtttagca	1080
gttgacttta	ttgtaggtac	taatcaagca	cttggttaata	aagttgcaca	gtactctaca	1140
caaaatatgg	cagcaataaa	catttcatat	gttatctggc	aacaaaagtt	ttactcaaat	1200
acaaacagta	tttatggacc	tgctaatact	tggaatgcaa	tgccagatcg	tggtggcggt	1260
actgccaaac	actatgacca	cgttcacgta	tcatttaaca	aataa		1305

## SeqID 5

atgttaaaac	attttggtag	taaagtaaga	aatttgagag	taactagaaa	tattactcgc	60
gaagattttt	gtggtgatga	aactgagtta	tctgtaagac	aattagctag	gattgaaagt	120
ggacagtcaa	ttccaaactt	gactaaagct	cactacatag	ctaaacaatt	gaatgtaaaa	180
ttggatattt	taacaggagg	agagagctta	gaattaccta	aacggtataa	agagttgaag	240
tacaaattgt	tgcgtacccc	gacttaocga	gatgctaata	gacttgcagt	tagagaagca	300
tattttgatg	aaatctatga	agtattttat	gaggagctcc	cagaagatga	aagactaatt	360
attgattgta	tgcaatcaaa	attagatggt	catttttctg	ttaatgataa	ttttggaatc	420
actattttac	atgactactt	tgatcaaatt	aagaaaaaaa	aggaataatac	cacaaatgat	480
tttgtttatg	tagatttata	tttactttgc	ttttctatta	actatggaat	gaagagcttg	540
tattctttag	agaactatca	ttttattatg	tcaaaattgt	tagagcaaga	taatttactt	600
cctgaggata	attttcaatt	gaacaacggt	ttattaaatc	atgtcgaatt	agcttttcaa	660
tttaagcaga	aaaaatatgt	acagcaaatt	attcatagaa	gtaatgctat	tatgacagaa	720
atccatgatt	ttcaaaaaag	accaatacta	agcttaatag	agtggaaata	tttattaatt	780
attgaaaaag	atagaacaaa	agcagaaaca	tgttttaaac	aatcaattct	atttgcagag	840
ttaataggtg	atctatatatt	aaaaggaaaa	ttaatagagg	agtggaaata	agattttaaca	900
tga						903

## SeqID 6

atgactgaaa	aaactaaagc	ggtagaaact	acagatggtg	ctcttgcaat	tgatacattg	60
gttcaaaacg	gtttaaaagc	acttgatgag	atgctgcaac	ttaatcaaga	acaagttgat	120
tatattgtag	ctaaagcttc	tgttgagccc	ttggatgccc	atggagaact	tgctcttcat	180
gcagtagaag	aaactggctg	tggtgtcttt	gaagataaag	cgacaaaaaa	tttatttgca	240
tgtgaacacg	tcgttaacaa	catgcgtcat	acaaagacag	tgggagttat	tgaagaagac	300
gatgtcacag	gcttgacatt	aattgctgaa	ccagtgggag	ttgtctgtgg	tattacgcc	360
acaaccaacc	cgacttcaac	tgtatttttc	aagtcattaa	tctctcttaa	aacacgtaat	420
ccaattattt	ttgccttcca	cccatcagca	caagaatcat	cagcacatgc	agcacgtatt	480
gttcgtgatg	ctgctattgc	tgtctggagct	cctgaaaatt	gtgtccaatg	gattgaacaa	540
ccatcgattg	atgcaactaa	tgttttgatg	aacctgatg	gtattgccac	tatccttgcg	600
acagtggtga	atgcgatggg	taaagctgcc	tactcatgtg	ggaaacctgc	ccttggtgta	660
ggtgctggga	atgttccagc	ttatgttgaa	aaatcagcta	atatccgaca	agccgctcac	720
gatattgtta	tgtctaaatc	atltgataac	ggtatggtat	gtgcatcaga	acaggctggt	780
attattgata	aagaaattta	taaagaattt	gttgaagaat	ttaaacttta	tcatacttat	840
ttcgtaataa	agaaagaaaa	agctcttctt	gaagaattct	gttttggtgc	aaaagcaaat	900
agcaaaaact	gtgctgggtg	aaaattaaat	ccaaatattg	ttggaaaatc	agcagtttgg	960
attgctgaac	aagctggatt	tactgttcca	gaaggacaa	atattcttgc	cgcagaatgt	1020
actgaagtta	gtgaaaaaga	acctttgaca	cgtgaaaaac	tatcacctgt	tattgcgta	1080
ttgaaagctg	aatctacaga	agatgggtgt	gaaaaagctc	gtcaaatggt	tgagtttaat	1140
ggtctaggac	actcagctgc	tattcatata	aaagatgcag	acttagctcg	tgaatttgga	1200
actagaattc	gtgctatccg	tgttatttgg	aattctcctt	ctacttttgg	tggtattggg	1260
gatgtttaca	atgctttctt	gccatcattg	actcttggtt	gtggttcgta	tggaagcgt	1320
tcagttgggtg	ataacgttag	tgtataaat	ctcttggaata	tcaaaaaagt	aggaagacgt	1380
agaaataata	tgcaattggt	taaagtccct	tcaaaaaact	acttcgaacg	tgattctatt	1440
caatattttgc	aaaaatgtcg	cgatgttgaa	cgtgtcatga	ttgttacaga	tcacgccatg	1500
gttgagcttg	gtttcttgga	tcgtatcatt	gaacaacttg	atcttctgtg	caataaagtt	1560
gtttatcaga	tttttgctga	agtagaacca	gatccagaca	ttacaacagt	aatgaaagga	1620
acagatttga	tgcgtacctt	caaaccagac	actattattg	cattaggtgg	tggttctcct	1680
atggatgctg	cgaaagttat	gtggctcttc	tatgaacaac	cagaagttga	tttccatgac	1740
ctcggtcaaa	aattcatgga	tatccgtaaa	cgtgcgttca	aattcccaga	acttggttaag	1800
aaaacaaaat	ttgttgctat	tccaacaact	tctggaacag	gttctgaagt	gacaccattt	1860
gccgttatct	ctgacaaagc	aaataatcgt	aaatatccaa	tcgctgatta	ttcattaaca	1920
ccaactgtag	ctatcgttga	tccggccctt	gttatgactg	ttcctgggtt	tattgaggct	1980
gatacgggta	tggatgtatt	gacacatgca	acagaggctt	atgtttcaca	gatggcaaat	2040
gattatacag	acggacttgc	ccttcaagca	attaaaattg	tgtttgacta	cttagaacgc	2100
tcagtaaaag	atgctgattt	tgaagcacgt	gaaaagatgc	acaatgcgtc	aactatggca	2160

ggatggtgctt	tgcgcaatgc	attcttaggt	atttctcact	caatggcgca	taaaattggc	2220
gcacaattcc	atacctgaca	cggacgtaca	aatgcaattc	ttttgcgta	tggtatccgc	2280
tataatggaa	ctcgtccagc	taaaacagca	acatggccta	agtacaatta	ctatcgtgct	2340
gatgaaaaat	atcaagatat	cgctaaatta	ctcggcttac	cagcagcaac	accagaagaa	2400
gctgtcgaat	catatgcaaa	agctgtgtat	gaccttggaa	cacgtttagg	tattaagatg	2460
aatttccgcg	accaaggcat	tgatgaaaaa	gaatggaaaag	aaaaatctcg	tgaactagct	2520
ttcttagcat	atgaagatca	atgttcacca	gcaaatccac	gccttccgat	ggtagatcac	2580
atgcaagaaa	tcacggaaga	tgcttattat	ggttatgagg	aacgtccagg	acgtcgtaag	2640
taa						2643

## SeqID 7

gtgggtatta	aagtttataa	accaacgaca	aatggccgtc	gtaatatgac	ttctttggat	60
tttgacagaaa	tcactacaaa	cactcctgag	aatcattgac	ttgtttcact	aaagaataaa	120
gcaggacgta	acaacaacgg	acgtattact	gttcgtcacc	aaggtgggtg	acacaaacgt	180
cattaccggt	tgattgactt	caaacgtaat	aaagatgggtg	ttgaagcagt	tggtaaaaaca	240
attgaatacgc	atccaaatcg	tactgcaaat	attgctcttg	tacactatac	tgatgggtgtt	300
aaagcttaca	ttcttgccgc	taaaggcctt	gaagtaggtc	aacgcattat	ttctgggtcca	360
gaagcagata	tcaaagttgg	taacgcactt	ccacttgcta	acattccagt	cggtagagtt	420
atccataata	ttgaattgca	accaggtaaa	ggtgctgaat	tgattcgtgc	cgcgggtgct	480
tctgctcaag	tacttggtca	agaaggtaaa	tatgttcttg	ttcgccctca	atcagggtgaa	540
gtacgtatga	tccttggtac	ttgccgtgca	acaattggta	ctgttggtta	tgaacaacaa	600
tcacttggta	acattggtaa	agcaggacgt	aatcggtgga	aaggtgttcg	ccctacagtt	660
cgtgggtctg	taatgaaccc	taatgatcac	ccacacgggtg	gtggtgaagg	taaagcacca	720
gttgggtcgt	aagcaccatc	tactccatgg	ggtaaacctg	cacttggact	taaaactcgt	780
aataagaaaag	ctaaatcaga	caaacttatt	gttcgtcgtc	gtaacccaaa	ataa	834

## SeqID 8

atgattgagt	ttgaaaaacc	aataataaca	aaaattgatg	aaaataaaga	ttacggcaga	60
tttgtcatcg	aaccactaga	acgtggctac	ggtacaactc	taggaaaactc	tcttcgctcg	120
gtgcttctgt	cttcacttcc	aggtgcagca	gtcacatcaa	tcaaaattga	tgaggtatta	180
cacgaatttg	atactatccc	aggtgtacgt	gaagatgtga	tgcaaatcat	ccttaatgta	240
aaaggacttg	ctgtgaaatc	ttacgtcgaa	gacgaaaaga	ttatcgaaact	agacgttgaa	300
ggctcctgcag	aaatttactgc	cggagatatt	ttaacagata	gtgatatcga	aattgtaaac	360
cctgaccatt	atcttttccac	aattgctgaa	ggtcacagtt	tgaaagcaac	aatgacagtt	420
gctaaaaaac	gaggttatgt	tcacgacaga	ggaataaaaa	aagatgatgc	accagtggga	480
acattggctg	tagattcaat	ctatacacca	gtgaaaaaag	ttaattatca	agttgaacct	540
gctcgtgtag	gtagtaacga	tggttttgat	aaattaacta	ttgaaatcat	gacaaatggc	600
acaatcattc	ctgaggatgc	tcttggtctt	tcagctcgcg	tcttaattga	acacttaaac	660
ttgtttactg	atttaacaga	ggttgctaaa	gcaactgaag	taatgaagga	aacagagaaa	720
gtgaacgatg	agaaagtgtc	tgaccgcaca	attgaggaac	ttgatttgtc	agtgcgctca	780
tataactgtt	taaaacgtgc	tggaatttat	acagtatttg	atttaacaga	aaaaactgag	840
cctgaaatga	tgaaagtcgc	aaacttagga	cgtaagagtc	ttgaagaagt	taaaatcaaa	900
cttgccgatc	taggtcttgg	attaaaaaac	gataataaa			939

## SeqID 9

atgaaaaaga	ttcgattatc	aaagtttatt	aaaatgattg	ttgttatttt	gtttttaatt	60
agtgtagcag	ctagttttta	ttttttccac	gttgcccaag	ttcgagatga	taaatccttt	120
atttcaaatg	gtcaacgtaa	gcctggaaac	tctttatagt	cttatgataa	atcctttgat	180
aagctattta	agcaaaaaat	agaaatgaca	aacaaaaata	taaagcaagt	tgcttgggtat	240
gttcctgctg	ctaagaaaac	tcataagaca	gctgttgctg	ttcatgggtt	tgcgaaatagc	300
aaagagaata	tgaaggcata	tggttggctg	tttcataagt	taggatacaa	tggttcttatg	360
cctgacaata	ttgcacatgg	tgaaagtcac	gggcagttga	taggctatgg	ctggaaacgac	420
cgcgagaaca	ttatcaaattg	gacagaaatg	atagttgata	agaatccatc	aagccaaatt	480
actttatttg	gtgtttcaat	gggtggagca	acagctatga	tggttagtgg	tgaataatta	540
cctagtcagg	ttgttaatat	cattgaagat	tgcggttatt	ctagtgtttg	ggatgaatta	600
aaatttcagg	ctaaagagat	gtatggttta	ccagccttcc	cactcttata	tgaagtttca	660
acaatttcta	aaatcagagc	agggttttctg	tatggacaag	caagtagtgt	cgaacaattg	720
aaaaagaata	atttaccagc	cctctttatt	catgggtgata	aggataattt	tgttccaaca	780
agtatggttt	atgacaacta	taaagctaca	gcaggttaaga	aagagcttta	tattgtaaaa	840
ggggcaaaac	atgcgaaatc	ttttgaaaca	gagccagaaa	aatatgagaa	acgtatctct	900
agttttttga	aaaaatatga	aaaataa				927

## SeqID 10

atgtcaaaaag	tacgtggctt	tgaattagtt	agccaattta	gcaataaaga	gttattacca	60
aaacgagaaa	cagctcacgc	agctggctat	gatttaaaag	tagctaaaaa	aacggttatt	120

gaacctgggtg	aaattacatt	ggccccgacc	ggattattaag	cacacatgca	accagggggag	180
gtccctgtacc	tttatgatcg	ttcatcgaa	ccacgtaaaa	aagggattgt	cctaataaat	240
tcagttgggtg	ttattgatgg	tgactactat	aataaccaag	tcaatgaagg	acataattttt	300
gcacagatgc	aaaatattac	tgatcaggct	gttatttttag	aagaagggga	acggattgtt	360
caggctgttt	ttgccccatt	cttattggca	gatgacgatc	aggctacagg	aatgcgtaca	420
ggtggttttg	gtagtactgg	aaaataa				447

## SeqID 11

atgaaatttg	gaaaaaaact	tggttttcta	gccttattga	tgtctattgt	cctcattcta	60
ggtgcatgtg	gtaaaaactg	acttggaat	tctactggga	attctacaaa	aaatgtaacc	120
aaaaaatctg	ctaaaaactt	gaaactagg	gtatctattt	caacaactaa	caatccctac	180
tttggtgcca	tgaaagacgg	tattgacaaa	tatgctagca	ataaaaaaat	aagcattaag	240
gtagctgatg	ctcaagatga	cgccgcacgt	caagcagatg	atgtccaaaa	ctttattagt	300
caaaacgtag	atgctatttt	gattaatccc	gttgactcaa	aagctattgt	aacagctatt	360
aagctctgca	acaacgctaa	tattcctggt	attctaagtg	accgtggtag	tgaggggagg	420
aaagtattaa	ctactgtcgc	ttcagataac	gttgctgctg	gtaagatggc	tgcggttat	480
gctgttaaaa	aactaggcaa	aaaagcaaaa	gcctttgaat	tatctggagt	accaggtgcc	540
tctgctactg	tagaccgtgg	taaaggattt	cattcagttg	caaaatctaa	acttgacatt	600
ctttcaagcc	aatctgccaa	ttttgaccgc	gccaaagctt	tgaatactac	acaaaatatg	660
attcaaggac	ataaagatgt	ccaaattatt	ttcgcacaaa	atgatgaaat	ggcacttggtg	720
gctgcacagg	ctgtcaaact	tgctggcttg	caaaatgttc	ttatcgtagg	aattgatggt	780
cagccagatg	ccataaataa	ggagatattt	cagccactat	tgacacaaca		840
ccagctaaga	tgggagaaat	agcaattcaa	gcagcaattg	atcattataa	aggcaaaaaa	900
gtagagaaag	aaacaatttc	tccaatttac	cttgttacca	aagacaatgt	tgaaaaatac	960
aattggttaa						969

## SeqID 12

atgggaaaaag	aaaaattaat	tttagcttat	tctgggtggtt	tagatacctc	tggtgctata	60
gcttggttaa	aaaaagatta	tgacgttatt	gctgtctgta	tggatgttgg	cgaaggtaaa	120
gatcttgatt	ttattcacga	taaggcttta	acaatagggtg	ccatagaatc	ttataatttta	180
gatgttaaag	atgagttcgc	tgagcatttt	gtgttaccag	ctttacaggc	acatgcgatg	240
tatgaacaaa	aatacccgct	tgtttcagcg	cttagtcgtc	caattattgc	tcaaaaatta	300
gttgaatgg	cacatcaaac	aggtgcgacc	acaattgcc	atggatgtac	aggtaaaggga	360
aatgaccaag	tgogttttga	agttgcaatt	gcagcactag	atcctgaatt	aaaagtaatt	420
gccccgtttc	gtgagtggaa	gtggcatcgt	gaagaggaaa	ttacttttgc	aaaagctaac	480
ggcgtagcta	ttccagcaga	tttagataac	cettattcta	tagaccaaaa	tttatggggga	540
cgtgccaatg	aatgtggtgt	gcttgagaat	ccttggaatc	aagcgccaga	agaagctttt	600
ggtattacaa	aatcaccaga	agaagctcct	gattgtgcag	aatatattga	tattacgttc	660
caaaatggga	agcctatagc	tataaacaat	caagaaatga	cactagcaga	tttgatttta	720
tcgctaaatg	aaattgcagg	aaaacatggt	attggacgca	ttgatcatgt	tgaaaatcgt	780
ttagtccgta	tcaaatcacg	tgaaatttat	gaatgtcctg	cggcaatggt	actgttagct	840
gctcataaag	aaattgaaga	tttaacatta	gtccgtgaag	tgtctcattt	taaacctatc	900
cttgaaaatg	aactatcaaa	tcttatttat	aatgctttat	ggtttagtcc	agctacaaaa	960
gctatcattg	cctatgtcaa	agaaacacaa	aaagtgggta	atggtactac	aaaagttaag	1020
ttatataaag	gtttctgccaa	agtcgttgct	cgccactcgt	ctaattcatt	atatgatgag	1080
aacttagcaa	cttatacagc	tgctgataac	tttgatcaag	atgcagcagt	tggtttttatc	1140
aaactctggg	gacttccaac	ccaagttaat	gcacaagtaa	acaaaggata	a	1191

## SeqID 13

atgggctaaag	tatgttattt	cacaggacgt	aaaacagttt	ctggtaacaa	ccgttcacac	60
gcgatgaacc	aaacaaaacg	tactgttaaa	ccaaaccttc	aaaaagttac	tgttcttattc	120
gacggtaaac	caaaaaaagt	ttgggtttca	gctcgtgcgc	ttaaatctgg	taaagtagaa	180
cgcgttttaa						189

## SeqID 14

atggcaaaac	agaaaaataa	ctggcgccgt	gttgaggattg	gtgtccttac	acttgcttca	60
gttgcgactc	ttgctgcatg	tggaagtaaa	tcagcttccc	aggattctaa	tgagcagatt	120
aattgggcta	ttccaacaga	aatcaatata	ctagatttat	ctaaagttac	agacacttac	180
tcaaatctag	ctattggtaa	ctctagtagt	aatttccttc	gcttagataa	ggatggaaag	240
acgagaccag	atttggctac	ttaaagttgat	gtttcaaaaag	atggtttaac	ttatacagct	300
acattacgta	aaggcttgaa	gtggctcagat	ggcagtaaac	ttactgcaaa	ggattttggt	360
tattcatggc	aacgtttagt	tgatcctaag	acagcttcac	aatatgctta	ccttgctggt	420
gaagggcag	tgcttaaatgc	cgataaaaatc	aacgaaggac	aagagaaaga	cttgaataag	480
ctaggtgtta	aggcagaagg	cgatgacaaa	gttggtatta	ctttatctag	tccgtctcca	540
caattcatct	actaccttgc	attcactaat	ttcatgccac	aaaaacaaga	agttgttgaa	600

aaatatggaa	aagattacgc	aactacttca	aaaaatacag	tttactcagg	accatatact	660
gttgaaggtt	ggaatggttc	aaatgggtact	ttcacccctga	agaaaaacaa	aaattattgg	720
gacgctaaaa	atgtaaaaac	aaaagaagtt	cgcacccaga	ctgttaaaaa	accagatacc	780
gccgttcaaa	tgtataaacg	tggtgaatta	gatgcagcta	atatctcaaa	tacttctgct	840
atztatcaag	ctaataaaaa	taataaagat	gtcacagatg	ttctagaagc	gaccactgcc	900
tatatgcaat	ataatactac	tggttctgtg	aaagggcttg	ataatgttaa	gattcgctgc	960
gccttaaact	tagcaactaa	ccgtaaagga	gttggtcaag	cagccgttga	tacaggctca	1020
aaaccggcaa	ttgctttttg	accgactggg	ttagccaaaa	caccagatgg	aactgatttg	1080
gcaaaataatg	ttgccccagg	ttatgaatat	aataaaaactg	aagcagcaaa	actcttttaa	1140
gaagggtttgg	ctgaatcagg	cttgactaag	ctaaaattaa	caattacagc	agatgctgat	1200
gttcctgctg	ccaaaaactc	tgttgactat	atcaagtcta	cttggaagc	tgctcttcca	1260
ggacttactg	ttgaagaaaa	atgtgttaacc	tttaacaac	gcttagaaga	cagtagaaaa	1320
caaaactttg	atatcgtagt	ttctgttttg	gggtggggatt	atccagaagg	gtcaactttc	1380
tacggcctct	ttaagtcaga	ttcacaaaaat	aacgatggaa	aatttgctaa	caaggactat	1440
gacgctgctt	ataacaaggc	aatttccgaa	gatgccttaa	aaccagaaga	atcagcaaa	1500
gactataaag	aagcagagaa	aattctattt	gagcaaggcg	cttataacct	actctacttc	1560
cgtagtggtg	aaggtttaca	aaatccaaaa	ttaaaagggtg	ttattcgtaa	tactacaggt	1620
ttgtcaatag	actttacaca	tgcttataaa	aaataa			1656

## SeqID 15

atggaactct	taaaaacacc	catctttggt	atgtgctttt	ctttaatact	ctatacgata	60
ggacaacatt	tatttaagaa	gagtaaagg	ttcttccttt	tgcagcctct	tttctttgca	120
atggttagtg	gtattgtcat	tctttggctt	atgtcaaaag	gtttaggaac	cgatgttaag	180
acattttata	cacaagctta	taaaccagg	ggcgatttaa	tattttgggt	tttaaatcca	240
gcaacaattg	cttttgcagt	tctctcttat	aagaaaaatg	acgttggtta	aaaatattgg	300
gtagaaattc	tcagcagttt	agtaatcggt	atgattgttt	cccttatgct	tatcgctcgt	360
atttctaaaa	tggttgggct	tagtcaagtc	ggaattgctt	caatgttgcc	acaagcagca	420
acaacagcaa	ttgctcttcc	aataacagca	gcaattggag	ggaacacagc	tgtgacagca	480
atggcgtgta	tcttaaatgc	agttattatt	tatgcattag	gtaaaaaatt	agtgtcattt	540
ttccatttga	atgatagtaa	gattgggtgca	ggattagggtc	tagggacctc	tggtcataca	600
gtcggagcag	cctttgcatt	ggaattggga	gaactgcaag	gtgcgatggc	agctatagcg	660
gtggtgggtg	tcggtttggt	agttgatttg	gttattccta	tcttttagtca	tttgattggg	720
ttgctataaa						729

## SeqID 16

gtgactaaat	atgtgaagta	catctctttt	gttgctttgt	ttctggcgag	tatcttttta	60
gtagcttgct	aaaatcaaaa	ttcacaaaca	aaggagcgaa	cacgaaaaca	acgacccaaa	120
gatgaattgg	ttgtttctat	gggggcaaa	cttctctcat	aattcgatcc	aaaggaccgt	180
tatggaatcc	ataatgaagg	taatattact	catagtaccc	tattgaaacg	ttctcctgaa	240
ctagatataa	aaggagagct	tgctaaaaaa	tataaaatct	ctaaggatgg	cttaacgtgg	300
tcgttcgact	taaatgatga	ttttaaattc	tccaattggg	agcctgttac	tgctgacgat	360
gttaagttta	cttatgatat	gttgaaagca	gatggaaaag	cttgggattt	gacctttatt	420
aagaatgttg	aagtagtttg	gaaaaaccag	gtaaatatct	atgtgactga	ggcgcatctg	480
acatttacag	cacagttgac	agaaatccca	atcgctcccta	aaaaacatta	caatgataag	540
tataagagca	atcctatcgg	ttcaggacct	tacatggtaa	agaatatata	ggctggagaa	600
caagcaatct	tcgttcgaaa	tccatattgg	cacggtaaaa	agccttattt	taaaaagtgg	660
acttgggtat	tacttgatga	aaatacagca	ctagctgctt	tagaatctgg	tgatgttgac	720
atgattttacg	caacgccaga	gcttgctagc	aagaaagtca	aaggaacacg	tcttctagat	780
attgcttcaa	atgatgttcg	tggtttatcg	ctaccttatg	tgaagaaagg	tggtgtgaaa	840
aattcaccag	acggttatcc	agtaggaaat	gatgtcacta	gtgatccagc	aatcagaaaa	900
gccttgacta	ttggtttaaa	tagacaaaaa	gttctggata	ctgtttttaa	tggttatggg	960
aaaccagctt	attcaattat	tgatagaaca	ccattctgga	atccaaaaac	agcaattaaa	1020
gataataaag	tagctaaagc	taagcaactt	ttgacaaaag	ctggatggaa	agaacaagca	1080
gacggtagcc	gcaaaaaagg	aaatctttaa	gcggaatttg	acctttacta	ccctactaat	1140
gatcaattac	gagcaaaact	agccgttgaa	gtagcggagc	aagctaaaagc	cttaggtatt	1200
actattaaac	tcaaggctag	taactgggat	gaaatggcaa	ctaagtcaca	tgattcagcc	1260
ttactttatg	cgggaggacg	tcacatgcg	cagcaatttt	atgaatcaca	ttaccaaggt	1320
ttagctggta	aaggttgagc	caatattact	ttttataaca	atcctactgt	gactaagtac	1380
cttgacaaa	caatgacatc	tcccagacct	gataaagcta	acaaatattg	gaagttagct	1440
cagtgggatg	gcaaaacagg	tgcttccact	cttggagatt	taccaaattg	atggttggtg	1500
agtcttaacc	atacttatat	tggtgataaa	cgtatcaatg	taggtaaaaca	aggtgtccat	1560
agtcatggtc	atgattggtc	attattgact	aacattgctg	aattggacttg	ggatgaatct	1620
gctaagtaa						1629

## SeqID 17

atggggccaag	aacctatcat	cgaatatcaa	aatatcaata	aagtgtatgg	ggaaaatgtt	60
gcggttgaag	atattaacct	taaaatttac	cctggtgatt	tcgtttgttt	catcggtacg	120
agtggatcag	gtaaaacaac	attaatgctg	atgggttaacc	atatgttaaa	accaacaaat	180
ggtactctat	tatttaagg	aaaagatatt	tctactatta	acccattga	attaagacgc	240
agaattggat	atgttatcca	aaacattggt	ttaatgcctc	atatgaccat	ttacgaaaat	300
atagttcttg	taccaaatt	attgaaatgg	tcagaagaag	ctaaaagagc	taaagcaagg	360
gaacttatta	aattagttga	attacccgaa	gaatatttgg	atcgctaccc	tagtgagttg	420
tctggcggtc	agcaacaacg	tatcggtgtc	attcgcgctc	ttgcagcaga	ccaagatatt	480
attttaattg	atgagccttt	tggagctctg	gatcctatta	ctagagaagg	tattcaagac	540
ttagtcaagt	ctcttcagga	agaaatgggg	aaaactatca	tcttagttac	tcatgatag	600
gatgaagccc	tcaagttagc	aacaaaaatt	attgttatgg	acaatggtaa	aatgggtccaa	660
gaagggacac	ccaatgatct	cttacatcat	cctgctacca	gtttcgttga	acaaatgatt	720
ggggaagagc	gtcttcttca	tgcgacggct	gatattaccc	ctgttaaaca	gataatgtta	780
aataatcctg	tttcaataac	tgctgaaaaa	acactaaactg	aagctattac	actaatgcgc	840
caaaaacgcg	ttgactcact	tctagtaacc	gataacggta	aattaattgg	ttttattgac	900
ttagaatctc	taagcagtaa	atataagaaa	gaccgacttg	tttctgatat	cttaaaacat	960
actgattttt	atgttatgga	agacgactta	cttagaaaata	ctgctgagcg	tattttaaaa	1020
cgtgggttaa	aatacgctcc	agttgttgac	catgagaata	acctaaaggg	cattgttact	1080
cgtgcacccc	tagttgatat	gttatacgat	attatttggg	gcgatactga	aacggaggat	1140
caataa						1146

## SeqID 18

atgaaaatag	ataaaaaaga	attttttagca	cttattgcta	gtattatttt	attaattttt	60
gcttctgtta	cgtttttctt	atttaaagat	catggcacta	ctcaaattga	tactgtagaa	120
agcagtgtta	accatgtcag	tgattctcaa	ttaactgagg	cacaagatat	gtagataaaa	180
tttgagaaga	aaccttcaga	aaaattattg	aaggatgtcg	aacttgcttt	aaataaattg	240
tccaattctt	ctaaaaaaga	agctttgcaa	aaacgtttta	agaaagcaaa	agataagtat	300
cttaaagacg	aagcagataa	gaaagctacc	aaagatgcta	cagatttagt	agaaattcta	360
gaacaagccc	cttcagaaga	aaatgtgtta	aaagctgaag	cagcagtcaa	taagttaact	420
gtcaaagaat	ctaaagaagc	tttacaaaaa	cgtattgata	ctgttaagac	acaatatggg	480
ttgattggga	atcaaactcc	ctctagtcca	gtagctgaaa	ctacagaaca	agggacagct	540
aatcctgcta	gtcaggatac	ttctagtta	gttaatcaga	atgtagcacc	aacttatgag	600
caaccgcaaa	cgaataatac	accagttact	ccaggggtta	acaatactgt	tccgactcca	660
ggaactggta	ctgcacctgc	tactaatggg	acgggtgttg	ctcagtaa		708

## SeqID 19

atgactaaag	atattattatt	ggagcttggc	cttgaagagt	tgccagctta	tgttgtagaca	60
ccgagtgaga	agcaattggg	ccaaaaaatg	gtcaagtttt	tagaggatca	tcgtttatca	120
tttgaaactg	ttcaaacttt	ttcaactcca	cgtcgttttg	ctgttcgtgt	taaaggattg	180
gcagaccagc	agacagattt	aacagaagat	ttcaagggtc	cttctaagaa	aattgctttg	240
gatgcagaag	ggaatttttc	taaagcagcc	caagggtttg	ttcgcgga	aggtttaagt	300
ttgtgatgata	tcgaatttcg	tgaagttaag	ggagaagaat	atgtttatgt	cactaagcat	360
gaaactggaa	aaagtgcgat	tgatgtttta	gcaggtgtga	cagaggtatt	aacagaattg	420
actttccag	tgaacatgca	ttgggcaaat	aatagttttg	aatatattcg	tccagttcac	480
acttttagtg	tattattaga	tgatcaagcc	ttagagctag	acttccttga	tattcattca	540
gggctgatta	gtcgagggca	ccgtttcttg	ggttctgaca	ctgaaatttt	atctgctagt	600
tcgtatgaag	atgacttgcg	acaacaattt	gttattgctg	atgcaaaaga	acgccagcaa	660
atgatcgttg	atcaaattca	tgctatcgaa	gaaaaggaaa	atatttcagt	tgaaattgac	720
gaagattttc	taaatgaagt	gcttaattta	gttgagtatc	cgacagcatt	cttgggttct	780
tttgacgaga	aataccttga	tgtacctgaa	gaagttttag	tcacttcaat	gaaaaatcat	840
caacgcattt	ttgttggtcg	cgacagggat	ggaaaattgt	taccaaactt	tattttctgtg	900
cgtaattggaa	atgctgagca	tatcgaaaat	gttataaaaag	gtaatgaaaa	agtttttagtg	960
gctcgtctcg	aagatgggtga	attcctcttg	caagaagatc	agaaacttaa	tattgcagat	1020
ttagttgaga	aattaaaaca	agtaactttc	catgaaaaaa	ttggttcact	ttatgaacat	1080
atggatcgtg	taaaagttat	ttcacaatat	ttggctgaga	aggcagatct	ttctgatgaa	1140
gaaaaattag	ctgtgcttcg	agctgcaagt	atgtataaat	ttgacctctt	aactggaatg	1200
gttgatgagt	ttgatgaatt	acaagggtatt	atgggtgaga	aatatgcctt	acttgacagg	1260
gaacagcccg	cagtagcagc	agcgatacgt	gaacattata	tgccgacatc	ggccgatgga	1320
gagcttccag	aaaccagagt	tggtgcaatt	ctagcgttag	ctgataaatt	tgacacotta	1380
ctttcattct	tctcagtttg	tttgattcca	agcggttcaa	atgatccata	tgctcttcgt	1440
cgagctactc	aggggattgt	ccgtattttg	gaagcttttg	gttgggatat	cccacttgat	1500
gaatttagtaa	ctaaccctta	tggtctatcg	tttgctagtt	tagattatgc	taatcaaaaa	1560
gaggtcatgg	cctttatttc	agctcgtatt	gaaaagatga	ttggctctaa	ggtcctctaa	1620
gatattcgag	aagccgtttt	agaatcagac	acttatattg	ttagccttat	tctagaagct	1680
agccaagcat	tggtgcaaaa	gagcaaggat	gctcaatata	aagtttccat	tgaaagtgtg	1740

tcacgtgcat	ttaatttagc	tgaaaaagtt	actcattctg	tatcggtgga	ctattcattg	1800
tttgaaaata	atcaggagaa	ggcgctatat	caagctattt	tgtcacttga	actgactgag	1860
gatatgcatg	acaacttaga	taagcttttc	gcacttagtc	caattattaa	tgatttcttt	1920
gataatacaa	tggtaatgac	agatgatgaa	aaaatgaaac	aaaatcgtct	ggctttactc	1980
aatagccttg	ttgcaaaagc	aagaacagtc	gctgctttta	acttattaaa	cacaaaataa	2040

## SeqID 20

atgacatttg	acaccattga	tcaattagcg	gttaatacag	tccgcacgct	ttctattgat	60
gctatccaag	cagcaaattc	tgggcaccca	ggtcttccta	tgggagctgc	gcctatggct	120
tatgtgcttt	ggaataaatt	cttaaatgta	aacccaaaaa	caagtcgcaa	ttggacaaac	180
cgtgaccggt	ttgtgctatc	agctgggcat	ggttcagctc	ttcttttatag	cctacttcat	240
ttagctggct	atgattttatc	aattgatgat	ttaaaacaat	tccgccaatg	gggatcaaaa	300
acacctggac	atccagaagt	taaccatact	gatgggtgtag	aagcaacaac	tggaacctta	360
gggcaaggta	ttgctaattgc	tgttggtatg	gcaatggctg	aagctcattt	ggctgctaaa	420
tttaataaac	caggctttga	tttagttgat	cattacactt	atacacttca	tgggtgatgg	480
tgtttgatgg	aggggtgtag	ccaagaagct	gccagctctg	ctggacactt	aaaacttggg	540
aaattgggtcc	ttcttttatga	ttcaaatgat	atctcacttg	atgggtccaac	gtctcaatca	600
tttacagaag	atgttaaagg	gcgttttgaa	tcatatgggt	ggcaacatat	cttagttaaa	660
gatggtaaatg	atttagaagc	gattgctgca	gcaattgaag	ctgctaaagc	tgaaactgat	720
aaaccaacca	ttattgaagt	taaaactatt	attggatttg	gcgcagagaa	acagggaaca	780
tcttcagttc	atggagcgcc	acttgggtga	gaaggtatta	cttttgccaa	gaaggcttat	840
ggatggggaat	atccagactt	tactgttcc	gctgaatttg	tagctcgatt	tgccctcagat	900
cttcaagcgc	gtgggtgcga	ggcagaagag	gcatggaatg	atctttttgc	taaatatgaa	960
gttgagtatc	cagaatttagc	agctgaatac	aaagaagctt	ttgctggcca	agctgagaca	1020
gttgaattga	aagctcatga	cctaggttca	tcagtggcta	gtcgtgtttc	aagccaacaa	1080
gctattcaac	aattatcgac	tcaattaccg	aacctctggg	gagggctcagc	agacctctca	1140
gcttctaata	acacaatggg	agcagcagaa	acagatttcc	aagcaagtaa	ttacgctggg	1200
cgtaacattt	ggtttggtgt	acgtgaattt	gcaatggctg	ctgcaatgaa	tggaattgcg	1260
cttcacgggtg	ggactcgtgt	ttatgggggt	acattctttg	tcttctcaaa	ctacttggtta	1320
ccagcagtac	gtatggctgc	acttcaaaac	ttgccaactg	tctatgttat	gacacatgat	1380
tctattgctg	ttggagaaga	tgggccaact	catgagccaa	tagaacaatt	agcatcagtg	1440
cgctcaatgc	ctaatttgaa	cgttatccgt	cccgcagacg	gtaatgaaac	aaacgctgca	1500
tggcaacgag	ctgtatcaga	gacagatcga	ccaacgatgc	ttgttttaac	acgtcaaaac	1560
ttaccagttc	ttgaaggaa	atcagaatta	gccaagaag	gggttaataa	aggtgcttat	1620
attttatcag	aagctaaagg	tgaacttgat	ggtatcatca	ttgcaacagg	ttcagaagtt	1680
aaattagctt	tagatactca	agacaaactt	gagtcagagg	gcatccatgt	tcgcgtcgta	1740
tctatgccag	cacaaaacat	ttttgatgaa	caagaggctt	catatcaaga	gcaagtgcct	1800
ccatcagctg	ttacaaaacg	tcttgctatt	gaggcaggat	caagcttcgg	ttggggtaaa	1860
tatgtttggt	taaatgggct	aacacttact	attgatactt	ggggagcatc	agcaccagggt	1920
aacagaattt	tcgaagagta	tggctttaca	gttgagaatg	ctgtatcgct	atataaagaa	1980
ctttaa						1986

## SeqID 21

atgactttgc	aagatcaa	tatcaaagaa	ctcggtgtaa	aacctgttat	taatccaagt	60
caagaaatcc	gtcgttccgt	agaattttta	aaagactatc	tattaaaaca	tagttttcta	120
aagacctatg	tactgggtat	ttcagggggg	caagattcaa	cttttagcag	acgtctagct	180
caactagcag	ttgaagagtt	gcgtgctgat	acaggggaaa	actatcaatt	tatagctatt	240
cgtttaccat	atgggtattca	ggccgatgaa	gaagatgcac	aaaaagcatt	agattttatc	300
aagccagata	ttgctttgac	cattaatatt	aaagaagctg	ttgatggcca	agttagagct	360
cttaatgcag	caggagtaga	gattacagac	tttaataaag	gaaatattaa	agctcgtcaa	420
agaatgatta	gtcaatatgc	agttgcaggt	caatatgctg	gagcgggtat	tggtactgat	480
catgctgcag	aaaatattac	aggttttttc	accaaatttg	gtgatggagg	tgctgactta	540
ttacctctct	ttagacttaa	taaaagtcag	gggaaacagt	tattagctga	acttgggtgt	600
gataaagcct	tgtacgaaa	gattccaacc	gcagatttag	aagaaaataa	accaggaatc	660
gctgatgaaa	agtcctttgg	agtaacctac	caagaatttg	atgcttatct	tgaagggaag	720
gtgggtttcgg	acaagtctcg	aggtatcatt	gaaaattggg	ggtataaggg	tcaacataaa	780
cgtcatcttc	caatcacaat	ttttgatgat	ttctggaaat	aa		822

## SeqID 22

attaaaaagg	aatctgttat	caaactattg	aagtatgctt	ttggcattat	aatgggattt	60
attatcttag	ctattgtaat	aggtgggctc	ctatttgcat	actacgttag	tcgttctccg	120
aaattaaccg	atcaagcttt	aaaatccgtt	aactctagtt	tggtttatga	tggttaataa	180
aaacttattg	ccgatttagg	ctcagaaaag	cgtgaaagtg	ttagtgcgga	tagcattcca	240
ctaaaatttg	ttaacgctat	cacttctatc	gaagataaac	gtttctttta	acatagagggt	300
gtcgatattt	atcgtaattt	aggtgcagct	tggcataatc	ttgttagtag	taatacgcaa	360

ggtggttcaa	cccttgatca	acagttgatt	aaactggctt	acttttctac	caataaatct	420
gaccaaactg	taaaacgtaa	atcacaggaa	gtttggcttg	cgcttcaa	ggagcgtaaa	480
tacaccaaa	aagaaattct	tactttctat	attaataaag	tttatatggg	aaatgggaat	540
tatggtatga	gaacaacagc	taaatcatac	tttggtaaag	acctaaagga	attatctatt	600
gcacaacttg	ctttgctcgc	tggtattcct	caagcaccta	cacaatatga	cccttataaa	660
aacccagaat	ctgctcaaac	aagacgtaat	accgttcttc	agcagatgta	tcaagataaa	720
aacatttcta	aaaaggaata	cgaccaagct	gttgcaactc	cagtaactga	tggcttaaaa	780
gaattaaagc	aaaaatctac	ttatccaaaa	tatatggata	actacttaaa	acaagttatt	840
agtgaagtta	aacaaaaaac	tggtaaagat	atctttactg	ctgggctaaa	agtgtatact	900
aatatcaaca	ctgatgcaca	aaaacaacta	tatgacatct	acaacagtga	cacttacatc	960
gcttatccaa	acaatataga	tctaccatca	tggatgcgac	taatggtaaa		1020
gtcattgcac	aattaggcgg	gcgtcatcag	aattgaaaata	tttcatttgg	gacaaatcaa	1080
tctgtcttaa	cagaccgcga	ttgggggtct	acaatgaaac	ctatctcagc	ttatgcacct	1140
gctattgata	gtgggtgcta	taattcaaca	ggtcaatcat	taaacgactc	agtttactac	1200
tggcctggta	cttctactca	actatatgac	tgggatcgct	aatatatggg	ttggatgagt	1260
atgcagaccg	ctattcaaca	atcacgtaac	gtccctgctg	tcagagcact	tgaagccgct	1320
ggattagacg	aagcaaaatc	tttccttgaa	aaattaggca	tatactatcc	agaaatgaac	1380
tattcaaatg	ctatttcaag	taacaacagt	agcagtgatg	caaaatatgg	tgcaagtagt	1440
gagaaaatgg	cagcgggcta	ctcggctttt	gcaaacggcg	gaacttacta	taaaccgcaa	1500
tatgttaata	aaattgaatt	tagcgatgga	accaatgata	cttatgcagc	gtctggtagc	1560
cgtagcatga	aagagactac	tgcctacatg	atgacggata	tgctgaaaac	agtactaaca	1620
tttggtagtg	gtactaaagc	agctatccct	gggtgtgcac	aagctggtaa	gactggtagt	1680
tccaactata	cggaagatga	gttagctaaa	attgaagcaa	ctactgggat	ctacaatagc	1740
gctgttggtg	caatggctcc	tgatgaaaaa	tttgtcggct	atacttctaa	gtacacaatg	1800
gcaatttgga	ctgggtataa	aaatgcctt	acaccacttt	atggtagcca	actggatatt	1860
gctactgagg	tttatcggtc	aatgatgtcc	tacctaactg	gcggatacag	tgcagattgg	1920
acaatgccag	aagggctcta	tgaagcgga	agctacttgt	atatcaatgg	gacaactaca	1980
accggcactt	actcttcttc	tgtctataag	aatatctatc	aaaattcttg	acagtcaagt	2040
caaagcagta	gttcaacatc	ctctgagaaa	caaaaagagg	ataagaatac	agcaaatgat	2100
gccaattcat	catccccaca	agtcgaaaca	cctaataatg	gtaatgctac	taccctaat	2160
aattccaatc	aaactgtgcc	aggaactgga	catggtaatg	gtaatggtaa	caacaataca	2220
gtacctaacy	gtaattaa					2238

## SeqID 23

atgttagact	taaaacgtat	tcgtagagat	tttgatgttg	tcgctaaaaa	attggccacg	60
cgtgggtgtg	accaagaaac	attaacaacc	cttaagaac	ttgatataaa	acgccgtgaa	120
ctacttatca	aagctgaaga	ggcgaaagcg	caacgtaatg	ttgcttctgc	tgccattgct	180
caagcaaaac	gaaataaaga	gaatgcagac	gagcaaatcg	cagctatgca	aacactttcc	240
gctgatataca	aagcaattga	tgcggaattg	gcagatgtgg	atgctaattt	acaatcaatg	300
gtgaccgtac	ttcctaatac	accagctgat	gatgtgccgc	ttggagcaga	cgaggatgaa	360
aatgttgaag	ttcgctcgctg	gggaactcct	cgtgaatttg	attttgagac	caaagctcac	420
tgggatttag	gtgaaagcct	tgggaattctc	gattgggaac	gtgggtgcaa	agttactggc	480
tctcgcttcc	tcttctacaa	aggtctaggt	gctcgtttag	agcgtgctat	ctacagcttc	540
atgctggatg	aacacgctaa	ggaggggtac	actgaagtga	tccctcctta	tatggttaac	600
cacgattcaa	tgttcggtac	gggacaatat	ccaaagttca	aggaagatac	tttogaatta	660
gcagatagcc	cattcgctact	tatcccaaca	gctgaagtgc	ctttaacaaa	ctattatcgt	720
gatgaaatta	tcgatgggaa	agaattacct	atatacttta	ctgccatgag	tccatcatte	780
cgttcagaag	caggctctgc	aggacgtgac	acacgtggat	taattgcct	tcatcaattc	840
cataaagtag	aaatgggtgaa	atttgccaag	cctgaggaat	cataccaaga	attagaaaaa	900
atgacagcaa	atgctgaaaa	tattcttcaa	aaacttaate	tcccataccg	tgtcattacc	960
ttgtgtacag	gagatatggg	attctcagca	gctaaaacgt	atgacttaga	ggtagtgatt	1020
cccgtcaca	atacttatcg	agaaatttct	tcatgttcta	atactgaaga	tttccaagca	1080
cgctcgctc	aaattcggtta	ccgtgacgaa	gttgatggca	aagttagggt	gcttcatact	1140
ttaaattggt	caggacttgc	agttggacgt	actgtagcag	caatcctcga	aaattatcaa	1200
aatgaagatg	gttctgtgac	tatcccagaa	gttcttcgtc	catatatggg	taatatcgat	1260
attattaaac	caaattag					1278

## SeqID 24

gtgacaatat	caaatcaaga	attgacgctt	actcccttaa	gaggaaaaag	tggcaaagcc	60
tatattggta	cttatccaaa	tgggtgaacgt	gtctttgtca	aatataatac	gacacctatt	120
ttgccagcct	tagctaagga	acagattgctg	ccacaactac	tgtgggcacg	ccgtacaagt	180
aatggcgata	tgatgagtgc	tcaagaatgg	ttagatggtc	gaacattgac	taaagaagat	240
atgggtagta	aacagattat	tcatatttta	ttgcgcctgc	acaagtctcg	tcccttagta	300
aatcagctgt	tacaattagg	gtataaaatt	gaaaaccctt	atgatttggt	gatggattgg	360
gaaaaacaaa	ctcctattca	aatccgggaa	aacacttatt	tgcaatctat	tgtgactgag	420

ttaaagecgt	gtttacctga	gtttcgaaca	gaggttgcaa	caatcggtca	cggagatatc	480
aaacatagca	actgggttat	tacaacaagt	ggtttaattt	atttggttga	ttgggattct	540
gttcgtttaa	cagatcgcat	gtatgacgtt	gcatataatt	taagtcatta	tattccacaa	600
aaacactgga	aagattggct	gtcttactac	ggttataaag	ataatgagaa	agtctggagc	660
aaaattatct	ggtatgggca	attttcatat	ttatcacaga	taatcaaag	ttttgataaa	720
cgagatatgg	agcatgtcaa	tcaagaaatt	tatgaattac	gaaagttag	agagttaatt	780
aaaaagcata	atgcgagtta	g				801

## SeqID 25

atgaaaaat	cacaatacaa	taaatgggtca	attcgccgat	tgaaagttag	agctgcatct	60
gtaatgattg	ctagtgggaag	cattgtttgct	ttagggtcaat	ctcatattgt	ttcagcagat	120
gagatgtccc	aacctaaaac	aaccattaca	gctccaacag	ctaactcttc	tacaaatgta	180
gaaagtagta	ctgataaggc	attatcaaaa	gttactacga	tgagagacaa	ttcagaaatg	240
cctaaaatgc	aaaatatggc	aaaagttgaa	aaaacgagtg	acaaacctat	gatgggtggct	300
acctctgtta	gaaaaatgat	ggcaacgccg	acacctgtag	cgatgaccaa	aacgactagt	360
gtagatgagg	taaagaaatc	aactgatact	gcttttaaac	agacagtaga	cgttccggct	420
cattatgtta	atgcagcaaa	agggaaatggc	ccatttctag	caggtgtaaa	tcaaacgatt	480
ccatatgaag	cgtttggtgg	agatggcatg	ttaacgcgtt	taatccttaa	atcttctgaa	540
ggagcaaaat	ggtcagataa	tggtgttgat	aaaaatagtc	cattattacc	attgaaaggc	600
ttaactaaag	gtaaatatatt	ctatcaagtt	tctttaaatg	gtaatacgac	aggtaaagag	660
ggacaagctc	tcttagatca	aattaaagct	aatgataaac	atagctacca	agccacaatt	720
agagttttatg	gtgctaaga	tggttaaagtt	gatttaaaaa	acatgattag	ccaaaaaatg	780
gtaaccatta	gatttctctca	cattacaact	gatattggaag	taaaaaattc	tctaaagatg	840
gccttttaag	aaaaagtaga	cgtcccagca	aaatatgttta	gtgctgcaaa	agctaaagggt	900
ccatttttag	caggtgttaa	cgaaacgatt	ccatatgaag	cgtttggtgg	ggatggcatg	960
ttaacgcgtt	taatccttaa	agcttcagag	ggagcaaaat	ggtcagacaa	tggtgttgat	1020
aaaaatagtc	cattattacc	gttaaaagat	ttaactaagg	gtaaatactt	ctaccaagtc	1080
tctcttaatg	gcaatacagc	cggtaaaaaa	ggccaagctc	tcttagatca	aattaaggca	1140
aatggaagcc	atacttatca	agcaactatc	actatttatg	gtacgaaaga	tggtcaaagt	1200
gatatgaata	ctattttagg	acaaaagaca	gtgatgattc	atattaatgt	cgctaaaaaa	1260
gatatgaata	gcacatcaat	gatgatgaaa	aaagataaga	tgacaatgcc	tatgaagaaa	1320
gaaatgactt	catctaaaat	aaataccggt	atgatgatgt	ctaacaacaa	gatgtcagct	1380
aatatgcaaa	tgtcatcaca	agccaaatca	aatgataaag	ctggtaaaaa	aatgtctatg	1440
atgtctaaaa	atttacctaa	tacaggtgaa	acaaagcaac	aaaatgtagg	tgtgctagggt	1500
atgcttagtc	tagcctttgc	gacaggtcta	actgcgctag	gccttaaaaa	atctaaacaa	1560
agatag						1566

## SeqID 26

atgacacata	ttacatttga	ctattcaaaa	gtcttgggtc	aattttaggt	cgaacacgag	60
ttagactacc	tacaaccaca	agtaagtgca	gcagatgctt	tccttcgtca	agggactggg	120
cctggctcag	atcttctcgg	atggatggac	ctcccagaaa	actatgacaa	agaagaattt	180
tctcgcattc	aaaaagccgc	tgaaaagatt	aaatcagata	gcgaagtact	cgtgggtatt	240
ggatttgggtg	gttcgtacct	tggcgcacaa	gcagcaattg	actttttgaa	taatcatttt	300
gctaatttgc	aaaccgcaga	agaacgtaaa	gcgcctcaga	ttcttttatgc	tggaatttct	360
atttcatcta	cttaccttgc	cgatttagtt	gaatacgtcc	aagataaaga	atttctcagta	420
aatgtcattt	caaaatcagg	tacaacaact	gaaccagcga	ttgctttccg	tgtattttaa	480
gaacttctag	ttaaaaagta	cggtcaagaa	gaagctaata	aacgtatcta	cgctacaact	540
gataaagtta	aaggtgcccgt	aaaagttgaa	gcagatgcta	acaattggga	aacatttgta	600
gttcttgata	atggttggtg	tcgtttctca	gtactgacag	ccgtagggtc	tcttccaatt	660
gctgcttcag	gagcagatat	tactgctctt	atggaaggcg	caaatgctgc	tcgtaaagat	720
ttatcttcag	ataaaatctc	tgaaaacatt	gcttatcagt	acgctgcagt	tcgtaatggt	780
ctttatcgca	aaggttatat	cacagagatt	ttagctaact	acgaaccatc	attacaatac	840
tttggtgaat	ggtggaacaa	attagcaggt	gaatcagaag	gtaaagatca	aaaaggatc	900
tatcctacat	cagcaaaact	ctcaactgat	cttcactcac	ttggtcaatt	tattcaagaa	960
ggttaccgta	acctctttga	gacagttggt	cgcgttgaga	aacctcgtaa	aaatgtgact	1020
attcctgaat	ttaaccgaaga	tttagatggt	cttggttatc	ttcaaggaaa	agatgtagat	1080
tttggttaata	aaaaagcaac	agatggtgta	ctccttgctc	atacagatgg	tggtggtcca	1140
aatatgtttg	taacgcttcc	tacacaagac	gcttacaccc	ttggttacac	tatttacttc	1200
tttgagtttag	caattggcct	ttcaggttat	cttaactcag	taaatccatt	tgatcaacca	1260
ggggtagaag	catataaacg	taatatgttt	gctcttctag	gtaaacctgg	attcgaagag	1320
cttagcgctg	aattgaatgc	acgtctttaa				1350

## SeqID 27

atgaaagaaa	aacaaacagc	cggacgtcgt	caattagaag	aatttgcacc	tgaatttgcc	60
agatataatg	atgatatttt	atttggtgag	gtttgggcaa	aagaggatca	tttaacagat	120



aaaacacggtt	ctattatttac	tatatctgcc	ttaattagecg	gaggaaatct	tgaacagtta	180
gagcatcacc	ttcaatttgc	caaacaaaac	ggagttacta	aagaagaaat	tgctgacatt	240
atcactcacc	ttgcttttta	tggttgatgg	ccaaaagctt	ggtcagcctt	taataaagct	300
aaggaaattt	ggatataa					318

## SeqID 28

gcttgagag	ctttagagga	tgctcaaaaa	tctggtaagg	taaaatccat	cggtgtctca	60
aacttttttag	aaaaagactt	agaaaatata	ttaaaaaatg	gtcatgttaa	acctgctgtc	120
aatcaaactct	tagctcacat	cggaaatata	cctttcgact	tgattgatta	ctgtcaaagt	180
aaaggtatttc	aagttgaagc	ttattcacca	attgcacatg	gacaagcatt	gaaatctgat	240
ggtattcaaaa	aaatggctga	aaaatatggg	gttagtggtg	ctcaattatg	tattcaatat	300
ttactacaact	taaacctgat	cgtttttacca	aaggcttcta	gtaaagaaca	tttacagtct	360
aatctagact	ttgactttgt	aattagtgc	gaagatatgt	cgatattaaa	atcacttatg	420
tttgacgatt	atgggggaatt	ttctaacttc	cctgttttta	gtgaaaaatg	a	471

## SeqID 29

atgttttagaa	ggtctaaaaa	taacagttat	gatacttcac	agacgaaaca	acggttttca	60
attaagaagt	tcaagtttgg	tgacagcttct	gtactaattg	gtcttagttt	tttgggtggg	120
gttacacaag	gtaactctta	tatttttgaa	gagtcattag	ttgctgcate	tacaattcca	180
gggagtgcag	gcaccttaaa	tacaagcatc	actaaaaata	tacaaaacgg	aaacgcttac	240
atagattttat	atgatgtaaa	gaatggattg	attgatcctc	aaaacctcat	tgtattaaat	300
ccatcaagct	attcagcaaa	ttattatata	aaacaagggtg	ctaaatatta	tagtaatccg	360
agtgaattta	caacaactgg	ttcagcaact	attactttta	atatacttga	tgaactgga	420
aatccacata	aaaaagctga	tggacaaatt	gatatagtta	gtgtgaattt	aactatatat	480
gattctacag	ctttaagaaa	taggatagat	gaagtaataa	ataatgcaa	tgatcctaag	540
tggagtgcag	ggagtgcgtga	tgaagtctta	actggattag	aaaaataaaa	aaaagatatt	600
gataataatc	caaaaacaca	aatagatatt	gataataaaa	ttaatgaagt	caatgaaata	660
gagaaattgt	tagttgtatc	gctaccagat	aaaattaagt	attcaccaga	ggctaagcat	720
aggactgttg	aacaacacgc	ggaattagat	gcaaaagata	gcattgcaa	tacagatgaa	780
ttgccatcaa	attcaacgta	taactggaaa	aatgggtcata	aaccagacac	ctcaacatca	840
ggtgaaaaag	acggaattgt	tgaagttcac	tatccagatg	gtactgttga	tgatgtgaat	900
gttaaaagtaa	ccgttacatc	gaaaaaaact	gataatacac	ctccaacatt	aaccgtcact	960
ccagagcaac	agactgttaa	agtggaatga	gatattacct	ttacggttac	agctgaagac	1020
gaaaatgaag	ttgaactagg	tttagatgat	cttaaagcta	agtatgaaaa	tgatatcatt	1080
ggagctcgtg	ttaaaattaa	gtatcttact	aaagaacctta	ataagaaagt	catggaagtg	1140
acaattatga	aagctacttt	agcagataag	ggcgcaatta	cctttactgc	aaaagataaa	1200
gcaggtaatc	aagcagaacc	taagacagtt	accatcaatg	ttcttccgcc	agataaaaatt	1260
aagtattcac	cagaggctaa	gcataggact	gttgaacaac	acgcggaatt	agatgcaaaa	1320
gatagcattg	caaatacaga	tgaattgcc	tcaaatccaa	cgtataactg	gaaaaattggt	1380
cataaaccag	acacctcaac	atcaggtgaa	aaagacggaa	ttgttgaagt	tcactatcca	1440
gatgggtactg	ttgatgatgt	gaatgttaaa	gtaaccgtta	catcgaaaaa	aactgataat	1500
acagctccaa	cattaaccgt	cactccagag	caacagactg	ttaaagtgg	tgaagatatt	1560
acctttacgg	ttacagctga	agacgaaaa	gaagttgaac	taggtttaga	tgatcttaaa	1620
gctaagtatg	aaaatgatgt	cattggagct	cgtgttaaaa	ttagtatct	tactaaagaa	1680
cctaataaga	aagtcattga	agtgacaatt	atgaaagcta	ctttagcaga	taagggcgca	1740
attaccttta	ctgcaaaaaga	taaagcaggt	aatcaagcag	aacctaaagac	agttaccatc	1800
aatgttcttc	cgccagataa	aattaaagtat	tcaccagagg	ctaagcatag	gactgttgaa	1860
caacacgcgg	aattagatgc	aaaagatagc	attgcaaata	cagatgaatt	gccatcaa	1920
tcaacgtata	actggaaaaa	tggtcataaa	ccagataacct	caacaccagg	agagaaaaac	1980
gctgttgttg	ttgtgacctt	tccagataag	tcaacagatg	aagttcctgt	aaaagttaca	2040
gtggttgacc	cacgtacaga	cgcagagaaa	aatgatccag	caggtaaaga	tcaaactgtc	2100
aaagtgggtg	aacaaccaga	tccgacaaaa	tctcttgaa	cagtaccagc	tggaagtaca	2160
gtagegtaca	aagaaccagt	tgataactaag	acaccaggag	agaaaaacgc	tattgttgtt	2220
gtgacctatc	cagataagtc	aacagatgaa	gttctgttaa	aagttacagt	ggttgaccca	2280
cgtacagacg	cagagaaaaa	tgatccagca	ggtaaagatc	aaactgtcaa	agtgggtgaa	2340
caaccagatc	cgacaaaatc	tcttgaagca	gtaccagctg	gaagtacagt	agcgtacaaa	2400
gaaccagttg	atactaagac	accaggagag	aaaaacgcta	ttgttgttgt	gacctatcca	2460
gataagtcaa	cagatgaagt	tctgttaaaa	gttaccagtgg	ttgacccacg	tacagacgca	2520
gagaaaaatg	atccagcagg	taaagatcaa	actgtcaaa	tggttgaaaca	accagatccg	2580
acaaaatctc	ttgaagcagt	accagctgga	agtacagtag	cgtacaaaaga	accagttgat	2640
actaagacac	caggagagaa	aaacgctgtt	gttgttgtga	cctatccaga	taagtcaaca	2700
gatgaagttc	ctgtaaaagt	tacagtgggt	gacccacgta	cagacgcaga	gaaaaatgat	2760
ccagcaggta	aagatcaaac	tgtcaaagtg	ggtgaacaac	cagatccgac	aaaatctctt	2820
gaagcagtag	cagctggaag	tacagtgcg	tacaaaagaac	cagttgatac	taagacacca	2880
ggagagaaaa	acgctgttgt	tggtgtgacc	tatccagata	agtcaacaga	tgaagttcct	2940

gtaaaagtta	cagtgggtga	cccacgtaca	gacgcagaga	aaaatgatcc	agcaggtggg	3000
gaaacaacag	taccacaagg	cacaccgatc	agtgatgaag	aaattacagg	attagtgaag	3060
attccagaag	gatcaaacgg	cgtaccgaaa	gtagtaggag	accgtccgaa	tacagacgta	3120
ccaggagatt	ataaaagtaac	ggtagaagta	acgtatccag	atggaacaaa	ggatacagta	3180
gcagtaacgc	ttcatgtgac	accaaaacca	gtaccggata	aagataaata	tgatccaaca	3240
ggtaaatctc	agcaaacgca	cggtaaagga	aataaactac	cagcaacagg	tgagagtgca	3300
actccattct	ttaatgttgc	agctttgaca	attatatcat	cagttgggtt	attatctgtt	3360
tctaagaaaa	aagaggatta	a				3381

## SeqID 30

atgcagattc	tcgaagacta	tgatggtaga	gcattaccca	agctagaaac	ggatcgactt	60
atcttgcgtc	agcgaacggg	gggggatgtc	ccagccatgt	ttgattacgt	ttgcttgga	120
gaggttgctc	atccagcagg	gctcagccca	atagcatctt	tagaagatga	gtatgattat	180
tttgaaaatc	gctactatca	aaatctggaa	aaggcaaaat	taccatctgg	ttatggtatt	240
acggttaaag	gaagtgcg	gattatcgga	tcctgcgcct	ttaaccatcg	ccgtgaagac	300
gatgttttcg	agattggcta	tctgcttcat	cctgactact	ggggtcatgg	ctatatgaca	360
gaagctgtcg	ccgctttgat	tgaagtcggg	tttacccttc	tcaatctcca	caaaatcgaa	420
atccgctgct	atgactacaa	taagcaaaagc	cagcgcgtgg	cagaaaaact	aggattcacc	480
cttgaagcaa	ccatccgtga	tcgttaaggat	aatcaaggca	atcgctgtgt	caatttgata	540
tatggtttgc	tgaggagtga	gtggggagtaa				570

## SeqID 31

atgtcaaaaag	aactatcacc	aaaatacaat	cctgccgagg	ttgaggaagg	ccgttatcaa	60
acttggtctt	accaagatgt	tttcaagcca	tcaggggata	ctgaggctaa	gccctattct	120
atcgtgattc	caccacaaa	cgttacgggt	aaattacact	tgggtcacgc	ttgggataca	180
actctacaag	atatcattat	tcgtcaaaaag	cgtagtcagg	gctttgatag	actctggctt	240
ccaggtatgg	accacgctgg	tatagccact	caagctaagg	ttgaggagcg	ccttcgtgag	300
caaggtatgt	cacgttatga	tcttggtcgt	gaaaaattcc	tagataaagt	ttgggaatgg	360
aaagacgagt	atgcagcaac	tattaaatct	cagtggggga	aaatgggtct	ttcggttgat	420
tatagccgtg	agcgttttac	ccttgatgag	ggactttcaa	aagcggtaag	aaaagtcttt	480
gttgatttgt	acaataaagg	ttggatctat	cgtgggggaat	tcattcattaa	ctgggatcca	540
gcagctcgta	cagccctttc	agatatgtga	gttaattcaca	aggatgttga	gggtgctttc	600
tatcatatga	attatatgct	ggaagatggc	tcacgcgcgc	tagaagtagc	aacaactcgt	660
cctgagacta	tgtttgagga	tgtggctgta	gcggtaaatc	cagaagatcc	acgttacaaa	720
gatttgattg	gtcaaaatgt	tatccttctc	atcatcaata	aacctattcc	aatcatcgct	780
gatgaacacg	ctgatccaga	atgttggaaca	ggtgtgggtta	agattacgcc	ggctcacgac	840
cctaagtact	tcgctgtagg	tcaacgccac	aacttaccac	aagttaacgt	tatgaacgat	900
gatggtacta	tgaatgaact	tgcggtatga	tttaattggt	tgatcgcttt	cgaagctcgt	960
aaggcagtag	tcgctaaatt	agaatcggtta	ggaaacttag	taaaaattga	aaaaatgact	1020
cattctgttg	gtcattcaga	acgaacaggc	ggtgtgggtg	aaccacgttt	atctactcaa	1080
tggttcgtca	agatggatca	attggctaag	aatgccattg	ccaaccaaga	tacagaagac	1140
aaggtagagt	tttatccacc	acgatttaac	gatactttta	tgagctggat	ggaaaatgtc	1200
catgactggg	ttatctctcg	tcaattatgg	tggggacacc	aaattcctgc	atggtacaac	1260
gtcaatggtg	agatgatgtg	tgagagaagt	gccccagagg	gtgacggatg	gacacaggat	1320
gaagacgttc	tagacacatg	gttttagttct	gcttttaggc	cgttttcaac	aatgggatgg	1380
ccagacaccg	aagcagctga	cttcaaacgc	tacttcccaa	catcaacctt	ggttaactgga	1440
tacgatatca	tcttcttctg	ggtatcgcg	atgattttcc	aatctcttga	atttacagga	1500
cgccaaccat	tctcaaatgt	tcttattcat	ggactcatcc	gtgatgaaga	aggacgtaaa	1560
atgtctaaat	cacttggcaa	cgggattgat	ccgatggatg	tcattgagaa	atatggtgcg	1620
gatgcccttc	gttggttcct	ctcaaatggt	tcagcccctg	gtcaagatgt	gcgtttttca	1680
tacgaaaaaa	tggatgcttc	gtggaatttc	attaataaga	tttggaacat	ttcacgctat	1740
atccttatga	ataacgaagg	tttaacgttg	gatcaagcca	gagaaaaatg	ggaaaaagtt	1800
gttaatagtc	aagttggaaa	tgtaacagac	cgttggatcc	tccacaattt	aaatgagact	1860
gtgggtaaag	ttactgaaag	ctttgacaag	tttgaatttg	gtgttgctgg	tcacatcctt	1920
tacaacttta	tctgggaaga	atttgcta	tggtacgttg	agttaacaaa	agaggttctt	1980
tatagtga	atgaagatga	gaaagtgtgt	acacgttctg	ttcttcttta	taccttagat	2040
caaactctgc	gtcttcttca	tccaatcatg	ccattttgtg	cagaagaaat	ttttggacaa	2100
tacgcagaa	gatcaattgt	ccttgcaagt	tatccacaag	ttaacgcgac	atttgaaaaa	2160
cagacagctc	acaaaggcgt	tgaagcgttg	aaagatttga	ttcgttcagt	gcgaaatagc	2220
agagcagagg	tcaatgttgc	tccatctaaa	ccaatcacta	tcttggttaa	gacaagtgc	2280
agcgaactcg	aaagcttctt	caaagacaat	agtaactaca	tcaaacgctt	cacaaaccca	2340
gagacgcttg	aaatcagctc	agcgattact	gccccagaac	ttgccatgac	tagcattatc	2400
acaggtgcag	aaattttctt	cccacttgct	gacctcctta	acgttgaaga	agagttggca	2460
cgacttgaaa	aagaacttgc	taaatggcaa	aaagaactaa	atatggtcgg	caaaaaactc	2520
agcaacgagc	gctttgtagc	taacgctaaa	ccagaagtgc	tccaaaaaga	aaaagacaaa	2580

cagaccgact	accaaactaa	atacgacgca	actatagcac	gtattgaaga	gatgaaaaaa	2640
ttaaataatg	attga					2655

## SeqID 32

atggttgagc	caattatttc	aatacaagga	cttcataaaa	gttttgggaa	aaatgaggtt	60
ttaaaaggca	ttgacttgga	tattcatcaa	ggagaagtgg	tggttattat	tggcccttct	120
ggctctggta	agtcaacatt	tttaagaaca	atgaatctct	tgggaagtacc	aacaaaggga	180
acagtgactt	ttgaagggat	tgatataaca	gacaaaaaga	atgatatttt	taaaatgcgc	240
gaaaaaatgg	gcatgggttt	tcaacagttc	aatctatttc	ccaatatgac	tgtactagaa	300
aatattactt	tatcacctat	taagacaaag	ggactttcta	agcttgatgc	tcagacaaaa	360
gcatacgagc	tacttgaaaa	agttggactc	aaagagaagg	ctaattgctta	tccagctagc	420
ttatctggag	ggcaacaaca	acgaattgct	attgcaagag	gtcttgcaat	gaatcctgat	480
gtccttcttt	ttgatgaacc	tacttcagct	cttgatcctg	aaatggtagg	tgaagtcttg	540
actggttatgc	aagattttagc	taaatctggt	atgacgatgg	ttattgtcac	tcagaaatg	600
ggttttgcac	gtgaagtgc	ggatcgtgct	atttttatgg	atgcaggcat	tattgttgag	660
caagggaccc	ctaaggaagt	atgtgagcag	acaaaagaaa	tccgcacaag	agatttctta	720
agtaaagtat	tataa					735

## SeqID 33

atgaattata	aagagattta	tcaagagtgg	ttagaaaacg	actcactcgg	taaagatatt	60
aagtcagatt	tagaagctat	taaaggcgat	gaatctgaaa	ttcaggatcg	tttttacaaa	120
acattagaat	ttggaacggc	gggattgaga	ggtaaacttg	gagcaggaaac	caatcgtatg	180
aatacttata	tgggtggggaa	agcagcacia	gcattagcta	atacgattat	tgatcatggc	240
cctgaagcta	ttgcacgtgg	aattgcagtt	agttatgatg	tccgttatca	atctaaggaa	300
tttgacagaat	taacttggtc	cattatggca	gcaaatggta	ttaagtctta	tatttataaa	360
gggattcgcc	caacaccaat	gtgctcatat	gctattcgtg	ctctaggatg	tggttcgggt	420
gtgatgggta	ctgctagtca	taatcctcaa	gcttataatg	gttataaggc	atattggaaa	480
gaaggatctc	agatttttaga	tgatattgct	gatcaaatgg	ccaatcatat	ggatgctata	540
accgattatc	agcaaatagg	gcaaatcccc	tttgaagagg	ctctggcaag	tggtttggca	600
agttatattg	atgagagtat	tgaagaagca	tataaaaaag	aagtgccttg	tttaaccatt	660
aatgatacta	acattgataa	gtcagtcgga	gtagtttata	ctccttttaa	tggcgtagga	720
aatttacctg	tgcgcgaagt	tttaagacgc	cgtgggtttg	aaaatgttta	tgtggtacct	780
gagcaggaaa	tgcccgatcc	tgattttaca	acggttggct	atccaaaccc	tgaagttcct	840
aaagcatttg	cctattcaga	atctctagga	aagtcagttg	atgcagatat	cttacttgcc	900
acagatccag	attgtgaccg	agtagcattg	gaagtcaaaag	atagtaaggg	agaatatatt	960
ttcttaaatg	gtaataagat	aggggcactt	ctttcctatt	atattttttc	acaacgatgt	1020
gccttaggga	atttgccaca	tcacctgtga	ttggtaaaat	ccattgtaac	tggtgatcta	1080
tcaaaagtta	ttgcagataa	atataatatt	gaaactgttg	aaactttaac	cggatttaaa	1140
aatattttgtg	gaaaagctaa	tgaatatgat	atctcaaagg	ataaaactta	tctctttggc	1200
tatgaagaaa	gtattgggtt	ttgctatggc	actttttgtac	gtgataaaga	tgctgtgagt	1260
gcttcaatga	tggtagttaga	aatgactgcc	tattataaag	aacgagggca	aacactttta	1320
gacgttttgc	aaaccattta	cgatgaattt	ggctattaca	acgagcgcca	attttctctt	1380
gagtttagagg	gtgctgaggg	gcaagaacgt	attagtcgta	ttatggagga	ttttagacag	1440
gacccaatat	tacaagttagg	tgagatgaga	ttggagaatt	ctattgattt	caaggatggg	1500
tataaggatt	ttccaaagca	aaattgttta	aaatattatt	ttaatgaggg	ttcatggtat	1560
gctttaaggc	cgtcaggggac	ggaacctaaag	ataaaatgtt	acctttatac	gattggttgt	1620
acagaagcag	atagtttatc	gaaacttaat	gcaattgagt	cggcttgctg	tgctaaaaatg	1680
aatagtacta	aataa					1695

## SeqID 34

atgtatagag	aaattaccgc	tgtcgaacac	gatcgctttg	tgagcgaatc	caaccaaaca	60
aacctacttc	aatcttctaa	ttggcccaaa	gtaaaagaca	actggggtag	tcaattactt	120
ggettttttg	acggtgaaac	ccaaattggc	agcgctagta	ttctcatcaa	atcacttctt	180
cttggcttct	ccatgctata	tattccgcgt	ggaccaatca	tggattactc	caatctagat	240
attgtaacta	aggtccttaa	ggaccttaaa	gcttttggca	aaaaacaaag	agctctcttt	300
atcaagtgtg	atcctctcat	ctatttataa	atgggtcaatg	ccaaagattt	tgaaaattcg	360
ccgatgaaa	aagaagggtt	aatcgccatt	gatcattttac	agcgtgcagg	tgctgattgg	420
actggtcgga	caacagattt	agctcatact	atccaaccac	gttttcaggc	aaacctatat	480
gctaatcaat	ttggacttga	taaaatgtct	aaaaaaactc	gtcaagctat	tcgaacttcc	540
aaaaataagg	gagtagatat	acaatttggg	agccatgaac	tacttgaaga	ttttgcagag	600
ttgatgaaaa	aaacggaaga	cogtaaaggg	ataaatctta	gaggaattga	ctactacca	660
aaactccttg	atacgtatcc	taataactca	tacatcacaa	tggcttcgct	agatgttgca	720
aaacgatttag	aaaaaataga	aaaagaatgt	cagatagccc	aatctgaaag	aataaaatca	780
cttgaactta	atcgtgagaa	aaaagttaaa	caacaccaag	gtacgattga	tcgattaaat	840
aaagaaattg	attttctcaa	agaagctcaa	aaagcctatg	accgagacat	tattccattg	900

gctgcaaccc	tcactctaga	atgttggaat	acatcagaaa	atattttatgc	tggtatggac	960
gattacttta	aactcttattc	tgctcctatt	tacacttggt	ttgaaacagc	tcaaagggct	1020
tttgaacgtg	gaaatatttg	gcaaaatatg	ggggggattg	agaatgactt	atctgggtgt	1080
ttatatcatt	ttaatgtctaa	gttcgaacca	atcattgagg	aattttattgg	agaatttaac	1140
attccagtga	acagattgct	ttataaagcc	tctaattatg	tctatgcctt	acgcaaaaaa	1200
cgtaatatgt	ag					1212

## SeqID 35

atggcttgta	caacaatatt	ggttggtaaa	aaggtctctt	atgatgggtc	gactatgatc	60
gctagaacgg	aagactctgt	taatggcgat	ttcacaccca	aaaaattaaa	ggtaatgaca	120
tctaaagatc	aaccgcgtca	ttacaaatca	gttttatcaa	attttgaagt	agattttacca	180
gataacccac	ttcctttatc	ttcagtaccg	gacgcattgg	gaaaagatgg	tatatggggg	240
gaagccggta	ttaacagtaa	aaatgtagcg	atgagtgtct	cagaaactat	tacaacgaat	300
tcacgcgttt	tgggtgcaga	tccttttggt	tcagatggta	taggggaaga	ggatatactc	360
acttttagtgc	ttccctatat	tcagtcagcg	cgagaagggt	tggagcggtt	aggtgctatt	420
ttggaaaaat	atggaaccta	tgaatcaa	ggtattgctt	tttcagatac	cgaagaaata	480
tgggtggtag	aaacaattgg	tgggcatcat	tggattgtct	gtcgcgtacc	tgatgatgtt	540
tatgttacta	atcctaacca	actaggaatt	gatcattttg	aatttaataa	ctgtgatgac	600
tacatgtgct	ctagtgtatt	gaaagagttt	atcgaacaat	accatttaga	tttgacctat	660
tctaattgagc	atttcaatcc	tcgatatgct	tttggtagcc	aacgtgataa	agatcgtcat	720
tacaacacac	caagaagttg	ggcaatgcag	cgttttttta	atcctgaaat	tgaacaggat	780
ccacgtatgt	tgttttattcc	ctggtgtcaa	aagccttacc	gaaaaattac	tggtgaggat	840
attaaatattg	tggtgagtga	tcattatcaa	gacagtgtgt	atgaccata	tggaaccagaa	900
ggggatgcgg	taagtaggag	agcttttctg	tcagttggta	tcaaccgaac	tagtcaaacy	960
tctattctac	aattacgacc	aaataaatca	cttgaacaga	caggtgttca	atggtttatc	1020
tatggctcta	tgccatttgc	aaccatgggt	ccgttgttta	cacaagttga	gactgtacca	1080
aactatTTTT	cgaatacaac	caaggatgct	tcaacagata	atTTTTattg	gaccaatcgt	1140
tttaattgcag	ctctagcaga	tcacactttt	tatcaacatg	aagctgatat	tgaagctat	1200
atcgagagaa	cgatggctca	aggacatgca	catattaacg	gtgttgatag	agaagttgct	1260
gagaataaag	agattgattt	tcaacagaaa	aatcaagaaa	tgagtgacta	tatccaaaaa	1320
gaaagccaag	aattgttaaa	tcgtattcta	tttgatgcaa	gtaatttaat	gacaaatcgc	1380
ttttcaatgg	gagatttaa					1398

## SeqID 36

atgagaaaga	aattttctttt	attgatgagc	ttttagacta	tgtttgcagc	ttggcaactt	60
gttcaagtta	aacaagtttg	ggctgatagt	aaacttaag	tggttaacaac	tttttaccac	120
gtttatgagt	ttacaaaaaa	tgctggttgg	gataaagctg	atgtatctat	gttaattaaa	180
gcaggtacag	aaccgcgtga	ttttgaacca	tcaactaaaa	acatcgctgc	catccaagat	240
tcaaatgctt	ttgtttacat	ggatgataac	atggaaactt	gggtccaaa	agtagctaag	300
tcagttaaat	ccaaaaaagt	aacaactatt	aaaggtagct	gcgatatgtt	acttactaaa	360
ggcgtcgaag	aagaagggtga	agaacatgaa	ggacatgggt	atgaagggca	tcatcatgaa	420
cttgaccac	acgtatgggt	gtctccagaa	cgctgcgatt	ctgttgtaga	aaacatccgt	480
aataaatttg	tcaaagctta	tccaaaagat	gcagcttcat	ttacaaaaaa	tgcatatgct	540
tacattgcaa	aattaaaaga	gcttgacaaa	gaatacaaaa	atggtttgtc	aaatgctaaa	600
caaaagagtt	ttgtgactca	acacgcagcg	tttggttaca	tggcgcttga	ttacggttta	660
aatcaagttc	caattgctgg	tcttactcca	gatgcagaac	cttcatcaaa	acgttttaggc	720
gaattagcta	aatacatcaa	gaaatataac	atcaactaca	tttattttga	agaaaatgct	780
tcaataaag	ttgctaaaac	tttagcagat	gaagttggcg	tgaaaacagc	tgtgcttagt	840
ccacttgaag	gactttctaa	aaaagaaatg	gcagctggcg	aagattactt	ctcagttatg	900
agacgtaatt	tgaaagtctt	taaaaagaca	acagattgtg	caggtaaaga	agtagctcct	960
gaagaagata	aaactaaaac	agttgaaaca	ggttacttta	aaactaaaga	tgttaaagac	1020
cgtaaattga	cagattactc	tggttaattgg	caatcagtat	atcctcttct	tcaagatggg	1080
acacttgatc	cagtttggga	ttacaaagct	aaatctaaaa	aagatatgac	tgctgcagag	1140
tacaaaaaat	attatacagc	aggttacaag	actgacgtag	aatcaatcaa	gattgatggg	1200
aaaaaacatc	aaatgacctt	tgtacgtaat	ggtaaatcac	aaacattttac	atacaaatat	1260
gcaggttaca	aaatcttaac	ttataaaaaa	ggtaatcgtg	gagtacgtta	tctctttgaa	1320
gctaaagaaa	aagatgctgg	tcaattcaaa	tatatccaat	ttagtacca	tggtattaaa	1380
ccgaataaag	ctgaacactt	ccatatcttc	tgggggttcag	aaagccaaga	aaaatttatt	1440
gaggaaatgg	aaaactggcc	aacatacttc	ccagctaaaa	tgtctggacg	tgaagttgcc	1500
caagacctta	tgtctcatta	a				1521

## SeqID 37

atgaaattat	cgaagaagtt	attgttttctg	gctgctgttt	taacaatggg	ggcgggggtca	60
actgttgaac	cagtagctca	gttttgcgact	ggaatgagta	ttgtaagagc	tgcaagaagt	120
tcacaagaac	gccacgcgaa	aacaacagta	aatatctata	aattacaagc	tgatagttat	180

aaatcgga	ttacttctaa	tgggtggtatc	gagaataaag	acggcggaagt	aatatctaac	240
tatgcta	ttgggtgacaa	tgtaaaagggt	ttgcaagggtg	tacagtttaa	acgttataaa	300
gtcaagacgg	atatttctgt	tgatgaattg	aaaaaattga	caacagttga	agcagcagat	360
gcaaaagt	gaacgattct	tgaagaagggt	gtcagttctac	ctcaaaaaac	taatgctcaa	420
ggtttggtcg	tcgatgctct	ggattcaaaa	agtaattctga	gatacttgta	tgtagaagat	480
ttaaagaatt	caccttcaaa	cattaccaaa	gcttatgctg	taccgtttgt	gttggaatta	540
ccagttgcta	actctacagg	tacaggtttc	ctttctgaaa	ttaatattta	ccctaaaaac	600
gttgtaactg	atgaaccaaa	aacagataaa	gatgttaaaa	aattaggtca	ggacgatgca	660
ggttatacga	ttgggtgaaga	attcaaatgg	ttcttgaaat	ctacaatccc	tgccaattta	720
ggtgactatg	aaaaatttga	aattactgat	aaatttgcag	atggcttgac	ttataaatct	780
gttggaaaaa	tcaagattgg	ttcgaaaaca	ctgaatagag	atgagcacta	cactattgat	840
gaaccaacag	ttgataacca	aaatacatta	aaaattacgt	ttaaaccaga	gaaattttaa	900
gaaattgctg	agctacttaa	aggaatgacc	cttggttaaaa	atcaagatgc	tcttgataaa	960
gctactgcaa	atacagatga	tgcggcattt	ttggaaattc	cagttgcatc	aactattaat	1020
gaaaaagcag	ttttaggaaa	agcaattgaa	aatacttttg	aacttcaata	tgaccatact	1080
cctgataaag	ctgacaatcc	aaaaccatct	aatcctccaa	gaaaaccaga	agttcatact	1140
ggtgggaaac	gatttgtaaa	gaaagactca	acagaaaacac	aaacactagg	tggtgctgag	1200
tttgatttgt	tggttcttga	tgggacagca	gtaaatggga	cagatgctct	tattaaagcg	1260
aatactaata	aaaactatat	tgctggagaa	gctgttactg	ggcaaccaat	caaattgaaa	1320
tcacatacag	acggtacgtt	tgagattaaa	ggtttggtt	atgcagttga	tgcgaaatgca	1380
gaggggtacag	cagtaactta	caaattaaaa	gaaacaaaag	caccagaagg	ttatgtaatc	1440
cctgataaag	aaatcgagtt	tacagtatca	caaacatctt	ataatacaaa	accaactgac	1500
atcacgggtg	atagtgtctg	tgcaacacct	gatacaatta	aaaacaacaa	acgtccttca	1560
atccctaata	ctggtggtat	tggtacggct	atctttgtcg	ctatcgggtg	tgcggtgatg	1620
gcttttgctg	ttaaggggat	gaagcgtcgt	acaaaagata	actaa		1665

## SeqID 38

atgaaaaaga	gacaaaaaat	atggagaggg	ttatcagttta	ctttactaat	cctgtcccaa	60
attccatttg	gtatattggt	acaagggtgaa	acccaagata	ccaatcaagc	acttggaana	120
gtaattgtta	aaaaaacggg	agacaatgct	acaccattag	gcaaaagcag	ttttgtgtta	180
aaaaatgaca	atgataagtc	agaaaacaagt	cacgaaacgg	tagagggttc	tggagaagca	240
acctttgaaa	acataaaacc	tggagactac	acattaaagag	aagaaacagc	accaattggg	300
tataaaaaaa	ctgataaaac	ctggaaaagt	aaagttgcag	ataacggagc	aacaataatc	360
gaggggtatg	atgcagataa	agcagagaaa	cgaaaagaag	ttttgaatgc	ccaatatcca	420
aaatcagcta	tttatgagga	tacaaaagaa	aattacccat	tagttaatgt	agagggttcc	480
aaagttgggtg	aacaatacaa	agcattgaat	ccaataaatg	gaaaagatgg	tcgaagagag	540
attgctgaag	gttggttatc	aaaaaaaatt	acaggggtca	atgatctcga	taagaataaa	600
tataaaattg	aattaactgt	tgagggtataa	accactgttg	aaacgaaaga	acttaataca	660
ccactagatg	tcgttgtgct	attagataat	tcaaatagta	tgaataatga	aagagccaat	720
aattctcaaa	gagcattaaa	agctggggaa	gcagttgaaa	agctgattga	taaaattaca	780
tcaaataaag	acaatagagt	agctcttgtg	acatatgcct	caaccatttt	tgatggtact	840
gaagcgaccg	tatcaaaggg	agttgccgat	caaaatggta	aagcgctgaa	tgatagtgtta	900
tcagtgggatt	atcataaac	tacttttaca	gcaactacac	ataattacag	ttattttaat	960
ttaacaanaag	atgcataacga	agttaatat	ctaaagtcaa	gaattccaaa	ggaagcggag	1020
catataaatg	gggatcgcac	gctctatcaa	tttggtgcga	catttactca	aaaagctcta	1080
atgaaagcaa	atgaaatttt	agagacacaa	agttctaagt	ctagaaaaaa	acttattttt	1140
cacgtaactg	atgggtgtcc	tacgatgtct	tatgccataa	attttaatcc	ttatatatca	1200
acatcttacc	aaaaccagtt	taattctttt	ttaaataaaa	taccagatag	aagtgggtatt	1260
ctccaagagg	attttataat	caatgggtgat	gattatcaaa	tagtaaaagg	agatggagag	1320
agtttttaaac	tgttttcgga	tagaaaaagt	cctgttactg	gaggaacgac	acaagcagct	1380
tatcgagtac	cgcaaaatca	actctctgta	atgagtaatg	agggatatgc	aattaatagt	1440
ggatatattt	atctctattg	gagagattac	aactgggtct	atccatttga	tcctaagaca	1500
aagaaagttt	ctgcaacgaa	acaaatcaaa	actcatgggtg	agccaacaac	attatacttt	1560
aatggaaata	taagaccta	agggttatgac	atttttactg	ttgggattgg	tgtaaacgga	1620
gatcctgggtg	caactcctct	tgaagctgag	aaatttatgc	aatcaatatc	aagtaaaaca	1680
gaaaattata	ctaagtgtga	tgatacaaat	aaaattttatg	atgagctaaa	taaatacttt	1740
aaaacaattg	ttgaggaaaa	acattctatt	gttgatggaa	atgtgactga	tcctatggga	1800
gagatgattg	aattccaatt	aaaaaatgggt	caaaagtttta	cacatgatga	ttacgttttg	1860
gttggaatg	atggcagtc	attaaaaaat	ggtgtggctc	ttgggtggacc	aaacagtgat	1920
gggggaattt	taaaagatgt	tacagtgact	tatgataaga	catctcaaac	catcaaaatc	1980
aatcatttga	acttaggaag	tggacaaaaa	gtagttctta	cctatgatgt	acgtttaaaa	2040
gataactata	taagtaacaa	atttttacaat	acaaataatc	gtacaacgct	aagtcggaag	2100
agtgaanaag	aaccaaatc	tattcgtgat	ttcccaattc	ccaaaattcg	tgatgttcgt	2160
gagtttccgg	tactaacat	cagtaatcag	aagaaaatgg	gtgaggttga	atttattaaa	2220
gttaataaag	acaaacattc	agaatcgctt	ttgggagcta	agtttcaact	tcagatagaa	2280

aaagattttt	ctgggtataa	gcaatttggt	ccagagggaa	gtgatgttac	aacaaagaat	2340
gatggtaaaa	tttattttta	agcacttcaa	gatggtaact	ataaattata	tgaaatttca	2400
agtccagatg	gctatataga	ggttaaaacg	aaacctgttg	tgacattttac	aattcaaaat	2460
ggagaagtta	cgaacctgaa	agcagatcca	aatgctaata	aaaatcaa	cgggtatctt	2520
gaaggaaatg	gtaaacatct	tattaccaac	actcccaa	gcccaccagg	tgtttttcct	2580
aaaacagggg	gaattggtac	aattgtctat	atattagttg	gttctacttt	tatgatactt	2640
accatttggt	ctttccgtcg	taaacaattg	ttaa			2673

## SeqID 39

ggagcaaaaa	aggcagggtg	gactgaatac	gctaggatgt	tagaagtcag	agagcagggt	60
gaccatgtga	tgattccaaa	aatcaatcag	gattttacca	tctacgctgg	tccagaagag	120
gacaatctgc	aacggggagt	tggtcatcta	gaagggataa	gtttgccgat	tgagggggct	180
tctacacatg	cggctcttag	cggtcaaa	ggtatgccag	ctgctcgggt	gtttgcggat	240
ttggataaag	tgaaaaaagg	tgattatttt	tatgttacca	atctgaaaga	aaccttggct	300
tatcaagtgg	atcgatcat	ggtgattgaa	cctagccaat	tggatgccgt	gagcattgaa	360
gaggataaag	attatgttac	ccttctgacc	tgtacacctt	atatgggctc	tttgtcaact	420
gtaatgggtg	acttatcatt	aacaacgaga	gagaatcagc	ttggttctct	ctcttttttg	480
atgttcaaag	cgatgagaat	tttgctttta	aaatttttta	agttgcgaaa	gccaaaggct	540
tgtcgcttga	tgtctttgat	aagcttggtg	gtcgccttcta	atttggcatt	ggaaagggat	600
agctga						606

## SeqID 40

atgtcggatg	ttgtcgaaaa	acaaacagct	aaatcgttta	taatgaacgt	attaaatggt	60
ttagcttttag	ggactgttat	tgtcttgata	ccaggagcaa	tccttgagga	attaatgaaa	120
gctttactgc	caatgtggag	cggatttgca	actttaatcg	ctgcaacagc	agttgcaaca	180
agtatgatgg	ggcttgttat	tggtattatg	gttggctcca	attttaaatt	taatcccatt	240
caatcagcat	cactaggatt	agcggttatg	tttgcagggtg	gagctgcaac	cttccttaaa	300
ggcgctatta	tgctaaaagg	aacaggcgat	atcattaata	tgggaattac	tgctgcctta	360
ggtgtccttt	tgatccaatt	tttatctgac	aagacgaaat	cattcacttt	gattgtcatt	420
ccaacagtaa	cactcttact	agttggagga	gtaggctcatg	tgttattacc	ttatgtcaaa	480
atgattacca	ccatgattgg	acaagggatt	gcttcattac	ttggttttaca	acctgttttg	540
atgtcaattt	taattgcgat	gattttctgt	ttcttgatcg	tatctccaat	cacaacagtt	600
gggattgctt	tggcaatttag	tttgtccgga	attggttctg	gtgctgctaa	tttaggtatc	660
tggtctgcta	gttttgggct	ttgtatggct	gggtgggtcag	tcaattctaa	ggggacagcc	720
ttagcgcatg	tttttagggct	tcctaagatt	tcgatggcta	atgtattagc	aaaaccgaag	780
attatgctac	ctatgatatc	ttcagcagca	atactaggaa	ttctcggagc	tctctttaat	840
attcaaggaa	caccagctag	tgcaggtttt	ggtatcagtg	gtttgattgg	accgattaat	900
gctcttaatt	tagcaaaagg	tggatgggtca	gttatgaata	tgttattgat	aattataata	960
tttggtgctg	caccaattat	attgaatttt	atttttaatt	acctctttat	aaaagtactt	1020
aaaattattg	atccaatgga	ctataaatta	gatatttaa			1059

## SeqID 41

atggctagac	ccttagtaga	acaaacagca	gatcgtctat	tgcatttaat	tttagaaaga	60
gaataccctg	ttggtgctaa	gtcccccaat	gaatatgaat	tagcggaaga	tctagatgtt	120
ggtcgcagca	caatccgaga	agcagtcaga	agtttagcaa	cgcgtaatat	tttagaagtc	180
agacagggct	ctggaacata	tattagttct	aaaaagggtg	ttcttgagga	tccattaggg	240
ttctctctaa	taaaaggacac	agatagggtg	acatcagatc	tttttgaact	acgcctttta	300
ttggaacctc	gaatagcggg	gctggttagct	tatagaatta	cagatgatca	gttacaatta	360
ctcgaaaagc	ttggtggaga	tattgaagat	gctgttcacg	caggcgatcc	gaaacattta	420
cttttagatg	tggaaatttca	ttccatgcta	gctaaataca	gtggtaatat	tgcaatggat	480
agccttttgc	cagtcatcaa	ccagtcaatt	catctgataa	atgcgaatta	tacaaatcgt	540
cagatgaagt	cggatagttt	agaagcacat	agagaaatta	tcaaagcaat	ccgagaaaaa	600
aatccagtag	ctgcacatga	tgctatgctt	atgcataatca	tgagtgttag	acgttcagca	660
ttgaaagctt	aa					672

## SeqID 42

atgattaaga	aaaataaagt	tttttttagga	gttcttttag	tccttggtgt	tatccttgga	60
ggtggtgtat	tattttacca	atcacattc	caaaaagaca	ctaataaagc	gttagctatt	120
gcttataaag	atgctaaga	ggctaagaag	gatgtcatat	atcaaaaaat	tgacaaagaa	180
tttgaaaact	ttagaggag	ctacgaaatt	gagttcaata	ccaaaagcgc	agaatacagc	240
tatcatgtag	atgctaagac	tggaacaaatc	cttgagcggtg	acatggataa	taatggcttt	300
tcaaaatcga	cttctcagtc	aagttcatcg	tcaagtcaaa	aatctcataa	aataagtcac	360
gaagaagcca	aaaagattgc	atttaaagat	gctaataatag	aggaatcaga	agtcagtaat	420
cttaagatca	aagaagaaat	tgaaaatgga	aaatcagttt	atgatattga	ctttgtggac	480
ctgaaaaata	aaaatgaagt	tgattatcaa	attgatgcag	aaactggaaa	aatcattgaa	540

cggttctagag atcatatgaa tgattaa

567

## SeqID 43

ttgaatcgta	aaaaaaggta	tcgtctcact	gtaaaaaagc	aaaatgctag	catacctaga	60
cgattaaatc	ttctatTTTT	tattattgtt	ttattattta	ctgttcta	tcttcgttta	120
gagcaaatgc	agattgggca	acaatcattt	tacatgaaaa	aactgacagc	tcttacgagt	180
tatacagtga	aagaatcaaa	agcgagaggt	cagatttttg	atgctaaggg	agtagtctta	240
gttgaaaatg	atgaacgtcc	tactgtggcg	ttttctagag	gaaacaatat	ttcatctcag	300
tctatcaaag	agtttagcgaa	ttaattatca	cattacatta	ccttaaccga	agttgcttca	360
agcgatagag	caaagagaga	ttattattta	gcagataaag	ccaactacaa	aaaagttgtt	420
gaaagtttac	cagattctaa	acgttacgat	aaatttggtg	accatctagc	cgaatcaacc	480
gtatatgcaa	atgcagttgc	tgcagttcca	gtgagcgcta	tttaactattc	tgaagatgag	540
ttaaaagtgg	ttgccttatt	taaccaaatg	aatgcgacac	caacgtttgg	ttcagtgaaa	600
ttaaagtacag	gcgaattaa	tgatgatcaa	atcaagaaac	tggatgctga	taagaaggaa	660
ctggttaggaa	tttctgtaac	aagtaattgg	catcgctgta	aaaaagggaac	ttctttatcg	720
gatataattag	gtactatttc	tacagaaaag	gcaggtttac	caagagaaga	agttaaaaaa	780
tatttgaaaa	aaggctatct	actgaatgac	cgagtgggaa	cttcttacct	tgaaaaacaa	840
tatgaagatg	acttacaagg	aatcagacaa	attcgcaaa	tagttgttaa	taaaaaaggt	900
aaagttgttt	cagataatat	tacgcaagaa	ggtaagtcag	gaagaaatct	ttaattaacg	960
attgatctta	attaccaaaa	caaagtagaa	agtatcttga	aacaatacta	tggcagtgaa	1020
ttatctagtg	gacgcgctag	tttttccgaa	gggatgtatg	cagttgctat	agaaccttca	1080
actggtaaa	tgtagcaat	ggctggctcg	aaaaatgatc	atgggaattt	agttgatgac	1140
agcctaggca	ctattgctaa	gaatttcacg	ccaggatctg	ttgtgaaagg	tgcgacgcta	1200
tcacagggat	gggaaaataa	agtctctaga	ggaaatgaag	tgctttatga	ccaagaaatt	1260
gctaataatc	ggcatgggtt	tacacgaggt	ttgactccaa	tatctgcggc	acaagcgcta	1320
gagtattcat	ctaatactta	tatggttcaa	gtagcacttc	gtttaatggg	acaagactat	1380
aatacaggag	atgctttaac	tgatcgaggg	tatcaagaag	caatggctaa	actaaggaaa	1440
acttacggcg	aatatgggtt	aggggtttct	acaggattag	atttacctga	atcagaaggt	1500
tatgtacctg	gaaaatacag	cttaggaaca	actctaattg	aatcgttcgg	tcagtatgat	1560
gcctatacac	caatgcaact	tggtcagtat	atctcaacta	ttgcgaataa	tgggaatcgt	1620
ttagcacctc	acgtggtttc	agatatctat	gaagggaatg	attctaataa	gttcgctcaa	1680
ttggttcggt	caatcactcc	taaaacacta	aataagatag	ctatctcaga	tcaagagtta	1740
gccattattc	aagaaggttt	ttataacggt	gtcaatagtg	gaagtggcta	tgcaactggg	1800
acgtcaatga	gggggaatgt	gacaaccatt	agtggtaaaa	ctggtaccgc	tgaaacattt	1860
gctaaaaatg	taaatggaca	aacagtttct	acctacaact	taaacgctat	tgctacgat	1920
actaatcgta	aaatagcagt	agcggtaatg	tatccgcgat	ttacaactga	tacaacaaaa	1980
tcccatcaat	tagttgcacg	agatatgatt	gatcaatata	tttcacagtt	cacaggacaa	2040
taa						2043

## SeqID 44

atgacgggtt	ttcctaataa	ttttctatgg	ggaggtgcag	ttgctgcaa	tcaggtagag	60
ggtgcattta	gaacagatgg	caaagggtta	tctgtacaag	atgtacttcc	aaatgggtgt	120
ttaggcgatt	tcaccgccaa	acctactcca	gacaatttga	agctagaagc	aattgatttt	180
tatcataact	ataaaaaatg	tataaaactg	tttgagaga	tgggctttaa	agtttttaga	240
acctctattg	cctggctctg	aatttttcca	aatgggtgat	atagtgtctc	aaacgaagct	300
ggcttacaat	tttatgataa	tttatttgat	gagttgctta	aatataatat	cgagcccttg	360
gttaccttat	ctcattatga	aacacgcgtt	catcttgcaa	aaacttataa	tggttgggct	420
gatagacgtt	tgatagcatt	ttttgagaaa	tttgctcaaa	cagtcagtgga	gcgttataaa	480
gataaggtga	aatattgggt	gacttttaat	gaagtgaatt	ctattttaca	tatgcctttc	540
accagtggtg	ctattatgac	cgacaaatca	caactaagtc	ctcaggagct	ttatcaagct	600
attcatcatg	aattagtagc	atcggtctga	gtgacaaaat	tagggcggtc	tatcaatcct	660
aatttttaaa	ttggctgtat	gattctgggt	atgccagctt	atcctatgac	atctgatcca	720
agagatgtcc	tggtgcaag	acaatttgaa	caacataatc	tgctattttc	agatatacat	780
gtcagaggta	aatatcccac	ttatattcag	tcctatttca	aaaataatgg	tattaaaatt	840
aaatttgaag	aaggagatga	ggaagtattg	gcacaaaata	cagtagattt	tctatcgttt	900
agttactata	tgagcgtgac	acaagcttat	gactttgaaa	attatcaaag	tggtcaggga	960
aatatccttg	gaggcctaac	taatcctcat	ttaacaactt	cagaatgggg	atggcaaatc	1020
gatcccatcg	ggctacgcct	agtcttaaat	cagtattatg	aacggtatca	gattccgttg	1080
tttattgtag	aaaatggatt	gggagcaaaa	gatcaattga	tagaaacact	agacgggtgat	1140
tatactgtcg	aagatgatta	tcgtattgat	tatatgaatc	aacatttagt	tcaagttgct	1200
aaagctattg	aagatgggtg	tgaataatg	ggatatacat	cttgggggtg	tattgattgt	1260
gtatccatgt	ctacagctca	actaagtaaa	cgttatgggtc	taatatatgt	tgatcgaaat	1320
gatgatggaa	cagggagctc	acaacgttac	aagaagaagt	catttggttg	gtaccaaaaa	1380
gtgattaaga	caaatggcca	atcattgttt	gaacatcata	acagataa		1428

## SeqID 45

atggctactt	ttcaaattaa	agaaaaaatg	ttttctctag	gcggtaaatt	tactattaca	60
gaccagactg	ggcttcctcg	ttatcacgtt	gaaggaaagt	tgttccctct	acctaagact	120
tttaaagtc	ttgacgaaga	ggggcatctg	attagtcaga	ttgagaagaa	ggttttaagt	180
tttttacc	agtttaagt	gacattagcc	aatgggaatc	atctcacgat	taagaaagat	240
ttctcat	tgaaacctca	ttacaccatt	gaagaccttg	atatggaagt	taagggaat	300
ttttgggata	tagatttcca	actcttaaaa	gacaatcaag	ttatagcaaa	catatctcaa	360
cagtgggttc	gtatgacttc	aacttatcag	gtagaagttt	acaatgaaac	ttacaacgat	420
ttgacaattt	cgcttgatc	agcgatcgac	tatgtcaaa	agttagaaaa	aaatgcac	480
aactaa						486

## SeqID 46

atgaaaaaaa	taacaacttt	aatcttagct	agtagcttat	tactagttgc	aacgacatcg	60
gttaaagctg	atgataactt	tgaaatgcc	acgcgttatg	ttaaaatgag	tgaaaaatca	120
aaagcatttt	atcaaagact	acaagaaaa	caacgtaagg	cacatactac	tgtgaagact	180
tttaataatt	cagaaataag	gcataacta	cctcttaaac	aagaaaaggc	tagaaatgat	240
atctacaatt	taggcattct	tatttctcag	gagtcataag	ggttcatcca	acgtattgat	300
aatgcctatt	ctttggaaaa	tgtctcagat	attgttaatg	aagctcaggc	tttgataaaa	360
cgtaactatg	atctatttga	aaaaatcaaa	tctacaagt	ataagggttc	agtcctactt	420
gcacgcac	aagataatac	agacttaaaa	aacttttatg	ctgagttaga	tgatatgtat	480
gaacatgttt	atctcaatga	aagtagagtg	gaggcgataa	acagaaatat	ccaaaaatat	540
aattag						546

## SeqID 47

atgaaattaa	aaaaattctt	tgaggatttg	ctggctaacc	tagaatatag	acccattcaa	60
gtttttatgc	gtcattttca	aagtgcagag	atggacttat	cagccatagc	agttgcttat	120
tatctattag	tgacagcttt	tccattacta	gttattgctg	ctaataat	tccttatttt	180
catattaatg	tgtoggattt	attgtcactt	atgcaaaaa	atcttccgaa	aaataattat	240
gaacctgcct	cacgcttagc	agtagatgct	ttttcgaaac	cgtctaccgg	cattttggga	300
ttcgcttc	taacagcttt	ttggacaatg	tctaaaagt	tgacctctct	tcaaaaaggc	360
attaataaag	catacggtgt	tgaccaaac	agagactttg	tgattagtcg	tttagtgggt	420
gtggggactg	ggctgcat	cctattttta	ctgacttttg	ttttaatttt	ttcaactttt	480
tcaaaaccag	ttttacagat	aattgtaaac	atgtatgatt	tgggagatac	tctaaccggc	540
tggcttttaa	atcttgcaca	accagttaca	tttttgacta	tatttttagg	tattggaatt	600
ttatacttta	ttttacctaa	cgcacgaatt	agaaaagtac	gttatgtcat	tccagggaca	660
ttattttcaa	cgtttggtat	tggttttttt	agtaatttaa	ttagccaata	cgtcttaaat	720
aggggtgaga	aaatggtaga	tattaaaacg	tttggttcgg	tcgttatctt	tatcttaagt	780
ctatgggtta	ttttcttagc	ccacattatg	attttaggtg	caatactgaa	tgccagcggt	840
caagaaattg	cgacaggaaa	aattgaatca	aggcgtggag	atattatgtc	tcttatccaa	900
aatccaaag	aagaaaaata	a				921

## SeqID 48

atgaaattac	tttatactga	tattaatcat	gatatgacag	aaatcttagt	caatcaggcc	60
gcgcagtgcg	ctgaagctgg	atggcgat	ttttatattg	ctccaaactc	tttatctttt	120
gaaaaagagc	gtgcagtatt	agagaacctt	cctcaagaag	cctcttttgc	tattacaatt	180
actcgctttg	ctcaattggc	acgttat	actttaaac	agcctaatac	aaaagaaagt	240
ttaaacgata	ttggattagc	aatgatcttt	tatcgctgtt	tagcaagttt	tgaagatgga	300
caattaaaag	tttttgagc	attgaagcaa	gatgcttctt	ttatcagtc	attggtagac	360
ctatacaaa	aattgcagac	agcaaatctg	agtatttttag	atttaaaata	tttacattct	420
cctgaaaaat	ttgaagattt	attagctatt	tttctagtgg	tttcagatct	tttaagagaa	480
ggagaatacg	acaatcaatc	taaaattgcc	ttttttacag	aacaagtaag	gtcaggccag	540
ctagatgtgg	atttaaaaga	cactatcctt	atagtcgatg	gttttaccgc	tttctcagct	600
gaagaagaag	ctttaattaa	aagtctgagt	tcacgttgct	aagagattat	catcggagct	660
tatgctagcc	aaaaagcgta	taaggctaac	tttactaatg	gaaatattta	ttctgcaggg	720
gttgattttt	taagatatct	agcaacgaca	tttcaaacaa	aaccagaatt	tatcttgtct	780
aagtgggaaa	gtaagtctgg	ttttgaaatg	atttcgaaaa	atatcgagg	taaacatgat	840
tttacaata	gtagtcacat	tttagacgac	actgctaag	attgtataac	aatttgggag	900
tgcattaatc	aaaaagatga	agtggacat	gtggctagag	ctatacgtca	gaaactttat	960
cagggatatac	gctacaaaga	tatttttagtt	ttactaggag	atgtagatag	ttataaacta	1020
caattaagca	agatttttga	gcagtatgat	attccttatt	atttcggtaa	agctgaaaca	1080
atggctgcgc	acccttttagt	tcattttatg	gattccttgt	ctogaataaa	acgttatoga	1140
tttagagctg	aagatgtttt	aaatcttttt	aagacaggta	tttatggaga	gattagtcaa	1200
gatgattttg	attatttttga	ggcttatatc	tcatatgcag	acattaaagg	tcctaagaag	1260
ttctttacag	attttgttgt	gggggctaaa	aaatttgatt	tagggcgctc	taacactatt	1320
cgtcagtc	tccttgctcc	actggaaagt	tttgtaaaaa	cgaaaaaaca	agacgggtata	1380



aaaacactca	accaattcat	gtttttcctt	actcaggtag	gtttgagtga	caatttatcg	1440
cgattagttg	gtcaaatgtc	tgaaaatgaa	caagaaaaac	atcaagaagt	ttggaaaaca	1500
tttacagata	ttttagagca	gtttcaaaca	atatttggtc	aagaaaaatt	aaatttagat	1560
gaatttttat	cgttattaaa	ttcaggtatg	atgcaagccg	agtatcgtat	gggtccctgct	1620
actgttgatg	tggttactgt	taagtcttac	gacttggtag	aaccacatag	taatcaattt	1680
gtctatgccc	taggcatgac	acaatcacat	tttccaaaga	ttgctcaaaa	caaattcttta	1740
atatctgata	ttgaacgtca	gcttataaat	gatgccaatg	acactgatgg	tcattttgac	1800
attatgacgc	gagaaaattt	gaagaaaaac	cattttgctg	ctctctctct	ttttaatgct	1860
gctaaacaag	cattagtgtt	gactatacca	caattattga	atgagtctga	agatcagatg	1920
tcaccatata	ttatcgaact	aagagatata	gggtgtccct	ttaatcataa	aggacgccaa	1980
tcgttaaaag	aagaagctga	taatatggg	aattacaaag	ctttattatc	gcgtgttggt	2040
gacttgatc	gctctgctat	tgacaaagag	atgactaaag	aagaacaaac	tttttggtca	2100
gttgctgttc	gttattttgcg	tcgtcaatta	gttctctaaag	ggattgagat	accaataatt	2160
acagatagtc	ttgatactgt	gacagtttca	tcagatgtga	tgaccagacg	cttcccagaa	2220
gatgacccac	ttaaattatc	ctcatctgct	ttgacaaact	tttataataa	tcaatataag	2280
tatttttttac	aatatgtgtt	agggtttggaa	gaacaagact	caattcatcc	agatatgcgg	2340
caccatggaa	cgtaccttca	tcgtgttttt	gaaattctga	tgaaaaacca	agggatagaa	2400
tcttttgaag	agaaactcaa	ctctgcaatt	aataaaacca	atcaagaaga	tgttttcaaa	2460
tccttgatt	cagaagatgc	agaaagtcgt	tattcttttag	aaattttaga	agatatcgcg	2520
cgtgcaactg	caaccatatt	acgacaagat	agtcagatga	ctgttgaaag	tgaagaagaa	2580
cgatttgaac	taatgattga	taatactata	aaaattaacg	gtattattga	cogtatcgat	2640
cgtttatctg	atgggtcttt	gggtgtcgtg	gactataaat	caagcgctca	aaaattcgat	2700
atccaaaaat	tttataacgg	tctaagtcga	caattagtta	cctacattga	tgctatcagt	2760
cgtgacaagg	agggtgaaca	aaaaccaccg	atttttggag	ctatgtattt	acatatgcaa	2820
gaacctaaac	aagacttgct	taaaattaaa	aatttagatg	atttagtaac	aaaaaatcat	2880
caagcttttaa	cttataaagg	attatttttca	gaagctgaaa	aagaattttt	agcaaatggg	2940
aaataccatc	tcaaagattc	cctttattca	gaggctgaaa	ttgctatttt	acaagcacat	3000
aaccaattgc	tttacaaaaa	agcatctgag	actattaagt	caggtaagtt	tttgatcaat	3060
ccatatacag	aagatgctaa	aacagttgac	gggtatcagt	ttaagagtat	tacgggggttc	3120
gaggcggata	ggcatatggc	gcgtgccaga	gcgctttata	aattacctgc	taaggaaaaa	3180
cgtcaaggtt	tcttaacatt	aatgcagcaa	gaggaggaaa	atgatgacct	ttaa	3234

## SeqID 49

atgagcgaaa	ctaaagttat	ggctttgcgc	gaagcgatta	atgtcgctat	gagcggaagaa	60
atgcgcaaa	atgaaaaagt	atttttaatg	gggtgaagatg	taggtgtata	tggaggagac	120
ttcggtacat	cagttggtat	gttagaagag	tttggtgcta	agcgcgctcg	cgacacacca	180
atctcagagg	ctgcgattgc	aggttcagct	atcggtgctg	cacaaacagg	tttgcgctcct	240
atcgttgatt	tgacattcat	ggatttcgta	acaatcgcaa	tggatgctat	cgttaaccaa	300
ggtgctaaaa	cgaatttat	gtttggtgga	ggtctatcaa	ctccagttac	tttcggtgtg	360
gcatacgggt	caggtattgg	ttcggtgcga	caacactcac	aatcattaga	agcttgggtta	420
acacacattc	caggtctaaa	agttgttgca	cctgggtactg	ttaatgagtc	aaaagcactt	480
ttgaaatctt	ctattcttga	caataaccca	gttatcttct	tagagccaaa	agctctctat	540
ggtaagaaag	aagaagttaa	catggatcct	gattctctata	ttccacttgg	taaaggggat	600
attaagcgtg	agggtactga	cttaacaatt	gtttcttatg	gccgtatgct	tgagcgtggt	660
atgcaagctg	tgctgaggaa	ggattataacg	ttgagggtgt	tgatccacgt		720
acacttattc	cgcttgataa	agaatttaatt	atcgattctg	ttaagaaaac	tggtaatttg	780
attttggtta	acgatgctta	taaaactggg	ggtttctactg	gtgaaattgc	aactatgggt	840
gctgaaagtg	aagcatttga	ttaccttgat	catcctatcg	tgcgctcttg	aagtgaagat	900
gttccagtag	cgtattcacg	tgtacttgaa	caaggaatct	tacctgatgt	agcaaaaatt	960
aaagatgcta	tctacaaagt	agttaacaaa	ggtaataaa			999

## SeqID 50

atggcttttg	atgtaattat	gccaaaactt	gggggttgaca	tgcaagaagg	cgaaatcctt	60
gagtggaana	aaaatgaagg	tgacaccggt	aatgaaggtg	atgtccttct	tgaaatcatg	120
tctgataaaa	ccaatatgga	aattgaagca	gaagacactg	gtgtactttt	aaaaattgta	180
catcaggcag	gagatgttgt	tcccgctact	gaagtgattg	cctatatcgg	agaagaagg	240
gaagaagtag	gtacgtcatc	accttcagct	gatgcaacta	tcacagctga	agatggtcaa	300
tcagtttctg	gacctgctgc	tccttcacaa	gagacagttg	cagcagcaac	tcctaaagaa	360
gaacttgcag	ctgatagta	cgatatcgta	gtcgtaggtg	gtggacctgc	aggttattac	420
gcagcaatcc	gcgggtgctca	acttgaggga	aaaattgccca	ttgttgagaa	aactgaattt	480
gggtggtacgt	gtttgaaatg	tggttgatct	cctacaaaaa	catatcttaa	aaatgctgaa	540
atcctagatg	gtttgaaagt	agcagctgga	cgtgggtatca	accttgcttc	aactaactat	600
gcaattgata	tggataagac	tggtgacctt	aaaaattctg	tagttaagac	actgactggc	660
gggtgacgtg	gtctcttgaa	agcgaacaaa	gttgaaattt	tcaatggact	tggacaagta	720
aacctgata	agtctgttgt	tattggcgat	aaagttatca	aaggctgtaa	cgtcgcttct	780

gcgactgggt	ctaaggtatc	tcgtattaat	attccaggtg	ttgaatcacc	attagtatta	840
acatcagatg	atattcttga	tttacgtgaa	attcctaagt	cacttgctgt	tatgggtggg	900
gggtgcgtag	gtattgagct	tggtccttga	tgggcttcat	atgggtgtga	cgtaactgtt	960
attgaaatgg	ctgatcgcac	cattccagca	atggataaag	aagtatcgct	agaacttcaa	1020
aaaatccttg	ctaagaaggg	aatgaagatt	aaaacatcag	ttgggtgtttc	tgaaattgtt	1080
gaagccaata	atcaattaac	gcttaaaatta	aacaacggcg	aagaagttgt	tgctgataaa	1140
gctcttcttt	caattggacg	tgttccacaa	atgaatgggc	ttgaaaatct	tgagcctgaa	1200
cttgagatgg	aacgtggacg	tattaaaagt	aatgcttatc	aagaaacttc	aattccagggt	1260
atctatgcac	caggtgatgt	taatggaact	cgtatgttag	ctcatgctgc	ataccgtatg	1320
gggtgaagtag	ctgctgaaaa	cgcaactcggc	ggtaataaagc	gtaaagcaca	tctagatttc	1380
actccagcag	ctgtttatatac	tcaccttgaa	gtagcaatgg	tggggatgac	agaagagcaa	1440
gcacgtgaac	aatatgggtga	catattagtt	ggtaaaaata	gctttacagg	caatgggtcgt	1500
gctatcgctt	caaacgaagc	acatgggtttt	gtaaaagtaa	ttgctgaacc	taagtataaa	1560
gagattcttg	gtgttcacat	tattgggtcca	gctgcagcgg	aattgattaa	tgaagcttct	1620
acgattatgg	aaaatgagtt	gactgtctat	gatgtagcac	aatctatcca	tggtcaccca	1680
acattctctg	aagttatgta	cgaagctttc	ttagatgttc	tcgggtgaagc	tattcacaac	1740
cctccaaaac	gcaataaa					1758

## SeqID 51

atgggaaaaat	attttggtag	agatgggtgtt	cgcggtgaag	ctaattgttg	actgacgcca	60
gaattggcgt	ttaaattagg	acgttttgga	ggatatgttc	taagtcaaca	cgaactgat	120
cgtccgagag	ttttttagag	tcgtgatact	cgtatttctg	gtgaaatgct	ggaatctgct	180
ttgattgctg	gtctactttc	agtaggtatt	gaggtttata	aacttgggtg	tttagccact	240
cctggagtg	cttaccttgt	ccgtacagaa	aaagctagtg	caggggttat	gatttcagca	300
agccacaatc	cagcacttga	taatgggtatt	aagttctttg	gtagtgtatg	ttttaaaactt	360
gatgatgatc	gtgaattaga	aattgaagct	ttacttgatg	cgaaggaaga	cactttacca	420
cgtccatcag	cacaagggtt	aggtacttta	gtagattatc	ctgaaggact	tcggaaatat	480
gagaagttaa	tggaatcaac	tggtattgat	ttagaaggta	tgaagggttc	gttgatata	540
gcaaatggag	cagcaacagc	ctcagctcgg	aatatctttt	tagacttgaa	tgctgatata	600
agtgttattg	gtgatcaacc	agatgggttg	aatatcaatg	atgggtgttg	ttcgacacat	660
cctgagcaat	tacaaagttt	agttagagaa	aatgggtccg	atatcggtct	agcttttgat	720
ggtgatagtg	atcgtttgat	cgctgttgat	gaaaatggag	agattgtaga	tggtgataaa	780
attatgttta	tcattgggaa	atatctttct	gataaagggc	agcttgctca	gaatacaatc	840
gtaacaacgg	ttatgtcaaa	tctcggtctt	cataaagcgc	tcgaccgtga	aggtattcat	900
aaagcgatta	ccgctgtagg	agaccgctac	gtggttgaag	aaatgcgtaa	atcaggatat	960
aatcttggcg	gggagcaatc	aggccacgtt	attactatgg	attacaatac	tacaggggat	1020
ggacaattaa	cagccatcca	attgactaag	gtcatgaaag	aaactggtaa	gaaattatca	1080
gagttagcta	gtgaagtgc	gatttatcct	caaaaattag	taaatattcg	tggtgaaaat	1140
aacatgaaaag	ataaagcgat	ggaagttcct	gcaattgcgg	aaattattgc	taaaatggaa	1200
gaagagatgg	atggcaatgg	tcgtattcta	gtacgtccta	gtgggtactga	gcctcttctt	1260
agagttatgg	cagaagcgcc	aacaaatgaa	gcagttgatt	attatgttga	tactatcgca	1320
gatgtcgttc	gtacagaaat	tggttttagat	taa			1353

## SeqID 52

atgaaaggtc	aaaaaattat	tgctctagct	ggctctgtcc	tgctcatgcca	ttttgctctt	60
acggcatgtc	atactcaaga	acacaaaaat	tctcatcata	ttaaaacaaa	gcaggttgct	120
aagaaaaaag	ctaataaaaa	gaaagtctct	gttaaggaaa	gtcataaaaa	acgcaagggt	180
gttgacgggg	ttgactttcc	aactgatgat	ggctttttac	tgactaaaga	ttcgaagatt	240
ttatctcatc	ccgattctgg	aatcgttgta	gcacatggaa	atcattctca	ttttattttt	300
tactctgatt	taaaagggtt	aaaatttagc	tatttaattc	ctaattgcaa	tgcaaaaact	360
aataaaaaagc	aagcggtgaag	aaactttaaa	gcaggggagg	tagctgttaa	tacattaaat	420
gatggctatg	tttttaaatcc	cgcagatatt	gtttcagaag	atgctaattg	ctacgtgggtc	480
agacatgggtg	atcattttcca	ctatattcca	aaagcaagtt	tatctcagca	aaagcaagta	540
caagcaagta	gagctgtttc	acgttttagga	aatcaaaaata	atagccatta	cagagttaat	600
agttctaaaa	ttgcagggtc	tcaccaccca	acaagtgtatg	gtttcttatt	caatggacaa	660
ggaataaaaag	gcactacccc	aacagggtatt	ttagtagaac	atcataatca	tctgcatttt	720
attagttttg	ctgattttaag	aaaaggggga	tggggatcaa	ttgctgaccg	ttaccaacca	780
caaaagaaaag	ttgattctaa	aaaacagtca	ccatcaagta	aaaagccaag	aactgaaaat	840
actttaccta	aggacatcaa	agataagcta	gcttaccttg	ctcgtgaatt	acatttagat	900
atttcacgta	tcagagtcct	taaaacacta	aatgggtgaa	ttggatttga	ataccacat	960
gatgatcata	cacatgttat	tatggccaaa	gatattgatc	taagtaagcc	aattccaaat	1020
ccacatcatg	atgcaggaag	tcacacaaa	ggatcatcacc	atgatgagtc	cgaccataag	1080
catgaagaac	acgagcacac	taagtcaaat	aaattatctg	atgaagatca	aaagaaatta	1140
atttatttag	cagagaagct	tggttttaaat	cctaatacaa	ttgaagtatt	aacgtcagag	1200
gatgggagta	tcactcttta	atatccacat	gatgaccact	cacacactat	agcaagtaag	1260

gatattgaaa	ttgggaagcc	tatcccagat	ggacaccacg	atcactctca	tgcaaaagat	1320
aaagttggta	tggcaactct	aaaacaaatt	ggttttgatg	atgagattat	tcaggatatt	1380
ctgcatgcag	atgctccaac	accattccca	tccaatgaaa	ctaactctga	aaaaatgcgt	1440
cagtggcttg	caactgttac	taagattaac	attggacaaa	gaaccaatcc	attccagcgt	1500
tttggctctat	cattgatgcc	taatattgaa	gttctaggaa	ttgggtttac	tcgattaat	1560
gatatgacgc	cagttttgca	attcaaaaaa	cttaaacagc	tttggatgac	aaatactggt	1620
attacagatt	attctttcct	tgataagatg	ccactattag	aaggattgga	tatttcacaa	1680
aacgggtatta	aggattttatc	tttcccttaca	aaatataaac	aattaagtct	tattgctgca	1740
gctaataatg	gcattacttc	gctaaaacca	ttggctgaat	taccaaacct	tcaattctta	1800
gttttgagtc	ataacaatat	ctctgacttg	acacggttat	caaacttgac	aaaactccaa	1860
gaattgcacc	ttgatcataa	taatgtgaag	aatttaagtg	cactttctgg	taaaaaagat	1920
ttgaaagttc	tagattttatc	aaacaataaa	tcgcgagact	tatcgactct	aaaaacaact	1980
agtcttgaga	cgcttctttt	aatgagacg	aatacaagca	atctaagttt	cttaaagcaa	2040
aatcctaagg	tatctaattt	aacaattaat	aatgcgaaat	tagcatcatt	agatggtatt	2100
gaagagagcg	atgaaattgt	taaagtagaa	gctgaaggga	accaaattaa	gtcactagta	2160
ttgaaaaata	aacaagggtc	gttaaaattc	ttgaatgta	ctaataatca	gttaacatca	2220
cttgaagggtg	ttaataatta	tacttcaact	gagaccttaa	gtgtttctaa	aaataaaact	2280
gaatcttttag	atattaaaaa	acctaacaaa	acagttacaa	atcttgattt	tagccataac	2340
aatgttccaa	catcacaaat	gaaattgaat	gaaaaaata	ttcctgaagc	agtagctaag	2400
aattttccag	cagttgtaga	aggttcaatg	gttggaaatg	gtagtcttgc	tgaaaaagca	2460
gctatggctt	ctaaagagga	caaacaagtt	tcagataata	ctaataacca	aaaaaacact	2520
gaaaaatctg	ctcaagcgaa	tgtgatagtg	aaaaaagaaa	accctaaaac	acatgatgaa	2580
catcatgacc	atgaagaaac	agatcatgca	catgtaggtc	atcatcacca	ttaa	2634

## SeqID 53

atgaataaac	gegtaaaaat	cgttgcaaca	cttggctcctg	cggtagaatt	ccgtgggtggt	60
aagaagtttg	gtgagtctgg	atactggggg	gaaagccttg	acgtagaagc	ttcagcagaa	120
aaaattgctc	aattgattaa	agaaggtgct	aacgttttcc	gtttcaactt	ctcacatgga	180
gatcatgctg	agcaaggagc	tcgtatggct	actgttcgta	aagcagaaga	gattgcagga	240
caaaaagttg	gcttccctct	tgatactaaa	ggacctgaaa	ttcgtacaga	actttttgaa	300
gatggttcag	atttccattc	atatacaaca	ggtacaaaat	tacgtgttgc	tactaagcaa	360
ggtatcaaat	caactccaga	agtgattgca	ttgaatgttg	ctgggtggact	tgacatcttt	420
gatgacgttg	aagttggtaa	gcaaatccct	gttgatgatg	gtaaactagg	tcttactgtg	480
tttgcaaaa	ataaagacac	tcgtgaattt	gaagtagttg	ttgagaatga	tggccttatt	540
ggtaaacaaa	aaggtgtaaa	catcccttat	actaaaattc	ctttcccgagc	acttgcagaa	600
cgcgataatg	ctgatatccg	ttttggactt	gagcaaggac	ttaactttat	tgctatctca	660
tttgtagcta	ctgctaaaga	tggttaatgaa	gttcgtgcta	tttgtagaaga	aactggcaat	720
ggacatgtta	agttgtttgc	taaaattgaa	aatcaacaag	gtatcgataa	tattgatgag	780
attatcgaa	cagcagatgg	tattatgatt	gctcgtgggtg	atatgggtat	cgaagttcca	840
tttgaaatgg	ttccagttta	ccaaaaaatg	atcattacta	aagttaatgc	agctggtaaa	900
gcagttatta	cagcaacaaa	tatgcttgaa	acaatgactg	ataaaccacg	tgcgactcgt	960
tcagaagtat	ctgatgtctt	caatgctggt	attgatggta	ctgatgctac	aatgctttca	1020
ggtgagtcag	ctaattggtaa	ataccaggtt	gagtcagttc	gtacaatggc	tactattgat	1080
aaaaatgctc	aaacattact	caatgagtat	ggtcgcttag	actcatctgc	attcccacgt	1140
aataacaaaa	ctgatgttat	tgcatctgcg	gttaaagatg	caacacactc	aatggatatt	1200
aaacttggtg	tgacaattac	tgaacacaggt	aatacagctc	gtgccatttc	taaattccgt	1260
ccagatgcag	acattttggc	tggttacattt	gatgaaaaag	tacaacgttc	attgatgatt	1320
aactgggggtg	ttatccctgt	ccttgcagac	aaaccagcat	ctacagatga	tatgtttgag	1380
gttgacgaac	gtgtagcact	tgaagcagga	cttgttgaat	caggcgataa	tatcgttatc	1440
gttgacgggtg	ttcctgtagg	tacaggtgga	actaacacaa	tgctgtttcg	tactgttaaa	1500
taa						1503

## SeqID 54

atgactgcaa	ctaaacaaca	taaaaaagtt	atcctcgttg	gtgatgggtgc	cgtaggtttct	60
tcttacgctt	ttgcacttgt	taaccaaggt	attgcgcaag	agttagggtat	cattgaaatc	120
ccagctttat	ttgataaagc	tgttgggtgat	gctgaagatc	tttcacatgc	ccttgcatatt	180
acatcaccta	aaaaaatcta	cgcagctact	tatgcagact	gcgcagatgc	tgaccttggt	240
gtcattactg	ctggcgcacc	tcaaaaacca	ggtgaaactc	gacttgacct	tggttggtaaa	300
aacttagcaa	ttaacaaaatc	aatcgtaact	caagttgttg	aatcaggttt	caacggtatc	360
ttcttagtag	cggctaacc	tgtagatgta	cttacatatt	caacttgga	attctcaggt	420
ttccctaagg	aacgcgttat	tggttcaggt	acttcacttg	actctgcacg	tttccgtcaa	480
gcttttagcag	ataaaaattgg	tggttgatgct	cggtcagttc	acgcatacat	catgggtgaa	540
cacggtgact	cagaattttgc	cgtttggtca	catgctaacg	ttgctgggtg	ccaacttgaa	600
caatggttac	aagaaaatcg	cgatattgat	gaacaaggac	ttgttgattt	gtttattttca	660
gttcgtgacg	ctgcatactc	aatcatcaac	aaaaaagggtg	ctacatatta	cggtattgct	720

gtcgcacttg	ctcgtattac	taaagctatc	cttgatgatg	aaaatgcagt	tcttccatta	780
tctgtatata	aagaaggcca	atacgggtgat	gttaaagatg	tctttatcgg	tcagcctgca	840
atcgtagggtg	cacatgggtat	cgttcgtcca	gttaatatcc	cattaaatga	tgctgaactt	900
caaaaaatgc	aagcctcagc	tgaacaatta	aaagatatta	ttgacgaagc	ttggaaaaac	960
ccagaattcc	aagaagcatc	aaaaaactaa				990

## SeqID 55

atgcaagata	aaaatttagt	agatgttaat	ctaactagt	aaatgaaaac	gagttttatc	60
gattacgcca	tgagtgtcat	tggtgctcgt	gcacttccag	atgttagaga	tggttttaaaa	120
cctgttcate	gtcgtatttt	atatgggtatg	aatgaactag	gtgtgacacc	tgataaacct	180
cataagaaat	cagcacgtat	tactgggtgat	gttatgggta	aataccatcc	acatgggtgat	240
tcatctattt	acgaagcaat	gggtgcgtatg	gcacaatgg	ggtcatatcg	tcatatgctc	300
gttgatggte	atggaaactt	tggttcaatg	gatggggatg	gtgctgccgc	acagcgttat	360
acagaagcac	gtatgagtaa	aattgctcct	gagatgcttc	gtgatataca	taaaaatata	420
gttgattttc	aagataacta	tgatggcagt	gaacgtgaac	ctcttgtttt	accagcgcgt	480
ttccctaatt	tattagtcaa	tggtgcaact	ggatttgctg	taggtatggc	aacaaatatt	540
ccaccacata	atctagggtga	gtctatagat	gctgtcaagt	tggttatgga	taaccctgat	600
gttactacac	gggagttaat	ggaagttatt	cctgggtccag	attttcctac	tggtgccttg	660
gtgatgggac	gttcaggtat	tcaccgtgcc	tatgaaactg	gaaagggatc	aattgtctta	720
cgttcacgga	ctgaaattga	aacaacttca	aatgggaaag	agcgtattgt	tgctcacagag	780
tttccatacg	gtgttaataa	aacaaaagta	cacgagcata	ttgtacgttt	agcacaagaa	840
aagcgtattg	aaggtattac	tgctgttcgt	gtcgtgaagg	cggtcgtttt	900	
gttattgaag	ttcgtcgtga	tgcttcagca	aatgtgattt	ttaataatct	tttcaaatata	960
actagcttgc	agacaaat	tagcttcaat	atgcttgcta	ttgaaaaagg	tggtccgaaa	1020
attttgtcat	tacgacaaat	cattgataac	tatattgaac	accaaagga	agttattgtc	1080
cgctgtaact	agtttgacaa	agctaaagca	gaagctcgtg	ctcatatctt	agaagggtta	1140
cttggtggcg	ttgatcactt	ggatgaagtt	atcacgatta	ttcgtaatag	tgagacagac	1200
accattgctc	aagcagagtt	gatgtcacgt	tttgaaattat	cggagcgtca	gagtcaagca	1260
attttagata	tgctgcttcg	tcgtttaact	ggatttgaaac	gcgataaaat	ccaatcagaa	1320
tacaatgact	tgctagcttt	aattgctgat	ttagcagata	tcttagctaa	gcctgaacgt	1380
gttggttacca	ttataaaaga	agagatggat	gagggttaagc	gtaagtatgc	tgatgcccg	1440
cgtaacagaat	taatgattgg	tgaagtttta	tcacttgaa	atgaagacct	tattgaggaa	1500
gaagatgttc	ttattactct	ctcaaaacaag	ggatataatca	agcgtctcgc	tcaagatgag	1560
tttagagcac	aaaaacgtgg	aggacgcggt	attcaaggga	ctggagttaa	taacgatgat	1620
tttggttcgtg	aattgggttc	aacaagtact	acgatactg	tgcttttctt	tacaaattta	1680
gggcgtgtgt	atcgtttgaa	agcatatgaa	attccagaat	atggagctac	agctaaaggc	1740
ctccctatcg	ttaacctttt	aaaacttgac	gaagggtgaaa	caattcaaac	aattattaat	1800
gctagaaaag	aagatgtcgc	taataaatat	ttctttttca	caactcagca	aggtatagtg	1860
aaacgtacaa	gtgtttctga	athtagtaac	attcgtcaaa	atggacttcg	tgctattaat	1920
ttgaaagaga	atgacaggtt	gattaacgtc	ctcttgattg	acgaaaatga	agatgttatt	1980
atcgggacac	gtacaggcta	ctctgttcgc	ttcaaagtga	acgctgtacg	taatatggga	2040
cgcacagcga	ctggggtacg	aggcgttaat	cttcgtgaag	gtgataaagt	tgtgggagct	2100
tctcgtatcg	ttaatggaca	agaagtactg	atcatcactg	aaaaagggtta	tggaagagaga	2160
acagaagctt	cggaatatcc	tacaaagggt	cgtggtggta	aaggaataaa	aaccgcta	2220
attactgcta	aaaatgggccc	attagcacgc	ttagtgcaga	ttaatggaaa	tgaggacatc	2280
atggtcatta	cagatacagg	cgttattatt	cgaaccaatg	ttgctaata	ttctcaact	2340
ggtcgttcta	ctatgggtgt	taaagtgatg	agacttgatc	aagaagctaa	aatcggtact	2400
gttgcgctag	tggaacaaga	aattgaagat	aagtctaata	tagaggatac	aaaagaatag	2460

## SeqID 56

atgacaatct	ttgatgaaag	agagttaaaa	gaacgattta	ctcatgaaaa	taggggttagt	60
ttttatgagt	ttgtggctaa	atatgatgct	caaattgggtc	ctgtgatgaa	agcaaagggc	120
tatcgatgta	ttcattcaat	ggagcgtaca	gtgggttttta	cttttgggga	attcacgatt	180
aggcgacgtc	ggtggcaaaa	aggagaacat	tggtgtgtgc	cagttgatga	aaagctagga	240
ctgaaaaaga	atgttcgcta	ctcttttagaa	ttcatgtatc	aaattgctag	tttagcaacc	300
atgatgcctt	atgaaaaagt	gattaagggtt	gttcagatga	tgtattgtat	tggtattacc	360
aaacctaactg	ttgtgaaggc	cgtaagatt	agtcgtgaat	tgcttaaaga	aaaggaagcg	420
tatcgttttt	ttgatgaaga	tataccagta	gataaagaac	cagttgatata	gatttatctt	480
gaaggagatg	gagtcaggt	caaagctcga	gaagaaggat	tagataatcg	caatgttgat	540
ttgtctcatt	tcgtggttca	tacgggtagt	cagaaagtag	gaagcaatcg	ctttgtctta	600
caaaaataaaa	aagagtttgt	gtcccttgat	aatcgtcaaa	cgcgtcaaaa	gattttggac	660
tacctttaca	atcattttta	cattgcccca	aacaccttgc	ttattacca	ttcagatggt	720
ggccatggct	atacccccata	tgttttttaa	gagattgcga	aagcactcaa	agtgaagcaa	780
cacgaacact	tttgggatag	gtatcatgtc	aatgaaaaga	tcaaaagttt	ttttaaactc	840
tatccagtg	aactgatgac	tggtcgtttt	cagagcatta	aacagcatga	taaagaaaag	900

cttagaactg	ttttggatag	gacagaagca	ttgatactga	tggaagaaga	aatggaagg	960
tttaaccagt	tcaaacgaaa	gttggttaaac	aatttttcaat	ataactaaatc	agctgaattg	1020
agagggtttca	gtcgtgcagg	aataggtgtt	atggagtcac	aacatcgaaa	aattacctat	1080
cggatgaaaa	agcgcgggat	gtattggaca	attcagggag	ctgagacgat	gagtcaatta	1140
attgtcctat	cgtatgaagg	acagctaaga	gatctcttct	ttgggttcttg	gcgtgaagac	1200
tatcagaaat	atcaagagct	agaaaacctt	agtgcgggaa	aaatcaaaca	tgaacagaat	1260
aaaatcaata	agagatatga	tctccagaca	cttggtcggc	ttaggtacgg	taggcacgt	1320
aatttatag						1329

## SeqID 57

atggcatatt	tatcaaaatt	atccgatttg	gatccatcgt	tgatggatgc	ggattctgaa	60
caaattttata	ttcctaaagt	cttgtttgag	cataatgact	ttaaaggctt	gacctacaaa	120
gagattttat	tatatctctt	tttggttaaat	cgtttaagag	agccattaga	ttttattcaa	180
aaaggctatg	atgataatga	agatacctat	gttcacttta	aggtcgaaga	tttatgtgaa	240
ctactcaacc	agagtaagac	aaccgttatt	tccttgaaga	aaagggttagc	tcaatatggt	300
ttgatagaag	aagtgaagc	aggtagtcac	cagccgaatc	gtattttattt	aacagataaa	360
ttagttccat	atattaaggg	gtaa				384

## SeqID 58

atgacagata	atcgctttgc	ccaattaaaa	gaaaactttg	aaaagggatc	tcctaaaagg	60
cgagttccaa	cgtctcgccc	aatcgagct	caaaaagcgc	ctgagagcta	taacaaaaag	120
ggacgggtatc	cattttcgct	ccaccaagat	gtgcgttatg	ataaattaga	agcattagta	180
gcttatcatg	gagctaagtc	tgcatcagat	tatctggaga	ggttgattgt	tcaggaatgg	240
gaaaagatgc	agcggagct	taagaacaaa	gaaaaataa			279

## SeqID 59

atgttttagtt	ggttggaagc	tctttattac	actctgatac	aactggcaaa	agtgaaccgg	60
ttgaatgctc	ttttcttagt	tagcgttggt	ggttatcttt	gttaccaggg	aataaaactc	120
gtcagaaaaa	ccataagaaa	cttttttcag	ctgatgaagg	gtttcatagg	tgatagagag	180
aacatcaaga	aatgcatcaa	aaacaagaaa	gaggcactag	tccattcttg	gaaacatcgt	240
caagatattg	attggaaatc	aactggaaaa	gataagagta	aacagttatg	gaatcttatg	300
aagcgacttg	cgacagttgc	tccttcattt	ttgttcttat	tattgggaaa	tgttctcttt	360
cgtctcat	atcaactgcc	ttttgtaaag	caagacagaa	agcgatttga	caaggaaatg	420
aagcccttgc	tctacttcaa	gaactatcgt	agttttgtgt	tcatgggaat	aggtttcagt	480
ttcatagcgt	ttattctcac	aaactatttt	gtgacggttt	taagggtcgc	tattcgtttt	540
ctatatcttct	caatcatgac	gttaagagat	aataagccaag	tcgttagctt	taacgttgat	600
agtttgctca	tccagaattt	attcaatgct	agggatattg	tgatagctcc	cattctagca	660
gtgccaatct	ttctcattgg	tttagtcgta	gcttgccggt	ctgcttgggt	taactttgaa	720
cagtaccgtg	attataatca	taatgaagaa	ggggatgatc	gctttgcgac	tgtcaaagaa	780
atccaccagc	aatataagaa	agttcccta	aaaaacggaaa	cttatccagg	tgaaggaggt	840
gtgcccggtc	ttcatgaaac	aagaaagaat	ttgacaggct	taacgcttaa	atctcaaagt	900
ctttggcaaa	accgtacctt	tagtcgctat	ttaacgaatg	cggaaaggat	tttagggctc	960
ttatcgacgc	cttcaggaga	ttattacatc	gatgatagca	ccacaaactt	gatcaccatg	1020
gggattactc	ggtcaggtaa	gggagaagct	catattgccc	ctattattga	tattaatagc	1080
cgtgcggaaa	ttcaaccgtc	actgattatt	gcagacccta	aaggggaaca	ttaccagtcc	1140
tcttataaaa	ccatgcgtcg	gcgtggctat	gatgttaatg	tcctttcttt	ccaaaacatg	1200
gattgggtcca	tgtcctataa	cccttttagct	cttgcgattg	cagcagctaa	gaagggttac	1260
tatgaaatga	cacagacaag	ggttaatgcg	gttgcagaa	ccatttatcg	taaaacgaaa	1320
cctggtagcg	gtaatggcaa	tgcaaaatac	tgggaagata	cctccatttc	cctctttaat	1380
gccattgcta	tggccttaat	ggaccgtgct	aatgaaaccg	tcagggaatg	tgaaaccgat	1440
gcttgggata	cgtttacagt	tcgtaacatt	gccaagtttt	tgactgactt	gggttctgaa	1500
gaagtctttg	tcaatgat	tggagagatt	gttgagaatc	ctgataagaa	ccaacaagt	1560
aagaagaaat	ctaaaatcac	ggtttacttt	gataacttgc	gtaaaatcaa	tcaagaacaa	1620
ttttccaaat	ttagagatat	ggctgattta	aacttttagt	cttctgactt	cgcttcagaa	1680
gaaactaagg	gaaatgtctt	ctctagcatg	attgcaggta	tttaacttatt	cttgcaagat	1740
aatattgcta	aactaacctc	taaaaactct	attgacctag	aatcgggttg	tttcccacgt	1800
cgtttgtcta	tcaagtttgc	ttctagttcc	aatgtcgcta	tgcgtaacga	atacactcat	1860
aagacggcta	aggttaaccat	tactagtcaa	gctgtttggg	gtaaaaccac	taaacaagtt	1920
atccacgtag	atgctgcaac	agctctgatt	gatggtgaag	gctatctaac	ctatgtgatt	1980
gaaccccagc	ttcctgatca	attcttggta	acaattgact	ttaatcacga	aaacaatggt	2040
ggttcagcta	ttcgtcacaa	aactttccaa	ttctcagctg	agaaagtcta	taagaaacgt	2100
ggtaacgtta	ttacggttga	tgactacacg	aaaaaacag	ttttggatca	tatcaaagtt	2160
actgttctca	acaagcaaga	tgataacctt	ctccagaaaag	aagatattga	cctgatttat	2220
tcagataatc	ctaaagtgat	ttacttggta	acacctccaa	ataggactga	atataatagt	2280
attgtatctc	tgttttttga	tcaattgttt	aatgccaat	atgagtttagc	tctgtcaaat	2340

ggctcgcaagt	gtgtcaatcg	aattcttcat	atcctcgatg	aattcacaaa	cattccagct	2400
attcctcaca	tggataccaa	gatttccatt	ggctctggtc	aaaatattct	ctactatctc	2460
tggattcaga	acttgaaaca	gttagtcagt	gaatatggcg	agaatacagc	ggaaaccatt	2520
cgggagaact	gttctttgaa	agtttatatc	aaatctactg	ccccagcgac	caacgagtac	2580
ttcagtaaaag	agttggggac	tccggaccatt	acacgtcgca	gaaggtcaag	taatattcta	2640
gatgaagcta	atccaaatgt	ttccattgaa	aatcctagac	aggaactctt	aacaccgaca	2700
cagctctcga	aactccaaga	aggggaagcg	gttattttgc	gtgggtgtaa	aggctcgagac	2760
aatgcaggtc	ggaaaatcac	aacggatccg	attttcttgc	atgagaaaac	gagccttcct	2820
tatcgctaca	tgttcttaca	agaagaatgt	gaccagtcga	tggctttggc	agatattcca	2880
gtggaaagtg	ggcataggga	ccttgacctg	caagatatag	cagtaggggc	acaaagcact	2940
tttaataaga	ttattgattg	gcggatggct	ctaactgacc	gtatgagaac	aaatgggaag	3000
atacctcaat	tagcatcaag	aaaacaaacg	attaagctc	taagtcaatc	tcaatttact	3060
tctccagcag	acctaacaca	agctgtgatt	gcagaggtat	ttgatgagga	agatgatgac	3120
gatcttttct	ttgtggatga	tgtcatgtaa				3150

## SeqID 60

atgaattcta	acacaaaagg	tcacggattt	ttccgcaagt	caaaagcata	cggcttagta	60
tgtgctattg	cattagcagg	tgcatttaca	ttagctacta	gtcaagtgtc	tgctgatcaa	120
gttacaactc	aagcaacaac	tcaaacagta	acgcaaaatc	aagcagaaac	agtaacatca	180
actcaacttg	ataaagcagt	agctacagct	aaaaaagcag	ctgtagctgt	tacaaccaca	240
cctgcagtta	atcatcgac	aactactgat	gcacaagctg	atttagctaa	tcaaaccaca	300
gctgtttaag	atgttactgc	aaaagcacaa	gctaatacac	aagctattaa	agatgctact	360
gctgaaaatg	caaaaattga	tgctgaaaac	aaagcagagg	cagagcgtgt	tgcaaaagaa	420
aacaaggaag	gtcaagcagc	cgtagatgca	cgtaacaaag	cagggtcaagc	agccgtagat	480
gcacgtaata	aagcgaacaa	gcaagcgcaa	gacgatcaaa	aagcaaaaat	tgatgctgaa	540
aacaaagcag	agtctcaacg	tgtaagttag	ttaaatgcac	aaaataaagc	aaaaattgac	600
gcagaaaata	aagatgcgca	agctaaagca	aatgcgacta	atgcacaatt	acaaaaagat	660
tatcaagcta	aatttagcga	aatcaaatca	gttgaagctt	ataatgcagg	tgtacgtcaa	720
cgtaataaag	atgcacaagc	taaagcagat	gcgactaacg	cacagttaca	aaaagactat	780
caagctaaat	tagcacttta	taatcaagct	ctaaaagcta	aagcagaagc	agataaacag	840
tctattaata	atgttgcttt	tgatatcaaa	gctcaagcta	aagggtgttg	taacgctgaa	900
tatggaaact	caatcatgac	tgcaaaaact	aaacctgacg	gaagtttctga	gtttaaccat	960
gatatgatcg	atgggtgtgaa	gacaatcggc	tatgggaaat	tgacaggtaa	agttaatcat	1020
cattatgttg	ctaacaagga	tggtctctgt	acagcatttg	ttgattctgt	cactctttac	1080
aagtacggtg	atcgtaatgt	tgctcaaaat	gctgctgtta	accaaaaatat	tgtattttaga	1140
gttttaacaa	aagatggctg	tcctattttt	gaaaaagctc	ataatggtaa	caaaactttt	1200
gcagaaaact	taaacaaaac	tttacaactc	aatctttaa	atgagcttaa	accacatgct	1260
tccagcggta	acgtcgaagt	ctttaagatt	catgatgact	gggtacatga	cacacatggg	1320
tctgcttttag	tgtcttatgt	taataataat	gatgctgttc	ctaattgtgt	catcccagaa	1380
cggccaactc	caccaaaagc	agtgaaggtg	acacctgaag	cagaaaaacc	agtacctgaa	1440
aagccagtgt	agcctaaatt	ggtaacgcct	acattaaaaa	cttataactcc	agtcacaaatt	1500
attccgcgag	aatacaaaac	agaaccaatc	acccctgaga	cgtttacccc	tgagaaattt	1560
actccagctc	aacaaaaagt	gaaaccacat	gtgtctatct	ctgaaaagat	taactactca	1620
gttagtgctt	atcctgtttt	agttccagct	gctaactcct	caaaagctgt	cattgatgaa	1680
gcaggtcaat	ctgttaaatg	taaaaccgta	ttaccaaatg	caacattaga	ctatgttgct	1740
aaacaaaact	ttagtcaata	caaaggtatt	aaagcttctg	cagaagcgat	cgcaaaaggt	1800
tttgcatattg	tagatcaacc	aatgaagcg	ttagctgaat	tgactgttaa	gtctatcaaa	1860
gcactcaatg	gtgatgatgt	atcaagcttg	ttagaaaatg	gtcatgtttt	atcaaaagat	1920
acttttagacc	aaaaacttca	atctcttatt	aaagaggcag	gaattagtcc	agttgggtgag	1980
ttttacatgt	ggactgcaaa	agatccacaa	gctttttata	aagcttatgt	tcaaaaagga	2040
ctagatatca	cttataatct	atccttttaa	atcaaaagcta	actttactaa	agggtcaaatc	2100
aaaaatgggtg	ttgcacagat	tgattttggg	aatggatata	caggtaatat	tgtagtcaat	2160
gataattactg	ttccagaagt	acataaggat	atacttgata	aagaggatgg	taaatcaatt	2220
aataatagta	cgggttaagt	aggtgatgaa	gtgacctaca	aacttgaagg	atgggttgta	2280
ccagcaaac	gtgggttagc	tctttttgaa	tacaaatttg	tggatcaatt	acaacacaca	2340
catgatcttt	acttacgtga	taaagtggct	gctaaagtgt	atgtgacatt	aaaagatggg	2400
acagtcatta	aaaaagggac	taatttagga	gagtacacag	aaacagttta	caacaaaacg	2460
acaggtcatt	atgagcttgc	ctttaaaaaa	gagtttttag	ctaaggtttc	tcgatgaatca	2520
gaatttggtg	cagatgattt	tattgtagtt	aaacgtatta	aggcaggtga	tgtttacaat	2580
actgtgatt	tatatgttaa	tggatatata	gttaagtcag	aagcagttgt	gactcatact	2640
actgagaaat	caaaaccagt	tgaaccacaa	aaagcaactc	caaaagctcc	agctaaaagga	2700
ctgccatcaa	ctgggtgaagc	tagtatgacg	ccacttactg	caattggagc	aattatctta	2760
tcagctctag	gcctcgcagg	ctttaaaaag	cgtcaaaaat	aa		2802

## SeqID 61

atgaaacaaa	taaaaattat	cacaggactt	acagtcgcaa	cactatccgc	agtggtaggg	60
aatgtatacg	cagaagatat	cacaccgaca	gcaccagtta	atgagccaca	agtttcaagc	120
gaaaccgcaa	aaacgcctca	agttacagaa	agtcaagtta	atagcgcaaa	agttactgcc	180
gatcaagcaa	taagtgatgt	taataaccaa	caaattgtag	ttgatgaggg	tcaaaagcag	240
aaagatcaat	cacaacaaaa	tcttgtaaaa	gccacatcaa	cagtaactga	agctgaaaaa	300
gtcgtgctg	aggcaacacc	tgaagttggt	aaagaagcta	ttaaagctgt	cactgaagca	360
aaggaagctg	ttacggatgc	tgaagctaat	gtagtcgatg	cacaaaagac	ggaacaaaaa	420
gctaatacaag	aagtacaatc	gcaagctaag	actggtgatg	aaaatgttaa	agttgttgct	480
gataaagaat	ccgaagtga	acaagcagag	gggtgtgtaa	ctacagctca	agaagctatt	540
gatagcaaaa	ccgctaacac	taatgcatca	gaagcagaaa	aagcagtgac	tgagaagcaa	600
acaaagcttg	aaactgctga	aacaaatctt	acagaggcac	aaaaacaaga	tgccaaaatc	660
gctgaagaaa	aacgacttgc	agaacaagaa	gttggttaata	aacaattagc	tgtagacagat	720
acacaaactc	ttttgaagaa	gcttgttact	gagattaata	acgagaaagt	aagcactagt	780
ttagaaaacc	aagcctatct	taaccaacgt	gacggttcat	gggcgggcta	ttatggcaat	840
tatacttttg	ccgctactgg	ctgtgtacca	agtagtttag	caatgggtatt	tacggagtta	900
gctagacgcc	aaattactcc	aactgaaatc	gccaattatc	tttggaaaca	ttcaaatgag	960
tttaataaaa	actatgggtg	aacaagtggt	aaagggtag	tacaagctac	taaacatttc	1020
ggttttgtac	caactcattt	agcatctcaa	tctgctattg	tggaagcctt	acaggcagga	1080
caccatgtcc	tagcagctgt	ccaacaagat	aaattttctc	cttgggggtat	caattacagc	1140
catgagattg	tcttacgtgg	ttactcaaat	ggcaataact	atgtttacga	tccttataat	1200
cgagctaaac	ttgggtggta	ccctgttgct	aatttttga	atgaacaaag	tagagacgca	1260
attgacacat	ctagtgtagg	cgtaccattt	ttcaaaatta	caacacaaaa	aatggcccaa	1320
ttagaagctc	agaaagcaca	agttcaatct	tctctaaata	cagctaaaaa	tcagttagct	1380
aaaacacaag	acgtattaag	aacactagaa	gcaacacctc	ttaaaacacc	agaagcaca	1440
gctaagctta	atcaagccaa	agaagctcta	gctcttgac	aagcagacta	tactaaagcg	1500
caagaagctg	ttaagttagc	tagtcaagac	ttagctgtta	aagaagaaac	acttaaaaat	1560
gctcaggtg	atttttaac	gaaacaaaca	gccttgaag	atgctcaaac	tggtctcgtg	1620
gctagtcaag	ttaaatttagc	tgatcttaaa	gcaactttag	ctactgttga	aaataacggt	1680
aagaaagctc	aagctacttt	aacagatgcc	aaagcaattg	ttggtcaaaa	acaagcaaaa	1740
ttacttgctt	tacaaaatgc	ccctaaaatt	ctagcagatg	ctcaagctaa	acttgtaact	1800
gctaaaaatg	atttagctaa	taaaatggct	atttttagatg	aagcagtcgc	aaaactaaaa	1860
tccttacaag	ccgttcaagc	cgaagcccaa	aaacaatacc	atgttggttt	tgaagcctat	1920
aaagcagtag	gagatgccaa	agaacaagct	aaacttgcag	aaagctataa	ccatattatc	1980
gcacgagggc	gtgaggctat	cccagttggt	gacgaaaacag	ataaaaatac	tggatatgta	2040
gatggtagcc	agaaagcagt	tgctaataaa	gtgactcttg	ccttaactag	taacggtgca	2100
ccccttgaaa	gtccagttaa	taaagaaaac	caaaacgtaa	caaaatcatc	tcaagcttta	2160
ccacatactg	gtgaagctgg	attatccatt	ttatcagtat	taggtgtagg	tcttatctca	2220
actttagggc	ttactagttt	gaaaaaacgt	cgccacatt	aa		2262

## SeqID 62

gtgagattaa	cccacgtgag	tttgtggatg	ccatcaaaga	gaagttggcc	gctcaaattg	60
cagttgttaa	ggaaaggagt	gattgagttg	gaagatgaac	tgaagacccc	ttatcttgat	120
caatacacag	acaattttaac	ggctaaagtc	actaaaaaat	cggtatgacta	ccaagtttat	180
ggacgaaaca	aggaggttca	atccgtcatc	atctctcttc	tcagacgaac	caaaaataac	240
ccatttttag	taggagaagc	aggggttggt	aaatcagcca	ttgtggaagg	tataacgctt	300
gctatcttac	gtggccaagt	tcctgaacct	ttaaaagggt	taacgggttcg	ttccctggag	360
ttgtctagtt	tgatgagtga	agatgacgaa	ggctttattg	ctaagtttaa	gaagatttat	420
gaagagatgg	ttgctacacg	tggtcataat	cttctctttg	tagatgaatt	tcatacgatt	480
attggtgcgg	gtagccagaa	tggtcaagcc	cttgatgcag	gaaatgtgat	taaacctgtc	540
ttagcacgtg	gtgatattca	gctgattgga	gcaaccacct	tagatgagtt	ccatgagtat	600
attgaaacag	atagagcctt	ggaacgtcgg	atgcagcctg	ttatgggtga	agagccaacg	660
atttcacaag	ctattaccat	tattgaacaa	gctaagtcga	tttatgagaa	gtttcatggg	720
attcaaattt	cctcagatgc	tggtcatcaa	gcaatccggt	tatctgttcg	ctatttgaca	780
gatcgattct	tgccggataa	ggcctttgat	ttgatcgatg	aagcggcgac	gattgcttca	840
gttgaagggg	aaagtaaggt	gacagaaaaa	gatattgctc	aagtttttaa	agataaaaacg	900
ggaattccag	tcactactat	cctaaaggga	gatcaagagc	ggtttagagg	tttcaaagaa	960
aggctgatga	atcgagtcaa	aggtcaagaa	gatgccattg	aggccggtgt	agatgcggta	1020
acgattgctc	aagctgggtt	acaaaatgaa	aaaaggccgc	ttgcatcatt	ccttttcctc	1080
ggaccaactg	gcgttgggaa	aacagaatta	gccaaagcaa	ttgcagaagc	actttttgat	1140
gatgaagctg	ccatgattcg	ttttgatatg	tctgagtaca	aacaaaaaga	agatgtgact	1200
aaactcatcg	gcaatcgtgc	gacaagaata	aaaggacaat	tgactgaagg	agtaaaaacag	1260
aagccttatt	gtgtcctgtt	actagatgag	attgaaaaag	cacacagtga	ggtaaatggat	1320
cttttcttgc	aagtgcctaga	tgatggctcg	ttacagata	gttcgggtcg	tttgattagc	1380
tttaaaaaca	ccattgtgat	tatgaccacc	aatattggcg	ctaaaaaaat	catcaataag	1440
tgggagttga	aaggaaactt	taaagattta	accgatcgag	atcggaacaa	atttgaaaag	1500



tcgatggaca	gtgagcttca	aaatgagttt	cgctccagaat	ttctcaatag	gattgaaaat	1560
aagctcatct	tcaacctttt	agaacgtgat	gtgattgaaa	aaattgcaga	aaaaaatcta	1620
tctgagattg	cggataggat	gaagcgccaa	aatttaacac	tgtcatatga	gcctagtctg	1680
attcagtatc	tctctgatgt	tggtactgat	gtgaaaaatg	gogcacgtcc	cttagaacga	1740
ctgatgaaac	gaaaagtget	ggcaccatt	tctgtaaaaa	gcttacagtt	agataagtca	1800
aagcaaggct	ataacgttca	tctctgggtt	gagggacggg	ctccagacgg	caatcatcgt	1860
caagaacaac	gtcaaattca	catggagata	gagggagaaa	gagataaactt	ttttagctga	1920

## SeqID 63

atggcagaag	aaaatgcaca	acagccatct	ttacgtggaa	aaagccgtcg	agaacgtggt	60
gaatttgctc	gttcccgtga	tatttttagat	gtggcccatg	aattgaatat	ggaacttttt	120
cgagatggca	aaaattatcg	ttggaaagag	cacgattcta	tggttaattac	acctgcaact	180
aatcagtggg	actggttttc	acaacgtcaa	ggaggtgatg	tgattgcgct	tgtagagacg	240
ataaaagaaa	tcggtctcaa	tcaagcattt	gaataacctga	atgaaggtag	atttaaagaa	300
tttactgtgg	tcaatcaagt	aaaagaacct	ttttcttatt	atttagaacc	ttacgaacag	360
ctttttgttg	aagcaagacg	ttatttgaaa	gagaatcggt	gcttatcaga	tgacactatt	420
gatttttttt	atgataaagg	agtacttgct	caagccaatg	ccaaggtagg	tgatatgatt	480
gagcctgttt	tggtgtttta	aaacttggat	aagaacggcc	aagtggttgg	cgctgctcta	540
caaggcttag	tagctgcccc	cgataaatat	ttcggtcggg	gttacctcaa	acaaatcatg	600
aaaaattccc	aaccttacaa	cggcatgcat	gttgatattg	gcacacccaa	ccgcctagtc	660
tttgcggaag	gtagtattga	tcttatgagt	tactatgaaa	tccacaaaga	tagcttatca	720
gatgttcggt	tagtttccct	agaaggcttg	aaaacaggaa	caataggaag	gcctctcatc	780
caattaagag	ctgaaatgga	acgtcgtccc	ctctctcca	gttggactga	tgaaataactt	840
gctcagggat	tagatgaggg	tgtaaagcaa	ggctatttca	aagatggtaa	gaacagtcac	900
ctccttacgc	tagctgtaga	taatgatgta	aaaggtaaac	aattgattga	agagttaaaa	960
gataagagca	tcccagtcac	tgatgccact	cctcctaaag	cagaagggtca	atctaaaatg	1020
gattggaatg	cctatttgca	ggaaaccaag	gctacttttt	ctactgaaaa	atatcaagaa	1080
aagattgatc	acctaatatc	agatgttatt	ttaggtgatg	aaacttatta	tctttggcat	1140
gatgatgagt	tggtaaattt	aggagcagga	gactctatta	tacaggcggt	tcacatcag	1200
ctggaagaca	gacgttatgt	tattaatcag	gcagaacttt	acgttgaaaga	gtccagtaat	1260
gatggggcta	ctggctatct	atcaattgaa	ggacatgtat	tagataagga	tggtattagt	1320
gactatttat	ctgatcaagc	tttaacagat	gcggaaaaag	tagcattctt	agaaacttta	1380
cagacagaac	taccagatat	ttgggacgag	atagtcaatc	attatgacaa	ggtctttgaa	1440
gaagttgtcg	ttaaatatgg	actcagagaa	aaacatgcgg	acataattca	ggaacaagag	1500
ttggatttag	accttttagt	tggtccagaa	gcaaaaagaa	agtcctttga	aatgaatcaa	1560
gagactaaca	ctggcggcga	actatttaac	cgcaattcca	gttttttagg	agaagattct	1620
ccggggacag	caccgcagcc	cgttgagcca	actgctcaac	ctgattttcc	taccaatggt	1680
cgcttacatt	ttaccactga	tgatggaaat	atgtcaaata	aagcatttag	gaaaaacatg	1740
cgaaccttga	atttatatgc	taatacgaag	agagattcgg	cacaatggta	cttatcagaa	1800
atagccgata	ctacaatgag	ttatgtttat	aaaactcctc	atgaagaggg	agtacagggt	1860
cttagtgtgc	atttttgtaa	aaagaattgg	atgcacttaa	caggagtgc	accagtatat	1920
gaaaatttgg	tagattcact	ttctgaacaa	tttattgatg	atattgctaa	tagtaaggga	1980
catttttaaa	atctaaagtt	tgactagggt	actcctgata	agttaaagggt	tcttaactta	2040
cttcctgaaa	ttattgaatc	agataccttt	gtattttaatg	atttatcatc	tgttcaaaag	2100
ttaaataatc	ttgatttatc	acaggcgctt	aatcctgaag	atagcgattt	acttttgcta	2160
tttagagatg	aggggcttca	tcaagtgcct	gcttcgttga	tgaggataaa	gggcgattta	2220
gaagaaagat	tatctcatat	agatagtggg	acagtgttag	gagtttaccg	agaaagaaat	2280
ggccaacttg	agcaaatttc	tgtcaatgag	gagtatgtca	aagatagtgg	tcaagaaatg	2340
ctatctattt	tacagaataa	gcactatgaa	gaggctcttg	atagtgggtca	agaaatgggt	2400
caaacggatg	gtttttcagc	cgaagatttc	acaaaagttt	tggtatgctgt	ctatcatggt	2460
ggtgttccag	atgatttagc	acgtgttcca	gaaggagtct	tacctgtttg	gcaaaaatat	2520
cttgaggtat	cagaagagaa	tcaatgggac	ttagaacaaa	tgattgatta	tgcgataaag	2580
aacagtcttt	tagtaaaaaga	ttctgccttc	tataaagagt	ggaaagagga	tatgatctat	2640
aaaaatgact	atcatgttgc	cttacaattt	gctgagaatt	gggataatgg	cgttgaactg	2700
cttttcgta	cagaacaatt	gattgattac	aaaacgtttg	tcacaggact	ttatgaagct	2760
aatcaagctc	atcatcaacg	cagacaagaa	agtcagcttc	cttatacaaa	aacagagttt	2820
gacatttatg	ctcctggcgg	acagctcatt	aaagataatg	tccattatgc	tattggagat	2880
gaaacaagac	ctgtttcaca	actcatgggg	ttaggttatc	gtcgctacc	tggtatcag	2940
gaattagctg	tgatagataa	cagtattcct	tctcagctgg	aaaataagga	gctaaatcaa	3000
gaaattgctt	ctgaagctaa	tgaacattcc	ttaaattcac	aagaaatacc	taaagaagat	3060
aactatccaa	gagaagcttt	cacttctcct	aaacaagaca	tcaaaaaggg	gctagctcaa	3120
cgagtagaag	agatttggtg	agaagatgct	actaaagattt	tagtatcttc	cattcctcaa	3180
gttcaagaga	atttatcagt	cgaaggaaac	ttggtcggta	ctccacaagc	ggataatcgg	3240
atgctataca	ctaacctaga	agattttggc	caagattatc	aattagagct	tgcagtttat	3300
agtccaaaac	gggttgactt	tttagaagat	gtgcaggctc	cgtggacctt	ggccctaatt	3360



agaaaagaaa	aaaagatagg	ttattttagcg	tatggttagtg	attggggcaaa	agaatttcag	3420
attgaagaag	agctagaaca	tttagctgca	caaattggag	acgaaaaagt	accagagggg	3480
ctctataaac	aagctgaagt	agaggctttt	atagctagtc	atcaggggaaa	tgaaagcctt	3540
caggaaacca	tacctactat	tgtagctgaa	ccgtttgact	ataccagtg	ctccgcctat	3600
gagatcagcg	aacacgcttt	ccaaaagatt	cgtgagtaca	cacaatcccc	tgaggacttg	3660
cttgagtaca	tggatttcat	gagtaagttc	ccacaacttt	cacctcgaaa	tgtegtctct	3720
atccatgaac	aatggcgctg	cgcaaatgca	gtcgcaactt	acgaacaatg	gaaagccatg	3780
ggagaagctc	taggtattaa	accagacgat	gtgtgccaaa	caaaagcaac	ttatgttaat	3840
aagcggacag	gagagacgaa	ggaagtcggt	catcaagggt	tatctgttaa	gactggcgaa	3900
aaatcgaaaa	ttacgctctt	tagaccgcta	atggttataa	tgatcccagt	tcttgatgag	3960
aatggtcaac	agctgaaaaa	tgataaaggt	aatccaaagt	ataagaagct	atcagaagcg	4020
tcacttcaag	agaaagcttt	agtaaaagac	ggtaaaactc	cagttcgtca	atttcaggag	4080
agagattcaa	aaactggtca	accaagggtt	acgacttaca	aagtttttga	gttgtcacia	4140
actactctga	agccaggaag	ctatcctaag	gctatgcaa	accgtcattt	caactttaat	4200
gtggataaag	tcaagactaa	agaggtatta	gaagggtctt	gtgactatgc	ggaaaagatt	4260
ggggttagcc	taatgaaaga	tgatgctcat	gttttggata	atgccaaagg	agctttttat	4320
tcagaagaac	agctgattct	tattaatcct	aataatacac	ctggagaaaa	aattgcaact	4380
accattcatg	agttagcaca	tgcaaccctt	cataatccta	agttggaaaa	acagtataaa	4440
gagttgccga	aaggacaaaa	agaatttgaa	gctgagatga	ccagttactt	gttgtcaaaa	4500
cactttggcc	tagatacgtc	tgaaaaggca	atccattata	tggcaagttg	gacagataat	4560
ctaaaagcgt	tagaggataa	acaattggga	gactctctga	aacgagttca	tcaaacgggt	4620
tcgaaaatgt	tgaagcaagt	tgaaaaatat	acgaaccctc	accagctagg	aagggggaaa	4680
gaacacggtc	taaattttcc	taaagcccca	accaaagggt	ctagtcgtta	a	4731

## SeqID 64

atggatgtat	cgtctagtcc	gaatattaca	tttatgctgc	aatacacaga	ggctaatacct	60
caatatgtgg	actatactaa	cagagaagag	gctgtcaaaa	ttgatgaaga	attgtcctta	120
gaaacgaaca	ggcaaatgat	tgaaggatta	actgaagacg	agttgactcg	tattcaggaa	180
gctgtccctg	aaacgcagtt	gaatttttagg	gaatacattg	attatatgaa	ccgctcgtat	240
gcaactgaag	aacaatctaa	agaactaaca	gctatcttta	ctcaagaagc	agattatctt	300
cagaaactac	gattaatcga	tctaaaaaat	aagttggaat	cagcttatca	aaatggttca	360
cttctctggc	aaggagttat	ttcgtttgat	aatgcttttc	ttgcgggaaca	gggattgtat	420
gatgttgcca	ctggccaagt	tgatcaaaaa	gcgattaagg	cagtgatgcg	tgatatgatg	480
ccaacactta	tccagaaaga	gggcctttct	gattcttgctt	tttgggtgggg	gaatatccat	540
ctgaatacag	ataatatcca	tatccatttt	gggctttctg	aagttgaatc	taacogtgag	600
aaaatattct	atagccacg	tggacgtatg	gagtaaaaa	gtaacttctc	tcagaaaacc	660
atcaaccggt	ttaaaagtgg	tgtgtatcat	ggattgctga	aagaagaaac	aagatccaat	720
cttctcagaa	aagaacagat	tttagctaat	ctcaaagcgg	acttcataac	atctatttac	780
cagaaggaca	agattacttc	ttcagctgaa	aaaaattttt	tggaaacaagc	ctacaatcat	840
ttgccgctaa	ataagaagtg	gcgctatggt	tctaattgcca	gagattttgc	ggttagtaag	900
ttctttcttg	atcgctattt	agattcctat	ttaaacaatg	aaggtagtgc	tgcttatcaa	960
gaatttttga	aagagactag	agattttctt	cagacttatg	aaggggttta	ttcagctgaa	1020
aaaaataaaa	tctatgaaaa	actacgtaaa	gttgatgggc	aaacgatcag	aacgcttgca	1080
gaatcaaaag	gatatgattt	agaacatcat	ttggcacgtc	gtgtaatgga	tttaagagag	1140
cgttttagcca	ataatatctt	acgttcggtt	agagaagctg	caccccaaat	tcaagacgtt	1200
cagctggaaa	aaaattttaga	gagtttttct	gttttgaaacc	agaagaaaaat	tttagaacia	1260
catcctgaag	caagtgtggt	aaaaagtcag	aaagcttgcc	agaagttagg	ctactttgtg	1320
aaggctggag	agcagccact	tgaaattata	aggccagtct	ataaatctta	tgataagcat	1380
ggtaaaggta	taggacggcc	agaattttgta	tcagatactg	tttatgatat	tagtcagcta	1440
acagaaaata	ttcagctgaa	aagtctaacc	ttgaaagacc	tctctctggt	ttcttctaac	1500
gagttaaaag	agttagtaga	tgctgctaag	ttaaagacta	atccaacaga	gagagaacgc	1560
cgtgaattag	gtacctatcg	ttatgcgttg	aaacttagca	tattagaatc	tagtcagaag	1620
gaattgcagg	ttcgtcaaaa	gctactagaa	caggtacagc	cactagcgtc	tgatcaacca	1680
tttttagatt	ttaagaaaca	gttaatagct	caggaattac	aagctatagc	gctacaattg	1740
actcctaatt	acaagctatc	agaagatgat	aaagccttga	aaaatcgatt	gaagaggcag	1800
tttgaagata	gtgttgcgct	acctgtttca	aaagctactc	ctgggtccat	acaacttcct	1860
attaggcaac	tttggactga	gctaggattg	gttcatcaca	ttcaagatga	aaacattcta	1920
acgcttctga	aagggacatc	aacgacgaaa	caagcttata	tagaagaact	tcagactcat	1980
atctctatct	ttcagttgaa	atatcagatt	aacaatagaa	acaagcagat	aagccagtta	2040
tcggatgaag	caacaataaa	ggagatgagg	atagctaagt	ctaaagggtt	ctctgagcta	2100
aaacgtctat	atgatacatt	acagccatca	gatgatggtc	aaaatcagat	tagtcaagct	2160
gtttctaacc	aattacaaga	acgaaaagtt	atcaaaaaag	ctcaattaca	acagacgcag	2220
agaagcggaa	aatcaataac	agacttcatg	cgacaattga	cagcttctct	taatcgttca	2280
caacaagcaa	gtaaaaaagc	attgatggaa	cgtgcacgta	gtgatgaacg	tgaggaacia	2340
gaagaacgta	ggcaagctca	acgttaa				2367

## SeqID 65

atgaagaaga	ataaatttct	attagtcagc	attgtatttta	tcatcatttt	tgtgggtacag	60
ccacaaaatt	ttcaatcttt	aaaaaatata	tttactcaaa	atgatatagc	tagtcaattg	120
aatatatcaa	gttcaccta	agaaaaaat	gatggcttag	gaacggccta	tcaaacgcaa	180
aatgaagatt	tgaaatctaa	aagttttgat	ggtcaacatc	aagtcatagt	ggttaatgaa	240
aaagcacaat	ttacggcaga	agagttgagc	atgagaaatg	gttcatggga	aaaatacgat	300
aacctagatt	ttttaaatcg	tgttggggtc	gcagaagcta	tgtaggaaa	agagttaatg	360
cctaaagagg	cacgtcagga	catttcttca	gtcaaaccac	ctggctggaa	aaataaaaaa	420
attaccttca	atggaaagca	agattatctc	tataatcggt	ctcacttaat	tggatttcag	480
ttaagtgggtg	agaatgccaa	tgtgaaaaat	ctctttacag	gaacacgtgc	ccttaatgca	540
aactttaacg	atgataaatc	gtccatgggtg	tactatgaaa	atgaggtcgc	aaactacatt	600
aagaaaacaa	atcatcatgt	tgttatcgga	gtgacccac	ttttcaaaaa	tgtggagtta	660
gtagctcgtg	gcgtacgtat	agaagcacia	agtattgaag	atgagaccat	ctcatttgat	720
gtctatattt	ttaatgggca	accaggatat	gacattgatt	atttgacggg	atcatctgaa	780
aaaataatga	ttacaaaatg	a				801

## SeqID 66

gtgactaaag	aaattaaaat	tagatccatt	ccagaaaaaa	catgggcaca	gctacatatg	60
atttcgggaag	aatatgagta	tccgtctttt	aatgaattta	tgcttgctca	attgcaacgg	120
attgtcgaaa	atgggtggtc	tgatttatat	gataataaat	ttgcggaaac	cttggcagtt	180
attaaagaac	aacaagcaca	aatattggat	cagctcctaa	aaaacgaaat	caagttactg	240
gcttatcatg	caaagcaaga	tatagtggaa	gagctaacaa	ccgactgggt	acgatttatg	300
gatgatgttg	atgcgctggc	tgcggaagaa	ggagcaggag	gacgttga		348

## SeqID 67

ttgttatatt	attttatttta	cttgataaaa	gtaattggaa	atggccttaa	attatcactg	60
atttgtgggt	taaattggct	catcaaaaata	gtattcaaag	gacaatttta	tcttttctca	120
gctgtctttt	gtggcttggt	gacctactat	atgccacaag	atattcaatt	atttacagtg	180
agagtttttag	agctaatcat	catgctaaaa	gtgataatag	atgttaccca	tacagctctt	240
tcaagagatt	ttaaaccgat	gaaaacgcct	cttttttttag	gagtgatgta	cgtcttcttt	300
ctagctggta	acagttatat	taaagcacat	cttttgacag	aagttatggg	taatcatctt	360
atttcgtttt	ggcttatcag	cctgtttttt	gccactcttg	taatagttat	tcagcccaga	420
ttatttaagc	attatctggt	aaaaaaagtc	attgataagg	aataacttggg	tatccgaaaa	480
ttcacagact	ctcttctctc	agaaatcaat	ttgtacaagg	atgcggaacga	agaagatgcg	540
gacaaaaggga	tgcgactgat	caaccagaat	gtcatcaaac	accctatca	agaagttggt	600
gaactgagct	ttttgaatag	agaagtgata	acagctattg	gctataaagc	cgttccattt	660
gaaaaagaaa	ctgaacgtac	ttttatagac	gatgatacca	tctattatcc	catttttacg	720
gttcaccctt	tcagaaattt	ggaaggga	tcagattttt	atcacatact	aatgaaactt	780
aaactcagtc	gaaaagcggc	ctttacaaaa	aatggtgagc	gattattaat	tagagatttt	840
taa						843

## SeqID 68

atgattagaa	atgaatttta	taatcagtta	atcaatagtg	agccaatagg	ttttattgat	60
cctttcactg	acttaggaga	atttgattct	attcagatga	agttcaaaca	acctgttaga	120
aatctggtaa	ataagtaact	tggtaaacct	tataatctta	gttggcaaaa	taagattgaa	180
cagatgagag	tgctatatat	taaatatcag	aaaagcttga	agctagaaga	tgaagaacaa	240
gaggttcata	accgagttaa	aaataaaaaa	tctaaaaaat	atgttcatga	aatcggtaca	300
acatatttga	agttaggatt	caggttttaa	gaaattgaag	caagggtatc	cctattcaat	360
actcgtcttc	gtcggaactg	gaaaagaagc	gactatgtga	caactgataa	ccctgaattc	420
tatttgaaga	aggatctaca	gaatgggtat	tgttctccaa	attcatttct	tcctcggagt	480
atgaaaataa	actaa					495

## SeqID 69

atgaacgaaa	tcaaatgcc	tcattgtgga	acagcttttg	ccatcaacga	gtctgaatac	60
catcaattac	tagaacaat	tcgtggagat	gcttttgaca	aagaagtaag	tgaacgggtg	120
gaaaaagaac	gtctaata	aggggagcaa	gcaaaaaatc	aattacagga	agttgttgta	180
gaaaaagaca	aggagatagc	taaacttcag	tacaaagtca	aacaatttct	tatagaaaaa	240
gacaatcttc	tcaaagacaa	tgagtaccaa	ctcgtctgagc	aattaaatca	aaaagacatg	300
atgcttcgcg	accttgaaaa	ccaaatcgat	agactacgtt	tagagcatga	aaatagcttg	360
caagaggcgc	taacaaaagt	cgaacgagaa	agagatgcaa	tacaaaatca	gttgacattt	420
caagaaaaag	aaaaagattt	agcttttagct	tcagtaaaaa	gtgattatga	agtacaacta	480
aaggcaagca	atgaacaagt	agaattctat	aaaaacttca	aagctcaaca	gtctactaaa	540
gcagtaggag	aaagtttaga	acattatgct	gaaacagaat	ttaataaagt	gcgacatttg	600
gcctttccta	atgcttattt	tgagaaggac	aatacattat	caagtcgtgg	ctcaaagggg	660

gactttatct	atcgagaaaa	ggatgaaaat	gaccttgagt	ttttaagtat	catgtttgaa	720
atgaaaaatg	agtctgatga	tactatcaag	aagcataaaa	atgaagattt	tttcaaagaa	780
ttagataaag	atcgctgtga	aaaatcctgc	gaatcgcag	ttttagtaac	tatgcttgaa	840
gcagacaatg	actattataa	tactggaatt	gttgatgtta	gtcacaata	ccctaaaatg	900
tacgttatac	gtccacaatt	ttttatccaa	ttaattggta	ttctaagaaa	tgcagcactc	960
aataccttaa	aataataaca	agagcttgct	ttgatgaaag	aacaaaatat	tgacatcaca	1020
cattttgaag	aagattttaga	tattttcaaa	aatgcatttg	ctaaaaatta	taattctgca	1080
agcaaaaat	tccagaaagc	aatcgatgaa	atagataaat	ctattaaacg	tatggaagct	1140
gttaaggctg	ctttaacaac	gtctgaaaat	caactacgtc	ttgcaataaa	taaatttagac	1200
gatgtttctg	tcaagaaatt	aacaagaaaa	aatccaacaa	tgaaagcaaa	attcgatgct	1260
ctaaaagact	aa					1272

## SeqID 70

atgaatcatt	ttgaactatt	taagcttaaa	aaagctggac	taacaaatct	taatatcaac	60
aatattatca	actatctcaa	aaagaatagt	ttaacttctc	tatctgttcg	caatatggcc	120
gtagtatcaa	aatgtaaaaa	tctacttttc	tttatagaaa	attataaaca	gctagacctt	180
aaaaaaacttc	gacaagaatt	caaaaaat	ccagttctat	cgatttttga	ttctaactat	240
ccttttagagt	taaaagaaat	atataatcca	ccagttctac	ttttttatca	gggtaatat	300
gaacttctat	ctaaacctaa	attagctgta	gtgggggcaa	gacaggcatc	tcagataggt	360
tgtcagctctg	ttaaaaagat	tatcaaggag	actaacaatc	aatttgttat	cgtaagtggg	420
ttagcgcgtg	gcattgatac	agcagcacat	gttagtgctt	taaaaaatgg	cggcagtagt	480
atagctgtta	tcgggagtgg	tttagatggt	tattatccaa	cggagaataa	gaaacttcaa	540
gaataatagt	catataatca	tctcgtatta	tcagaatatt	ttaccggaga	acaacccttg	600
aaatttcatt	tccccgaacg	taaccgtatt	attgcagggc	tgtgtcaagg	tattgtgggt	660
gccgaagcta	agatgagatc	tggaggttta	attacctgtg	aaagagcatt	agaagagggg	720
cgagaagttt	ttgccattcc	cggaaatatt	atcgatggca	aatcagatgg	atgccaccat	780
cttatccaag	aaggagctaa	atgcattatt	tcaggaaaag	atatcctttc	tgaatatcag	840
tag						843

## SeqID 71

atgactgaac	gaacattcga	agatattgaa	cttgacttaa	agttattcca	aataaagctt	60
gataatgctg	agaatagtaa	aaggctctta	caaaaattga	aaaacgacgt	catggagtta	120
caaataagagt	tactagaatc	attaaaaactc	ggatgatgct	atttaacaga	atcagaagaa	180
ttagaagaga	ataatgactt	tatttctaacg	gtaaaatagt	aaacactaag	tttatcctat	240
gacaatagga	taaacttagt	ttctaaagag	attatggatt	atgaaaatgc	attagataag	300
ttgtattatg	aaaaacagag	tttgatgcaa	aaaagtaatg	aaagaaaagg	agggttaa	357

## SeqID 72

ttgttcaata	aaataggttt	tagaacttgg	aaatcaggaa	agctttggct	ttatatggga	60
gtgctaggat	caactattat	tttaggatca	agtcctgtat	ctgctatgga	tagtgttgga	120
aatcaaagtc	agggcaatgt	tttagagcgt	cgtcaacgtg	atgcagaaaa	cagaagccaa	180
ggcaatgttc	tagagcgtcg	tcaacgcgat	gcagaaaaca	gaagccaagg	taatgttcta	240
gagcgtcgtc	aacgtgatgc	agaaaacaga	agccaaggta	atgttctaga	gcgtcgtcaa	300
cgtgatgcag	aaaacagaag	ccaaggtaat	gttctagagc	gtcgtcaacg	cgatgttgag	360
aataagagcc	aaggcaatgt	tttagagcgt	cgtcaacgtg	atgcggaaaa	caagagccaa	420
ggcaatgttt	tagagcgtcg	tcaacgtgat	gcagaaaaca	gaagccaagg	caatgtttta	480
gagcgtcgtc	aacgcgatgt	tgagaataag	agccaaggga	atgtttttaga	gcgtcgtcaa	540
cgtgatgcag	aaaacagaag	ccaaggtaat	gttctagagc	gtcgtcaacg	cgatgttgag	600
aataagagcc	aaggtaatgt	tctagagcgt	cgtcaacgcg	atgttgagaa	taagagccaa	660
ggcaatgttt	tagagcgtcg	tcaacgtgat	gcagaaaaca	gaagccaagg	taatgttcta	720
gagcgtcgtc	aacgcgatgt	tgagaataag	agccaaggta	atgttctaga	gcgtcgtcaa	780
cgcgatgttg	agaataagag	ccaaggcaat	gttttagagc	gtcgtcaacg	tgatgcagaa	840
aacagaagcc	aaggcaatgt	tctagagcgt	cgtcaacgcg	atgcagaaaa	cagaagccaa	900
ggtaatgttc	tagagcgtcg	tcaacgtgat	cgggaaaaca	agagccaagt	aggtcaactt	960
atagggaaaa	atccacttct	ttcaaaagtc	atgatatcta	gagaaaataa	tcaacttagt	1020
caaggtgact	ctaacaacaa	gtcattctct	aaaaaagtat	ctcaggttac	taatgtagct	1080
aatagaccga	tgtaaactaa	taattctaga	acaatttcag	tgataaataa	attacctaata	1140
acaggtgatg	atcaaaatgt	cattttttaa	cttgtagggt	ttgggttaata	tttggttaaca	1200
agtcgctgcg	gtttgagacg	caatgaaaat	taa			1233

## SeqID 73

atgaaaagac	taacttatta	ttttaagggg	tatatcaaag	aaactatctt	tggaccctt	60
ttcaaattat	tagaagcctc	ttttgaactt	ttggtaccaa	tcgttattgc	aaaaatgatt	120
gacgagacca	ttccacgagg	ggatagaagt	agtttactgt	tgcaaattgg	attgattttc	180
tttttggtcg	cgggtgggtg	tgtagtagcg	ataactgctc	aatattattc	ttcaaaagcc	240

gcagtttggtt	atacagagaca	attgacagag	gatctctacc	aaaaagtcac	gtcactgggg	300
aaaaaagaca	gagatgaatt	gggaactgct	agtttgatta	ctcgtttaac	tgctgataca	360
tttcaaatcc	aaactgggtt	aaatcaattt	ttacgtttat	ttttgagggc	tccgattatt	420
gttttttggtg	ccataattat	ggctttttcc	attagccctt	cattgactat	ttggttcttg	480
gtaatgggtg	tcacgttatt	tatcattggt	tttgtaattg	ctcgactatt	aaatcctatt	540
taccttaaaa	tcagaacttc	aaccgattat	ttggtaaagt	tgactaggca	acaacttcaa	600
gggtgtacgag	ttatccgtgc	ctttaatcaa	gtagatagag	agagtgaagc	atttaattgat	660
atcaattatc	attatacgaa	tttacaatta	aaagcaggta	ggctttctag	tttagtaacg	720
cctctaacat	ttctagttgt	taatatcact	ttggttggtg	ttatttggcg	tggttaattta	780
aatatagcta	atcatctttt	atcacaagga	atggttggtg	ctttaattaa	ttacttattg	840
caaattcttg	ttgaattggt	aaaaatgaca	atggttggtg	catcactgaa	ccaaagttat	900
atcagtgtct	agcgaattat	agccgttttt	gaaagaccgt	ctgaaataat	tgatgacaaa	960
cttgagccaa	aatattcgaa	taaggcttta	gaagtacaag	aatggcatt	ttcttatcca	1020
aattcttctg	aaaaagcttt	atctgatatt	actttttcta	tgaatgtagg	agaaacttta	1080
gggataattg	gtggaactgg	ctctgggaaa	tcaaccttgg	ttaatctact	gcttcatatt	1140
tataaagtgc	aagaagggga	tattgatata	tatctcagg	gaaaaagtcc	agatacaatt	1200
tcaaattggc	gtaccctggg	aagagttggt	cctcaaaatg	ctcagttggt	taaagggaact	1260
attcgttcta	acctttcttt	gggacttggt	aaagtttagt	aggaaaaact	ttggactgct	1320
ttagaaatag	cacaagctag	tgattttgta	aaagaaaaag	atggtcaact	tgatgccctt	1380
gtagagagtt	ttggtagaaa	tttctctggt	ggtcaaaggc	aaaggttgac	gattgcaaga	1440
gcttttagttc	aagataagat	accatttttg	atttttagacg	atgcaacatc	tgcatgtgat	1500
tatttaacag	aagctcggtt	atttaaagcc	ataactaaac	atttcaacca	aactaatctt	1560
attattgtat	cacagagaat	taatagtata	caaatgcag	atagaatctt	actccttgat	1620
aaggggaaac	aagttgggtt	tgataatcat	caatctttat	tagctcataa	caaagtttat	1680
aagtccattt	accattcaca	aaattttaag	gaggaggagt	aa		1722

## SeqID 74

atgaaattta	atgagcaaag	taactcgcaa	gcagcacttc	taggcttgca	acacctgtta	60
gctatgtatg	caggatccat	tctgtacct	atcatgattg	ctagtgcctt	tggttataat	120
gctgagcaac	taacttatct	tattgcgaca	gatattttta	tgtgtgggat	tgccacctta	180
ttacaattac	aattaagtaa	gcactttgga	gtgggtcttc	cagttgtatt	aggggtgtgc	240
tttcagctctg	tagctccttt	atcaattatt	ggtgcacaac	aagggtccgg	ctatatgttt	300
ggagctttta	ttgcttcagg	aatatatgtc	gttttagttg	ctggcatttt	ttctaaagtt	360
gcaaattttct	ttcctccaat	tgtaacagga	tcagttatta	ctacaattgg	tttgacatta	420
ataccagttg	cgatgggaaa	tatgggtgat	aatgcaaaa	aaccgagctt	acaatcttta	480
actttatcac	tggtaacgat	tggtgttggt	ttatttaatta	atattttcgc	aaaaggcttt	540
ttgaagtcaa	tttcaatcct	tattggactc	atatcaggta	caattcttgc	agcattttatg	600
ggcttagttg	atgcttctgt	ggtagcagaa	gcaccacttg	tacatattcc	gaagccattt	660
tattttggag	ctcctagatt	tgaatttact	tctattttta	tgatgtgtat	tattgcaaca	720
gtttctatgg	tagaatcaac	aggtgtttac	cttgcgcttt	cagatattac	aaacgataaa	780
ttagacagta	agagacttcg	taatgggttac	cgttcagaag	gattggcagt	attacttggc	840
ggcttattta	ataccctttc	atataccggt	ttttctcaaa	atgtgggact	ggtacagata	900
tctgggatac	gtacgcgtaa	gccgatata	tttacagctc	tcttcttagt	tatacttggc	960
ttgttaccta	aatttggcgc	aatggctcaa	atgattccaa	gtccagttct	tggtgggtgct	1020
atggttagttt	tatttgggtat	ggtagcactt	caagggatga	aaatgcttaa	tcagggtgat	1080
tttgagcata	atgagcataa	ctttatcatt	gcagccgtat	caattgcagc	aggagtaggt	1140
tttaattggga	caaatctctt	cattagtctt	cctaatactt	tacaaatgtt	tttgacaaat	1200
ggtattgtta	tctcaacctt	gacagctggt	gttttaata	tcattttgaa	tggtattgct	1260
aaaaaattaa	tatga					1275

## SeqID 75

atgggctaata	catacgattt	aatttcacag	cgtattgaag	cacaacgaca	gaaactcatc	60
gctatagata	ttgtggccgt	tgcgagctca	ctaggactta	acttgaaaca	aggttcagggt	120
ggacatctct	attgggatga	acatgatagt	tttcatattt	acccccaaac	taacaccttt	180
cgttggtggt	caagaagcat	ggggaccaat	accattgatt	tagtccaagt	catccaagaa	240
gagctaacag	gaaagaaacc	tgccttcga	gaaactgtca	actttttaga	aacagggcaa	300
tttgaatcgg	ttacggtaac	accagtcggt	agagaacctt	ttaagcacta	cctcgctcct	360
tatgaacatc	acaattttga	cttagggcga	cagtatctta	aagaagaacg	agggctatct	420
gatgagacca	ttgattttgc	tttggcatca	ggtagtatga	gctctgcgac	attgaaaaag	480
ggtgattatt	ttgaacctgt	tattatcttt	aaaagttttg	cgggaagacg	ccgaatgatc	540
ggcggtagcc	ttcaggggat	cgttgaaaa	aaagtccagc	atcctgaacg	tggccgtctc	600
aaacaaatca	tgaagcattc	agaaggctca	gcaggttttc	atttggacgt	tggaaacacct	660
aaacgtctcg	tgttttcgga	agctcctatt	gaccttctct	cttattatga	attacataag	720
gagagtttac	agaatgtccg	cttagtcgct	atggatgggg	tcaaaaaagg	ggtgattagt	780
cgctatacgg	ctgattttatt	gacagatggc	cagtattctc	aaaccatgcc	cagagagtcg	840

31/109

attagaggag	cgatagatgc	cattaaccaa	acgactagaa	tccttaaaaa	caatcccaat	900
atgattacca	ttgccgttga	taatgacgag	gcaggccgaa	actttattaa	ggagttacag	960
gaagatggca	ttccaattaa	cgtagacctc	ccaccacgga	aagaacacca	gagtaaaatg	1020
gattggaata	attatctgaa	acaaaagaaa	ggattactaa	aatgccaca	aacagaaggc	1080
acacaaaaag	cccagaaca	agttctggag	catgaaaaaa	tggataggag	ccaaattagt	1140
tcgggctcct	tagaggacga	ccctcaaggc	agtgcacaa	ctgtatccaa	aagggatacc	1200
tttgagcaag	ctgttaccag	ccaccgcact	ttctcctatc	ctttactaca	gttttagcaca	1260
gaagaagcct	ttgtgtcaaa	cgttagagat	ggctaccaca	tcgcaagtga	ggaggatatt	1320
cggaatctca	attactatgc	ccctagtctc	caacaaacgg	ctaactggta	tcgggataat	1380
ctggcagacc	gtcaagtga	ttatatgtta	aaaggggata	aggagataaa	ggcgcttcag	1440
gtcagttttg	ccaaggataa	gtttgcccac	ttaaccggta	ttcgtccgat	tggaaaaggg	1500
ttgtcagctg	aaaaactggt	agatgatttt	gcgaaaggct	gaggttccta	tcctaactctg	1560
accttatcaa	atgggtttta	tgacaagata	caagttttgc	caatgattca	agaactatct	1620
caatccaagt	cttttgtctt	tacagattta	gaggaagttc	aaaaaatgag	aaacttaaag	1680
gccagtcag	cgattccaac	caataatcgg	agttatgtcg	tcgcttttaa	aactattgat	1740
gatgtcacct	ttccttcgtc	cctcctaaga	ggaaaaaaga	atctaaatga	tgatctgatt	1800
caaaaggcga	aagaaaatga	agttctaggt	gtactcagtg	agaaagatgg	gaacatcacg	1860
gtgctgtccg	ttaacgataa	gtacatccaa	gatgggtggc	aagccttaa	agatatgatt	1920
aaaaatggcg	aacttgaacc	actccaaatg	gagacgatac	agcgacatgt	tcctcatgag	1980
aatgcctatc	ctaaggattc	tgacgggtgat	ggcttaaccg	atgatgaaga	aatcgctcta	2040
ggaccaaatc	cctttagtct	tgatagtgat	ggtgatggga	ctccagataa	tgtcgaaaag	2100
gcaaatggaa	cagaccccac	caatgcttct	gataatgagg	tgacaaggca	acaagaagcc	2160
aataaacgtg	acttcaactt	gtcagaaatg	attaaagcca	aaaataccgc	agcgctgaat	2220
caacacttac	aagacggcat	caaacagtat	tttgatagtg	atacctataa	gcaatacctg	2280
gaagggatgg	cccacttcaa	taactactcg	ccacgaaata	ttcaattgat	tatgtcacaa	2340
tttccagaag	catcgatggg	tgcgctcttc	caagagtggg	ggaagcgaaa	tggttcgggt	2400
aaaaaagggt	agaaggccat	ctatatccaa	gcccctgttt	ctgttatgaa	aaaagatgag	2460
aatgggaaac	ctctcttaa	tcctgaaacg	ggagaaaagg	agaccatcac	ttacttttaa	2520
cctgtccctg	cttttgacat	taaacaggtc	tctcccgaag	aaggaaaaaga	actcaatctc	2580
cctaaagcca	tgggaactat	tccagaacaa	ttggataaag	aatactacca	aaatgtctat	2640
cgtagcttaa	gagatatctc	tcagaataac	aataaggttc	ccattcgatt	tagagaactt	2700
ggacaagaag	atgggttcta	tagtccacag	acaaatgaaa	ttgttattaa	gaaagggatg	2760
tcttatgaac	gaacctgtgc	aacgctgatt	catgaaatgg	ctcattcgga	attacacaac	2820
aaacaaagtt	tgacggaacg	ctttgatggg	aaactaacaa	gaagtaccaa	agaacttcaa	2880
cggaattcca	ttgcttatgt	tgtatccagt	catctaggtt	ttgataccag	tcaagagctca	2940
tttctctatt	tagcgtcttg	gtcaaaagaa	aaagacgggc	ttgccaaact	aacagcacaa	3000
ttggaaatcg	tgcaagaaga	agccaaaaac	ttaatggaac	ggattgatca	acagttaagt	3060
caatatcaaa	cagtaacact	gaataaagaa	acccaacaat	tgactaaaca	agaaatgaaa	3120
aagcagactc	atccctttta	tcaaagttta	gcagccgcta	aaacatcaag	agcacaaagt	3180
accactcagg	agaaggaagc	aagcgtaaaa	aaagacaatc	gacctacgat	gccgtag	3237

## SeqID 76

atgaattcac	aagaaacaaa	aggtcacgga	tttttttagaa	aatcaaaaagc	atatgggttta	60
gtatgtggga	ttgcactagc	aggtgcattt	acattagcta	ctagtcaagt	gtctgctgat	120
caagttacaa	ctcaagcaac	aactcaaaaca	gtaacgcaaa	atcaagcaga	aacagtaaca	180
tcaactcaac	ttgataaagc	agtagatata	gctaaaaaag	cagctgtagc	tgttacaacc	240
acaacagcag	ttaatcatgc	gacaactact	tagtcacaag	ctgatttagc	taatcaaaaca	300
caagctgcta	aagatgttat	tgcaaaagca	caagctaata	cacaagctat	taaagatgct	360
actgctgaaa	atgcaaaaat	tgatgctgaa	aacaaagcag	aggcagagcg	tgttgcaaaa	420
gctaataaag	caggtcaagc	agaagtagat	gctcgtaata	aagcaggtca	agcagccgtt	480
gatgcacgta	ataaagcaaa	acagcaagcg	caagacgatc	aaaaagcaaa	aattgatgct	540
gaaaacaaag	cagagtctca	acgtgtaagt	cagttaaatg	cacaaaataa	agcaaaaaatt	600
gacgcagaaa	ataaagatgc	gcaagctaaa	gcagatgcga	ctaattgcaca	attacaaaaa	660
gactatcaaa	caaagtttagc	aaacattaaa	tctgttgaag	cttataatgc	aggtgtacgt	720
caacgtaata	aaagtgcaac	agctaaaagca	cagtcgacta	acgcacagtt	acaaaaagac	780
tatcaagcta	aattagcact	ttataatcaa	gctctaaaag	ctaaagcaga	agcagataaa	840
cagtctatta	ataatgttgc	ttttgacatt	aaagcccaag	ctaaaggtgt	tgataacgct	900
gaatatggaa	actcaatcat	gactgcaaaa	actaaacctg	acggaagttt	cgagtttaac	960
cacgatatga	tcgatgggtg	gaagacaatc	ggctatggta	agcttacagg	taaagttaat	1020
catcattatg	ttgctaacaa	ggatggctct	gtgacagcat	ttgttgattc	tgctactctt	1080
tacaagtacg	agttatcgtaa	tgttgctcaa	aatgctgctg	ttaaccaaaa	tattgtattt	1140
agagttttaa	caaaagatgg	tcgtcctatt	tttgaaaaag	ctcataatgg	taacaaaaact	1200
tttgagaaaa	cttttaacaa	aactttacaa	ctcaatctta	aatatgagct	taaaccacat	1260
gcttccagcg	gtaacgtcga	agtctttaag	attcatgatg	actgggtaca	tgacacacat	1320
gggtctgctt	tagtgtctta	tgtaataaat	aatgatgctg	ttcctaattg	ggtcatccca	1380

gaacagccaa	ctccaccaa	accagaaaa	gttacacctg	aagcagaaaa	accagtacct	1440
gaaaagccag	ttgagcctaa	attggtaacg	cctgttttaa	aaactttatac	tccagtcaaa	1500
tttattccgc	gagaatacaa	accagtccea	agtacccttg	agacgtttac	ccctgagaaa	1560
tttactccag	ctcaaccaa	agtgaacct	catgtgtctg	tacctgaaaa	aattaactat	1620
aaagtagcgg	tgcattccagt	acagatacca	aaggccacac	caactaagaa	agttctagat	1680
gaaaacgggc	aatctattaa	cggtaaatct	gtattacca	atgcaacatt	agactatgtt	1740
gctaaacaaa	acttttagtca	atacaaaggt	attaaagctt	ctgcagaagc	tatcgcaaaa	1800
ggttttgcat	ttgtagatca	accaaataga	gcgttagctg	aattgactgt	taagtctatc	1860
aaagcatcta	atgggtgatga	tgtatcaagc	ttgttagaaa	tgcgtcatgt	tttatcaaaa	1920
gatactttag	accaaaaact	tcaatctctt	attaaagagg	caggaattag	tccagttggg	1980
gagttttaca	tgtggactgc	aaaagatcca	caagcttttt	ataaagctta	tgttcaaaaa	2040
ggcttagata	ttacttataa	cttatcattt	aaagttaaaa	aagagtttac	taaagggtcaa	2100
atcaaaaatg	gtgttgacaca	gattgatttt	gggaatggat	atacaggtaa	tattgtagtc	2160
aatgatttga	caactccaga	agtccataaa	gacgtgttag	acaaagaaga	cggcaagtct	2220
attaacaatg	gtactgtcaa	actcggtgac	gaagtcactt	acaagcttga	aggatgggtt	2280
gtaccagcga	accgtgggta	cgatcttttt	gaatacaaat	ttgtagatca	cttacaacac	2340
acacacgac	tttacctaaa	agataaagta	gtcgtataag	tagcaattac	acttaagat	2400
ggcactgtaa	ttccaaaagg	gacaaatcta	gttcaatata	ctgagactgt	ctataataag	2460
gaaacaggtc	gctatgagtt	agcctttaag	gcagacttcc	tgcacaaagt	ttcacgttct	2520
agtgcctttg	gggcagatga	ctttattgta	gttaaacgta	tcaaagcggg	tgatgtttac	2580
aataccgcag	acttctttgt	caatggcaat	aaggtaaaaa	ctgaaactgt	ggtaacacat	2640
actcctgaga	aacccaaaacc	agttatgccg	caaaaagtaa	ctcctaaagc	accagcttta	2700
ccatccacag	gagagcaagg	ggatctgttc	ctaacagtac	ttggtgcgcg	cttactctca	2760
ctcttaggcc	ttgtagggtt	taaaaagcgt	caacagtaa			2799

## SeqID 77

atgaatcaga	taaaaattat	cacaggactt	acagtcgcaa	cactatccgc	agtggtaggg	60
aatgtatacg	cagaagatat	cacaccgaca	gcaccagtta	atgaaccaca	agtatcaagc	120
gaaaccgcaa	aaacgcctca	agttacagaa	agtcaggtta	acagcgcaaa	agttactgcc	180
gatcaagcaa	caagtgatgt	taatgcacaa	aaaaatgtag	ttaataatgc	tcaaaatcaa	240
aaaaatcaag	cacaacaaaa	acttgtaaac	gcaactacaa	cgtaaataga	aacacaaaaa	300
ttagtgcag	aatctaccaa	tcaaaatcaa	gtacaacaaa	cagttgattc	cgcaaaagcaa	360
aggttgctgc	agacagaagc	taatcaaaaa	attactcaaa	ctgaacaagt	caaagctcaa	420
aatcaagtta	atgcacaaca	aacagttggt	gttaacaatg	agcatgatgt	tgcaactaag	480
acagctgatg	ttaaacaagc	tcaagcatca	gtcgatacag	ctaaagatgc	tttgactaat	540
actatagtta	atagtgattt	aaataaagca	agtcacaaag	tcacaactaa	gacagctgat	600
gttaaaaactg	cgacagatgc	acttacaaaa	gcacaagcga	ctgataaaac	acttactaat	660
caaaaagcaa	aagcacaca	aatagttgat	tcagcaaaac	aaaacttatc	tgctaaagat	720
acacagcttt	cacaagctaa	tgctgaggtc	aatcatcaca	agtttaaaac	ggctctaggg	780
caaagtcatt	attacaatca	acgtgataat	gcttgggctg	gggtatatgg	agggcataca	840
tttgcttcaa	ctggatgtgt	cccatcagca	ttagcaatgg	tttactctga	tttatcaaat	900
cggacaataa	cgccgagaga	gatagctgat	tactatata	acaacacaga	tgaattcaat	960
aaacgtttcg	gtggcacaag	tgggaaaggt	attattttctg	ctactaaagc	gtttgggttat	1020
gttggtgactc	atttggttag	caaaaatgct	ataactgaag	cattaaaagc	aggtcatcat	1080
gttggtgctg	ctgtacaaaa	taataaattc	agtcctctgg	ggcctcaata	cagtcacgaa	1140
attgtattga	gaggtagttc	taatggcaat	acgtatgttt	atgatccgta	taaccgtgat	1200
aacaatggtt	tttacagtgt	tgaccgcatt	tggaaatgaac	agtcacgaga	tagtattgat	1260
actgctgggtg	taggtgtacc	gtttttcgca	attatgacta	aaaatatggc	taatgcttta	1320
actaagcagt	cacaagcttt	agcaagccaa	caagttgctc	aaaaacaatt	aatgatgca	1380
caagctaaaag	caacaggtct	taatgcagta	actatgcaga	caccgattgc	acaagcta	1440
ttgattaaag	cacagtcaaa	tttaaaagat	gctcaaaagc	gattagcaga	agcacaagca	1500
tcagtcfaat	tagctaatca	agataatgtt	aaaaaacaag	ctgacttaac	aaaagcagag	1560
tctaaattaa	aagatgctca	aaagcaatta	gcagcagcac	aagctaaatt	gacaacaagc	1620
aaaacaaaaac	ttaatcaatt	aaaacaagt	ttagcagaag	caagtcaaca	agtagcccaa	1680
gcaaatcaag	attacaagca	agctaaagat	aatctaacac	aaaaaactgc	ttatctaac	1740
aatctacgca	atgcacaagc	taatttgatt	aaagcacagt	ctgatgtagc	acaagctaaa	1800
gataacttag	caaataagat	tgctaagtta	caaagagaag	tagcttattt	acaagagtta	1860
aaaactaaag	cagtagatgc	gcaatcacag	tatcaaaaag	ttttatcagc	ttataagtca	1920
gttttatcag	ctaaagcaag	tttaaaatta	gcggaagaga	aagctcgact	tgataaaaaag	1980
ggtcacgaag	cagtagcagt	agttgacgaa	acaggtaaaa	ttactagcta	tattacttct	2040
aaacacaaaa	tagaaatgaa	atctcttggt	gcaactaaga	caactgatgt	taaacaagta	2100
tcagttgcta	aagcaagcgt	gttgccaagt	actgggtgatg	ttaaacaagt	atcagttgct	2160
ctctgggta	tgttattaac	gttctctggg	tttttaggta	tacgtaaaaca	aagtaaaaaa	2220
gttattaatt	aa					2232

## SeqID 78

atgatatcac	gtaaaagttgc	gcttgtgacg	ggggcatctg	ctgggttttg	tgcagctatt	60
gttactaaat	tagtttcaga	tggttatagc	gttattgggt	gtgctcgtcg	aatggataaa	120
ttaaaatgct	ttggagaaaa	gttttcagag	ggttactttt	atccacttca	aatggatatt	180
acaagtagag	aatcggttga	caaagcttta	gaaagtctgc	ctaaaaattt	gcaatcaatt	240
gatttgttgg	ttaataatgc	aggttttagc	cttggattgg	ataaatcata	tgaagctgat	300
tttgaagatt	ggatgactat	gattaatact	aacggttgtag	gattaattta	cttgacacga	360
tgcattttac	cgaaaatggg	agaagttaat	agagggttaa	ttatcaattt	gggatcaact	420
gcaggaacaa	tcccttatcc	aggagcta	gtctatggcg	catcaaaagc	ttttgtaaaa	480
caattttctc	tcaacttgcg	tgccgattta	gctggaacta	aaatcagagt	tactaaccta	540
gaaccgggtt	tatgtgaagg	gacagaattt	tcaactgtac	gtttcaaagg	agatcataaa	600
agagttgaaa	aactttatga	aggtgcgcac	gcaattcaag	cagaggatat	tgctaatacc	660
gtgtcatggg	ttgctagcca	accagaacac	attaatatta	atcgcataga	aataatgcc	720
gtcagtcaaa	cttatggacc	tcaacctgtt	tatcgtgatt	aa		762

## SeqID 79

atgattttatt	tagacaatgc	tgtactacc	gctctaacc	catctgttat	tgagaaaatg	60
accaatgtca	tgacaagtaa	ctatggta	ccatctagta	tacatacctt	tgggcgctcaa	120
gcaaatcaac	ttttacgtga	atgtcgacaa	attattgctg	aatatctaaa	tgtaatttca	180
cgtgaaatta	ttttcacttc	tgggggaact	gagagcaaca	atacagctat	caaaggggat	240
gctcttgcaa	atcagctaaa	aggtaaacat	attattacct	ctgaaattga	acatcattca	300
gctcctacata	ctatgactta	cttatcagag	cgatttgggt	ttgatattac	ttacttaaaa	360
ccaaacctatg	gacaaattac	tgcaaaagac	gttcaagaag	ctttacgaga	tgatactatt	420
atgggtatctc	tcatgtttgc	taataatgaa	accggggact	ttttaccaat	tcaagagatt	480
ggtcagcttc	tcaggaacca	ccaagctgtt	tttcacgttg	atgccgttca	agtcttttagc	540
aaaatggaac	ttgatcctca	ttcttttagga	attgactttt	tagctgcttc	tgcccataaa	600
tttcacgggtc	caaaagggtg	tgggatactt	tactgtgctc	cccatcactt	tgatagtcta	660
cttcatgggtg	gagaccaaga	ggaaaaaagg	cgtgcttcaa	ctgaaaaat	aattgggtatt	720
gctggaatgt	ctcaagctct	tactgatgct	acgactaaca	cccttaaaaa	ttggactcac	780
attagtgcagc	tgagaacgac	cttttttagat	gctatttcag	accttgactt	ctatctta	840
aacgggtcaag	actgcttacc	tcatgtactt	aatatagggt	ttcctagaca	gaataatggc	900
ttgttattga	cacagttaga	tttagctgga	ttcgcagttt	caacaggttc	tgcatgtact	960
gcaggaacag	tcgaacctag	tcatgtctta	acaagcttgt	atggagccaa	ctcaccacgt	1020
ctaaatgaat	caatacgtat	tagtttttca	gaactaaata	cccaagaaga	aattcttgaa	1080
ttagctaaaa	ccttaagaaa	aattatagga	gattaa			1116

## SeqID 80

atgtctagga	aaacatttaa	acataacta	tcgattggag	tttgcacgct	cgtactatcg	60
atgagtcctt	attacactga	aaaagcccac	gctattgctg	gtcctagtga	ccgccaatat	120
gtagaaaacc	caaatcctca	cattattgta	aatgttacag	gtactgatca	aaacggaaat	180
agcattttac	cgcattacat	cgaagtcaat	gtaaaagatg	gacaaaactt	aagtaaagaa	240
gaaatttctag	attatattgc	tcgaaaattt	aactctagt	ttggaggaga	aagtaaaaa	300
gttcaatata	gcaacatcga	gtttaaggaa	agtgttatc	tgaagcgtca	attagatgat	360
ggcaagacag	aagaaatagc	aattgataac	gacgggtgta	ctgtacctaa	agacgggtcca	420
aacaaatttt	ggattgacgt	tccagtaact	tgtactgtta	ctcctatcgt	aacagaaaca	480
catgaagttc	gatgggggac	tccagtcgct	atatcacacc	gtatttactt	tggtgaagaa	540
tcttctggaa	aagtttttaga	tgaatacaca	aatctacaca	ctgctgattc	ggaacttaac	600
ggttatcgtg	ttggagatta	tatcacagac	tatgcacttt	ctaagctctg	ttacgaagct	660
tttttaaaact	ctcgttttaga	taaagaagg	tacaaaactt	aacatcgtat	tagcacgaat	720
gtacgacaaa	accttcaaat	tgataaattg	attttcaatt	atgactttta	tgaggaaaat	780
atttactacc	aaatcgggaa	tatccgtcca	ctattaagtc	gctcatcagc	tgaagtagaa	840
tctgacatca	ttacagaacg	ctactatgtt	tctaaaaatg	ctaaaagt	agcacgtaca	900
gaatcaacca	tttcgattaa	aatgggtgat	gccccaaactg	aacaaccgct	atttaaccac	960
acattaactg	gttatcaatt	ggcaactgtc	tcccattgtc	ataacagact	ctttgaagaa	1020
aatcttatcc	caactacaaa	atcaggagaa	agatatttta	ttcaaaatat	gaaaaaaaca	1080
gctgaacaag	aataactgt	ttacctttca	gaaacacctt	attctaaaga	gaacgctccc	1140
gtaatttctt	atgatgcaag	acctgttgat	tgggattatc	actcaggegc	ttcaggatca	1200
cttgaataatc	agcctaacat	ctatactgaa	gaagattcaa	ctgaattttt	gggtaataaa	1260
ccacaagcag	cttgttatcc	aaacaaacaa	tttgcttgcg	aaaatactga	ctctaataac	1320
aactatagct	atttagaaaa	atag				1344

## SeqID 81

atgaatcctt	taataattgg	aatgaatgat	aaacaagcag	aagcgggtaca	aacgacagac	60
ggaccgcttt	tgattatggc	aggagctggc	tctggaaaaa	cacgtgttct	gactcatcgt	120
attgcttatt	taatagatga	aaaatatgtt	aatccttggg	atatttttagc	gattactttt	180

actaataaag	cagcgcgtga	aatgcgtgaa	cgtgctatcg	ccttgaatcc	agctacccaa	240
gatactttga	ttgcaacttt	tcatagtatg	tgtgttcgta	ttttacgtcg	tgaagctgat	300
tatattggat	ataatcgtaa	ctttacaatc	gttgatccag	gtgagcagcg	tactttaatg	360
aagcgaatca	ttaagcaatt	aaatgtggac	acaaaaaagt	ggaatgaacg	ttcaatttta	420
ggtacaatct	ctaattgctaa	aaatgacott	cttgatgaaa	ttgcatatga	gaagcaagcc	480
ggagatatgt	atacacaggt	aattgctaaa	tgctataaag	cttatcaaga	ggaattacgt	540
agaagtgagg	ccatggattt	cgatgacttg	attatgatga	cacttcgatt	atttgatcag	600
aataaagatg	ttttggccta	ttaccaacag	aggtatcaat	atatccatgt	agacgagtat	660
caagatacta	accacgctca	ataccaatta	gttaagtatt	tagcttcgcg	tttcaaaaaat	720
atttgtgttg	ttggtgatgc	cgatcaatcc	atttacggat	ggcgtggagc	tgatatgcaa	780
aatattcttg	attttgaaaa	ggactatccg	caagccaaag	ttgtattatt	agaagaaaat	840
tatcgatcga	ctaagaaaaat	acttcaagct	gctaataatg	tgattaatca	taataaaaaat	900
cgccgtccca	aaaaattatg	gactcaaaaat	gatgaaggtg	agcaaatgtt	atatcataga	960
gctaacaatg	agcaagaaga	agccgttttt	gtagcatcaa	ctattgataa	catcgttcga	1020
gaacaaggaa	aaaattttcaa	agatttttgcc	gttctttatc	gtacgaatgc	gcaattctcg	1080
actattgagg	aagcactttt	aaaatccaat	attccatata	caatggttgg	tggaacaaaa	1140
ttctatagtc	gtaaagaaat	tcgagatggt	attgcttatt	tcaatatcct	tgcaaatact	1200
tctgataata	tttcttttga	gcggattgta	aatgaaccta	aaagaggggt	tgggccaggc	1260
actttagaaa	aaatacggtc	atttgccat	gaacagaaca	tgtctcttct	tgatgcctct	1320
tcaaatgtca	tgatgtcgcc	cttaaaaggg	aaggctgctc	aagctgtttg	ggatttagct	1380
aatctgattt	tgactctacg	tagtaagcta	gatagtttaa	ctgtaacgga	gattacagaa	1440
aacctactgg	ataagacaga	atatctagaa	gcacttcaag	ttcaaaaatac	attagaaagt	1500
caagcgcgta	ttgaaaatat	tgaagaattc	ttgtcagtga	ctaaaaattt	tgacgataac	1560
cctgagatta	cagtagaggg	tgaactgggt	ttagatcgtc	tatcgcggtt	tttaaattgat	1620
ttagcttttaa	tagcagatac	tgatgatagc	gccactgaaa	cggctgaggt	cactttaatg	1680
acattacatg	ctgccaaggg	tctagaattt	ccagttgttt	tcttaatcgg	tatggaagaa	1740
ggagtatttc	ctttatcgcg	tgcaatagag	gatgctgatg	aattagaaga	agagcgctcg	1800
ttagctttatg	tccgggattac	gagagcagaa	caaactacttt	tccttaccaa	tgctaatacc	1860
cgtaactttat	ttggtaaaac	tagttataat	agaccaaccc	gttttatacg	tgagattgat	1920
gatgagctga	tacaacatca	aggggtgggt	cgaccagtta	attcttccatt	tggtgtgaaa	1980
tattcaaaaag	aacagcctac	acaatttggt	caaggaatga	gtcttcaaca	agcgcttcag	2040
gcacgtaaaa	gtaattcaca	acctcaagta	actgcccaac	tccaggctct	taacgcgaac	2100
aatagccatg	agacatcatg	ggagattgggt	gatgttgcaa	ctcataaaaa	atgggggggac	2160
ggtacggtgc	ttgaagtttc	aggtagcgga	aagactcaag	agttaaaaat	aaattttcca	2220
ggtattgggt	taaagaaatt	attagcgagt	gtcgctccta	ttagtaaaaa	ggaaaactaa	2280

## SeqID 82

atgaaattat	acgttcaatt	aatgggttatt	ttaacctttt	cattcgctgg	tgaggttcta	60
tctactatat	tcaacttacc	tgtagcagggt	agtattattg	gattaatatt	actattccta	120
gcgttaaaat	acaaaatcat	caggtctcagg	catattgatg	ccgtggggaa	ttttctatta	180
gcaaatatga	ccatttttatt	ttaccacca	gcagttggag	tgatggagca	ctttcaagac	240
ataaaaacct	atcttttttg	gatagctatc	attatcttag	gagcgctatt	tctcaatatt	300
ctaactattg	gactggatc	ccaatggatc	aaaaagagat	atgaaggaga	ttatccagaa	360
attggaggta	aaaatggcaa	ctttaacgaa	taa			393

## SeqID 83

atgatttttg	tcacagtggg	gacacatgaa	cagcagttca	accgtcttat	taaagaagtt	60
gatagattaa	aaggggacagg	tgctattgat	caagaagtgt	tcattcaaac	gggttactca	120
gactttgaac	ctcagaattg	tcagtgggtca	aaatttctct	catatgatga	tatgaactct	180
tacatgaaag	aagctgagat	tgttatcaca	catggcggtc	cagcgacggt	tatgtcagtt	240
atttcttttag	ggaaattacc	agtcgttggt	cctaggagaa	agcagtttgg	tgaacatatt	300
aatgatcatc	aaatacaatt	ttttaaaaaa	attgcccacc	tgtatccctt	ggcttggatt	360
gaagatgtag	atggacttgc	ggaagtgttg	aaaaggaata	tagctacaga	aaaatatcag	420
ggaaataatg	atatgttttg	tcataaatta	gaaaaaatta	taggtgaaat	atga	474

## SeqID 84

atgggtgatga	aaatcataga	gttaaaagaa	gcaaccgtac	aagtcagtaa	tggttttagca	60
gaaatgaaaa	cgatattaga	ccatgttaat	ttgagtattt	atgaacatga	cttcattaca	120
atattgggtg	gaaatggagc	tggaataatca	acgcttttta	atgtaattgc	aggtaccttg	180
atgttaagcg	gtggaaatat	ttacatcatg	ggacaagatg	ttactaattt	accagcagaa	240
aaacgagcta	aatattttatc	acgggtattt	caagatccga	aaatgggaac	agcacctagg	300
atgacagttg	ctgaaaattt	attagttgct	aaatttcgag	tgaaaaagag	accgttagtt	360
cctagaaaga	ttactaacta	taccgaagaa	tttcaaaaaat	tgattgctag	aactggtaat	420
ggacttgatc	gccattttaga	gacacctaca	ggtttattat	caggtggaca	aagacaagca	480
cttagtttat	taatggcaac	tttgaaaaaa	ccaaatctgt	tattattgga	cgaacacaca	540



gcagcgcttg	atcctagaac	aagtgtttcg	cttatgggct	tgactgatga	gtttatcaaa	600
caagattcgt	tgactgcctt	aatgattaca	catcatatgg	aagatgctct	caaatatgga	660
aatcgtatat	tagtaatgaa	agatggcaag	attgtcagag	atttaaataca	ggcacaaaaa	720
aacaagatgg	ctatagctga	ctattatcaa	ttatttgatt	aa		762

## SeqID 85

atggaaatca	aaaagaaaca	togtattatg	ctttatttcag	cccttatttt	aggaacaata	60
ttgggttaaca	atagttacca	agctaaagct	gaagagctta	ccaaaactac	ctcaacgtcc	120
caaataagag	atactcaaac	taataatatt	gaagttctcc	agactgaaag	taccactgtc	180
aaagagatga	gcaccacaac	cacacaacaa	gatctgtcta	acccacagc	ttcaaccgca	240
actgcaacag	ccactcatag	cacaatgaaa	caagtagtag	ataatcaaac	tcaaaataag	300
gagctgggtga	aaaacggaga	ttttaatcaa	actaaccttg	tatctggaag	ctgggtcacat	360
acaagcgcta	gggaatgggtc	tgcttggatt	gataaagaaa	atactgctga	taaatcacct	420
attatccaac	gtaccgaaca	aggccaagta	agcctatcca	gcgacaaagg	ctttagaggt	480
gctgtaaacac	aaaaagtga	cattgatccc	actaaaaaat	atgaggtcaa	gtttgatatt	540
gaaacaagta	acaaggctgg	acaagctttc	cttcgtatta	tggagaaaaa	agacaacaat	600
acgcgacttt	ggctttctga	gatgaccagc	ggctactacta	acaaacatac	cttaacaaag	660
atatataacc	caaagttaaa	tgtctccgag	gtgacacttg	aactttatta	tgaaaaagga	720
actgggtctg	ctacttttga	taatataatca	atgaaagcaa	aaggccctaa	agactcagag	780
catccacaac	ccgtcacac	acaaattgaa	gaaagcggtta	atacggtctt	aaacaaaaat	840
tacgttttta	ataaagctga	ctaccaatac	actctaacca	atccgtctct	cgggaaaatt	900
gttgggtgaa	tattgtatcc	aaacgctact	ggttcaacaa	ctgttaaaat	atctgataaa	960
tctgtgtaaaa	taatttaaga	agtaccgtta	tcagtctacag	cttcaacaga	agataagttt	1020
acaaaactcc	tcgacaaatg	gaacgacgtg	actattggta	atcatgttta	cgataactaat	1080
gattcgaaca	tgcaaaagat	taatcagaaa	ttagatgaaa	ctaacgcaa	aaacatcaaa	1140
actatcaaac	tggattctaa	tcacactttc	ctttggaaaag	atttagataa	tctcaataat	1200
tcagcacagt	taaccgctac	ttatcgctcg	ttggaagatt	tagctaaaca	aatcaccaat	1260
ccccactcta	ctattttaca	aaatgaaaaa	gctattcgta	ctgtaaaaga	gagctcggct	1320
tggtctcate	aaaactttcta	caatgttaat	aaagatatag	aaggctctgc	caattgggtg	1380
gattttgaaa	tcggtgtccc	tcgctcaatt	acagctaccc	tagctctcat	gaataactac	1440
ttcactgacg	ctgaaataaa	aacttatacc	gacccaattg	aacactttgt	tcttgatgca	1500
ggatatttcc	gtaaaacgct	tgacaatcca	tttaaagccc	ttggtggtaa	tctagtcgat	1560
atggggcgcg	ttaaaatcat	tgaaggttta	cttcgtaaaag	acaatactat	tatcgaaaaa	1620
acttctcatt	ctctaaaaaa	tctttttact	actgctaacta	aagctgaagg	tttctatgct	1680
gacgggttctt	acatcgacca	tacaaatggt	gcttatactg	gcgcctatgg	taatgttctg	1740
atagatgggtt	tgacacaaat	gctgcctatc	attcaagaaa	ctgactataa	aatctctaata	1800
caagaacttg	atatgggttta	taaatggatt	aatcaatcat	ttttaccttt	aattgtaaaa	1860
ggtagagttaa	tggatatgag	tcgtggacgc	tcaattagta	gagaggcagc	ttcttcgcat	1920
gcggctgcag	ttgaagttct	cagaggtttc	ctcagattgg	ctaacatgtc	taatgaagag	1980
cgaaacttag	acctcaaatc	aactattaaa	acgattatca	cttcaataaa	attctacaat	2040
gtcttcaata	acctcaaatc	gtattccgat	attgccaaca	tgaataagat	gcttaatgac	2100
agtacagtcg	ctactaaacc	tttaaaaagt	aattttatcaa	cctttaatag	catggaccgc	2160
ttagcttatt	ataatgccga	gaaagacttt	ggtttcgcgc	tttcattaca	ttctaaccgt	2220
acctcaact	atgaaggaat	gaatgatgaa	aatacacgtg	attggtatac	cggagatggg	2280
atgttctatc	tttataatag	tgatcaatct	cattatagta	atcatttttg	gccaacgctc	2340
aatccttata	aatgggtctg	aacaactgaa	aaagatgcta	agcgtgaaga	taccactaag	2400
gaattcatga	gcaaacatag	caaagacgct	aaagaaaaaa	ccggtcaagt	tacaggaaca	2460
tctgactttg	ttggttccgt	caaacttaat	gatcactttg	ctcttgccgc	tatggatttt	2520
actaactggg	atcgacacct	aacagcacaa	aaagggtggg	ttatcttaaa	tgataagatt	2580
gtcttttttag	gtagcaacat	caagaatact	aacggcattg	gaaatgtttc	tacaacaatt	2640
gatcaacgaa	aagacgattc	taaaacacct	tatactacat	acgtcaatgg	aaaaactatt	2700
gattttaaacc	aagcaagttc	tcaacaattt	acagatacaa	aaagtgtctt	tttagaatca	2760
aaagaacctg	gtcgcaatat	tggttatatc	ttcttttaaaa	atagcaactat	tgatattgaa	2820
cgcaagagc	aaacaggtac	ttggaacgac	attaatcgta	cttctaataa	tacctcaatc	2880
gttagcaatc	cttttatcac	tataagccaa	aagcatgaca	acaaagggtg	tagctatggg	2940
tacatgatgg	ttccaaacat	tgatcgacac	agttttgata	aattagccaa	cagcaaagaa	3000
gtagaattac	tagaaaatag	ttcaaaacaa	caagttatct	atgataaaaa	cagtcaaaact	3060
tgggctgtta	tcaaacacga	taatcaagag	agtctcatta	acaatcaatt	caaaatgaat	3120
aaagcggggac	tttacctagt	acaaaaagtt	ggtaatgact	atcaaaatgt	ctattaccaa	3180
cctcaaacca	tgacaaaaac	agaccaatta	gctatctaa			3219

## SeqID 86

atgcattctt	tttctaatacc	tggatatact	tatgataatg	ccgtaactga	agcatttttc	60
aagtatttaa	agcatagaca	aatcaaccga	aaacattatc	aaaatatcaa	acagggttcaa	120
ttagactgct	ttgaatacat	tgagaatttt	tataacaatt	acaaccaca	tacggctaata	180

ctaggactaa cccctaataca gaaagaagaa aattattttta acgcaataaa ataa 234

## SeqID 87

gtgaagaaaa	catatgggtta	tatcggtctca	gttgctgcca	ttttactagc	tactcatatt	60
ggaagttacc	aacttggtta	gcatcatatg	gggtctagcaa	caaaggacaa	tcagattgcc	120
tatattgatg	acagcaaagg	taaggcaaaa	gcccctaaaa	caaacaaaac	gatggatcaa	180
atcagtgtcg	aagaaggcat	ctctgctgaa	cagatcgtag	tcaaaattac	tgaccaaggc	240
tatgtgacct	cacatgggtga	ccattatcat	ttttacaatg	ggaaagttcc	ttatgatgcg	300
attattagt	aagagttggt	gatgacggat	cctaattacc	gttttaacaa	atcagacgtt	360
atcaatgaaa	tcttagacgg	ttacgttatt	aaagtcaatg	gcaactatta	tgtttacctc	420
aagccaggta	gtaagcgcaa	aaacattcga	accaaacaac	aaattgctga	gcaagtagcc	480
aaaggaacta	aagaagctaa	agaaaaagg	ttagctcaag	tggcccatct	cagtaaagaa	540
gaagttgctg	cagtcaatga	agcaaaaaga	caaggacgct	atactacaga	cgatggctat	600
atttttatgc	cgacagatat	cattgatgat	ttaggagatg	cttatttagt	acctcatggt	660
aattcactatc	attatattcc	taaaaaggat	ttgtctccaa	gtgagctagc	tgctgcacaa	720
gcctactgga	gtcaaaaaca	aggtcgaggt	gctagaccgt	ctgattaccg	cccgacacca	780
gccccaggtc	gtaggaaagc	cccaattcct	gatgtgacgc	ctaaccctgg	acaagggtcat	840
cagccagata	acggtggcta	tcatccagcg	cctcctaggc	caaagtatgc	gtcacaacaa	900
aaacacccaaa	gagatgagtt	taaaggaaaa	acctttaagg	aactttttaga	tcaactacac	960
cgtcttgatt	tgaaataccg	tcatgtggaa	gaagatgggt	tgatttttga	accgactcaa	1020
gtgatcaaat	caaacgattt	tgggtatgtg	gtgctcatg	gagatcatta	tcatattatc	1080
ccaagaagtc	agttatcacc	tcttgaaatg	gaattagcag	atcgatactt	agctggccaa	1140
actgaggaca	atgactcagg	ttcagagcac	tcaaaaccat	cagataaaga	agtgcacat	1200
acctttcttg	gtcatcgcat	caaagcttac	ggaaaaagg	tagatggtaa	accatatgat	1260
acgagtgtatg	cttatgtttt	tagtaaagaa	tccattcatt	cagtggataa	atcaggagtt	1320
acagctaaac	acggagatca	tttccactat	ataggatttg	gagaacttga	acaatatgag	1380
ttggatgagg	tcgctaactg	ggtgaaagca	aaaggtcaag	ctgatgagct	tgctgctgct	1440
ttggatcagg	aacaaggcaa	agaaaaacca	ctctttgaca	ctaaaaaagt	gagtcgcaaa	1500
gtaacaaaag	atggtaaagt	gggttatatg	atgccaaaag	atggtaaagga	ctatttctat	1560
gctcgtgatc	aacttgattt	gactcagatt	gcctttgccc	aacaagaact	aatgcttaaa	1620
gataagaagc	attaccgtta	tgacattgtt	gacacaggta	ttgagccacg	acttgctgta	1680
gatgtgtcaa	gtctgccgat	gcattgctgt	aatgctaact	acgatactgg	aagttcgttt	1740
gttatcccac	atatgatca	tatccatgct	gttccgtatt	catggttgac	gcgcgatcag	1800
attgcaacag	tcaagtatgt	gatgcaacac	cccgaagtct	gtccggatgt	atgggtctaag	1860
ccagggcatg	aagagtcagg	ttcggctcatt	ccaaatgtta	cgctcttga	taaacgtgct	1920
ggatatgccaa	actggcaaat	tatccattct	gctgaagaag	ttcaaaaagc	cctagcagaa	1980
ggtcgttttg	caacaccaga	cggctatatt	ttcgatccac	gagatgtttt	ggccaaagaa	2040
acttttgtat	ggaaagatgg	ctccttttagc	atcccaagag	cagatggcag	ttcatttgaga	2100
accattaata	aatctgatct	atcccaagct	gagtggaac	aagctcaaga	gttattggca	2160
aagaaaaata	ctggtgatgc	tactgatagc	gataaaacca	aagaaaagca	acaggcagat	2220
aagagcaatg	aaaaccaaca	gccaagtga	gccagttaag	aagaaaaaga	atcagatgac	2280
tttatagaca	gtttaccaga	ctatggtcta	gatagagcaa	ccctagaaga	tcatatcaat	2340
caattagcac	aaaaagctaa	tatcgatcct	aagtatctca	ttttccaacc	agaagggtgc	2400
caattttata	ataaaaatgg	tgaattggta	acttatgata	tcaagacact	tcaacaaata	2460
aacccttaa						2469

## SeqID 88

atgaaaaaag	gtttttttct	catggctatg	gttggtgagtt	tagtaatgat	agcagggtgt	60
gataagtcag	caaaccceaa	acagcctacg	caaggcatgt	cagttgtaac	cagcttttac	120
ccaatgtatg	cgatgacaaa	agaagtatct	ggagacctca	atgatgtgag	gatgatccaa	180
tcagggtgcag	gcattcatcc	ctttgaaccg	tctgtaaatg	atgtggcagc	tatttatgac	240
goggatttgt	ttgtttacca	ttcacatacc	ttagaagctt	gggcaaggga	tctagaccct	300
aatttaaaaa	aatcaaaagt	tgatgtgttt	gaagcgtcaa	aacctttgac	actagataga	360
gtcaaagggc	tagaagatat	ggaagtcaca	caaggcattg	acctgcgac	actttatgac	420
ccacatacct	ggacggatcc	cgttttagct	ggtgaggaag	ctgttaatat	cgctaaagag	480
ctaggacgtt	tggatcctaa	acacaaagac	agttacacta	aaaaggctaa	ggctttcaaa	540
aaagaagcag	agcaactaac	tgaagaatac	actcaaaaat	ttaaaaagg	gcgctcaaaa	600
acattcgtga	cgcaacacac	ggcattttct	tatctggcta	aacgattcgg	cttgaaacaa	660
cttggtatct	cgggtatttc	tccagagcaa	gagccctctc	ctcgccaatt	gaaagaaatt	720
caagactttg	tcaaaagata	caacgtcaag	actatttttg	cagaagacaa	cgtcaatccc	780
aaaattgctc	atgctatttg	gaaatcaaca	ggagctaaag	taaagacatt	aagtcactct	840
gaagctgctc	caagcggaaa	caagacatat	ctagaaaatc	ttagagcaaa	tttgggaagt	900
ctctatcaac	agttgaagta	a				921

## SeqID 89

ttgcgtaaaa	aacagaaact	accatttcat	aaacttgcca	ttgcgcttat	gtctacgagc	60
atcttgcetca	atgcacaatc	agacatcaaa	gcaaatactg	tgacagaaga	cactcctgct	120
accgaacaaa	ccgtgaaaac	tccacaacca	acagcggttt	ctgaggaagc	accatcatca	180
aaggaaacta	aaaccccaca	aactcctagt	gatgcaggag	aaacagtagc	agatgacgct	240
aatgatctag	cccctcaagc	tctgtctaaa	actgctgata	caccagcaac	ctcaaaagcg	300
actattaggg	atttgaacga	cccttctcag	gtcaaaaccc	tgagggaaaa	agcaggcaag	360
ggagctggga	ctgttggttg	agtgattgat	gctgggtttg	ataaaaaatca	tgaagcgtgg	420
cgcttaacag	acaaagccaa	agcacgttac	caatcaaaag	aagatcctga	aaaagctaaa	480
aaagagcagc	gtattaccta	tggcgagtgg	gtcaatgata	aggttgctta	ctaccatgac	540
tatagtaaa	atggtaaaaac	cgctgtcgat	gcacacacgt	gcacacacgt	gtcaggaatc	600
ttgtcaggaa	atgctccatc	tgaacgaaa	gaaccttacc	gcctagaagg	tgcgatgctt	660
gaggetcaat	tgtttttgat	gcgtgtcgaa	attgtaaatg	gactagcaga	ctatgctcgt	720
aactacgctc	aagctatcag	agatgctatc	aacttgggag	ctaaggtagt	taatatgagc	780
tttggtaatg	ctgcactagc	ttacgccaac	cttcagacg	aaacccaaaa	agcctttgac	840
tatgccaaat	caaaaggtgt	tagcattgtg	acctcagctg	gtaatgatag	tagctttggg	900
ggcaagaccc	gtctacctct	agcagatcat	cctgattatg	gggtggttgg	gacacctgca	960
gcggcagact	caacattgac	agttgcttct	tacagcccag	ataaacagct	cactgaaact	1020
gtacgggtca	aaacagccga	tcagcaagat	aaagaaatgc	ctgttctttc	aacaaaccgt	1080
tttgagccaa	acaaggctta	cgactatgct	tatgctaata	gagggacgaa	agaggatgat	1140
tttaaggatg	tcaaaggtaa	gattgccctt	attgaacgtg	gcgatattga	tttcaaagat	1200
aagattgcaa	aagctaaaaa	agctggtgct	gtaggagtct	tgatctatga	caatcaggac	1260
aagggcttcc	cgattgaatt	gccaaatggt	gatcagatgc	ctgcggcctt	tatcagtcga	1320
aaagatggtc	tcttattaaa	agacaatccc	caaaaaacca	tcaccttcaa	tgcgacacct	1380
aaggtattgc	caacagcaag	tggcaccaaa	ctaagccgct	tctcaagctg	gggtctgaca	1440
gctgacggta	atattaagcc	agatattgca	gcacccggcc	aagatatttt	gtcatcagtg	1500
gctaacaaca	agtatgccaa	actttctgga	actagtatgt	ctgcgccatt	agtagcgggt	1560
atcatgggac	tgttgcaaaa	gcagtatgag	acacagtatc	ctgatatgac	accatcagag	1620
cgtcttgatt	tagctaaaaa	agtattgatg	agctcagcaa	ctgccttata	tgatgaagat	1680
gaaaaagctt	atttttctct	tcgccaacaa	ggagcaggag	cagtcgatgc	taaaaaagct	1740
tcagcagcaa	cgatgtatgt	gacagataag	gataatacct	caagcaaggt	tcacctgaac	1800
aatgtttctg	ataaatttga	agtaacagta	acagttcaca	acaaatctga	taaacctcaa	1860
gagttgtatt	accaagcaac	tgttcaaaca	gataaagtag	atggaaaaca	ctttgccttg	1920
gctcctaaag	catgtgatga	gacatcatgg	caaaaaatca	caattccagc	caatagcagc	1980
aaacaagtca	ccgttccaat	cgatgctagt	cgatttagca	aggacttgct	tgcccaaatg	2040
aaaaatggct	atttctttaga	aggttttgggt	cgtttcaaac	aagatcctaa	aaaagaagag	2100
tttatgagca	ttccatatat	tggtttccga	ggtgttcttg	gcaatctgtc	agccttagaa	2160
aaaccaatct	atgatagcaa	agacggtagc	agctactatc	atgaagcaaa	tagtgatgcc	2220
aaagaccaat	tagatgggtga	tggattacag	ttttacgctc	tgaaaaataa	ctttacagca	2280
cttaccacag	agtctaacc	gtggacgatt	attaaagctg	tcaaagaagg	ggttgaaaac	2340
atagaggata	tcgaatcttc	agagatcaca	gaaaccattt	ttgcaggtag	ttttgcaaaa	2400
caagacgatg	atagccacta	ctatatccac	cgtcacgcta	atggcaagcc	atatgctgcg	2460
atctctccaa	atggggacgg	taacagagat	tatgtccaat	tccaaggtac	tttcttgctg	2520
aatgtctaaaa	accttgtggc	tgaagtcttg	gacaagaag	gaaatgttgt	ttggacaagt	2580
gaggttaaccg	agcaagttgt	taaaaactac	aacaatgact	tggcaagcac	acttggttca	2640
acccgttttg	aaaaaacgcg	ttgggacggg	aaagataaag	acggcaaaag	tggttgctaac	2700
ggaacctaca	cctatcggtg	ccgctacact	ccgattagct	caggtgcaaa	agaacaacac	2760
actgattttg	atgtgattgt	agacaatacg	acacctgaag	tcgcaacatc	ggcaacattc	2820
tcaacagaag	atcgctgctt	gacacttgca	tctaaaccaa	aaaccagcca	accggtttac	2880
cgtgagcgta	ttgcttatat	ttacatggat	gaggatctgc	caacaacaga	gtatatctct	2940
ccaaatgaag	atggtacott	tactcttctt	gaagaggctg	aaacaatgga	aggcgctact	3000
gttccattga	aaatgtcaga	ctttacttat	gttggtgaag	atatggctgg	taacatcact	3060
tatacaccag	tgactaaagt	attggagggc	cactctaata	agccagaaca	agacgggtca	3120
gatcaagcac	cagacaaaaa	accagaagct	aaaccagaac	aagacggttc	aggtcaaaaca	3180
ccagataaaa	aaacagaaac	taaaccagaa	aaagatagtt	caggtcaaac	accaggtaaa	3240
actctctaaa	aaggtcaacc	ttctcgctact	ctagagaaac	gatcttctaa	gcgtgcttta	3300
gctacaaaag	catcaacaag	agatcagtta	ccaacgacta	atgacaagga	tacaaatcgt	3360
ttacatctcc	ttaagttagt	tatgaccact	ttcttcttgg	gattagtagc	tcataatatt	3420
aaaacaaaac	gccaaaaaga	aactaaaaaa	tag			3453

## SeqID 90

tttagtgtaa	cctattcaca	gtctgaacgt	acggttggtt	tctcttttgg	agaaataaca	60
tttagtagga	gtcgctggac	aaatggcttt	gaaactagaa	taccagtaga	tgagtgggta	120
ggctctgaaa	aatataagag	atattcaata	gaattottat	atcatgttgc	aaaattggct	180
acaatgatgc	cttatcgta	agtttgcaaa	gtaatagata	gcactttgca	aacaatcata	240
acaaaagact	gtgtttttaa	agcagtaaaa	tttgtagaaa	aattgtttaa	agaaaaagaa	300

cgctatcggt	tttattttgga	agagccacccc	gaacgtaaaa	aagtgaaaaa	actgtatggt	360
gaggggtgatg	gagtcgatgat	taaaagcaca	gattctagag	aggaaagaag	gtatttagat	420
ttaacacatt	ttgttattca	tacaggctca	aaaaaagttt	ctactaaaag	atatgaattg	480
caggacaagc	acgaaatatt	acagcttaat	tatgataaag	ctaaatataa	tcttttagat	540
tatatattata	ataactatga	agtagatgac	gatactattt	taatcactaa	ctctgatatg	600
ggtaaaggct	atactagtag	agtttttaag	gaattaggaa	aagcacttaa	ggtaaagaaa	660
catgagcatt	tttgggatat	ctatcatggt	aaagaaaagt	taagttcata	ccttagaaaa	720
tatccaattg	aattaaccga	ttttgcttta	gatgcggtaa	aaaaatataa	ttctgataag	780
cttgaattag	tttttgatac	tggtgaatca	ctgatttctg	atgaacttga	agatcaagaa	840
tttcagaagt	ttaagaaaaa	agtattaaat	aatttcfaat	atataaaacc	agctcatctt	900
agaaatcttt	caaatcgtgg	tattgggtatc	atggaatcac	aacacagaaa	gataacgtat	960
agaatgaagc	gacgtggcat	gtattgggtca	aagtggggaa	tctccacaat	ggcaaatatg	1020
attatacttg	aaagagctaa	cggtttacga	gaattatttt	tcggttcttg	gagaaaggta	1080
tacagtgagt	ataaagaagg	ttcatttagt	gcagggcgac	tttttaaaaa	gacagatgaa	1140
ttagataaat	tttctaagcc	ccttctaaaa	aatggcagaa	aatggagtat	aacaggaatc	1200
aaaacaaaat	ag					1212

## SeqID 91

aaagcaagca	gcggtgatta	tggcacaaaa	agggaaataa	tactgtctaa	taaggataaa	60
tacagcattt	caaagatgtg	togctggctg	aatatgccac	gctcaagtta	ttactatcaa	120
gccgtggagt	cagtatctaa	aacggagttt	gaagaaacta	ttaaagaat	ttttctcgat	180
agcgagtcta	gatacggatc	cagaaaaatc	aaaatatgct	tgaataacga	aggtatcaca	240
ctttcacgtc	gtcggattcg	acgcattatg	aagcgactca	atttggtttc	tgtttatcag	300
aaagccacct	tcaaaccaca	ttctagaggc	aagaatgaag	cccctattcc	caaccactta	360
gacaggcaat	ttaagcaaga	aagaccacta	caagccttag	tactgactt	aacctatgtt	420
cgtgtaggca	atcgttgggc	ttatgtttgc	ctcatcattg	acctatacaa	ccgtgaaatc	480
atcggtctgt	ctcttgggtg	gcacaagacc	gctgaactcg	ttaagcaagc	catacaaagc	540
atcccttacg	ccctgaccaa	agtcaagatg	ttccattcag	atcggtggca	agagtttgat	600
aatcagttaa	ttgatgaaat	attggaagcc	tttggaaatc	cacgttcgct	tagtcaggct	660
ggttctcctt	atgacaatgc	cgtagctgaa	agtacgtatc	gtgctttcaa	aattgaattt	720
gtttatcaag	aaacctttca	atcgctggaa	gaactagctc	ttaagactga	aaaggcaaca	780
cttttctgta	caacatttat	aaagtgttgc	cttttcaggt	ttttaccaat	gctataa	837

## SeqID 92

atgaagacaa	gaaatcgtaa	aggtggttat	ttagcgaata	ctgcaaatga	gtacatcgac	60
tctaaacagg	caattcattg	cttgagtgtg	gaacttgaa	cgcaaattag	gtttgaagag	120
ggtcagccta	ctggggagat	tatcgcttat	aaggcttggt	tctctcaaaa	agggcttccg	180
ccttttatgg	tgaagtttga	aatgaagtg	acactaccag	catatatggt	aatggtgcaa	240
tttgagaatc	ttcaagcttg	tgaggttggg	ttcaatgttt	atttcaaggc	agacaatctc	300
aaggaggtca	ataaa					315

## SeqID 93

ttgtccactt	ttgattcagt	tacaggaagg	accaatcact	tggaagctta	tgaagggctg	60
aacctttctg	aaaaatttgc	cattttaagt	cactttgaca	aacttagaaa	tgagctgcag	120
acaccatcta	ttcagctagg	ggagtttgat	agggaaatgg	aagctttttc	aatcactttg	180
ggaaatgaac	tggttgggtta	tttagaggca	aatggcagcc	cctatgagtt	gaagcgagaa	240
ttgaatcagg	ccgaaatgat	ggcagtcctt	gagcttagcc	gtcaactggt	tgcaaaattt	300
tctacaaaac	tagaggagct	gggaattgat	ttgggttcat	ttcaaccaga	ccaagtcac	360
atcttatttg	atgccgttgg	togttttcgc	ttgaaaaatg	cggacattgc	tttattaggc	420
ggttatccaa	aagcgagtgt	ttcccagcta	gctcttgcca	cagaactcct	ccagatggga	480
ctaagtcagt	ataaggtaga	atttttctta	accagtcagc	ttcagttaga	ggatatgcga	540
caggtcgctt	ttgctttcct	acatgaaagc	ttgaccagag	aagaagcaga	gcaatttgaa	600
acagaccgct	ttcgtcatac	aagcttaaac	tttcgagaat	ggcgagaact	tctagaaaag	660
caagagccag	aaatggtgga	gatgtcagac	gtcagcccgc	ttgttcggga	agtcttgcat	720
cattatccac	ttggttcaag	ggtcacttat	aaaggacagc	agtttgagat	cttgtctatt	780
gaagctgcgg	acatggataa	tctgattcga	atagagcttc	aaaatgattt	ttcatatctc	840
attgaacaaa	atcccgttct	ctattttcaa	aacttggcag	aaatcaggca	agttcttcat	900
ttgtctcggt	cggaatttgt	agaaagagag	gaacaacctg	aggaagaatg	gactctcttt	960
togtttatgg	atgaggggac	agaggataac	gaaaaggaa	ctgagattgt	ttttgaatct	1020
accgataaag	ttgttacatt	agatagtcag	ccagcacaa	taagtgaagc	tatatccgaa	1080
tcagttcctg	aaaccaaaga	ggtgattgaa	gcagaacaag	caatagcagt	tgatttttagc	1140
tttctgtaag	atttgactaa	tttttaccac	aaaacagcta	gggataaagt	agtgggcgaat	1200
ctcgtagcta	ttcgtcttgt	aaaagaatta	gaaagtgcct	atcaatcagc	aacacctaat	1260
gaacaagaaa	ttcttgccaa	atatgtgggt	tgggggtggtc	ttgccaatga	attctttgat	1320
gagtacaatc	cgaagttttc	taaggaaaga	gaggagtgtga	aaactctcgt	ttctgataaa	1380

gagttattccg	atatgaaaca	atcatctcta	acggcctact	atacggatcc	gcttttaatt	1440
cgtcagatgt	ggctctaagt	agaacaagac	ggcttttagtg	gtggaataat	attagaccca	1500
tcaatgggaa	caggggaattt	ctttgcggct	atgccagctc	atttgagggg	aaagagttag	1560
ctgtgtgggg	ttgagttaga	tactatcaca	ggagcagatag	ctaagcagct	tatttcaaat	1620
gtccatattg	aagtaaagg	atltgagacg	gttgctttta	atgataatag	ttttgatttg	1680
gttattttcaa	atgttccctt	tgccaatatc	cgtatcgcg	ataatcagta	cgataagccc	1740
tatatgattc	atgactactt	tgtcaagaaa	tctcttgatt	tggtagatga	tgggtgggcaa	1800
gtagccatta	tttctctcac	aggaaccatg	gacaaaacgga	cagaaaatat	tctccaagat	1860
attcgtgaga	cgacgtatgt	tcttggtggc	gtgcgtttgc	cagatacggc	ttttaaggcc	1920
attgcaggta	caagtgtagc	aacggatatg	cttttcttct	agaaacatct	gaacaaaggc	1980
tatcaagcag	atgacattgc	cttttcagggt	tctgttcggt	atgacaagga	cgagcgtatt	2040
tggctcaatc	cctactttga	tggggagtat	aatgccagg	ttcttggaag	gtatgagatt	2100
aaaaacttta	acgggtggaac	actttcgggt	aaggaaacga	ctgataacct	gattgcgagt	2160
gttcgagaag	ccttgcaaca	tgtaaaagca	ccaaggggtta	ttgataaaac	agaagtcag	2220
attaactcgg	atgtgattgc	aagacaggtc	atagatacca	ccattccacc	tgaaattaga	2280
gaaaaccttg	aacaatatag	ctatggttac	aaaggttcta	ccatttatta	tctgtataat	2340
aaggggattc	gtgttgggac	aaaaacggag	gaaattagct	attatgtgga	tgatgagga	2400
aactttcagg	cttggggagtc	caagcattca	caaaaaacaga	ttgaccgttt	taataactta	2460
gaagtcacag	atagcacagc	tcttgatggt	tatgtgactg	aagaacctgc	gaaacgtggg	2520
caatttaaag	gatatttcaa	aaaggcgggt	ttttatgaag	ctcctttgtc	tgaaaaagaa	2580
gtggcacgga	ttaaaggaat	ggtagatatt	cgcaatgcct	atcaagaggt	cattgctatt	2640
caactgcaat	atgattacga	taagaatgag	tttaaccgct	tgtaggaaa	cctcaatcgc	2700
acctatgata	gctttgtcaa	acgctatggc	tttttgaaca	gtccagttaa	cggaaattta	2760
tttgatagtg	atgataagta	ttcgctttta	gctagtctcg	aagatgaaag	tcttgaccca	2820
agtgggaaga	cggctcattta	tacgaagtca	ctggcttttg	aaaaagcctt	ggctcgtcct	2880
gaaaaaatgg	ttaaagaggt	gtcaaccgct	cttgatgcac	tcaactccag	tcttgccgat	2940
ggctcgtggg	ttgactttga	ttacatggct	tccatctatc	aaacagcatc	taaggcagct	3000
ttgatctagg	agctgggaga	tcagattata	ccagatccag	aaagttattt	aaaaggacag	3060
ctgacctatg	tatctcgcca	ggagttttta	tcaggagata	ttgtgacaaa	attagaagtt	3120
atggacttac	tgttaaagca	agacaatcat	gatttttaact	gggcgcatta	tggtaatgtt	3180
ttagaaagtg	ttcgtccagc	acgagtgatg	ttggcagata	ttgattatcg	aattggttca	3240
cgttggattc	ctttagctgt	ttatggaaaa	tttgtccaag	aagcctttat	ggggaagaat	3300
tatgacttaa	cggctacaga	agtgggaag	gtcctctctg	tcagcccgat	tgatgggacg	3360
atggaatttc	ggacacgggt	tgccataacc	tactcaacag	cgacggatag	aagcctgggt	3420
gtagcaggct	cacgtattga	tagtggtcgg	aaaatctttg	agaatctgct	taactccaat	3480
cagccaacca	tcacgaagca	gattcaagag	ggagataaga	aaaagaatgt	gacagatgtg	3540
gagaagacaa	ccgttctgcg	tgctaaagaa	gcacaaatcc	aagacctctt	tcaagatttt	3600
gtcgcaagct	atcctgaagc	ccaacagatg	attgaggata	cctataatag	tctctataat	3660
cgtaccgtct	ctaaagttta	tgatggcagc	cgtttggaga	ttgatgggtt	ggctcaaaat	3720
atttcgcttc	gtcctcatca	aaaaaatgcc	attcagcgaa	tcgtggagga	aaaacgggct	3780
cttttagctc	atgaagtggg	ttcaggcaaa	actttaacca	ttcttgagc	aggctttaaa	3840
ctgaaagagt	taggttgggt	acataaaacc	ctttatgtgg	tacctcttag	cttgaccgct	3900
cagtttggtc	aagaatcat	gaagttcttc	ccaacgaaga	aagtctacgt	gacgacaaag	3960
aaagattttg	ccaaagctcg	gcgcaagcag	tttgtctcac	gtattattac	aggggattac	4020
gatgccattg	tcacggggga	ctcccagttt	gaaaaaatcc	ccatgagtca	ggaaaaacag	4080
gtgacttata	ttcaagataa	gttggaaaca	ttacgggaga	taaagcaagg	aagcgatagt	4140
gactacacag	tcaaagaagc	ggagcgttcg	attaaaggtt	tggaaaacca	attggaagaa	4200
ctccagaaac	tagatcgaga	tacctttatt	gaatttgaaa	atcttggaat	tgattttctc	4260
tttggtggag	aagcccatca	tttcaaaaat	attagggcga	ttactggtct	gggaaatgta	4320
gcgggaatta	ccaacacgac	ttctaaaaag	aacgtggata	tggaaatgaa	agtgagacag	4380
attcaggcag	agtatggaga	tagaaatgtc	gtttttgcga	caggaacgcc	gggtgctaat	4440
tccatttagtg	aactctatac	tatgatgaac	tatattcagc	cagatgtcct	agaacgctac	4500
caagttttcta	acttttgactc	ctgggttgga	gcttttgcca	atatcgaaaa	ttcgatggag	4560
ctagcgccaa	caggagataa	gtatcaaccc	aagaaacgggt	ttaaaaagtt	tgtgaatcta	4620
cctgaactca	tgcggaattta	taaagaaccc	gctgatattc	aaacgtcaga	tatgttggat	4680
ttacctgtac	ctgaagccac	agtcattgcg	gtggaagtgt	aactcacaga	agctcagaaa	4740
aactaccttg	aagaattgggt	ggaccgttca	gatgcgatta	aatcaggaag	cggtgacctc	4800
agtgtcgata	acatgtttaa	ggtgataggc	gaagccagaa	agctagccat	tgatatgcgt	4860
ttgattgacc	ctgcctatac	cttatctgac	aatcagaaga	ttatgcaagt	agtggataac	4920
gtggaacgga	tttaccgtga	gggcaaagga	gataaggcta	cacagatgat	tttctctgac	4980
attggcacgc	ctaaaagtaa	agaagaagga	tttgatgtct	ataatgaatt	gaaagccctc	5040
ttagtggacc	gaggaattcc	aaaagaagaa	attgcctttg	tccatgacgc	taatacggat	5100
gagaagaaaa	attctttgtc	acgaaaggct	aatagctggg	aagtaaggat	tctcatggct	5160
tcaactgaaa	aaggaggaac	aggattaaac	gtgcaagcac	gcatgaaagc	tgttcaccat	5220
ttagacgttc	cttggcgtcc	ctcagacatt	cagcaacgca	atggacgttt	gattagacaa	5280

ggaaatcaac	atcagaatgt	agagatttat	cattatatta	ccaaagggtc	atttgataac	5340
tatttgtggg	ctacacaaga	gaataagttg	cgttatatta	aacaaattat	gacttcaaaa	5400
gatctgttc	ggtcagcaga	agatattgac	gagcaaacca	tgaccgcttc	agattttcaaa	5460
gcgttagcta	ctggcaatcc	ctatctcaaa	ctcaaaatgg	agttagagaa	tgaattgacc	5520
gtcttagaaa	atcagaaacg	tgctttcaat	cgctccaaag	atgaatacag	gcacactatt	5580
tcctattgcg	agaaaaactt	acctgttatg	gaaaaacgat	taaggcagta	tgacagagat	5640
attgagaaat	cacaagcaac	gaagaatcaa	gagtttatca	tgcggtttga	taaccagaca	5700
attgacaatc	gcagcgaagc	tggggattat	ttacgaaaac	tcacaccta	taatcgttcc	5760
gaaaccaaa	aagtcagaac	cttagcgacc	tttagaggct	ttgagcttaa	aatggctaca	5820
cgaagtcctg	gtgaaccctt	gtctgacatg	gtgtctctaa	ctatttcagg	ggataaccag	5880
tattcagttt	cccttgattt	aaaatcagac	gtgggaacga	ttcaacggat	taacaacgcc	5940
attgaccata	tcctagagga	taaggaaaag	acagaagaga	tgacaaacaa	cctcaaagat	6000
aagctagcag	tcgcaagagt	tgaagttgag	aaagtctttg	caaaggaaga	ggaatatcag	6060
ttggtaaagg	ccaagtatga	tgtacttgcc	ccatttagtg	aaagagaagc	agacttagaa	6120
gaaattgacg	tagcactttc	ccaatttagt	agctctgacc	catgcttgaa	aaaagatcaa	6180
cagttagtc	ttgacattta	a				6201

## SeqID 94

atgaccacaa	aatgcaatca	tcattttctc	atcaatcagg	agaaaggcga	aaagtatggt	60
tttcgtaaaa	gtaagcaata	tcgcacgctg	tggtcggttg	cttttaggaac	agttgtgatg	120
gcattcgtag	ctttggccgg	accgatggtg	caggcggatg	aagtagggag	aactgttgcg	180
acaagtgtac	agacggaaac	gaatcctgca	acaaatttaa	aagaaaatca	gccaaagtccg	240
attcggaag	aaaaagatag	tcttgacgca	accggtcaat	caactggaac	ggtagacgtc	300
actgtttccac	atgataaggt	gacacaagct	gtcgataagg	caaagaccga	aggaataaaaa	360
gcagtacaag	acaagccgat	ggacttaggc	aatacagtat	ccgcagctga	aaccagccaa	420
caactcaaaa	aggcagaaga	agatgccaca	aaccaaacaa	caactatttc	taaaactggt	480
gaaatctaca	agtctgataa	agcaacttat	gaagctgaaa	agaagtgggt	agagaagcgt	540
aatgaagagt	taactgctgc	ttatgataag	gcagaacaaa	cagggactgg	cttaaaccat	600
tcggttgata	cgactgtttc	agaattgaag	tcgcaagacc	aaaacgctca	tgtgacgtg	660
aacacacaaa	cagtaaaaac	aggagatggg	acgagtgttt	caggctatca	ggagtacgtc	720
aagtctgttg	cggccattga	taagaagaat	aaagcgaact	tagctgatta	tcggactaag	780
aaacaagccg	cagacgctgt	tgtggctaag	aatcaactca	ttcaaaaaga	gaatgaagct	840
gggcttgcta	aggcaaaaag	agaaaatgaa	gcgattgaca	gacggaataa	agaagggcaa	900
aaagctgttg	atgaagcaaa	taaggctggg	caagccgcag	tagagcaagc	gaaccaagaa	960
aaacaaaaac	aggccgcгаа	ccgtgctttt	gaaattgcga	caattaccaa	acggaataaa	1020
gaaagagaag	aagtcgcaaa	gaaagaaaat	gcagcgattg	atgcttataa	tgcgaaagaa	1080
tggatccgct	ataagcggga	tttagcaaac	atctcaaaag	gggaggaagg	ctacatttca	1140
gaagcccttg	cgcaggtctc	agattttaa	catggcgaac	cgcaggtcaa	acatggtgca	1200
ggtactcgaa	atccagatcg	aatcatttca	aaggagatg	ccatgttggg	tggctattct	1260
aacattcttg	attcaacggg	tttctttgtc	tacaatcact	ttaaaacagg	tgaaacgctg	1320
aactttacct	atcaaaaatc	gaagcatgca	cgttttgatg	ggaagaaaat	tacagccata	1380
acttatgata	ttaccaatct	ggtttcacca	actggaacca	atgcggtgca	gttagttggt	1440
ccaaacgacc	caacagaagg	ctttattgct	tatgcgaatg	atggcgctgg	aaattggcgg	1500
acagataaga	tggagttccg	tgtcaaaagc	cggtatttct	tagaagacgg	ttcacaagtg	1560
acctttacta	aagaaaaacc	aggtgtcttt	accactcgt	cactcaatca	taatgatatt	1620
gggcttgaat	atgttaaaga	ctcatcaggt	aaatttggtc	ctattcatgg	ttcaagtgtg	1680
caagtaacca	atgagggctt	agcccgttcg	ttaggttcaa	accgagcgag	tgacttgaag	1740
ttgccagaag	aatgggatac	gacttctagt	cgctatgctt	ataaaggagc	gattgtatca	1800
acagtcacat	cggggaatat	ttataccgta	acctttggcc	aaggagatat	gccaacccaa	1860
gtgggagggg	agacctattg	gtttgcttta	aatactttgc	cagtcgcaaa	aacagtgact	1920
ccctacaatc	caaagactca	tgtaagacca	cagctggatc	cagttcctga	accgataaaa	1980
gttacaccag	aaacttatac	tcctaaaatc	tttactcctg	aaaaaccagt	aacctttact	2040
ccaaaatcag	tagaaaaagt	gccccaacct	agtttgacct	taacaaaaagt	cacactacca	2100
acaaatctga	agctagaacc	attacccaaa	gtccacacaa	agccaaccgt	tcattaccac	2160
gattacctct	taaccacaac	accogctatc	gcaaaagaag	tgatgaatgt	tgacaaagtt	2220
aatcttcatg	gtaaacagg	ggctaaggat	tccactgtta	tttatccctt	gacagttagat	2280
gttttatctc	caaatcggtc	caagataacc	agtcttatct	ttgaagatta	tctgctgct	2340
ggttatgcgt	ttgatatgac	gaagacacaa	gcggagaata	gcgactatga	cttaaccttt	2400
gataaaaaata	agaactttgt	gaccttgaaa	gcgaaagata	gcttacttca	aacgttgaat	2460
aaagagttaa	acaagtctta	tcaactgtct	gtcccaaaac	tttatgggtc	agttcaaaat	2520
gatggggcga	cttattctaa	tagctataaa	ctccttatta	acaaggacac	cccaaacacc	2580
tatacggtta	tttcaaacgt	agttagaatt	cggaactccg	gagacgggtg	aacgaccagc	2640
cgaatccggc	ctaaaaagga	caatgaaaat	gcggacgggtg	tggttgataaa	tgatacgggt	2700
gttgctctta	gtacaaccaa	tcattaccgt	ttgacctggg	atttggtatca	gtacaagggg	2760
gatacttctt	caaaaagatac	cattgcacga	ggattccttt	ttgtagatga	ctaccacagaa	2820

gaagcacttg	acttggtaga	taaagggaca	gttatcacca	cccttgatgg	taaagctggt	2880
tcaggatatt	ctgtatacag	ctatacatcc	cttgataaag	caccaaaga	gctacaagat	2940
aaattagctc	gtgcgaacat	ttcgccaaaa	ggagcgttcc	aggtctttga	accggacaat	3000
catcaagcgt	tttacgatac	ttacgttaag	actgggcagt	ctttagccct	tctcacaaaa	3060
atgaaggtaa	aagatagttt	gtacggtcag	actgtcagat	acaaaaataa	agcctaccaa	3120
gttgattttg	gcaatggcta	tgaactaag	gaagtcgtca	atacagtcgt	tcatccagag	3180
cctaagaaac	aaaatctcaa	taaggacaag	gtggacatca	atggcaaaagc	gatgcttgtc	3240
ggctcccaaa	acttctatac	gctttcttgg	gatttagatc	agtatcgtgg	cctacaagcg	3300
gataagagtc	agattgctca	aggcttttac	tttgtggacg	attatccga	agatgttctt	3360
cttcctgaca	caaaagccat	tcaaattatg	acgaaagacg	ggaaagctgt	taaaggaaatg	3420
gagataaaaa	cctatcatca	actctcagat	gtcccaaagg	aattgcaggc	agctcttgcc	3480
aaacgtaata	tcacgcccac	aggcgctttt	caagtcttta	tgccaaaaga	tccacaagct	3540
ttttataaag	cttatgtgac	aactgggtcaa	aacttgacta	ttgtgaatcc	gatgacggtt	3600
cgtgaagcag	tatacaactc	agggaggtct	tatgataatg	tggcctatca	agtggacttt	3660
ggacaggcct	atgaaacgaa	tatagtgaac	aatcacgtgc	caacagtaaa	cccgcataag	3720
tccaataacca	ataaagaagg	tgtgtcaata	gaaggtaaga	cagtccttcc	gaatacggtc	3780
aactactata	aaattgttct	agattatagt	cagtacaaga	atatgattgt	gacagatgat	3840
gtcctcgtca	aagggttttta	tatgggtggat	gattaccag	aagaagcact	tactcctcat	3900
ccagatggga	ctcaagtgat	ggatcagaac	gggaaatttg	tcagaggcct	gtctgttcga	3960
acttacgcaa	gtttggcaga	tgacccgaaa	gcagtacaag	aagcaatgaa	atctcgaaat	4020
ttcattccta	aaggagctat	tcagggtcttt	caggcagatg	acccaaaaac	tttctttgaa	4080
acttatgtga	aaacaggaca	aaaattggtt	gtgacaacac	cgatgacagt	gaagaatgaa	4140
cggattcaaa	caggcggtca	gtatgagaat	acagcttata	agattgattt	tggcatcgct	4200
tatgtaacgg	taacagttgt	gaataatgta	ccaaaattag	aacctcaaaa	agatgtgggtc	4260
attgacttat	ctcaaaaaga	taagagttta	aacggaaaag	caatcgcttt	ggatcagggtc	4320
tttaactacc	gcttggttagg	ttcacttatc	ccacgcaatc	gtgcgacagc	cttgggtggaa	4380
tacagtttta	aagatgacta	cgatgaaaag	cacgatgaat	ataaggggtg	ttataaagcc	4440
tatactttgc	gtgatgtaac	cttaaaagat	ggcacagtat	taaagcaggg	gacagaagtg	4500
acgaaatata	ccttacaag	tgttgataag	gcaaaaggaa	cgattgcat	tcgttttgat	4560
acagcttttt	tggaaaatat	agctgatgaa	tcagatgttc	aggctgagct	ttatcttcag	4620
atgaaacgca	ttgcttcagg	tgatgttgaa	aatacagtta	ttcatagtgt	caatggttat	4680
aatattcgct	ctaacacggg	taagaccaca	acccacaaac	cagagtcacc	gactcctgat	4740
aaccacccgt	caccccaacc	gccagttcca	accacagaat	ccccagttca	agctagtgtc	4800
ctaccaagta	caggggaaag	tcaatccctt	ttggcgctca	ttggaggagg	tctcctgctt	4860
ggcctcgctt	acggactttc	taaacgaaaa	aaggagaaaa	actaa		4905

## SeqID 95

atggcaata	ataattttta	taatcgtgac	ccttttggaa	atatggatga	tatttttaat	60
tctctaatgg	gaaatatggg	gggtataat	agtgagaata	aacgatactt	aatcaatgga	120
cgggaagtta	ctcctgaaga	attcagtcac	tatcgtcaaa	ctggaaaact	ccccgggtcaa	180
gagctaaata	accaaataac	tctacaaac	caagtctctg	cagatagtgt	tttgactaaa	240
tttagaacta	atttaaccga	tcaagcacgt	cagcatttgc	tagatccagt	tattggacga	300
aacaaagaaa	ttcaggaaac	tgcaaaaat	ctagctcgtc	gtactaaaaa	taatcctggt	360
ctagttgggtg	atgcagggtg	tggtaaaaca	gctgttattg	aaggtttggc	acaagcaatt	420
ataaatgggtg	atgtccctgc	tgctatcaaa	aataaagaaa	tcatttcgat	agatatctct	480
agccttgaag	ctggcaccca	atataggggt	agttttgaag	aaaatattca	aaatatcata	540
aaagaagtta	aggaaacagg	aaatattatt	ctcttctttg	atgaaatata	ccaaatatta	600
ggagccgggt	caactgggtg	tgatagtggc	tctaaggggc	tcgcagatat	acttaagcct	660
gcactttcac	gtggtgaatt	aacggttata	ggtgcaacta	ctcaagatga	atatcgtaac	720
accattctca	agaatgctgc	cttagcacgc	cgctttaacg	aagttaaagt	caatgcacct	780
tctgcacaag	atactttcaa	tatccttatg	gggataagaa	acctctatga	gcaacatcat	840
aatgttggtt	tacctgactc	tgttttgaaa	gcagctgtag	atttatctat	tcaatacata	900
ccacaaagaa	gtctccctga	taaagcaatt	gaccttattg	atatgactgc	tgcacacctc	960
gctgcgcaac	atcccgtaac	tgaccttaaa	tccttagaaa	aagaaatcgc	tgcgcaagaa	1020
gacaagcaag	aaaaagctgt	caatactgaa	gattttgaag	aagctcttaa	ggtcaagaca	1080
cgcattgaag	agttacaaa	ccagattgat	aatcataccg	aaggacaaaa	agtcactgca	1140
actatcaatg	atatcgctat	gtcaattgag	cgtctaactg	gagttcctgt	atcaaatatg	1200
ggtgctagtg	atattgaacg	cttaaaagaa	cttggcaatc	gtctaaaagg	taaagtcatt	1260
ggtcaaaatg	atgctgttga	ggcagttgca	agagctatcc	gccgaaatcg	tgctggtttc	1320
gatgatggta	atcgccgat	tggtagcttt	ctatttggtg	gaccaactgg	agttggtaaa	1380
actgagctag	caaagcaatt	agcttttgat	atgttcggat	caaaggatgc	tatcgttaga	1440
cttgatatgt	ctgaatataa	tgatcgtact	gcagtttcta	agctaattgg	agcgactgct	1500
ggttacgttg	gttatgacga	caatagtaat	acactaacga	aacgtatccg	tcgaaatcct	1560
tattctattg	ttcttcttga	tgaaatcgaa	aaagctgacc	cgcaagttat	cacgcttctc	1620
cttcaagttc	tagatgatgg	tcgttttaact	gatgggtcaag	gaaacactat	taactttaaa	1680



aatactgtta	tcattgcaac	ctcaaagca	ggttttggaa	acgaagcatt	tacaggtgac	1740
agcgataaag	acttgaaaat	tatggaacga	atttctccat	atttccgtcc	agaatttcta	1800
aatcgtttca	atggtgttat	tgaattctct	cacctaagca	aagatgactt	aaacgaaatt	1860
gtagatttga	tgcttgatga	agttaaccaa	acaattggca	aaaaaggaat	tgaccttggtg	1920
gtagatgaaa	atgttaaatac	acacttaatt	gacctgggtt	atgacgaagc	aatgggagta	1980
cgtccattgc	gccgtgtcat	cgagcaagaa	attcgagatc	gcatcacaga	ctactatctc	2040
gatcatacag	atgttaaaca	cctaaaagct	aatttgcaag	atggccaaat	cgtcatttct	2100
gaaagataa						2109

## SeqID 96

atgggaagat	ttaaagaact	tttagagagt	aaaaaagctc	tcacccctaca	cggtgccttg	60
gggaccgagc	ttgagagtag	aggttgtgat	gtttctggta	aactttggtc	agacaaatat	120
ctgattgagg	atccagcagc	tattcagacc	attcatgaag	attatatctg	tgctggcgct	180
gatattgtga	cgacatcaac	ttatcaggcg	actttacaag	ggctagctca	agttgggtgc	240
tctgaaagtc	aggcagaaga	cttgattcgc	ttgactgttc	agttggcaaa	agctgtgcgt	300
gagcaagttt	ggaaaagttt	gacaaaagaa	gaaaaatcag	aaagaatcta	tcctttgatt	360
tctggggatg	ttggtcccta	cgctgccttt	ttggcggacg	gttctgagta	cacagggctc	420
tacgatattt	ataaggaagg	tctcaaaaat	ttccatcgcc	atcgatttga	gcttctttta	480
gatgaggggtg	ttgaccttct	ggcacttgaa	accattccaa	atgctcagga	ggctgaggct	540
cttattgagc	tacttgtcga	ggatttccct	cagggttgagg	cttatatgtc	attcacctct	600
caagatggta	agaccatctc	agatggtagt	gctgttgacg	gcttggcgaa	agctattgat	660
gttagcccac	aggctcgtggc	gctgggcatt	agcgtttcaa	gtccatcggt	agttgtgat	720
ttcttgcaag	caatgacaga	gcagacggac	aagcctcttg	tgacctatcc	aaactctgga	780
gagatttatg	atggggcaag	ccaatcttgg	caatctagcc	gagatcattc	acacacccta	840
cttgaataa	caagtgtactg	gcaaaaactt	ggcgcccaag	ttgtcggagg	ttgttgccga	900
actagaccag	ctgatattgc	tgacctctca	gaacatttga	cataa		945

## SeqID 97

atgaaaaatag	gaattgataa	gattggtttt	gcaaccagtc	aatatgtcct	tgaaatgact	60
gattttggcta	ttgctcgcca	agttgacct	gaaaaattca	gcaagggatt	attgttagat	120
tcacttagta	ttacgccagt	tacagaagat	atcgttacac	ttgcagcctc	tgagctaata	180
gatattttat	ctgatgagga	caaagaaact	attgatattg	tgattgtcgc	tacagaatca	240
agtatcgatc	agagtaaggc	ggcttctgtc	tatgtacatc	aactttttaga	gattcaacct	300
ttcgcaaggt	cattcgagat	gaaagaagca	tgctatagcg	caactgctgc	tcttgattac	360
gctaaattac	atgtagaaaa	acatccagat	tctaaagtat	tagtgatagc	ttcagatatt	420
gctaaatatg	gcattaaaac	tactggagaa	tccactcaag	gtgcaggcag	tatcgctatg	480
cttattagtc	aaaacccatc	cattctagag	ctaaaagagg	accgtctagc	gcaaacccgt	540
gatattatgg	acttttggcg	accaaattat	tctgatgttc	cttatgttaa	tggtcatgtt	600
tcaacaaaac	aatatctaga	tatgctaaaa	actacttgga	aagaatatca	aaaacgtttt	660
aatactagtc	taagtgacta	tgctgctttt	tgtttccata	tcctttttcc	aaaattagct	720
ttaaagggct	ttaataaaat	tctagataat	aacctagatg	aacaaaagaa	agctgaacta	780
caagaaaatt	ttgagcactc	tattacttat	agtaagaaaa	ttggaaattg	ctatactggc	840
tcattgtatc	taggacttct	atcgttacta	gaaaatagtc	aaaattttaa	agcagggtgat	900
caaattgcct	tcttttcata	cggtagcgga	gctgttgcgt	aaatttttac	cggtcagtta	960
gtagacggct	accaaataa	acttcagagc	gatcgatgg	atcaactcaa	taaacgtcaa	1020
aaaattacag	taactgagta	tgagaaactc	ttctttgaaa	aaacaatcct	agacgaaaat	1080
ggaaatgcc	acttcaacac	ctaccgtact	ggcacttttt	ctctagactc	tatttgcgaa	1140
catcaacgta	tctacaagaa	aattaataat	taa			1173

## SeqID 98

atgaaaagtg	cttatatctt	ttttaatcca	aaatctggta	aagatgaaca	agcattggca	60
caagaagtaa	aatcttattt	aatagaacat	gattttcaag	acgattatgt	tcgtatcatt	120
acaccttcat	ctgttgagga	agctgtcgcc	ttagcaaaaa	aagcatcaga	agaccatata	180
gacttgggtta	ttcctttagg	gggagatggc	actattaata	aaatctgtgg	tggtgtctac	240
gctggtgggt	cttactctac	tatcggaact	gtacctgcg	ggaccgtcaa	taacttttca	300
aaagctttga	acatcccaca	agagaggaat	ctcgctcttg	aaaaccttct	aaacgggtcat	360
gtaaaagtcg	tagatatctg	taaagttaac	gacgattaca	tgatttagcag	tttaacactt	420
gggctccttg	ctgatattgc	tgctaattgtc	acttctgaaa	tgaagcgtaa	attaggaoct	480
tttgctttcg	taggtgatgc	ctaccgtata	ttaaagcgta	atcgatcata	ttctattact	540
cttgcttaag	ataataatgt	acgggtcttta	cgcacgggt	tactacttat	taccatgacc	600
aattcgattg	ccgggtatgcc	agccttctct	ccagaagcaa	caattgatga	tggaactttt	660
agagtctata	ctatggaaca	tattcaactc	ttcaaattat	tggtgcatct	aagacaattt	720
cgtaagggag	attttagtca	agcaaaggag	ataaaacatt	ttcataccaa	taactctgact	780
atttcaactt	ttaaagcgtaa	aaaatcagct	atccctaaag	ttcgtattga	tggtgatcca	840
ggtgaccaat	tgctgtgaaa	agttgaagtc	atccctaaag	ccttaaagtt	tatcatttct	900



aactcattac cataa

915

## SeqID 99

atgacaacat	ttactgctaa	atttattgac	caagagtggg	aagtcccagt	agaatcaggt	60
cgctaccata	tgattgttgg	ggaattttgt	ccttatgcac	aacgtccgca	gattgcacgc	120
caactgcttg	gtttggataa	acatatttct	atcagttttg	tggatgatgt	tccaagtgat	180
ataggactta	tttttagcca	accagaacag	gttactgggtg	ctaagtcgct	tcgtgatatt	240
tatcatttga	ctgacccgac	ctacaaaggt	ccttatacta	tcccaatttt	aattgacaag	300
actgataatc	gtattgtctg	taaggaatct	gcagatatgc	ttcgactttt	tactacagat	360
ttctctgatt	tgcataaaga	ggatgctcct	gtccttttca	gccaagaaac	tgcttcactt	420
attgataatg	atattaaaga	cattaataat	aacttccaaa	gcttaatgta	taagttagct	480
tttcttgata	aacaagcaga	ttatgatact	tatagtaagg	aattcttcac	ttttctagat	540
caaaaagaac	acttactagg	acaacgtcct	ttcttgctcg	gagataatct	aagtgaggtt	600
gatattcatt	tctttacacc	attagtccgc	tgggatattg	ctgggctgta	tcttctacta	660
cttaatcaga	aagcgctaga	agactaccca	aatatttttt	cttgggctaa	aactttatac	720
aatgacttta	atttaaaaac	attaaccaat	ccacaatcca	taaaaaataa	ctattaactta	780
ggcaaatttg	gaagagctgt	tcgtcatcat	accatcgta	caacaggtcc	aaatatggta	840
aatgggaaa	aataa					855

## SeqID 100

atgaaaaaga	aaattatttt	gaaaagtagt	gtccttggtt	tagtcgctgg	gacttctatt	60
atgttctcaa	gcgacttcgc	tgaccaagtc	ggcgtccaag	ttataggcgt	caatgacttt	120
catggtgcac	tgacaataac	tggaaacagc	aatatgcctg	acggaaaagt	tactaatgct	180
ggcactgctg	ctcaattaga	tgcttatata	gatgatgctc	aaaaagattt	caaacaaact	240
aaccctaagt	gtgaaagcat	tagagttcaa	gctgggtgata	tggttggagc	aagtccagct	300
aactcagggc	ttcttcaaga	tgaaccaacc	gttaaaacat	ttaatgcaat	gaatgttgag	360
tatggcacat	taggtaacca	tgaatttgat	gaaggtttgg	cagaatacaa	tcgtatcggt	420
actggaaagg	cccctgctcc	agatttcta	ataaataata	ttacgaaatc	ataccacac	480
gaagctgcaa	agcaagaaat	tgtagtggca	aacgttattg	ataaagttaa	caaacaaatc	540
ccttacaatt	ggaaaacctta	cgtattataa	aatattcctg	taaataacaa	aagtgtgaac	600
gttggtctta	tcggaatcgt	taccaaagac	atcccaaacc	ttgtcttacg	taaaaattat	660
gaacaatatg	aattttttaga	tgaagctgaa	acaatcgtaa	aatacgccaa	agaattacaa	720
gctaaaaatg	tcaaggctat	tgtagtcctt	gctcatgtac	ctgcaacaag	caaggatgat	780
attgctgaag	gtgaagcagc	agaaatgatg	aaaaaagtca	atcaactctt	ccctgaaaat	840
agcgtagata	ttgtctttgc	tggacacaat	catcaatata	caaatggctc	tggttggtaaa	900
actgcattg	tacaagcgtc	ctctcaagga	aaagcctatg	ctgacgtacg	tggtgtccta	960
gatactgata	cacaagattt	cattgaaacc	ccttcagcta	aagtagttgc	agttgctcct	1020
ggtaaaaaaa	caggtagtgc	cgtatttcaa	gccattgttg	accaagctaa	tactatcggt	1080
aaacaagtta	cagaagctaa	aattgggtact	gccgaggtta	gtggcatgat	tacgcgttct	1140
gttgatcaag	ataatgttag	tccagtaggc	agcctcatca	cagaggctca	actagcaatt	1200
gctcgaaaaa	gctggccaga	tatcgatttt	gccatgacaa	ataatgggtg	cattcgtgct	1260
gacttactca	tcaaacacga	tggaaacaat	acctggggag	ctgcacaagc	agttcaacct	1320
tttggttaata	tcttacaagt	cgtcgaaatt	actggtagag	atctttataa	agcactcaac	1380
gaacaatacg	acaaaaaaca	aaatttcttc	cttcaaatag	ctggtctgcg	atacacttac	1440
acagataata	aagagggcgg	agaagaaaca	ccatttaaag	ttgtaaaagc	ttataaatca	1500
aatggtgaag	aaatcaatcc	tgatgcaaaa	tacaaattag	ttatcaatga	ctttttatct	1560
ggtggtggtg	atggctttgc	aagcttcaga	aatgccaaac	ttctaggagc	cattaatccc	1620
gatacagagg	tatttatggc	ctatatcact	gatttagaaa	aagctggtaa	aaaagtgagc	1680
gttccaaata	ataaacctaa	aatctatgtc	actatgaaga	tggttaatga	aactattaca	1740
caaaatgatg	gtacacatag	cattattaag	aaactttatt	tagatcgaca	aggaaatatt	1800
gtagcacaag	agattgtatc	agacacttta	aaccaaaaca	aatcaaaatc	tacaaaaatc	1860
aacctgttaa	ctacaattca	caaaaaacaa	ttacaccaat	ttacagctat	taaccctatg	1920
agaaattatg	gcaaaccatc	aaactccact	actgtaaaat	caaaacaatt	acaaaaaaca	1980
aactctgaat	atggacaatc	attccttatg	tctgtctttg	gtgttggact	tataggaatt	2040
gctttaaata	caaagaaaaa	acatatgaaa	ttaa			2073

## SeqID 101

atggcatata	tttgggtctta	tttgaaaagg	taccccaatt	ggttatggct	tgatttacta	60
ggagctatgc	tttttgtgac	ggttatccta	ggaatgcca	cagccttagc	gggtatgatt	120
gataatggcg	ttacaaaagg	tgatcggact	ggagtttatc	tgtggacggt	catcatgttt	180
atatttgttg	tactaggtat	tattgggcgt	attacgatgg	cttacgcctc	tagtcgctta	240
acgacaacaa	tgattagaga	tatgcgta	gatatgtatg	ctaagcttca	agaatactcc	300
catcatgaat	atgaacagat	agggtgatct	tcactagtga	cacgtatgac	aagcgatact	360
tttgttttga	tgcaatttgc	tgaaatgtct	ttacgtttag	gcctagtaac	tcctatggta	420
atgattttta	gcgtgggttat	gatactaatt	acgagtcctt	ctttggcttg	gcttgtagcg	480

gttgcgatgc	ctcttttgggt	aggagtcggt	ttatatgtag	ctataaaaaac	aaaaccttta	540
tctgaaagac	aacagactat	gcttgataaa	atcaatcaat	atgttcgtga	aaatttaaca	600
gggttacgcg	ttgttagagc	ctttgcaaga	gagaattttc	aatcacaaaa	atttcaagtc	660
gctaaccaac	gttacacaga	tacttcaact	ggctttttta	aattaacagg	gctaacagaa	720
ccacttttgc	ttcaaattat	tattgcaatg	attgtggcta	tcgtttgggt	tgctttggat	780
cccttacaaa	gaggtgctat	taaaataggg	gatttagttg	cttttatcga	atatagcttc	840
catgctctct	tttcattttt	gctatttgcc	aatcttttta	ctatgtatcc	tcgtatgggt	900
gtatcaagcc	atcgtattag	agaggtgatg	gatatgcaa	tctctatcaa	tcctaattgcc	960
gaaggtgtta	cggatacgaa	acttaaagg	catttagaat	ttgataatgt	aacattcgct	1020
tatccaggag	aaacagagag	tcccgttttg	catgatattt	cttttaagc	taagcctgga	1080
gaaacaattg	cttttatttg	ttcaacaggt	tcaggaaaat	cttctcttgt	taatttgatt	1140
ccacgttttt	atgatgtgac	acttggaana	atcttagtag	atggagttga	tgtaagagat	1200
tataacctta	aatcacttcg	ccaaaagatt	ggatttatcc	cccaaaaagc	tcttttattt	1260
acagggacaa	taggagagaa	tttaaaatat	ggaaaagctg	atgctactat	tgatgatctt	1320
agacaagcgg	ttgatatttc	tcaagctaaa	gagtttattg	agagtcacca	agaagccttt	1380
gaaacgcatt	tagctgaagg	tgggagcaat	ctttctggg	gtcaaaaaca	acggttatct	1440
attgctaggg	ctgtgtgtaa	agatccagat	ttatatattt	ttgatgattc	attttctgct	1500
ctcgattata	agacagacgc	tactttaaga	gcgcgtctaa	aagaagtaac	cgggtgattct	1560
acagttttga	tagttgctca	aagggtgggt	acgattatgg	atgctgatca	gattattgtc	1620
cttgatgaag	gcgaaattgt	cggctcgtgt	acccacgctc	aattaataga	aaataatgct	1680
atttatcgtg	aaatcgctga	gtcacaactg	aagaacccaa	acttatcaga	aggagagtga	1740

## SeqID 102

atgaaaaaag	gacaagtaaa	tgatactaag	caatcttact	ctctacgtaa	atataaattt	60
ggtttagcat	cagtaatttt	agggccattc	ataatggtca	caagtcctgt	ttttgcggat	120
caaactacat	cggttcaagt	taataatcag	acaggcacta	gtgtggatgc	taataattct	180
tccaatgaga	caagtgcgtc	aagtgtgatt	acttccaata	atgatagtgt	tcaagcgtct	240
gataaagttg	taaaatagtc	aaatacggca	acaaaggaca	ttactactcc	tttagtagag	300
acaaagccaa	tggtggaaaa	aacattacct	gaacaaggga	attatgttta	tagcaaaaga	360
acggaggtga	aaaatacacc	ttcaaaatca	gccccagtag	ctttctatgc	aaagaaaggt	420
gataaagttt	tctatgacca	agtattttaa	aaagataatg	tgaaatggat	ttcatataag	480
tctttttgtg	gcgtacgtcg	atacgcagct	attgagtcac	tagatccatc	aggaggttca	540
gagactaaag	cacctactcc	tgtaacaaat	tcagggaagca	ataatcaaga	gaaaatagca	600
acgcaaggaa	attatacatt	ttcacataaa	gtagaagtaa	aaaatgaagc	taaggtagcg	660
agtccaactc	aattttacatt	ggacaaagga	gacagaattt	tttacgacca	aataactaact	720
attggaaggaa	atcagtgggt	atcttataaa	tcattcaatg	gtgttcgctg	ttttgttttg	780
ctaggtaaaag	catcttcagt	agaaaaaact	gaagataaag	aaaaagtgtc	tctcaacca	840
caagcccgtta	ttactaaaac	tggttagactg	actattttct	acgaaacaac	tacagggtttt	900
gatatttttaa	ttacgaatat	taaagatgat	aacgggtatcg	ctgctgttaa	ggtaccgggt	960
tggactgaac	aaggagggca	agatgatatt	aaatgggtata	cagctgtaac	tactggggat	1020
ggcaactaca	aagtagctgt	atcatttgct	gaccataaga	atgagaagg	tctttataat	1080
attcattttat	actaccaaga	agctagtggg	acacttgtag	gtgtaacagg	aactaaagtg	1140
acagtagctg	gaactaattc	ttctcaagaa	cctattgaaa	atgggttagc	aaagactgggt	1200
gtttataata	ttatcggaag	tactgaagta	aaaaatgaag	ctaaaatatc	aagtcagacc	1260
caattttactt	tagaaaaagg	tgacaaaata	aattatgatc	aagtattgac	agcagatgggt	1320
taccagtggga	tttcttaca	atcttatagt	gggtgttcgtc	gctatattcc	tgtgaaaaag	1380
ctaactacaa	gtagtgaana	agcgaaagat	gaggcgacta	aaccgactag	ttatcccaac	1440
ttacctaana	caggtaccta	tacattttact	aaaactgtag	atgtgaagag	tcaacctaaa	1500
gtatcaagtc	cagtggaatt	taattttcaa	aagggtgaaa	aaatacatta	tgatcaagtg	1560
ttagtagtag	atggctcatca	gtggatttca	tacaagagtt	attccgggtat	tcgtcgctat	1620
attgaaattt	aa					1632

## SeqID 103

atggaaaaatt	ggaagtttgc	cctatcatcg	attctagggc	acaagatgcg	tgcttttctg	60
accatgttag	ggatcatcat	tgggggttgc	tcagttgtgt	taattatggc	cttaggtaag	120
ggcatgaaag	attcggttac	aaatgagatt	acaaagttct	agaagaacct	tcagattttat	180
tataaaacaa	aagaagacca	aaaaaatgag	gataactttg	gagctcaagg	ggctttcatg	240
caaggtagtg	ataccaaccg	taaggaacca	attattcaag	aatcatgggt	aaaaaagatt	300
gctaagggaag	tagatgggtg	tagtggctac	tatgtaacca	atcaaacaaa	tgctccagta	360
gcttaccttg	aaaaaaaagg	aaagacgggt	aatataacag	gagttaacgg	cacttacctt	420
ggtatcaaaa	agttcaaaat	taaaagtggg	cgtcaattcc	aagaggagga	ttataaccaa	480
ttctcgagag	ttattttact	agaagaaaaa	ttagctcaga	gattattcca	gacaaatgaa	540
gcagcggttaa	ataaggtggg	gactgtaaaa	aataaatctt	acttagtagt	gggggtttat	600
tcggatccag	aagctgggtc	aggcttatat	ggaagtaatt	ctgatgggaa	tgctattttta	660
accaatacac	agtttagcttc	ggagtttggg	gctaaagaag	cagaaaacat	atatttttcat	720

cttaatgatg	tatcgcaatc	caatcgcat	ggtaaagaaa	taggcaaacg	tttaacagac	780
attagtcatg	ctaaggatgg	gtactatgat	aatttttgaca	tgacatctat	agttaaatct	840
atcaataccc	aagttgggtat	tatgacaggt	gttattggag	cgattgcagc	aatttctctc	900
ctagttgggtg	gtatcgga	gatgaatatt	atgttagtct	ctgtaactga	gcgcacgaga	960
gaaattggcc	ttcgtaaagc	ccttggggca	actcgacgta	aaatttttagc	tcaatttttta	1020
attgaatcaa	tggtcttaac	gattttgggt	ggattaattg	ggttattact	agcctatgga	1080
ggtacgatgt	taattgctaa	tgcgcaagat	aagattactc	cttctgtgtc	acttaacgtg	1140
gctataggca	gtttaatttt	ctcagcat	attggaatta	tatttggttt	attacctgct	1200
aataaagcca	gcaaattaaa	cccaattgat	gctttaogat	atgaataa		1248

## SeqID 104

atgcagtatt	cagaaattat	gattcggtat	ggagaactct	ctactaagaa	gaaaaaccgt	60
atgcgcttca	tcaataagtt	aaaaaataat	atggagcatg	tactctccat	ttatccagat	120
gtttcagtaa	aaacagatcg	tgatagagga	catgtatata	tcaatggtag	agattatcat	180
gaagttgcag	agtccttaaa	agagattttt	ggatccaag	ctttttctcc	atcttttaaa	240
gtagaaaaaa	atggtgatac	attggtaaaa	gctgtccagg	aaattatgac	ttccggttat	300
aaagatggga	tgacttttaa	aattaccgca	aaacgtagtg	accactcatt	tgaattggat	360
agccgtgtct	taaatcatac	tttaggagat	gccgtttttt	cagtcttgcc	aaatattaag	420
gctcagatga	agcaaccaga	tatcaatctt	aaagtcgaga	tacgagatga	ggctgcttat	480
atctcatatg	agaatattag	gggtgcagga	ggattaccgg	taggaacatc	tggaaaaggg	540
atgctgatgt	tgtctgggtg	gattgattct	ccggtggcag	gttacctagc	gttaaaacgt	600
gggtgtagata	tagaagcagt	tcattttgca	agtcctcctt	atactagccc	aggtgcattg	660
aaaaaagcac	atgatttaac	acgtaaaattg	acaaaatttg	gtggtaatat	tcaattttat	720
gaagttccat	tcacagaaat	tcaagaggaa	atgaaggaaa	aagctcctga	agcctacttg	780
atgacgttaa	cacgtaggtt	tatgatgcgt	attacagatc	gtattcgtga	gaaccgaaat	840
ggctctgtta	ttattaacgg	tgaagttta	gggcagggtg	caagccaaac	gctagaaagt	900
atgcaagcca	ttaatgctgt	cactgcaaca	ccgattattc	gtcctgtggg	cacgatggat	960
aagctagaaa	ttattgatat	tgctcaaaaa	atagatactt	ttgatatttc	aattcaacca	1020
tttgaggatt	gctgtacgat	ttttgcacca	gatcgcccaa	aaactaacc	taaaattaag	1080
aatacagaac	agtatgagaa	acgtatggat	gtagaagggtc	tggtagagag	ggcagttgca	1140
gggattatgg	taactactat	tcaacctcaa	gcagatagtg	atgatgttga	tgacttgatt	1200
gacgatttat	tataa					1215

## SeqID 105

atggctcgtg	ttaaagggtg	agttgtttca	cgtaaaccgtc	gtaaaccggt	acttaaat	60
gctaaaggtt	actatgggtg	aaaacatata	ttgttcogta	ctgcaaaaga	acaagtaatg	120
aattcttact	actatgcata	ccgtgaccgt	cgtcagaaaa	aacgtgactt	ccgtaaatta	180
tggatcactc	gtatcaatgc	ggctgctcgt	atgaatgggt	tatcatattc	gcaattgatg	240
cacggtttga	aattagctga	aatcgaagtt	aaccgtaaaa	tgcttgctga	tttagcagtt	300
aacgatgcag	cagctttcac	agctcttgca	gatgcagcta	aagctaaact	tggtaaataa	360

## SeqID 106

atgtttaaag	cttcaaaaaa	actcgttcaa	aaaaataagt	caaatacatt	ttggcttggt	60
tttttcataa	cacttatact	atctcttatt	ggttggttac	ccagcttacg	atgttggtgct	120
atcaatttca	agactagtga	tttaataact	gttttaaaaa	atcccttaaa	aaactcta	180
gctcaggatg	ttatttttga	cattagacta	ccacgcataa	ttgcagctat	cttagtaggt	240
gcagctatgt	cacaagcagg	tgctattatg	cagggagtc	ctcgaaacgc	cattgctgat	300
cctggactac	taggtattaa	cgccggagct	gggttagccc	ttgttggtgc	atatgctttt	360
ttagggagca	tgactatag	tacgattctc	attgtctgct	tactagggtc	tgctatttct	420
tatcttttag	tcttcacact	ctcttataca	aagcaaaaag	gttaccacca	actacgactc	480
attttagctg	gagcgtatg	ctccacactt	tttacgtctg	ttggacaagt	ggttacatta	540
tacttttaac	tcaatcgaac	tggtatcgg	tggcaagcag	gtggttttat	ccaaattaac	600
tggaaaatgc	taatcataat	agcacctatc	attatttttag	gtttacttat	ttcacaactc	660
ctagcacatc	aattaactat	cttgagcctt	aatgaatctg	tggccaaagc	attgggacaa	720
aaaactcaat	taagtactgc	gtttctatta	cttattgttt	tggtttttat	ggcttcatca	780
gtcgcgttga	taggaaccgt	ttctttcatt	ggattgatta	ttccacattt	tattaagctt	840
tttattccca	aagattatcg	tctgttatta	cctttaatag	gatttttcagg	ggctaacttc	900
atgatctggg	tagacttatc	atctcgtatt	ataaatcccc	cttcagagac	accaattagt	960
tctataatca	gtatcgtagg	gcttccatgt	ttcctatgg	taattagaaa	agggaaaaat	1020
ctatga						1026

## SeqID 107

atgattaaaa	gaccaattca	tctttctcat	gatttttttag	cagaagttat	tgataaagaa	60
gcaataacgc	ttgatgcaac	tatgggaaat	gggaatgata	ctgttttttt	agcgaaaagt	120
tctaaaaaag	tttatgcatt	tgatattcaa	gaagaagcaa	tagcaaaaac	gaaagcaaag	180

ctcacggagc	aagggtattc	taacgctgaa	cttatcttgg	atgggcatga	aaatttggaa	240
cagtatgttc	atacaccttt	aagagcggct	atattttaatc	tgggatactt	accctcagcg	300
gataaaacag	ttattacaaa	acctcacaca	actatcaagg	caatcaaaaa	cgtttttagac	360
attttagaag	taggtggacg	tctatcaact	atgggtttatt	atgggtcatga	tggtggaaaa	420
agtgagaaag	atgcggtgat	agcattcgtg	gaacaattac	cacagaataa	tttcgctaca	480
atgctttatc	aaccactcaa	tcaagttaat	acgccccct	ttttaattat	ggtagaaaag	540
ttacaatcat	atgaaaatga	ggtgttaa				567

## SeqID 108

atgcgagtac	atattacaag	tatatatggg	cagtcacggc	gtagcattgc	ccttatatca	60
caaaaactag	ttaaggatgt	cggacgtcaa	cttggttatg	atgaaatggg	aactctacttt	120
tataatgata	atgctgaaac	gcatggtgaa	agaagtacta	ggatggatgg	tatcattgcg	180
ggattaggca	gaggggatat	tgttgttttt	caagtaccta	catggaattc	aacagaattt	240
gatgaacttt	ttctagataa	attacaggca	tacggtgcta	gaattataac	ttttgtacat	300
gataattgtt	ccttaattgtt	tgagtctaata	ttttattttat	tagatagagt	aattgacatg	360
tataatcggt	cggatgttgt	tattctacct	acaaaagcga	tgcatgatta	tctaattgaa	420
aaaggatga	ctacctctaa	agttctttat	caagaagtat	gggatcatcc	agttaatata	480
gacctccctc	gtccagaatg	tcaaaaagtc	cttagttttg	caggcgatat	tcaacgcttt	540
ccctttgtca	atgactggaa	ggaaaatatc	ccgctcatct	attatggaga	cggaagcaga	600
ctcaattctg	aggcaaatgt	tcatgctcag	ggatggaaag	atgatgtaga	attgatgcta	660
agtctttcta	agcggggagg	atttggcctg	tgttggagtg	aagatagaga	ggagttagtc	720
gagcgtcggt	attcgaggat	gaatgcctcg	tataaagatt	ctactttctt	ggctgctgga	780
cttccaatata	ttgctaacca	tgataatttca	agtagagact	ttatcaaaca	acacggatta	840
ggatttacag	ttgaaacgct	agaagaagct	gttgaaaaaa	ttaataatat	ggaaaaagag	900
acttatgaca	gctatgtgga	aaatgttgag	aagatagcaa	ctctcttgcg	aaatggttat	960
atcactaaaa	aattgttgat	agatgctgtg	catatgcttt	atagatag		1008

## SeqID 109

atgtcccaaa	agacttttgg	caagcagtta	acagttgtag	atactaagag	tagagtcaag	60
atgcataaat	caggaaaaaa	ctgggtaaga	acagtaatgt	cgcatttttaa	tctattttaaa	120
gcgattaaag	ggagagcaac	tgttgaagca	gatgtgtgta	ttcaagatgt	tgaaaaagaa	180
gaccgactat	cttcaggaaa	tttgacctat	ctcaaaggaa	tactagctgc	cggagctctg	240
gtaggtggag	cgagtttaac	cagtcgtgtt	tatgcagatg	agactccagt	tgttcaagaa	300
caatcaagtt	ctgtaccaac	actggcagaa	caaacggaa	tgactgttaa	aacaactact	360
gttcaaaatc	atcaagatgg	gacagtatcg	aaaaacatta	ttgattctaa	tagtgtatct	420
atgtcagagt	cagcctcaac	aagtactagt	gaatctgtaa	gtatgtctat	gtcagggtca	480
actttaacaa	gtgtaagtga	atctgtaagt	acatctgctt	taacaagtgc	ttcagaatcg	540
ataagcacgt	cagcctcaga	aagtgtttca	aaatctacaa	gtattagtga	ggtttcaa	600
attcttgaaa	ctcaagcttc	tttaactgat	aaaggaaag	agtcgttttc	ggcaaaccag	660
atagtaacag	aaagtagctt	agttactgat	gctggtaaaa	atgcttcagt	atctagccta	720
attgaaatta	caaaacccaa	atcggagtta	cagacttcca	aaatgtcaaa	tgagtgcctt	780
ataactccag	agaaatccca	agtaatgatt	gcaagcgata	aaactgggaa	tgagagtcta	840
actccgacaa	ttagattaaa	atcagttatt	cagccaagga	gtatgaactt	gatgactttg	900
agttcggaga	tggaacttgat	accactagaa	gaagtgtctg	atactgaaat	gttaggttaa	960
gatgtatcaa	gcgagttgca	gaaagttaat	attgcgttaa	aagataacac	tcttagtgag	1020
cctggaacag	ttaaattaga	tagttcagaa	aaccttgttt	tgaactttgc	cttttcaatc	1080
gcttctgtta	acgagggaga	tgtctttact	gtaaagcttt	ctgataacct	tgacacacaa	1140
gggattggta	ctatttctaa	agttcaagat	ataatggatg	aaacggggca	gttattagcg	1200
actgggtcat	atagtccttt	aacacataat	attacataca	cctggacaag	gtatgcttct	1260
acgttgaata	atattaaagc	tagagtcaat	atgccagttt	ggcctgacca	gagaataatt	1320
tctaaaacaa	cttcagataa	gcagtgtctt	actgcaacat	tgaacaatca	agttgcttca	1380
attgaggaac	gtgttcagta	taatagtcct	tcagtgcag	aacatactaa	tgtaaagaca	1440
aatgtaagat	ctcggatcat	gaagcttgat	gatgaaagac	agacagaaac	ttatattact	1500
caaattaatc	ctgaaggtaa	ggaaatgtat	ttcgcatcag	gacttgggaa	tctatatact	1560
attatcggtt	cagatggaac	atcaggttca	ccagtttaatt	tattaaatgc	ggaagtaaa	1620
attctaaaaa	ctaattctaa	aaatcttaca	gatagtattg	atcaaaatta	tgattcgcct	1680
gagtttgaag	atgtgacttc	ccagtatagt	tatactaacg	atggttctaa	aattaccata	1740
gattggaaaa	caaattctat	ttcttccact	acatcttatg	ttgttttggg	caaaatacct	1800
aaacaaagtg	gtgtattgta	ttcaactgtt	tctgatataa	atcaaacata	tggttctaaa	1860
tattcttatg	ggcatacga	tataagtggg	gactcagatg	cgaatgccga	aattaaactt	1920
ttatcagaaa	gtgcttctac	gagtgcgtcg	acgtcagcaa	gtaccagcgc	ttccatgagt	1980
gcctcgacat	cagcaagtac	cagcgcttcc	atgagtgcct	cgacatcagc	aagtaccagc	2040
gcttccatga	gtgcgtcgac	gtcagccagc	accagcgctt	caaccagcac	ctcaacgagt	2100
gcctcgacat	cagccagcac	aagtgttca	acaagtgcaa	gtatgagtgc	ttcaacaagt	2160
gcaagtacga	gtgcatccac	gtcagcaagt	actagcgctt	ccacaagtgc	cagcaccagc	2220

gcctcaacga	gtgcctcaac	gtcagccagc	actagcgctt	caacgtcagc	cagcaccagc	2280
gcctcaacca	gtgcttcaac	cagtgtcttc	acatcagcca	gcactagcgc	ctcaatgagt	2340
gcgtcgatgt	cagccagcac	aagtgtcttc	atgagtgcct	cgacgtcagc	cagcactagc	2400
gcctcaacca	gtgcttcaac	cagtgtcttc	accagtgtct	ccacctcagc	aagtatgagc	2460
gcctcaacaa	gtgcaagtac	tagcgcttca	acaagtgcac	gtatgagcgc	ctcaaccagt	2520
gcaagtacta	gtgcttcaac	aagtgtccagt	accagtgcct	cgacgtcaac	aagtactagc	2580
gcttccacgt	cagcaagtac	cagtgcaccc	acatcagcaa	gtatgagcgc	atccacgtca	2640
gccagcacca	gcccctcaac	cagtgtcttc	accagtgtct	caaccagtgc	ttcaaccagt	2700
gcttccacat	cagccagcac	tagcgcttca	accagtgcct	ccacgtcagc	aagtactagc	2760
gcctcaatgt	cagccagcac	tagcgcttca	atgagtgcac	gtaccagtgc	ttccacgtca	2820
gcaagtatga	gcgcctcaac	aagtgtcaagt	actagcgctt	ccacaagtgc	aagtatgagc	2880
gcctcaacca	gtgcaagtac	tagtgccttc	accagtgcac	gtaccagtgc	ctcgacgtca	2940
acaagtacta	gcgttccac	gtcagcaagt	accagtgcac	ccacatcagc	aagtatgagc	3000
gcatccacgt	cagcaagtac	cagtgcaccc	acgtcagcaa	gtatgagcgc	ctccacaagt	3060
gcaagtatca	gtgcatccac	gtcagcaagt	atgagcgctt	ccacaagtgc	aagtaccagt	3120
gcatccacgt	cagccagcac	tagcgcttca	atgagtgcac	cgacgtcagc	cagcaccagt	3180
gcttccacaa	gtgcaagtac	tagcgcttca	atgagtgcac	cgacatcagc	aagtaccagt	3240
gcttccacaa	gtgcaagtac	gagtgtcttc	acatcagcaa	gtactagcgc	ctcaacatcg	3300
gcaagtacaa	gttcttccac	aagtgtcaagt	accagtgcac	cgacatcagc	cagcactagc	3360
gcctcaatga	gtgcctcgac	gtcagccagc	acaagtgtct	ccatgagtgc	gtcgacgtca	3420
gccagcacta	gcgcctcaac	gagtgtcgta	atgtcagcca	gcacaagtgc	ttcaacaagt	3480
gcctcgatgt	cagccagcac	tagcgcttca	atgagtgcct	cgacgtcagc	tagcactagc	3540
gcctcaacga	gtgcgtcaat	gtcagccagc	acaagtgtct	caacaagtgc	ctcgatgtca	3600
gccagcacta	gcgttcaat	gagtgtcgta	acgtcagcca	gcaccagcgc	ttcaacgagt	3660
gcgtcaatgt	cagccagcac	tagcgcttca	atgagtgcac	cgacgtcagc	cagcaccagc	3720
gtctcaacga	gtgcatcgac	atcagcaagt	accagcgctt	ccacaagtgc	ttcaagctca	3780
gtgacttcta	attcatcaaa	agagaaggtg	tattctgcct	taccttctac	gggtgaccaa	3840
gattattctg	taactgtctac	tgctttaggt	ttaggtttta	tgactgggtgc	aacctttttg	3900
ggacgaaaaa	aacttaaaaa	agataaagac	ttaa			3933

## SeqID 110

atgatagata	gaaaagatac	taaccgattt	aaattagttt	ccaaatatag	cccttcggga	60
gatcaacctc	aagctattga	aacgttgggt	gacaatatgt	aaggaggaga	aaaagctcag	120
attttaaaag	gtgctactgg	tactggtaaa	acctacacaa	tgagccaagt	tatcgcccaa	180
gttaacaagc	caaccttggg	gattgcacat	aataaaacct	tagcaggtca	actttatgga	240
gagtttaaa	aattttttcc	tgacaatgcc	atgagtaact	ttgtttcata	ttatgattat	300
tatcaaccag	aagcttatgt	gccttcttcg	gatacttata	ttgaaaaaga	tagtttcagtc	360
aatgacgaaa	ttgacaaatt	acgtcactca	gcgacttctt	cgttattaga	aagaaatgac	420
gttattgttg	tagcatctgt	ttcttgtatt	tacggtttag	gttctcctaa	agagtatgca	480
gacagtgttg	ttagccttag	gccaggtcaa	gaaatttcac	gtgatcagtt	attgaacaat	540
ctcggtgata	ttcaatttga	gcgtaacgat	attgattttc	aacgtggaaa	atttcgcggt	600
cgtggcgatg	ttgtagaagt	tttctctgcg	agtcgtgatg	agcatgcctt	tcgaattgaa	660
ttttttgggtg	atgaaattga	tcgtataaga	gaaatgaaat	cgttaacagg	gcgtgtgcta	720
ggagaagtgg	aacatttagc	tattttccca	gcaacacact	ttatgacaaa	tgatgaacat	780
atggaagaag	ctattttcaa	aatacaagct	gaaatggaaa	atcaagtaga	actttttgaa	840
aaagaaggga	aattgattga	agcgcaacgt	attcgacaaa	ggacagaata	tgatattgaa	900
atgcttcgtg	aaatgggata	tacaaatggt	gttgagaact	actcacgtca	catggatggt	960
agaagtgaag	gtgagccacc	ttttactttg	ttagatttct	tcccagaaga	ttttttgatt	1020
atgattgatg	agagtcacat	gacaatgggg	caaatacaag	ggatgtataa	tggagaccgt	1080
tcgcgtaaa	aatgttgggt	taattacggt	ttccggttac	catctgcctt	agataaacgt	1140
ccacttcgtc	gtgaagaatt	cgaaagccat	gtccatcaaa	ttgtctatgt	atctgcaacg	1200
ccaggagact	atgaaatgga	gcaaacagat	acagttgttg	agcaaattat	cggccaaca	1260
ggacttcttg	atccagaagt	tgaagttaga	ccaagtatgg	ggcagatgga	tgacttgctt	1320
ggtgaaatca	atttgaggac	tgaaaaagggt	gagcgtacct	ttattacaac	attgacaaag	1380
cgtatggcag	aagattctac	agattatctc	aaagaaatgg	gagttaaagt	taagtatatg	1440
cacagcgata	ttaaaacctt	agaacgtaca	cagattattc	gtgatttacg	acttggtgtg	1500
tttgatgttt	taattgggtat	taatctctta	cgtgaaggaa	tagatgttcc	tgagggttcc	1560
cttggtgcaa	tcttagatgc	tgataaggaa	ggtttctctc	gtaatgagcg	tggtcttata	1620
caaacaatcg	gacgtgcagc	acgtaacagt	aatggctcatg	ttattatgta	tgctgataaa	1680
ataacagatt	ctatgcaaag	agctatggat	gaaaccgctc	gcccgtcgctg	tttacaatatg	1740
gattataatg	aaaagcatgg	aattgtgcca	caaacaatta	aaaaagaaat	ccgtgattta	1800
attgctatta	ctaaaagtaa	tgacagcgat	aagcctgaaa	aagttgtoga	ttacagtagt	1860
ttatctaaaa	aagaaaggca	agctgaaatt	aaagctcttc	aacagcaaat	gcaagaagca	1920
gctgaattat	tggactttga	gctagctgca	caaataccag	atgttatctt	agaactaaaa	1980
gcaatcgatt	aa					1992

## SeqID 111

atgaagcaca	agttaaaagc	ttttacgctt	gctttactct	caatattctt	tgtgtttggt	60
ggaaagggtca	gtgcagaaac	tgtgaatatt	gtttctgata	cagcatagcg	tccattcgaa	120
tttaaagatt	ctgatcaaac	ttataaagga	atcgatgttg	acatcggtta	cgaagtcgct	180
aagcgtgctg	gctggaatgt	taacatgacg	tacccagggt	ttgatgccgc	agttaacgct	240
gttcaatctg	gacaggcaga	cgcgctaatt	gccggaacta	ctgttactga	agcacgtaaa	300
aaagtcttta	attttctcaga	tacttattac	gatacttcg	ttattcttta	tactaaaaat	360
aataataaag	tcacaaacta	caaacaacta	aaaggaaaaag	tagtcggtgt	aaaaaatgga	420
acagctgctc	aaagcttctt	agaggaaaat	aaatctaaat	acggctataa	agttaaaaca	480
tttgatacaa	gtgacctaat	gaataacagc	cttgattctg	gttctattta	cgcgctatg	540
gacgatcaac	cagttgtgca	atttgcgata	aatcaaggaa	aagcttacgc	cattaacatg	600
gaaggcgagg	cagttggtag	ctttgcattt	gctgtcaaaa	aaggtagtgg	acacgataac	660
ctaattaaag	aatttaaacac	agcttttgca	caaatagaat	cagatggcac	ttataatgac	720
atcatggata	aatggcttgg	gaaagacgct	acaaaaacaa	gcggcaaacg	aacaggtaat	780
gccaatgaaa	aagcaactcc	tgtaaagcca	agttataaaa	ttgtttctga	ttcttcattc	840
gcaccattcg	aatatcaaaa	cggtaaaggg	aaatatactg	gttttgatat	ggaattaatc	900
aagaaaattg	ctaaacagca	aggttttaaa	cttgatatct	caaataccagg	ttttgatgcc	960
gctttaaatg	ctgtccaatc	tggacaagct	gacgggtgta	ttgcaggagc	tacaatcaca	1020
gaagcacgcc	aaaaaatctt	tgatttttct	gatccttatt	acacatctag	cgttatctta	1080
gcggttaaaa	aaggaagcaa	tgtcaaatca	taccaagatt	taaaaggaaa	aacagttggt	1140
gctaaaaatg	gtactgcctc	atatacttgg	ttatcagacc	acgcagataa	gtacaactat	1200
catgttaaag	catttgatga	agcatctaca	atgtatgata	gtatgaactc	aggttcaatt	1260
gatgctctaa	tggatgacga	agcagttctt	gcttacgcta	ttaatcaagg	tcgtaaatct	1320
gaaacaccta	tcaaagggtga	aaaatcaggc	gatatcggat	ttgcagtga	aaaaggggca	1380
aatccagaat	taattaaaat	gtttaacaac	ggtcttgctt	cactcaaaaa	atcgggtgag	1440
tacgataaac	ttgttaaaaa	atacctttcc	acagccagca	cctcttcaaa	cgataaagct	1500
gctaaacctg	tagatgaatc	aactatttta	gggttaattt	ctaataacta	caaacaattg	1560
ctatctggta	ttggaactac	tttaagttta	actcttatct	catttgcgat	tgctatggtt	1620
attggtatta	tctttgggtat	gatgagcgta	tcaccaagta	atactctccg	cacaatttca	1680
atgatttttg	ttgatattgt	ccgtgggtatt	ccactcatga	ttgtggccgc	ttttattttc	1740
tgggggtattc	ctaattttaat	cgaagcatc	acaggtcacc	aaagtccaat	taatgacttc	1800
gttgctgcta	ctatcgctct	ttctttaaat	ggtgggtgct	acattgctga	aattgtacgt	1860
ggtgggtattg	aagctgttcc	ttctgggtcaa	atggaagcaa	gtcgtagttt	aggattttct	1920
tacggcaaaa	ctatgcaaaa	ggttatcttg	cctcaagcag	tacgccttat	gttaccaaac	1980
tttatcaaac	aatttgtcat	ctcattaaag	gatacaacaa	ttgtatcagc	aatcggactt	2040
gtggaactct	tccaaactgg	taaaatcata	attgcacgta	actatcaatc	attccgtatg	2100
tatgctatcc	ttgcaattat	gtatcttgta	atcattaccc	ttctcaccgc	tctagcaaaa	2160
cgttttagaaa	agaggcttaa	ataa				2184

## SeqID 112

atgggagata	aaccgatatc	atttcgtgat	aaagatggga	attttggttc	agcggccgat	60
gtctggaatg	ctgaaaaatt	agaagaactc	tttaacacat	taaatcctaa	tcgtaaactt	120
cgttttagaac	gcgaaaaatt	agcaaaaagaa	aaaggatag			159

## SeqID 113

atggaaacat	atactctatc	gaatactctt	aacattccta	aaattgggtt	tgggacatgg	60
caactaactg	aagggtgaaga	agcttataag	gcagtgactc	atgctttaaa	agttgggtat	120
actcatattg	atactgctca	gatttatggc	aacgaacaca	gtgttggacg	tgctataaga	180
gacagtgggt	tggcgcgaga	aagtatcttt	ttgacaacta	agatttggaa	tgacaaacat	240
gactatcatt	tagccaaagc	ttctattgat	gaatctctgc	agaaattagg	tggttgattat	300
attgatcttc	ttttgattca	ttggccaaat	ccaaaagctc	ttcgtgaaaa	tgatgcgtgg	360
aaagctggga	atgcaggcac	ttggaagcgc	atggaagaag	cttataaaga	aggaaaggta	420
aaagctattg	gtgtttcgaa	tttcatgaaa	catcacttag	aggctttatt	tgaaactgcc	480
gaaataaac	ctatgggttaa	tcaaattatc	ctagcaccag	gttggtgctca	agaggatttg	540
gttcgcttct	gtaaaggaaa	tgatatctta	ttagaagctt	acagtccatt	tggaaacagg	600
gctatttttg	aaaatgaatc	tataaaagct	attgctgaaa	aatatggtaa	atcagttgca	660
caagtagctc	ttcgctgggtc	acttgataat	ggctttttac	cattacctaa	gtcagcgact	720
cccaaaaata	ttgaagcaaa	ccttgatatt	tttgattttc	aattaaacga	agatgatatt	780
actaccttaa	tacaactaga	ttcagggtatt	aaacccaaag	atccagataa	tgtctcattt	840
ttaa						843

## SeqID 114

atgggttaaag	gtcaaggaaa	cgttgtagca	caaaataaaa	aagcgcatca	cgactatact	60
atcgttgaaa	caatagaagc	aggaattggt	ttgacaggaa	cagaaatcaa	aagtgtccgc	120

gcagcgcgta	ttacattgaa	agatggatat	gcacaaataa	aaaatggtga	agcgtggttg	180
attaatgttc	atattacacc	atacgatcaa	ggtaatatat	ggaatcaaga	tcctgatcgt	240
acacgaaagt	tattactaaa	aaaacgtgag	attgaaaaaa	tatcaaatga	actgaaaggg	300
actggtatga	ctctggtacc	tctaaaagtt	tacttaaaag	atgggttttg	taaagttcta	360
ttgggttttg	caaaaggaaa	acatgattat	gataagcgag	agtctatcaa	acgtcgtgag	420
caaaaccgtg	atattgcccc	tcagttaaaa	aactataatt	cacgatga		468

## SeqID 115

atggaccatt	tcacaaaact	ctggcaagat	ttctctaaac	ttccaaatgt	tggtgctata	60
gcactcggag	gctcacgctc	tggtgacagt	tttgaccaat	cttccgatta	tgatttgtat	120
gtttattgtg	cagcaactcc	tgatatcact	agtcgtaaac	gtatccttaa	caagcactgt	180
cattacattg	aacttaacaa	tcattactgg	gagcttgaag	ataatggtac	tttaaacgac	240
ggaactgata	ttgatattct	ctatcgtaac	atagataact	ttttatcaga	cttagaagat	300
gtcgttgaa	accacaattc	tcgaattgga	tacactactt	gtttttggca	taacctcatc	360
aattgccaaa	tactctatga	tctgaaaaat	caattacaat	cactcaaaga	gagattcgaa	420
gtttcttatt	ccagtcagtt	acaaaaacaa	attatcattc	aaaatcgtaa	cttattaact	480
ggcaagcttc	cctcttacga	taaacaaaatt	ataaaagccc	ttaaacgcca	agactttggt	540
agtactcacc	atagaactac	tgctttctta	gattcctact	ttgatattat	ttttgcactt	600
aataagttga	cacatcctgg	cgaaaaaaga	atgatttcct	atgctaagaa	gaatgctaca	660
ttgcttccta	aacatttcga	agaaaatatc	attaactat	gtcatcacia	ctccaacgaa	720
cacactgtta	aagaaacatt	aaacgatata	ataatgcac	tcgacgtcat	gcttaaagaa	780
aattttcaac	acttttatag	ttaa				804

## SeqID 116

atgaaaaaaa	ttatttatct	tggttttagcc	tgtgtcagta	tattaaacttt	aagtgggttg	60
gagtcaattg	agcgttctct	aaaaggagac	cgttatgttg	accaaaaact	agctgaaaac	120
tcttcaaagg	aagctactga	acaactaaac	aaaaaaaacta	agcaagcctt	aaaagctgat	180
aaaaaagctt	ttcctcaatt	ggacaaggct	gttgccaaaa	acgaggcaca	agtgtctata	240
aaaacctcta	aaggtgatat	aaatatcaag	ttatttccaa	aatatgctcc	tttagctggt	300
gaaaattttc	taacatcagc	aaaagaagga	tactataatg	ggttaagttt	ccacagagtt	360
atcaaagatt	ttatgatata	atctggtgac	cctaattggag	acgggaccgg	tggaaaatct	420
atatggaata	gcaaagataa	aaagaaagat	tctggaaatg	gttttggtta	tgaaatatcc	480
ccttacctct	acaatatcag	gggaagttta	gcaatggcaa	atgctggagc	tgataactaat	540
ggcagccaat	tctttatcaa	tcaaagccag	caagatcatt	ccaaacaact	gtcagataaa	600
aaagttccta	aggtgattat	taaagcctat	tcagagggag	gaaatccaag	tttagatggt	660
ggttataccg	tggttgaca	agtaattctct	ggcatggaaa	ctgtggataa	aattgcttcg	720
gtagaagtta	caaaatcaga	tcaaccaaaa	gaaaaaatta	ctattacaag	tatcaaagtt	780
attaaagact	acaaatttaa	ataa				804

## SeqID 117

atgaaaattg	gaattattgc	agccatggag	gaagagttaa	aactccttgt	ggaaaatctt	60
gaggataaat	ctcaagagac	agtattatca	aatgtatatt	acagtggacg	ttatggtgaa	120
catgagcttg	tttttagtaca	gtctggtggt	gggaaagtca	tgtcagcgat	gagtgttgct	180
atttttagtag	aaagctttta	agttgatgct	attattaata	caggatcagc	tggtgcagta	240
gcaacaggat	tgaatgtagg	agacgtcgtt	gtcgcagata	cattagttta	tcacgatgta	300
gatttaaccg	ccttttggtta	tgactatgga	caaagtgtcaa	tgcagccact	ttattttcat	360
tcggataaga	cttttggttc	cacttttgaa	gcagttttat	ctaaagaaga	aatgactagt	420
aaagttgggt	taattgcaac	tggggatagt	tttattgctg	gccaggaaaa	gattgatggt	480
attaaggggc	attttccaca	ggttttagct	gtcgagatgg	aagggtgcagc	aattgcccaa	540
gctgctcaag	ctacaggaaa	gccctttgtg	gtggatcgtg	ctatgagtga	tactgcagct	600
catgatgcca	atatcacatt	tgatgaattt	atcattgaag	ctggtaaacg	ctctgcccaa	660
gtattaatgg	catttttgaa	agcattataa				690

## SeqID 118

atggaaaaga	gacttagttt	aggagctctt	gttttagcta	gtacagttct	tttagcagca	60
tgtggaaatg	tcggaggagg	agcatcttcg	acaggaaaca	aaataggga	agatattaag	120
gtagggtata	actgggaatt	atcaggaaac	gtttcttcgt	atggaaatc	aatgaagaat	180
ggagctgact	tagcagtaaa	agaaattaat	gctgctggag	gggttgccgg	caagaagtta	240
aaagtcctat	cacaggataa	taaatcagaa	aatgcagagg	cagcaacggg	tgccacaaac	300
ttggttacca	aaggagctaa	tgctcattatc	ggaccagcaa	catcggtg	agctgcactc	360
tcaactccaa	aagtaaatgc	agcagcagtt	ccaatgattg	cacctgctgc	gacacaagac	420
aatttagtct	atggttctga	tggaaaaacc	ttaaatcagt	atttcttccg	agctactttt	480
gtcgataatt	atcaaggaaa	gctattgtct	cagtatgcta	cagacaacct	taaagctaaa	540
aaagttgttc	tattttatga	taattcatca	gattactcaa	agggggtagc	aaaatcattt	600
aaggaaagtt	atagtggaaa	aattgttgat	agcatgacat	tctccgctgg	tgatactgat	660

ttccaagcgt	cattgactaa	gttgaaaggg	aaagaatatg	atgctattgt	gatgccaggt	720
tactataccg	agacaggatt	aatagttaag	caagcgcggtg	atttaggtat	ctctaaaccg	780
gttccttgggc	ctgatgggtt	tgatagtcgg	aaatttgtgc	aatcggcaac	acctgtggga	840
gcttcaaacg	tttattat	gacaggtt	actacacaag	gatcaaccaa	agctaaagct	900
ttccatgatc	attacgttaa	ggcatatggt	gaagaaccaa	ccatgttctc	ggctttatca	960
tacgatgccg	tgtatatggc	agctaaatct	gctaaaggag	ctaaaacttc	aattgatctt	1020
aaaaaagctt	tagctaagct	gaaagatttt	aaaggtgtga	cagggaaaat	gtctattgat	1080
aaaaatcata	atggtgttaa	atcagcttac	gttgtcaaat	tagacgatgg	aaaaacaagt	1140
agcggttaaca	ttatttcagc	aaaataa				1167

## SeqID 119

atggagaatc	ataattctat	taaacagacc	tatggattaa	tgactacaat	tgctatgatt	60
gtagggttag	tgattgggtc	aggcatat	tttaaagttg	atgacatcct	taaatttact	120
ggtggagatg	tcttttttagg	catggtaatt	ttagtactag	gttctttttc	gattgttttt	180
ggaagtttgt	caatttctga	gctagctatt	agaacgagtg	aaagtgggtg	tattttttct	240
tactacgaaa	aatatgttag	cccagcttta	gcagcaactt	taggcttgtt	tgcttctttt	300
ttgtatcttc	caactttaac	agcaatcggt	tcatgggtag	ctgcatttta	tactttaggt	360
gaatcatcaa	gtttggaatc	acagattatt	ttagctgctg	tttatatttt	agcacttagt	420
ctcatgaata	tctttgctaa	gcgtattgca	gggggattcc	aatctttaac	gacctttgta	480
aaaatgattc	cttttagtct	aattgcttta	attggtgctt	tttgggtctga	taaagctcca	540
caacttccac	aacatttaac	agctattcag	ccgtcaaatg	ttggatggag	ttgggtgtca	600
ggtctggtag	cattgtattt	tgcatatgat	ggttggaaca	tttttggtag	tattgcacca	660
gaagtcaaga	atcccaagaa	gaatttacca	cttgcttttg	tcattgggtc	agcgcttctc	720
ttattatcat	atttggcatt	tttctatggt	ttgacacaaa	ttttaggtgc	tagctttatt	780
atgacaaccg	gtaatgatgc	tattaattat	gcagetaaca	ttattttcgg	tcctagtgtt	840
ggcgctttat	tatctttcat	tgttatttta	tctgtattag	gtgttgccaa	tggactttta	900
cttgggacga	tgcttctacc	tcaagctttt	gcgggaacgg	gatggatcaa	aagtgaagg	960
atggctaaca	taaatttgaa	gtatcaaatg	tcattgccag	ctagtttgac	ggtgacggct	1020
gtagctattt	tttggctttt	tggtcacttt	atggttaca	aatttaattt	attgcccggg	1080
agtgatatta	gtgaaattgc	tggtggtgtt	aataatacta	gtttaatcat	tctttatgtt	1140
ttagtactca	gcctttatct	caaaaaagat	attaaaaata	aatttaccgg	cttagtttca	1200
ccgattctag	caatttttagg	cggtttgatc	ctctttatcg	ggagtttgtt	aagtaatttc	1260
tttacgggtt	taattttcca	atgtttttgc	ttattattct	gtttgatttg	tcatttatct	1320
tatcaaaaaa	ataacccaaa	aactcatgaa	tag			1353

## SeqID 120

ttgaccgaat	ttaatgacga	tcagcattct	aaccatgatc	agaaaagttt	taaagaacaa	60
attctggcag	agttagaaga	agctaaccgt	ttgagaaagt	tgctgaaga	agaactctat	120
caaaaagagc	aagaagccaa	agaagctgct	cgcagaacag	cacaattgat	ggcagattat	180
gaagcgcaac	gtttgaaaga	cgaacaagaa	gctagagcaa	aggcgctaga	gactaagcaa	240
cgcttagaag	agcaagagaa	ggctcggatt	gaggcgaaac	ttctggcaga	agctgctcga	300
gaagaagaaa	gacgtcaggc	ggaacaagca	ttagcttccc	aagaagaaca	agttatcaat	360
caagggatgg	aaccttcaag	agagcttgat	agcggtcca	aactctagtga	atttaggaca	420
actgaaaatg	tacctgacat	agatttataa	gcagataaga	ctgatgttgc	aactgctgtg	480
cctaatacag	aaacggaaga	aatctttctt	gtgagagcaa	cagatattcc	tacagaaggt	540
gaaaatgtaa	aacttgggtga	gacatcagag	ttagagcccg	tagcaaagga	acctatccga	600
gtagaggatt	tgtcaaaaaga	agaagaggat	atagctttgt	cagccaagaa	caaacataac	660
aagcgtgaaa	gacgtcagaa	agcagataat	gtggcaaaac	gaattgcacg	tattctgata	720
tcaattatca	tacttgtatt	gctcttgaca	gcatttgtag	gttatcggtt	tgtagataga	780
gctatttaaac	ctgttgattc	caattcaaat	aaatttgtac	aagttgaaat	tccgatagga	840
tctgggaata	aattaattgg	tcaaatttta	gaaaaagcag	gagtcattaa	gagcgccaca	900
gtctttaatt	actattccaa	gttcaaaaac	tatagtaatt	ttcaaagtgg	atactacaat	960
cttaaaaaaa	gtatgacttt	agatcagatt	gctgctgaat	tggaaaaagg	cggaactgca	1020
gaaccgacaa	aaccagcttt	aggttaagata	ttaattaccg	agggttacac	tattaacacg	1080
attgctaaaag	ctattgagtc	taataaaaat	gatacaagaa	ctacaagtac	accttataaa	1140
gctgatgatt	tcttgaaact	tggtcaagat	gaaacgttta	ttaaaaaaat	ggtagctaaa	1200
tatccaaatt	tactaggaag	tctacctgat	aaatcaaaag	ctatttatca	attggaagga	1260
tatttatctc	cagctactta	caactattat	aaagatacaa	ccttagaagg	acttgttgaa	1320
gatatgattt	caacaatgaa	tactaagatg	gcaccttact	ataacactat	taaagcgaag	1380
aatatgtctg	taaatgatgt	tttgacatta	tcatctcttg	ttgaaaaaga	gggatcaaca	1440
gacgaagatc	gccgtaaaat	agcaagtgtc	ttttataacc	gattatcagc	cggcgaagct	1500
cttcaaaagta	acattgcaat	tttgtatgct	atggggaatt	taggtgataa	aacaagttaa	1560
gctgaagatg	ctcaaaattaa	tacttcaatt	aaatcaccat	acaacatcta	tactaatact	1620
ggtttgatgc	ctggaccagt	tgatagtcca	agtatctcag	caattgaagc	gactataaaa	1680
cctgcttcaa	cagattatct	ttattttgtc	gctgatgtga	agaccggaaa	tgtatactac	1740



gctaaagact	ttgaaacaca	caaggctaac	gttgaaaaat	atatcaatag	tcaaattaac	1800
taa						1803

## SeqID 121

atgagtagaa	tgattccagg	acgtattcga	aatcaaggta	tagaactcta	cgaacaagg	60
ttgggtgctc	tgatttctca	agaaggtaat	ctattaaaag	ctaaagttgg	ggattgtcag	120
attgaatatt	cattagtaac	agaagaaaca	aaatgttctt	gtgatttttt	tgcaagaaaa	180
ggctattgtc	aacattttagc	tgctctggag	catttcttga	aaaacgaccc	agaggggtaaa	240
gcaatcttat	ctaaagtcca	agttcaacaa	gaaagtcac	aagaaactaa	gaagaaaacc	300
tcttttggtg	gtgttttttt	agatagtcta	attattaatg	aagatgatac	tataaaatat	360
caactatcgg	ctcaaggaga	acaaaatcct	tatgtctaag	atatctgggtg	gacttttaaaa	420
attagacgac	tgctgatga	tagaagttat	gttattcgtg	acatcaaagc	tttttttaaat	480
actgttcgaa	aagaagctta	ttatcagatt	ggaaaacaat	actttgaaac	tttgtctttg	540
atacagtttg	atgagaccag	tcaagaattg	atagaatttt	tatggagggt	cattccaagt	600
cattcaagca	aaattgatct	agagtttatt	ttaccaaatac	aaggctcgtca	ccttagtctc	660
actcgtgggt	tttttgaaga	gggcgttact	ttgatgaatg	cttttagaaa	tttttccattt	720
gaaagtgatt	ttcatcaatt	taatcacctc	tactttaagg	aattagaagg	tgaggatcat	780
ctttatcaat	ttaagggttat	tgctcatagg	caatcaattg	aattagaaat	caaagagaaa	840
gacttaaaac	cactatttgc	gaattcttat	ttgttttatc	gcgatacttt	ctaccatctt	900
aatttgaagc	aagaaaagat	ggtaacgggt	attcgtagtc	ttcccattga	gggagattta	960
gcaaaacata	tccattttga	tttagatgat	caagataagt	tagcagctca	tttactggat	1020
tttaaggaga	ttggactagt	agatgctcca	cggagcttct	ctattcatga	ttttaaggta	1080
aattttgagt	tcgatattaa	tagtcaaaat	gaaattttat	tgcaaatggg	atttgattat	1140
ggtaagtatt	taactgtcca	taatcgtcaa	gaactagaac	agttaacatt	tgctagtcac	1200
ttcaaacatg	aagaaaaaat	atttaaaactc	ttagaagat	atggctttgc	acccactttt	1260
tcaaccagcc	atccagcata	cagtgcacaa	gaattatacg	atttttatac	ctatatgctt	1320
ccacaattta	aaaaaatggg	aacagtgagc	ttatccgcaa	aattggaaag	ttatcgtctc	1380
atagaacgac	cgcaaatga	tattgaagct	aaggggaagc	tgctagatat	ttcttttgat	1440
ttctctgatt	tactggaaaa	cgatgttgat	caagctctgg	tagctttggt	tgacaataat	1500
ccttattttg	tgaataaata	agggcaatta	ggtatttttg	atgaagagac	taagaaagta	1560
agtgcaactt	tgcaaggggt	gagagctaga	cgagcaaaga	atgggcatat	tgaattagat	1620
aatattgcag	catttcaatt	atcagaactg	tttgcaaatc	aagataatgt	tagcttttca	1680
caacattttt	accaattgat	tgaagatttg	agacaccag	aaaagttaa	aatacctggg	1740
ctatctgttt	cagcttcctt	gcgcgattat	cagcttacag	gtgtccgttg	gttaagtatg	1800
ttagatcatt	atggctttgc	agggatttta	gctgatgata	tggggcttgg	aaaaacactt	1860
caaacgattt	catttttaag	tacaaaacta	actagagatt	ctcgtgtgct	tattttatca	1920
ccatcaagtt	taatttataa	ttggcaagat	gtaattccaca	aatttgcgcc	agacgtagat	1980
gtagcagttg	cctatgggtc	taagattcgt	agagatgaaa	ttattgctga	acgtcatcaa	2040
gtaatcatta	caagttattc	atcatttagg	caggattttg	agacttatc	tgaaggaaat	2100
tatgattatt	taattttgga	tgaagcacag	gttatgaaaa	atgctcaaac	taaaatagcc	2160
catagcttga	gatcttttga	ggtcaaaaac	tgttttgcat	tatcggaac	acctattgag	2220
aataaaactg	tagaaaattg	gtccattttc	cagatcattt	tacctgggtt	attacctggg	2280
aagaaagagt	ttttgaagtt	gaaccctaaa	caagttgctc	gttatatcaa	accattttg	2340
atgagacgtc	gaaaagaaga	agtttcccca	gaattaccgg	atttgattga	aatgaactat	2400
ccaaatgaaa	tgacagacag	tcaaaaagtt	atctatttgg	cgcaattacg	ccaaattcaa	2460
gaaagtatcc	aacattctag	tgacgctgac	ttaaatcgtc	gtaaaattga	aattttatct	2520
ggcatcacac	gattacgtca	aatttgcgac	actccacgtc	tttttatgga	ttatgatggg	2580
gaaagcggta	agttagaaa	cctacatcaa	cttttaacac	aaattaagga	aaatggacat	2640
cgtgctctga	ttttttctca	gttcaggggt	atggtatgata	tcgcagaacg	tgagatggta	2700
gctatggggc	ttacaactta	taaaattact	ggttctacac	cagcaaatga	acgtcatgaa	2760
atgaccagag	catttaaatg	aggatcaaaa	gatgctttct	tgatttcttt	aaaagctggg	2820
ggcgttgggc	tcaaccttac	aggagctgat	accgttggtc	tgattgactt	gtggtggaat	2880
ccagctgttg	aaatgcaggc	gattagtcgc	gcacataggt	tggggcaaaa	agagaatgtc	2940
gaggtttatc	gcttgattac	tagaggcaca	atcgaagaaa	aaattctaga	aatgcaagaa	3000
actaaaaaac	atttggttac	aacagttctg	gatggaaatg	aaacccatgc	tagcatgagt	3060
gtagatgata	ttcgagagat	acttgaggtt	tctaaataa			3099

## SeqID 122

gtgttactta	cagaaatcaa	aaaatcacca	gaggggcttt	attttgataa	aaaaatagat	60
atcaaagagt	cgcttatgga	gcgtcattca	gagataatgg	atatttctga	tattcaagtt	120
tcaggctcatg	tggtgtatga	agatgggtctc	tatctacttg	actataatat	ggcttacgat	180
attacattac	cgcttagtcg	ttctatgaaa	ccagttggtt	tatctgaaaa	gcaaaactatt	240
aatgaagttt	ttattgaagc	tgaaaatggt	agcactaaaa	aaagctcgt	tgatcaggat	300
ttggctcttaa	tatttagagga	agatgatatt	aaattagaag	aaagcgttat	cgataaatatc	360
ttgttaaata	tacctcttcg	tggtctggca	gctgatgagg	ttggggtaga	agcggattta	420

tcaggtaaaa	attggtcggt	aatgactgaa	aagcagtatg	aagaaaaaca	agctaaagaa	480
aaagaaaaat	ctaatacctt	cgcagcctta	gaaggatgt	ttgatagtga	ttag	534

## SeqID 123

atggaagtaa	aaactgcaat	agaatggatg	cacactttta	acccaaaaat	tcaatccaac	60
aaggactatt	tatccgaact	agatactcca	ataggtgatg	gcgaccatgg	tggcaatatg	120
gcgcgtggta	tgactgctgt	tattgaaaac	cttgataaca	atgaatttag	tagtgctgcc	180
gatgttttca	aaaccgtatc	catgcaactt	ttaagcaaaag	taggcggagc	atctggacca	240
ctctatgggt	ctgcatttat	gggaattaca	aaagtgaac	agagtgaag	taccatttca	300
gaggcacttg	gcgcaggact	tgaaatgatt	caaaaacgtg	gtaaagctga	acttaatgaa	360
aaaacaatgg	ttgatgtttg	gcacggtgtt	attgaagcga	ttgaaaaaaa	tgaattgact	420
gaagaccgta	ttgattcctt	agtagatgct	acaaaaggga	tgaaagcaac	aaaaggacgc	480
gcttccttatg	ttggagaacg	ctcatttagga	cacattgatc	caggggtcatt	ttcttcagga	540
ttattatttta	aagcattact	agaagtgtga	ggtgtctaa			579

## SeqID 124

atgcaagata	aattaatgat	aagaggagca	agagctcaca	atttaaaaaa	tataagtgtc	60
gacatcccac	gagacaagtt	agttgtcggt	acgggactat	caggatcagg	taagtctagt	120
ttggcctttg	acactatcta	tgacagaagga	caacgtcggt	acgttgaaag	tctttctgct	180
tacgcgcgcc	aatttttggg	aaatatggaa	aagcctgatg	tagattctat	tgatggcctt	240
agtccagcta	tttctattga	tcagaaaaca	acaagtaaga	atcctcgctc	tactgttggg	300
actgtaacag	aaattaacga	ttatttacgt	ttgctttatg	ctcgtgttgg	aaccccatat	360
tgatccaatg	gtcacggagc	catcacagca	tcttctgtag	agcaaatgtg	ggataaggta	420
ctagcgcttc	cagagcgaac	aaagatgcaa	atttttagccc	caattatacg	tcgaaaaaaa	480
ggacaacaca	aatcaacatt	tgagaaaata	caaaaagatg	gttacgttcg	tgttcgtatt	540
gatggtgata	ttcacgatgt	tactgaggtg	cctgaattat	caaaaagtaa	gatgcacaat	600
attgatattg	tagtagatcg	attaattaat	aaagagggca	ttcgttcccg	cttatttgat	660
tcogttgaag	cggtctctacg	tttgtcggt	ggttatgtcg	ttattgatac	aatggatggc	720
aatgagttat	tgttttcaga	gcattattct	tgtcctgaat	gtggttttac	tgttcctgaa	780
ttagagccac	gccttttttc	ttttaatgct	ccctttgggt	cttgtagac	ctgtgatggc	840
ttaggaatta	agttagaagt	ggatatagat	ttggttattc	cagataaaag	caagaccctt	900
agagaagggg	ccttagttcc	ttggaatcca	atttcatcaa	attattatcc	aacgatgcta	960
gagcaagcta	tgactcaatt	tgatgttgat	atggatacgc	catttgaaaa	attaagcaag	1020
gcggagcagg	acctagccct	atatggttca	ggcgaacgag	agttccattt	ccatttatatt	1080
aacgattttg	gaggcgagag	aaatattgat	ttgccttttg	aaggggttgt	caataatatt	1140
aatcgtcggt	accatttgaac	taatagcgat	tacacagca	atgttatgcy	agaatatatg	1200
aacgagctaa	aatgtaacac	ttgtcatggc	tatcgttcca	atgatcaagc	actttgcgta	1260
agagttgggg	gagaagaagg	tcttaatatt	gggcaagtct	cagatttate	gatagcagac	1320
catttagaac	tttttagaac	gttgcgttta	tcttcaaatg	aacaattaat	tgctcgacca	1380
attatcaaag	aaattcatga	ccgcctaagt	ttcttaataa	atgttgggct	taattatttta	1440
aatctgtcac	gttctgcagg	aacgctttcc	gggggcgaga	gtcaacgtat	tcgtttggct	1500
actcaaatgg	ggtctaattt	atcaggtgtc	ctttatgtac	ttgatgaacc	gtccatttga	1560
cttcatcagc	gagacaatga	ccgtttgatt	gatagctcta	agaaaatgcy	tgatttgggt	1620
aatacgctta	ttgttgttga	acatgatgaa	gatacaatga	tggcagctga	ttggttaate	1680
gatgtgggac	ctggcgctgg	tgcgtttggg	ggtgagattg	tggcctctgg	cacaccgaag	1740
caagtagcta	aaaatactaa	atctattaca	ggacaatatt	tgtaggtaaa	gaaagtgatt	1800
cctgtgccat	ctgaacgaag	agtaggcaat	ggtcgctttt	tagaaatcaa	aggtgcggca	1860
gaaaacaacc	tacaaaattt	agatgtcaag	ttccctctcg	gtaaaattat	tgcgtaact	1920
ggtgtctcag	gttctggaaa	atcaacctta	attaatatga	ttttgaaaaa	agctgttgcg	1980
cagaagctta	accgtaactc	agataaaacca	ggtaaataatg	tttctttaga	aggcattgaa	2040
tatgttgatc	gatttgattga	tattgaccaa	agttccaattg	gtcggacccc	acgttctaatt	2100
cccgaacct	atacaggtgt	ttttgatgat	attcgtgatc	tttttgctca	aactaatgag	2160
gcaaaaattc	gaggttataa	aaaaggacgc	ttctcattta	acgtcaaagg	tggacgttgt	2220
gagtcttgtt	ctgggtgatg	tatcatcaaa	attgagatgc	atttttttacc	agatgtctac	2280
gttccttgtg	aagtatgcca	cggcacgcgc	tataatagtg	agactctgga	agtacattac	2340
aaagaaaaaa	aatcttgaca	aatcttgat	atgacagtga	atgatgcagt	tacatttttt	2400
gcagctattc	ctaaaattgc	tcgtaagtta	cagactatta	aggatgttgg	tttgggatat	2460
gtcacttttg	ggcaaccagc	tacaacctta	tcaggaggag	aagctcagcg	aatgaagttg	2520
gcaagtgaat	tacataagcg	ttcgacaggt	aagagtcttt	acatattaga	cgaaccaaca	2580
acggggcttc	atgcagatga	tattgctcgc	ttacttaagg	ttttggatcg	ttttgtagat	2640
gatggtaata	cagtgcctgt	tattgagcat	aaccttgatg	ttattaaaaa	tgctgaccac	2700
attattgate	tcggccctga	aggaggtatt	ggtggcggac	aaattgtagc	tatcggaaca	2760
ccagaagaag	ttgctgaaaa	tcctaaatcc	tatacaggat	attattttaa	agagaagtta	2820
gcaagatag						2829

## SeqID 125

atgtggcctg	aagatagaat	cgcttccttt	cgctgcacac	ttttaggggtg	gtatgaccaa	60
gaaaaacgtg	atctcccttg	gcgaagaact	actaatccat	actatatttg	ggtttctgaa	120
atcatgttgc	aacaaacaca	agttaatata	gtaatccctt	attataaacg	ttttctagag	180
tggtttcctc	aaataaaaga	tttggcagac	gctcctgaag	aacaattact	aaaggcatgg	240
gagggactag	gttattatct	tcgggtgcgt	aatatgcaaa	aggctgcaca	gcaagtgatg	300
gttgattttg	gtggcatatt	tcctcacact	tatgatgata	ttgcttcatt	aaaagggatt	360
ggctcctata	ctgcaggtgc	tatcgccagc	atctcattca	acttaccaga	gcctgccgtt	420
gatggcaatg	tgatgcgtgt	catggctcgt	ttgtttgaag	ttaattatga	catcggtgac	480
cctaaaaatc	gtaaaaatct	tcaagctatt	atggaaaata	taattgacct	tgacagaccc	540
ggatgattta	accaagcact	tatggatctg	ggtagacaga	tcgaatccgc	taagacacct	600
agacctgatg	aaagccctat	tcgtttcttt	aatgctgctt	atttgaatgg	tacttatagt	660
aaatatccca	taaaaaatcc	taagaaaaag	cctaaaccaa	tgcgaaattca	ggctttttgtc	720
attcgtaacc	aaaatggcca	atatctactg	gagaaaaata	ctaaagggag	acttctaggg	780
ggtttttggg	catttccctat	tatcgaaacg	tcacctcttt	ctcaacaatt	agattttatt	840
gatgacaatc	aatcccaacc	cataatctgg	caaaccctaa	atgaaacttt	ccaaagagaa	900
tatcaattta	agccccaatg	gactgataat	cactttccca	atattaagca	cacttttagt	960
caccagaagt	ggacaataga	actcatagag	gggggtggtca	aagcaacaga	tttacctaata	1020
gctcctcacc	taaagtgggc	agcaattgag	gacttttctc	tgtatccctt	tgcaacgccca	1080
caaaagaaaa	tgctggagac	ctacttaaaa	cagaaaaatg	cttaa		1125

## SeqID 126

ttgatcgaaa	tcacttggac	tgtgaagtat	atcacagaat	ttatcgcaac	cgctttttctt	60
atcatcttag	gaaatggggc	tgtagctaac	gttgacttaa	aaggcacaaa	aggaaataat	120
tcaggttgga	ttattattgc	aattggttat	ggtttaggtg	ttatgatgcc	agcgcttatg	180
tttggtaatg	tctctggaaa	ccatattaac	ccagctttca	cacttggatt	ggcattttca	240
ggctttttcc	cttggggcaca	cgttggacaa	tacattcttg	cacaaatctt	gggagcaatg	300
tttgacagct	tagttgtcgt	tatggtttat	caaccttact	ttgttaagac	agaaaaatcca	360
aatcatgttc	ttggatcatt	ttcaactatt	ctgcatttag	atgatggaca	gaaatcaagt	420
cgtaaacggg	cttaacttaa	tggtttctta	aatgaattcg	ttggttcttt	tggttcttttc	480
tttgagcctt	tggttttaac	gaagaactat	ttcgggtgtg	aacttggttg	taaacttggt	540
caagctgggt	atgaccaaac	gacagcagcg	acaaggattt	caccatacgt	aactgggttca	600
cttgctgtag	ctcacttagg	tattggtttc	ttggtaatga	ctctagttgc	ttcttttaggt	660
ggaccgactg	gacctgcatt	gaacctgcg	cgtgaccttg	gtccacgtat	tgttcaccgc	720
ttattaccaa	aacaaattct	tggaacaagt	aaagaagatt	caaaatgggt	gtatgcatgg	780
gtgccagttt	tagcaccaat	cgtagcaagt	atactcgctg	tagccttggt	caaactatta	840
tatctttaa						849

## SeqID 127

atgtcatctt	attggaataa	ctatcctgaa	cttaaaaaaa	atattgatga	aaccaatcaa	60
ctaattcaag	aaagaatata	ggtcagaaat	aaagatatgt	aagcggcgct	aagccaactc	120
acagctgcgg	gaggaataca	gctcagacca	gcattctttt	accttttttc	tcaacttggt	180
aataaggaga	atcaagatac	tcagcaacta	aagaaaaatg	ctgcttcttt	agaaatcctt	240
cacgttgcta	cattaatcca	tgatgatgtc	attgatgact	caccactaag	acgtggaaat	300
atgaccattc	aaagcaagtt	tggaacagac	atcgcagttt	atactgggga	tttacttttc	360
acagtctttt	tcgatcttat	tttagaatct	atggctgata	caccatttat	gaggattaat	420
gcaaaatcta	tgcgtaaaat	tctcatggga	gaattggacc	agatgcacct	tcgttacaat	480
caacaacaag	gtatccatca	ctatttacct	gctggttcag	gtaagacagc	cgaactcttt	540
aaatttagcta	gcaaagaagg	agcttacttt	ggtaggtcag	agaaggaggt	tggttcgtcta	600
gcaggccata	tcggctttta	cattgggtatg	acattccaaa	ttttggatga	tatcctggat	660
tatactgcag	ataaaaaaac	atttaataag	cctgtcttag	aggatttaac	acaaggcggt	720
tacagccttc	ctctacttct	tgccattgaa	gaaaaatctg	atattttcaa	acctatttta	780
gataaaaaaa	cagatatggc	tactgaagac	atggaaaaaa	ttgcttatct	cgctgctttcc	840
catagaggtg	ttgacaaagc	tcgccatcta	gctcgtaaat	ttactgagaa	agctatttagt	900
gacataaata	agctaccca	gaactctgca	aaaaaacagt	tgctacaatt	aactaattac	960
cttttaaaac	gcaaaattta	a				981

## SeqID 128

atgttttaaaa	tccttttggt	taaagaatta	aagacagatc	aatgggtaaa	accatttttc	60
aaacaatata	aagtttcctt	agtaattgct	cttttccttg	gttttatgac	tttcttttct	120
gccagtgcct	ttatgtttta	ttcgggctat	ctgatttagta	agtcagcttc	actaccgagt	180
aatattcttc	tagtatattg	ttcaattgta	ctaacaagtg	cttttggtat	tggaagctct	240
gtttttcggt	atatagaacg	cctaacaggt	cacaattggg	tattacgaat	gacttcacaa	300
ctgcgcttga	agctttacca	ttccttagaa	agcaatgcta	totttatgaa	gcgtgatttt	360
cgtttaggag	atgttatggg	gcttttagcg	gaggatatta	attatttgca	aaatttggtat	420

cttaggacaa	tattttccaac	gattatagcg	tgggttattat	atagctttat	tattattgca	480
acaggcttct	tttctctatg	gtttgcttta	atgatgttgc	tttatttagc	tattatgatt	540
tttctttttc	cacttttggtc	gatttttagct	aatgggtgctc	gtcagactcg	tgaaaaagaa	600
ttaaaaaatc	atctttatac	tgatttgacg	gataatgtct	taggtatttc	agactggatt	660
tttagtcaac	gtggtcaaga	gtacgtcgcc	ttgcatgaac	gttcggaaag	tgaactaatg	720
gctattcaga	aaaaaattcg	ttcctttaat	aatcgtagag	ctcttattgt	ggaattagtt	780
tttggctttc	tagctatttt	ggttattatt	tgggctagta	atcagtttat	tggtcacaga	840
ggtggcgaa	ctaactggat	tgcagcattt	gttctaacag	tatttccctt	gtcagaggca	900
tttgctgggt	tgtctgctgc	tgtcaagaa	acaaataaat	attctgattc	aattcatcgt	960
cttaatgaat	tatcagaac	gtattttgaa	acaactcaaa	atcaattgcc	taataagcca	1020
tatgattttt	ccgtcaagaa	tttaagtttc	cagtataagc	cacaagagaa	atggggtttg	1080
catcatttag	atttggtat	taaagaagga	gaaaaaattg	ctattttagg	gcggagtgg	1140
tctggcaaga	gtaccttagc	tagtctactt	cgtggcgact	tgaaagcaag	tcaagggaag	1200
attaccctag	gcggtgctga	tgtttcaata	gttgggtgatt	gcatttctaa	ctatattgga	1260
gtgatacaac	aagtcgccta	cctttttaat	acaacctgc	taaataacat	tcgcattgga	1320
aaccaagatg	ctagtgaaga	agatgtatgg	aaagtctctg	aacgagttgg	attgaaagag	1380
atggctactg	atttatcaga	tgggtctctat	acaatgggtg	atgaagctgg	acttaggttt	1440
tcaggtggcg	aaaggcatag	aattgctttg	gctagaatct	tactaaaaga	tgtcccaatt	1500
gttatcttag	atgagccaac	tgttggactt	gatcctatta	ctgaacaagc	cttactaagg	1560
gtatttatga	aagaattgga	aggtaaagacc	ttagtttgga	ttacacatca	cttaaaaggt	1620
attgaacatg	ctgatcgtat	cttattttata	gaaaatgggc	aatttagagt	ggaaggttct	1680
cctcaagaat	tgtctcaag	tagtcaacgt	taccgtcagc	tgaaagccgc	tgatgatgg	1740
gatctatga						1749

## SeqID 129

atgaaaaaac	ttattacaga	aaaaaaagtc	aacaacgtct	caactgttaa	ctatttgaaa	60
ctcggctctg	tctcagcaat	gtttgctgga	ggagcattcg	tagctcttgg	ttctacacaa	120
ggtgttttcag	cttcaacttt	cacagcaccg	caagcaaac	atccaaaagc	agaacgtcag	180
ttaacagatt	cagaaatcta	tgaacgtgcc	caaaaacaag	tgttaccaa	atatatccaa	240
ggttctctct	caggtatcct	taaccaacat	tcaacacttt	acaaacaaca	aaacgcagca	300
gtgacaccgc	aagtatcaag	ccccaaagca	gaacgtcagt	taacagattc	agaaatctat	360
gaacgtgcc	aaaaacaagt	attgccaaaa	tatattcaag	gttctctctc	aggtatcctt	420
aaccaacatt	caactttgaa	tgcttaa				447

## SeqID 130

atggaggaaa	acatgaacat	aaaacaatta	aagtctaaaa	caatgcttgg	aacagtggct	60
ttggtgtccg	ctttttcatt	tgcttcaaca	aatgcagatg	cgaatacata	taactatgca	120
gtagatgtag	actacctagc	aagtgcggag	gaaattgctc	aagcacatcc	agctagtaat	180
acgtttccac	taggtcaatg	cacatggggg	gtaaaggaga	tggaacatg	ggcaggtaac	240
tggtggggga	acggtgggtg	ttgggctgcg	agcgccgcgt	cagctgggtta	tacagttagga	300
acacaaccac	cgctgggttc	tatcgtagtg	tggactgatg	gtagttatgg	acatgtggct	360
tatgttacag	ctgtagatcc	tgtcactaat	aaaattcagg	ttttagaatc	taattatgca	420
ggtcatcaat	ggattgataa	ttatcgtggg	tggtttgatc	cacaaaatac	agcgacacca	480
ggggtagtta	gctacattta	tccgaattaa				510

## SeqID 131

atgaaaatta	accaaataaa	aaaagacgag	cttttttgagg	ggtttttacct	tataaagaaa	60
gcagaagttc	gtaaaacgcg	tgcaaggtaaa	gacttttattg	ccttttacctt	tcgagatgat	120
actggcgaaa	tttcaggaaa	tatgtgggat	gcacaaacct	ataatgtaga	agagttagta	180
gccggtaaaa	ttgttcatat	gaaagggcgt	cgtgaagttt	ataatggaac	tccccaagtc	240
aaccaaaatta	cattaagaaa	catcaaagat	ggtgaacctta	atgatcctag	agatttttaa	300
gaaaaacctc	caatcaatgt	tgacaacgtg	agagagtaca	tggaacaaat	gctcttttaa	360
attgaaaatg	caacctggca	gcgtgtggta	agagcaacttt	atcgtaaata	caataaggaa	420
ttttttacct	atccagccgc	caaaaacaaac	caccacgcct	ttgaatcagg	attggcatat	480
cacacggcaa	cgatgggttcg	tttggcagat	agtattggag	atatctatcc	agaacttaat	540
aaaagtttga	tgtttgctgg	tattatgcta	catgatttag	ccaaggtcat	tgagttatcg	600
ggtcctgata	atacagaata	tactattcga	ggtaacctta	tcggtcatat	ttcacttatt	660
gatgaggaa	taacaaaaat	actagcagag	cttaatatgg	atgatacaaa	agaagaggtt	720
acagtgttac	gccatgttat	tctgagtcac	catggacaat	tagaatatgg	aagcccgggt	780
cgtcctagaa	tcattggaggc	agaaattatc	catatgatcg	ataacattga	tgcaaatatg	840
atgatgatga	caacagcttt	aaatcgtgtc	aacgaagggtg	aatgacaaa	tcgcattttt	900
gccatggata	accgtttcttt	ttataaacccg	aacattaaat	aa		942

## SeqID 132

atgttggttg	acaagaagtg	gcgttttgaa	gatagtgc	gttatttcgc	ttgtcctaaa	60
------------	------------	------------	----------	------------	------------	----

tgtcaaaatc	ccttgataaa	agaaagtaac	agcctcaaat	gctctgataa	tcattgtttt	120
gatttatcca	aatttgata	tgtaaatctt	cttggaggaa	agaagataga	tgaacattat	180
gataaaaaat	catttgaaaa	tcggcagctt	gtcttagaaa	acgggtatta	taatcatatt	240
ttagaagcta	tttcaaaggt	tttggaaaat	aattctcagt	ttcattcggt	tttagatatt	300
ggttgtggag	agggccttta	ttctcgtaaa	ttagttaaca	agtatgagaa	gactttcttg	360
gcttttgata	tttctaaaga	ttcgattcaa	ttagctgcta	aaagtgatca	atctaggctt	420
gtgaaatggt	ttgtttctga	tttagctaac	cttcctattc	aagactcatc	aattgatatc	480
atttttagaca	ttttttctcc	tgcaaattat	aaagaattta	ggcgggtact	gagtgatgat	540
ggatcctctg	taaaggttgt	tcctgtagct	gaacatgtcc	aagaattgcy	agaaaaagct	600
agtcaatact	tgaacagaa	agattactct	aatcaaaaaa	ttctagatca	ctttagagaa	660
aattttgaaa	ttattttctga	gcagaaagtt	gttcaaagtt	ataactgttc	tcaacaagaa	720
cgtcaagctt	ttattgatat	gacacgcttg	ttattcagcg	tagataaaac	gactattgat	780
tgggcgagta	tatcagaaat	tacagtaggt	gccttaatag	taattggaaa	aaagcgagct	840
gtatctaaat	aa					852

## SeqID 133

atgtgtctta	tttgtcaacg	tattgaaatg	attgaacgaa	atgagaatcc	ttatttttgtg	60
aaagaatatg	aaacgggtta	tcttgttctg	ggagaccatc	aatattttca	aggttattgc	120
ctttttctct	ctaaaaaca	cgtaacagag	ttacatgaat	tgcttagaga	ttggcgaaat	180
cagtatcttt	cggaaatggc	agatgcttct	gaaatagttg	ctaaggcttt	tagagcagat	240
aagatgaata	ttgagagttt	gggaaatgga	gacgctcatc	tacattttca	tctttttcca	300
agaaaaacag	gtgatttaag	gaactatggg	cataatggaa	aagggtccagt	ttgggtggtat	360
ccctttgaga	agatgtatgc	agatagtgct	agagcaactg	gtgcagaaat	agaaaaatta	420
aaagagaaat	tgtttagatgt	cttaggatag				450

## SeqID 134

atgttttagtg	atttacgcaa	aaaatttgct	tttttgacca	tgtcaatcct	tattgtcggt	60
gttctctttc	tctttgcagt	gagtaatcgc	tacaatcaat	attgggatga	atatgatgca	120
tataggattg	ttaaattagt	tgccaaaaat	gattatttag	gaataccagg	cgatgaaccg	180
attgctttgg	tgactataga	taaccaaaag	atgggttaaga	ttcaaagcaa	taatactgat	240
ttgacaaatg	atgttatcga	aaaatctagt	ttgaagctcc	ttgagcaagg	aaagaagtca	300
cgaaaatgga	agtcttttat	atattccata	aaagaatata	aagataaaac	ctacaccata	360
gctattatgg	atttggtctag	ttatgaagtc	ccttatgcaa	ggcgttttct	aattcttggt	420
tttactattt	ttggattttg	tttattagca	gctgtaagtc	tttatcttct	tcgattttatc	480
taggggctcg	tagagacaga	aatgactcgc	gaaaaacagt	tcgtttcaga	tgcgagtcac	540
gagctgaaga	ccctatttgc	agctatacga	gccaacgttc	aggttctgga	acagcaaatt	600
ccaggaaaatc	gttatctgga	tcattgttgt	tcggagacta	agcgaatgga	gtttttaatt	660
gaagattttgc	ttaaattgtc	tagacttgat	gaaaaacgct	ccaaggtaaa	tttcaaaaag	720
ttaaacttat	ctgtcttatg	tcaagaagta	cttctgacat	atgaaagttt	ggcatatgaa	780
gaagaaaagt	gtttaaatga	tacgattgaa	gatgatgtct	ggattgttgg	agaagagagt	840
cagattaaagc	aaattttaat	aattcttttg	gataatgcta	ttaggcattc	tttgtcaaaa	900
tcagaaatcc	agtttagtct	taaaacaggct	cgaagaaaag	ctattctgac	aatatcaaat	960
ccaagtgtcta	tctattccaa	agaggttatg	gttattttct	ttgagcggtt	ttatcaagct	1020
aaagatgate	atgcagattc	tctcagtttt	ggtctaggct	tatctattgc	taaggcaatc	1080
gtggaacgcc	ataaggggag	aattagagca	tatcaagaaa	aagaccaatt	acgtcttgaa	1140
gtccagttac	caattgatgg	attttgacc	aataccatga	ttaattaa		1188

## SeqID 135

ttgattatctc	tcgataaaaa	aagttatgac	ctcctctttt	acctattgaa	attagaggaa	60
cctgaaacag	ttatggcaat	tgccaacgca	cttaatcagt	ctaggcgtaa	agtgtattat	120
cacttagaga	agataaacga	tgactgcct	agcgatgtgc	ctcagattgt	tagttatcca	180
cgtgtaggaa	tcttgctaac	cgaaaaacaa	aaagcagcct	gtcgtctttt	attagatgaa	240
gtaactgatt	atagttacgt	catgaaaagt	agttagaggt	tgcaactgtc	tttagtatct	300
atcgtggtag	ctaaggaccg	cataacgatt	gtagggtga	tgcaactaaa	cgatgtttct	360
cgaaatacta	tcttaaacga	tttaaacgaa	ttaaagaagt	agttagcaga	gaaagaatat	420
aattttacagt	tacaatcaac	aaaatgtcgc	ggttattttt	tagatgggtc	ccattgtctc	480
attatccagt	acttatataa	gctcttagat	gatatctacc	ataatggaag	tagtagtttt	540
atagaccttt	ttaatcataa	actgtctcaa	gcttttggtg	ccagcacata	tttttctaaa	600
gaggttcttg	attattttca	ccattatctc	ttcattttctc	aacgaagtct	aggtaagaaa	660
atcaacagtc	aagatgggtca	gtttatgatt	cagattttgc	cttttatact	aatggcttat	720
cgtaaagtgc	gattaaagtcc	tgaagtacag	acctctctta	atagtgattt	tagcttggtt	780
tggcaacgta	aggaatatga	gattgctaaa	gagttggctg	atgagctgga	agaaaaattt	840
cagttatcac	tggatgagat	tgaagtggga	ctagttggcca	tgcttatgct	tagtttccgc	900
aaggaccgtg	acaatcattt	agagagccag	gattatgatg	atatgcgagc	tactctaacc	960
agtttttttga	aagaattgga	agaacgatat	caccttcact	ttgttcataa	aaaggactta	1020

ctaagacaac	ttctaactca	ctgcaaggca	ctcttatatc	gtaaacgtta	tggtattttt	1080
tctgttaac	ctttaacaga	gcatattaaa	gacaaatatg	aagaactttt	tgccataacc	1140
tcgtcttctg	taaagctttt	agagaaagct	tggaatatca	aattgaccga	tgatgatgta	1200
gcatacttaa	cgattcattt	aggaggggaa	cttcgtaata	gtcaacaatc	tcctaataaa	1260
cttaagttag	ttattgtatc	tgatgaagga	atagcgattc	agaaacttct	tttaaagcaa	1320
tgtcaacgct	acttaacaaa	cagtgatata	gaagctgttt	ttacaaccga	acagtaccaa	1380
agtgtgagtg	atcttatgca	tgtagatatg	gttgtctcta	ctagtgaacg	tttagaatct	1440
cgttttccga	tgtagtagt	tcaccctgtt	ttgacagatg	atgatattat	tcgcttgatt	1500
cgcttttcaa	aaaaaggtaa	ctgtgcaaat	agtaatcaat	ttaccaatga	acttgaaaaa	1560
acgattgtct	aatatgtcaa	ggaagatagt	gaacgctacg	tgctgaaatc	taagattgag	1620
aaacttattc	atcaagaatt	gctccaagac	gtccttcccc	ttcaaagtac	agtttggttaa	1680

## SeqID 136

atgaaatact	ttttagatac	tgccgatgtt	tctgaaatc	gtcgtcttaa	tcgtttagga	60
atcggtgatg	gtgttactac	caatccgact	attatttcac	gtgaggggcg	tgactttaaa	120
gaagtattta	acgaaatttg	ccaaatcggt	gatggcccag	ttagtgcaga	agtgcagggt	180
ttaaactgtg	atgaaatggt	taccgaagct	agagaaatcg	ctaagtgggc	accaaattgt	240
gttggttaaaa	ttccaatgac	tgaagaaggt	ttagcagcag	tttcacaatt	atcaaaagaa	300
ggtataaaga	caaagtgtac	attaatatct	actgtggctc	aaggtctttc	ggcaatgaaa	360
gctggtgcaa	cattttattag	tccttttgtg	ggctcgtctt	aagatattgg	aacagatgct	420
tatgctttga	ttcgtgacct	tcgtcacatt	attgattttt	atggtttcca	atctgagatt	480
attgctgcta	gcattcgtgg	attggcgcat	tgagggggcg	tcgctaaatg	cggtgcgcac	540
attgccacta	ttccagataa	aacatttgca	tcactattta	ctcaccgct	tactgataaa	600
gggattgaaa	ctttcttaaa	agattgggat	agtttcaaga	agaagtag		648

## SeqID 137

atgagtcatt	attccataaa	attacaagaa	gtattcagat	tgccgcaatt	tcaagcagca	60
cgctatgaaa	gtcactatct	agaaagctgg	catcttcttt	tagcaatggt	tttagttcat	120
gattcagtag	ctggtttgac	atttgctgaa	tatgagctcg	aagttgcaat	tgaagagtac	180
gaagcagcaa	caatttttagc	tttaggtaga	gcaccgaaag	aagagattac	caattatcaa	240
tttttagagc	aatcaccagc	tttgaaaaag	atcttaaaag	tagcagaaaa	tattagtatc	300
gtagtaggag	ctgaagatgt	gggtactgaa	catgtcttgc	ttgctatggt	ggttataaaa	360
gattttattag	ccacacgtat	cttagagtta	gttggtctta	gaggtcaaga	cgatgggtgaa	420
tcagttcgta	tggttgattt	acgtaaggct	ctagaacgct	atgccgggtt	tacaaaagat	480
gatatcaaa	caatttatga	attacgtaat	cctaaaaaag	caaagtcggg	tgcttctttt	540
tatgatatga	tgaaaaccac	gagtactgct	gggtgatttag	ctgatttcac	acgtgattta	600
tcacagatgg	cggttgatgg	ggaaattgaa	cctgttatatt	ggcgtgataa	agaaatttca	660
cgtatgggtc	aagtcttaag	tcgtaaaaca	aagaataatc	ctgtcttagt	tgagatgcg	720
gggtgcggta	aaacagcttt	ggcgtacggg	ctagcacaa	gtattgctaa	tggaatatatt	780
ccttatgagc	ttagagatat	gcgtgttcta	gagttagata	tgatgagcgt	tggtgctgga	840
actcgttttc	gtggtgattt	tgaggaacgt	atgaatcaaa	tcattgcaga	tattgaagaa	900
gacggtcata	ttattctttt	cattgatgaa	ctgcatacta	ttatgggttc	tggtctctgt	960
attgatagca	cacttgatgc	tgctaattat	ttaaaaccag	ctttggcccg	aggcacttta	1020
cgcactgttg	gagcaacaac	tcaagaggaa	tatcaaaagc	atattgaaaa	agatgctgct	1080
ttatctcgtc	gctttgcaaa	agtttttagta	gaagaaccaa	atcttgaaga	cgcatatgaa	1140
attctacttg	gattgaagcc	agcgtatgaa	gcctttcata	atgttactat	ttcagatgaa	1200
gcagttatga	ctgctgtaaa	agtggctcat	cgttatttga	caagtaagaa	tttaccagac	1260
tcagctatag	acttacttga	tgaagcttct	gccactgtgc	aaatgatgat	taagaaaaat	1320
gctccttcgc	ttttaacaga	agttgaccaa	gctatttttag	atgatgatat	gaaatctgct	1380
tctaaagctc	taaaagcaag	ttataagggt	aaaaagcgta	agcctattgc	cgtaacagaa	1440
gatcatatta	tggaactctc	cagtcgtcta	tctgggtattc	ctgttgaaaa	attgacacaa	1500
gctgatagta	aaaaatacct	caatttagaa	aaagaattgc	ataaacgtgt	tatcgggtcaa	1560
gatgatgcag	ttactgccat	tagtcgtgct	atccgtcgca	atcaatctgg	cattcgtact	1620
ggtaagcgtc	ctattgggtc	ctttatgttc	ttgggaccaa	ctggtgttgg	taagacagag	1680
ttagcaaaa	ccttggcaga	agtgttgttt	gatgatgaat	cagccctaata	tcgttttgat	1740
atgtcggaga	atatcgcaaa	gttcacctga	tctcacctga	atggggcacc	tccaggttat	1800
gttggttatg	atgaaggagg	agagttgact	gaaaaggtac	gcaataaacc	atattcagtt	1860
ttactttttg	atgaagttga	aaaagctcat	ccagatattt	ttaatgtatt	attacaagtg	1920
cttgatgatg	gcgttttaac	agatagtcga	ggacgaaaag	ttgatttttc	aaatactata	1980
atcattatga	cttctaattt	aggagcaact	gcattacgtg	acgataaaac	agttgggttt	2040
ggagctaagg	atatcagcca	tgattatact	gctatgcaaa	aacgtattat	ggaggagctt	2100
aaaaagcgtt	atcgaccaga	gtttatcaat	cgtattgatg	agaaagttgt	attccatagt	2160
ctcagtcga	ataatatcgc	tgaagttgtg	aaaattattg	ttaaaccttt	aatttttagcg	2220
cttaagata	aaggtatgga	tctgaaatc	cagccttcag	ccttgaaaca	cttggcagag	2280
gatggctatg	atatagaaat	gggtgctcgt	ccactgcgta	gaactattca	aacgcaagta	2340

gaggatcatt	tatcagaact	actattggca	aatcaagtga	aagaggggca	agtaattaag	2400
attggcgat	ccaaaggcaa	attgaaattt	gatattgcaa	aatcataa		2448

## SeqID 138

atggctcttag	ataaagaaat	caaggctcaa	ttagcgcaat	atthagattt	gctagaatct	60
gatattgtat	tacaagctga	tttaggagat	aacgataatt	ctcaaaaagt	aaaggatttt	120
ctagatgaaa	ttgtcgctat	gtctgatcgc	atcagccttg	aatcaacaca	tttaaaacgt	180
caacctagtt	ttggaattgc	aaaaaaaggg	catgaaagtc	gcgttatttt	ttcaggcttg	240
ccaatggggc	atgaattcac	atctttcatt	ttagctttgt	tgcaagtcct	tggtcgcgca	300
ccaaaagtgt	atgaagatat	tatcaaacga	attgaaggga	ttgagaaaac	tatcaatcta	360
gaaactttat	tttcatatac	ttgccataat	tgtccagatg	tcgttcaagc	ctttaatatata	420
atggctgttt	tgaatccgaa	tatcactcat	actatgattg	aaggaggcat	gtatcaagac	480
gaagtcaaat	caaaagggtat	catgtctgtt	cctactgttt	ataaggacca	agaagaattt	540
acttctggcc	gtgctacaat	tgaacagctt	ttagaacaac	tagatggacc	tcttgatgct	600
gaagcatttg	ctgacaaagg	tgtctatgat	gttctagtta	ttggtgggtg	tctgcagggt	660
aacagtgtcg	caatttatgc	cgcccgtaaa	gggttaaaaa	cagggtatttt	agcagaaaact	720
tttgggtggac	aagttatcga	aacagtttgt	attgagaaca	tgattggtac	actgtacaca	780
gaaggcccta	aattaatggc	tcaaatggaa	gagcatacca	aatcttacga	tattgatatt	840
atcaagagtc	aattagcaac	tggcattgag	aaaaaagaat	tagttgaggt	aacactggct	900
aacggagcta	ttttacaagc	taaaactgct	atcctagctc	tgggtgctaa	gtggcgaaat	960
atcaacgttc	ctggcgagga	agaattccgc	aataaagggtg	ttacttactg	tccacattgt	1020
gatggccctc	ttttcgaagg	aaaagatggt	gctgttatag	gtggtggtaa	ttcagggtatg	1080
gaagctgctt	tagatctagt	cggtgtcact	aaacatgtta	cagtcctaga	attcttacct	1140
gagctcaaa	cagaccaagt	actgcaagaa	cgagcagcta	aaactgacaa	tttaactatt	1200
cttaagaatg	ttgctactaa	agatatcggt	ggtgaagatc	atgtcactgg	tttaactat	1260
accgatcgtg	atacaaacga	agaaaaacac	attgatattag	aagggtgttt	tgtacaaatt	1320
ggtcttgtac	caagtacatc	ttggctcaag	gatagcggca	ttgaactcaa	tgaacgtcaa	1380
gaaattgtcg	ttgataaatt	tggctcaaca	aatatccctg	gtattttttgc	tgcagggtgac	1440
tgtacagatg	ctgcctacaa	gcaaatcatt	atttccatgg	ggtctggtgc	cacagctgcc	1500
attggcgcat	ttgattattt	aatcagacaa	taa			1533

## SeqID 139

atgataaaat	atcaagatga	tttttaccaa	gcgggttaatg	gggagtgggc	taagacagct	60
gttatttctg	atgacaaacc	aaggacaggt	ggtttttctg	atcttgctga	tgacattgaa	120
gcattaatgc	tgtcaacgac	agataagtgg	ctggctgatg	aaaataaacc	aagtgatagc	180
attttaaatc	attttattgc	ttttcataaa	atgacagctg	attatcaaaa	acgtgaagag	240
gtaggagtat	caccagtatt	accattaatt	gaagaatata	aaggcctaca	atctttctct	300
gagtttgcat	caaaagttgc	agaatatgaa	ctagagggtta	aaccaaataga	atttccattt	360
ggtgtggctc	ctgactttat	gaatgctcaa	ttgaatgtac	tttgggctga	agcgcctggg	420
attattttac	cagatacaac	ttattatagt	gaagataatg	aaaaaggaaa	ggaactcctt	480
gctttttggc	gtaaaagtca	agaagaccta	ctgcctttgt	ttggcctttc	agaacaggaa	540
attaaagata	tcttgataaa	ggttttagca	ttggatgcaa	aattggcaca	atatgtctta	600
tctcgcgaa	agagttcgga	atatgttaaa	ctttaccatc	cttataactg	ggaagatttc	660
acaaaattag	cacctgaact	tccattagat	gctattttcc	aaaagatatt	aggacaaaaa	720
ccagataaag	ttattgttcc	tgaagaacgt	ttctggacag	aatttgcatc	tgactattac	780
tcagaatcta	attgggaatt	attaaaggca	gatcttattt	tatcagctgc	gaatgcctat	840
aatgcttact	taactgatga	tattcgtatc	aaatcgggag	tttacagctg	agctttatca	900
ggcacaccac	aagcaatgga	taagaaaaaa	gcagcttact	accttgcttc	aggaccttac	960
aatcaagctc	taggtttgtg	gtatgcagga	gaaaaattct	ctccagaagc	taaagctgat	1020
ggtgagcata	agattgcaac	gatgattgat	gtctataagt	cacgcttaga	aaaggcggat	1080
tggttgacac	agtcaacgcg	agaaaaagct	attatgaaac	ttaatgttat	cacaccacat	1140
attggatacc	ctgagaaaact	accagagact	tatactaaaa	aatcatttga	tcctaaacta	1200
tcgcttgctg	aaaatgctac	taatttagac	aaaatttcaa	tagcctatgg	ttggagtaaa	1260
tggaataaac	cagttgatag	aagtgaatgg	catatgcctg	cccacatggg	caatgcgtat	1320
tatgatccac	aacaaaacca	aattgtcttc	ccagcagcca	ttttacaaga	accattttat	1380
gcttttagagc	aaagttatc	agcaaaattt	gggggaattg	gtgcagtgat	tgacatgaa	1440
atatcacacg	cttttgacac	taatggagct	tcatttgatg	aacatggaag	tttgaataat	1500
tggtggactg	atgaagattt	tgaagcttcc	aaaaaactta	cagataaagt	agttgagcag	1560
tttgatggac	tggaaatctta	tggcgcaaaa	gtcaatggta	aactaacagt	atcagaaaat	1620
ggtgcagatt	taggtggagt	tgcttgtgct	ttagaagctg	cgcagcgtga	gtcagatttt	1680
tcagcgaggg	atttctttat	taactttgcg	acaatttggc	gtatgaaggc	acgtgatgag	1740
tatatgcaaa	tgtagtagta	tgtagatggt	cacgccccag	cacaatggcg	aactaatatt	1800
acagtaacga	attttgaaag	attccataaa	gagtttagtg	ttaaagatgg	tgataacatg	1860
tggcgctccag	ttgaaaaacg	tgttattatt	tggttaa			1896

## SeqID 140

atgtcctaaga	ttctttttttt	cggtgaacct	ctcattcgca	tcaactccaaa	agaaaatgac	60
tattttgcag	atagtatctc	aactaaacta	ttctatgggtg	gctctgaagt	taataccgca	120
agagctctac	aaggctttgg	gcaagatact	aaactcctct	cagccttacc	caataatccc	180
ataggtaata	gttttcttca	attttttaaaa	gcacagggtta	ttgatactca	ttctattcag	240
tgggttgagg	aacgtgttgg	gttatattttt	ttagaagatt	cctttgcttg	cagaaaaggt	300
gaggtggctc	acgaccgcga	tcatagtagt	ttacatgact	ttaggataaa	tcaaattgat	360
ttcgatcaat	tatttgaagg	agtttctctc	tttcatttta	gtggtattac	actatcattg	420
gatgagtcta	tccaagagat	aacactgctt	cctttaaaag	aagctaaaaa	aagagagata	480
acaatctcct	tagatctcaa	ttttcgagct	aaactaattt	ctcctaaaaa	tgccaaaatc	540
cttttttctc	agttcgctac	ctttgcggat	atttggtttg	gtattgaacc	tcttatgggt	600
gactcacagg	acactacctt	cttcaatcgc	gatgaagcta	caatagagga	cgtcaaagaa	660
cgaatgattt	cgcttataaa	tcaacttgac	tttcaagcta	ttttccatac	taaacgtcta	720
caggatgaat	ggggacgaaa	ccactaccaa	gcttacatag	caaactcgtaa	acaagagttt	780
gtcacttcaa	aagaaatcac	cacagctgta	aaccagagaa	ttggaagcgg	agatgctttt	840
gtggcgggag	cgctatatca	actacttcag	cactcagaca	gcaagacagt	cattgatttc	900
gctgtcgcta	gtgcatcttt	aaaatgtgct	ttggaagggg	acaatatggt	tgagaccgtt	960
accgcagtta	acaaagtact	aatcaatcgc	aaagacatta	ttcggttag		1008

## SeqID 141

atgaaaagtc	gaaaaaaaga	taaattggta	ttgagggttaa	caacaacact	attgggtttt	60
ggtttgggtg	gggtttgggt	ttataattat	aaaaatgata	atgtcgaacc	gacagtcact	120
agtgcacg	atcaaacgac	gacttttatt	caaacgattt	ctccaacagc	tattgaaatt	180
tctaagacct	atgatttgta	tgcgtcagtc	ttattagcac	aagctatttt	ggaatcatcc	240
agtggacaat	cagatttgtc	taaggctcct	aattataaoc	tctttggcat	caaaggagaa	300
tataaaggta	aatctgtcca	aatgcctact	ttagaagatg	atgggaaagg	caatatgact	360
caaateccaag	ctccttttcg	cgctatcca	aattattctg	cttcaactata	tgattatgct	420
gagttagtag	ctagtcacaaa	gtatgcatct	gtttggaaat	caaatacctc	ttcttataag	480
gatgctactg	cagctctaac	aggtctttat	gcgacagata	ctgcttatgc	tagtaaat	540
aaccaaatta	ttgaaaccta	cagtctagat	gcttatgata	aatag		585

## SeqID 142

atggcagacg	tgaaggtagt	gaataatgag	gattctagag	gtcaaaagca	agacttaaaag	60
gctaaactat	ttcatattaa	gatagggtca	gttccccctac	cagtatatgt	ttgttttagca	120
ttattgattc	ttctagcagg	ctttttacaa	aaattgccag	tcaatatgct	aggaggattt	180
gcagttatct	taacaatggg	gtgggtctta	gggactatcg	gagctagcat	tcctgggttt	240
aaaaacttcg	gtggcccagc	tatttttatct	ttattagtag	catctatttt	gggtgtttttc	300
aacctcatta	ataaaaaatgt	tttagaatca	acaaatatgt	tgatgaagca	agctaacttt	360
ctttattttt	atattgcttg	tttagtgctc	ggtagtattt	tagggatgaa	tcggaaaatg	420
ttgattcagg	gattgctaag	aatgatittt	cccatgttat	taggaatggt	ttgtgcatg	480
atggtaggga	catttgcgg	tggtatttta	ggcttagagt	ggcgacacac	tttgttttat	540
atcgtaacac	ccgttttagc	tggtgggtat	gggtgaaggta	ttttaccatt	atcggttaggc	600
tatagttcaa	ttaccgggtg	agctagtgaa	caactagttg	ctcaactcat	cccgccact	660
attattggta	atttctttgc	catttttatgt	actgcaactat	tgaatcgttt	gggagaaaag	720
aaaccacact	tgtctgggtca	agggaatta	gtaagggttaa	ataaaggaga	ggacatgtca	780
gatattattg	ctgatcattc	tggtcccaatt	gacgttaaga	aaatgggtgg	aggtgtttta	840
acagcatgta	gtctctttat	ttttggacat	ttgttgtagc	aattaactgg	atttcctgggt	900
cccgtattaa	tgattgttgc	agcagctatt	ttgaaatata	ttaatgttat	tcctagagaa	960
acacaaaatg	gagctaagca	actttataaa	tttatttctg	gtaattttac	atttcctcta	1020
atggcagggc	taggattgct	ttatatcccg	ttaaaagatg	ttgtggcaac	gcttagcata	1080
caatatttca	tagttgttat	tagtggttga	tttacagtta	tttctgttgg	attcttttga	1140
tcgcgattcc	ttaatatgaa	tcctggttgaa	gcagggtatta	tttcagcttg	tcaaagtgggt	1200
atggggaggaa	caggagatgt	tgccatttta	agtacagcag	accgaatgaa	cttgatgccca	1260
tttgctcaag	ttgtctacgcg	tttaggagga	gctattactg	ttatcacaat	gacagccatt	1320
ttacgcagtg	tattctaa					1338

## SeqID 143

agaggcaaaa	aagctggtaa	atacacaaca	tctgatgggt	acatttttga	tgccaaagat	60
attaaaaaag	atacagggtac	agggtatgtc	attccacata	tgacacatga	gcattgggta	120
ccaaagaaag	atttatcaga	gtcggaatta	aaagcagctc	agaattttct	ttcaggaaaa	180
ctgaagcaa	atcaagacaa	acaaaaaaca	ggtaaaacag	ctcaagaaat	ctatgaggca	240
attgaaccaa	aagcaattgt	taaacctgaa	gatttattat	ttggaattgc	acaagcgaca	300
gactataaga	atggtacatt	tgtaattcct	cataaagatc	attaccatta	tgtggaatta	360
aaatgggttg	atgaagaaaa	agatctttta	gctgattcag	ataagacata	ttcttttagaa	420
gactatttag	ctacggctaa	atattacatg	atgcacccag	aaaaacgtcc	taaagttgaa	480



ggatggggta	aagatgctga	aatttataag	gaaaaggact	ctaataaagc	agataaacca	540
agtcctgcac	caactgataa	taaatcaaca	tcaaattcta	gtgacaaaaa	cttaagtgtc	600
gcagaagtat	tcaaacaagc	aaaaccagaa	aaaattgtac	cgcttgataa	aattgctgct	660
cacatggcat	atgcagttgg	atgtgaagat	gatcaattga	ttgttcctca	tcatgatcat	720
tatcataatg	ttcctatggc	atggtttgac	aagggtgggt	tatggaaagc	accagaaggc	780
tatacattac	aacaactctt	ctcaacaatt	aaatactaca	tggaaacatcc	taatgaatta	840
ccaaaagaaa	aagggtgggg	acacgacagt	gatcataaca	aaggctcaaa	taaagacaat	900
aaagccaaaa	attatgctcc	agatgaagaa	cctgaagatt	cagggaaagt	aactcacaac	960
tatggttttt	atgatgttaa	taaaggttca	gacgaagaag	aaccagaaaa	acaagaagat	1020
gaatcagagc	gtagcaaacg	aacaaatggt	cgtacaaaag	atggcacaac	atgctaagaa	1080
gatagacaat	cttttgaaaa	gcaactcatc	caattatcaa	ataaatatag	tgtaagtttt	1140
gaaagcttta	attatattaa	tggtagtcaa	gttcaagtta	ctaaaaaaga	tggtctctaa	1200
gtgcttggtg	atattaaaac	actaacagaa	gtgaaataa			1239

## SeqID 144

atgaatcgta	aaaaaacagt	tattattagt	gctttatcag	tagctctatt	tggtactggt	60
gtagggtgctt	accaattagg	tagctataat	gccccaaaat	cagacaatag	tgtttcttat	120
gtgaaaacag	ataaatctga	tagcaaagca	caagcaacag	ctgtaaataa	aacgcccagc	180
caaatcagta	aagaagaagg	catatctgca	gaacaaatcg	ttgttaaaat	tactgacgac	240
ggttatgtga	cttctcatgg	agaccattac	cattattaca	atgggaaagt	gccatatgat	300
gccatcatta	gtgaagaatt	gattatgaaa	gaccctagct	atgtctttaa	taaagctgat	360
gtcattaatg	aagtcaaaga	tggttatatt	atcaaagtta	acggtaagta	ttacctctat	420
cttaagaagag	gtagcaaacg	aacaaatggt	cgtacaaaag	aacaaatcca	aaagcaacgc	480
gaagaatggt	ctaagggtgg	ttctaaggga	gaatcaggaa	agcatagtag	tgcaaaaact	540
caagctttat	cagccagcgt	acgtgaagcg	aaagctagcg	gtcgctatac	tacagatgat	600
ggttatgttt	ttagtccaac	agatgtcatt	gatgacatgg	gagatgcctt	tttagtagca	660
catggcgatc	atttccatta	tatcccgaaa	gctgatttat	ctccatcaga	gttatcagcc	720
gcacaggcat	attggaaccg	caagactggc	cgatcaggta	atagctcaaa	accatcaaat	780
tcaagttcat	acattcatgc	aagtgcacca	agcggtaatg	tatcaacagg	aagacatgct	840
aatgccccta	tttctattcc	aagagtcact	cacgcaaatc	actggcaca	accagctggt	900
aatcatgcta	cggcaccaaa	acaccatgca	cctacaacca	aaccaatcaa	caaagattct	960
gcttttagaca	aaatgttgaa	acgtttatat	gctcaaccgt	tatatgctcg	tcacgtagaa	1020
agtgatgggt	tggtttatga	cccagcacaa	gttaatgctt	tcacagcaat	cgggtgtttct	1080
attccgcacg	gtaatcattt	ccactttatt	cactataagg	atatgtctcc	attagagtta	1140
gaagcaacaa	ggatggtggc	agagcataga	ggacatcata	ttgatgcatt	agggaaaaaa	1200
gattctacag	agaaaccaaa	gcatatttct	cattgaacct	ataaggaacc	tcacacagag	1260
gaagaacacc	atgcagtaac	accgaaagac	caacgtaaa	gcaaaacaaa	tagccagatt	1320
gtctacagtg	ctcaagaaat	tgaagaggca	aaaaagctgg	taaatacaca	acatctgatg	1380
gttacatttt	tgatgccaaa	gatattaaaa	aagatacagg	tacaggttat	gtcattccac	1440
atatga						1446

## SeqID 145

atggctaaat	ttggattttt	atcgggtacta	gaagaagaat	tggtataagca	tttacagtat	60
gactttgcca	tggattggga	taagaaaaat	catactgtag	aagtcacttt	tatattagaa	120
gcacaaaaca	gctctgctat	tgaaccggtg	gacgaccagg	gggagacgag	tagcgaggac	180
atcgtttttg	aggactatgt	actcttttac	aaccctgtca	agtctcgttt	tgatgctgag	240
gactatctgg	tgactatccc	ctatgagcct	aagaagggct	tgctcgctga	gtttctggct	300
tattttcggt	agactctcaa	cgaggttgcc	actgaagggt	tgagcgacct	catggacttc	360
ctcaccgatg	acagtatcga	agagttcggt	ctttcttggg	atacggatgc	ttttgaaaat	420
ggcagagcag	aactgaaaga	gacagagttt	tacccttatc	cgagatatta	g	471

## SeqID 146

atgaacacaa	aacagcgttt	ttcaatccgg	aaatataagt	taggtgcccgt	atctgtactt	60
ttgggaaccc	tatttttttt	aggtgggtatc	acaaatgtag	ctgctgatcc	tgctataaat	120
aagccatctg	atattgcagt	tgaacagcaa	gtaaaagaca	gtccaaacgag	catagcaaat	180
gagacaccta	ctaacaacac	gtcatcagcc	cttgcgtcga	cagctcaaga	caatcttggt	240
acaaaggcta	ataatagtcc	aacagaaaca	caaccagtag	ctgagtctca	ctctcaagcc	300
accgagacat	tttcccagct	cgcaaatcaa	ccggttgaaa	gcactcaaga	agttttctaaa	360
actcctttta	ccaaacaaaa	tttagcagtc	aaatctacac	cagctatttc	taaagaaacc	420
cctcaaaaaca	ttgatagtaa	taaaattatc	actgtcccca	aagtatggaa	cacaggctac	480
aaaggagagg	gaactgttgc	agcaattatt	gactcaggac	tagatatcaa	tcacgatgct	540
ctccaattaa	atgattcgac	aaaagcaaaa	taccaaaacg	aacagcaaat	gaatgctgct	600
aaagcaaaag	ctggtataaa	ctatggaaaa	tggtataaca	acaaagtaat	ctttggtcac	660
aactatgttg	atgtcaatac	agagctaaaa	gaggtgaaaa	gcacttctca	tggtatgcac	720
gtaaccagta	tgcgaacagc	taatcctagc	aagaaagata	caaatgaatt	aatctatggt	780

gttgctcctg	aagcacaagt	aatgtttatg	agagtcttct	ctgatgaaaa	aagaggaact	840
ggaccagccc	tttatgttaa	agctattgaa	gatgccgtta	aactcgggtg	tgacagcatt	900
aatttaagtt	taggtggagc	taatgggtct	ttagttaatg	ccgatgaccg	acttataaaa	960
gcttttagaga	tggctagact	cgctggcggt	tctgttggtta	tagcagcagg	taacgacggg	1020
acatttggga	gtggagcatt	aaagccttct	gctctttatc	ctgattatgg	tttagttggg	1080
agtcacatcaa	cagctcgtga	ggccatttct	gtagcatcat	ataataatac	aacactgggt	1140
aataaagtct	tcaacattat	cggattagaa	aacaacagaa	atctcaacaa	cggattagct	1200
gcttatgcag	atcctaaagt	tagtgataag	acctttgaag	tagggaaaaca	atatgattat	1260
gttttcgtag	gaaaaggaaa	cgacaatgat	tataaggaca	aaactttaaa	tggtaaaaac	1320
gccttaattg	aacgtggaga	tattactttt	acaaaaaaag	tcgtcaatgc	tattaatcac	1380
gggtgctgtg	gagctattat	ctttaataac	aaagctgggg	aagctaactc	aacaatgagt	1440
ttagatcctg	aagcaagtgc	tattcctgct	atttttaccc	aaaaagagtt	tggagatggt	1500
ttagctaaaa	acaactataa	aattgtattt	aacaatatca	aaaataaaca	agccaaccct	1560
aatgcagggtg	tcctatctga	cttttcaage	tgggggttaa	cagcagacgg	acaattaaaa	1620
cctgacttat	ctgctcctgg	aggtcttatt	tacgcgcgta	tcaatgataa	tgaatatgat	1680
atgatgagtg	ggacaagtat	ggcttctccc	cattgctctg	gtgctactgc	tctagttaaa	1740
caatacttat	tgaaagaaca	tcacagaact	aaaaaagggt	acattgaaag	aactgtcaaa	1800
taccttctta	tgagtactgc	taaagcacac	ctaaacaaag	atacagggcg	ttacacctca	1860
ccacgccaac	aaggagcagg	tattatcgat	gtcgcagcag	cagttcagac	aggattatac	1920
ctaactgggtg	gggaaaacaa	ctatggcagc	gttacattag	gaaatattaa	agataaaaatt	1980
tcctttgatg	ttactgttca	taatatcaat	aaagttgcaa	aagatttaca	ctatacaacc	2040
tatttaataa	ctgatcaagt	taaagatggc	tttgtcacat	tggctcctca	acaacttggg	2100
acattttagc	ggaaaacgat	acggattgaa	ccagggcaca	cccaaacgat	tacaattgat	2160
atagatgttt	cgaataacca	tgacatgtta	aaaaaagtaa	tgccaaacgg	ctatttctta	2220
gaaggctacg	tacgtttttac	agaccctgtt	gatgggtggg	aagttcttag	tattccttat	2280
gttggtattta	agggagaatt	ccaaaactta	gaagtttttag	aaaaatccat	ttataagctt	2340
gttgctaaca	aagaaaaggg	attttatttc	caaccaaaac	aaacaaacga	agttcctggg	2400
tcagaagatt	atactgcctt	aatgactaca	agttcagagc	ctatctactc	aacagacggg	2460
actagtctta	tccaattgaa	agccttggga	agctataagt	ctatagatgg	aaaatggatc	2520
ttacaactag	atcaaaaagg	ccagcctcat	ctagccattt	cacctaatga	tgaccaaaat	2580
caagatgccg	ttgcagttaa	aggtgttttc	ttacgtaatt	tcaataattt	aagagccaaa	2640
gtctatcgtg	cagatgatgt	taatttacia	aaaccactat	gggtaagtgc	tccccaagca	2700
ggagataaaa	attactacag	cggaaatact	gaaaatccaa	aatctacatt	tttatatgac	2760
acagaatgga	aaggaaccac	tactgatggg	attccttttag	aagatggaaa	atacaaatat	2820
gttttaactt	attactctga	tgtccctggc	tctaagccac	aacaaatggg	gtttgatatc	2880
actttggata	gacaagctcc	tacactaaca	acagcaactt	atgacaaaga	tagacgtatc	2940
ttcaaagctc	gtcctgcagt	agaacacggg	gaatctggta	tcttttagaga	acaagtttgt	3000
tacttaaaaa	aagataaaga	tgggtcattat	aatagcgtct	tacgtcaaca	aggagaagac	3060
ggatccttg	ttgaagataa	caaagtattt	atcaacaag	aaaagaatgg	tagctttatt	3120
ctacctaaag	aggttaacga	tttctctcat	gtctactata	ctgttgaaag	ttatgcaggc	3180
aatctagtat	cagcaaaaact	cgaagatttg	atcaatatgg	gcaataaaaa	tggtttagta	3240
aacgtcaag	tgtttagccc	tgagcttaac	agtaatgtcg	atattgattt	ctcttactct	3300
gtcaaatgat	acaaaaggta	tatcatcaaa	aagcaacatc	acgggaaaga	cctcaattta	3360
ttgaaattgc	cttttggtac	ctatacgttt	gatctattct	tatacgtatg	ggaacgagca	3420
aatctaata	gtcccaaaag	tgtcactgta	actattttctg	aaaaagatag	ccttaaagac	3480
gtcttattta	aagtttaactt	actcaagaaa	gcagccttac	tcgttgaaat	tgacaagctt	3540
ttaccaaaa	gagcaacagt	ccagttgggt	actaagacaa	atactgttgt	tgatctacca	3600
aaagcaactt	attctctctac	tgactatggg	aaaaacatac	ctgtaggaga	ctatcgttta	3660
aacgtaacgc	tgcctagtgg	gtatagcact	ttagagaact	tagatgattt	acttgttatcc	3720
gtaaaagaag	atcaggtaaa	cctaacaaaa	ttgacgctga	ttaataaagc	tcctctgatt	3780
aatgccctag	cagaacaaac	tgatattatt	acccagcctg	tgtttttataa	tgctggaact	3840
cacttaaaaa	ataattacct	agctaactct	gaaaaggcac	aaactttaat	taaaaataga	3900
gtggaacaaa	caagtattga	taatgctatt	gctgctttga	gagaaaagtcg	ccaagctctt	3960
aacggtaaa	aaacagatac	ttctttactg	gcaaaaagcta	tttttagctga	aacagaaatc	4020
aagggaactt	atcaatttgt	taatgctagt	ccattaagcc	aatcaactta	tatcaatcaa	4080
gtccaattgg	cgaaaaacct	tctacaaaaa	cctaactgtca	ctcaatcaga	agtagacaaa	4140
gccttagaaa	atcttgatat	tgctaaaaat	caatttaaatg	gtcatgaaac	tgattactct	4200
ggtttacacc	atatgataat	taaagcaaac	gttctgaaac	aaacatcatc	taaatatcag	4260
aacgccagtc	aatttgctaa	agaaaattat	aataacctta	tcaagaaagc	agaattgctg	4320
ctttccaata	gacaagctac	acaagctcaa	gttgaaagagt	tattaaacca	aataaaaagca	4380
accgaacaag	agcttgatgg	ccgtgataga	gtttcttccg	cagagaatta	tagtcaatca	4440
ctcaatgata	atgactctct	caataccaca	cctatgaatc	cgccaaatca	gccccaggcg	4500
ttgatattca	aaaaagcgt	gactaaagaa	agtgaggttg	ctcagaagcg	tgtcttaggg	4560
gtgactagcc	aaaccgataa	tcaaaaggta	aagacaaaca	agcttctctaa	aacaggcgaa	4620
agcactccta	aaataaccta	tacaatatgg	ctatttagtc	tctctatgct	aggtctggca	4680

acaatcaaac taaagtctat caaaagagaa taa

4713

## SeqID 147

atgaataata	acgaaaaaaa	agtaaaat	ac	tttttaagaa	aaacagctta	tggtttggcc	60
tcaatgtcag	cagcgtttgc	tgtatgtagt	ggtattgtac	acgcggatac	tagttcagga		120
atatcggtct	caattcctca	taagaaacaa	gttaatttag	ggcggttac	tctgaagaat		180
ttgatttcta	aatatcgtgg	taatgacaaa	gctattgcta	tacttttaag	tagagtaa		240
gatttttaata	gagcatcaca	ggatacactt	ccacaattaa	ttaatagtac	tgaagcagaa		300
attagaaata	ttttatatca	aggacaaatt	ggtaagcaaa	ataaaccaag	tgtaactaca		360
catgctaaag	ttagtgtatc	agaactaggt	aagcagtcac	gacgttctca	agatatcatt		420
aagtcattag	gtttcctttc	atcagaccaa	aaagatat	tagttaaatc	tattagctct		480
tcaaaagatt	cgcaacttat	tcttaaat	gttaactcaag	ccacgcaact	gaataatgct		540
gaatcaacaa	aagctaagca	aatggctcaa	aatgacgtgg	ccttaataaa	aaatataagc		600
cccgaaagct	tagaagaata	taaaagaaaa	attcaaagag	ctagcactaa	gagtcaagtt		660
gatgagtttg	tagcagaagc	taaaaaagtt	gttaattcca	ataaagaaac	gttggtaaat		720
caggccaatg	gtaaaaagca	agaaattgct	aagttagaaa	atttatctaa	cgatgaaatg		780
ttgagatata	atactgcaat	tgataatgta	gtgaaacagt	ataatgaagg	taagctcaat		840
attactgtcg	caatgaatgc	tttaaatagt	attaagcaag	cagcacagga	agttgccag		900
aaaaacttac	aaaagcagta	tgctaaaaaa	attgaaagaa	taagttcaaa	aggattagcg		960
ttatctaaaa	aggctaaaga	aatttatgaa	aagcataaaa	gtattttgcc	tacacctgga		1020
tattatgcag	actctgtggg	aacttatttg	aatagggtta	gagataaaca	aactttcgga		1080
aataggagtg	tttgactgg	tcaaagtggg	cttgatgaag	caaaaaaat	gcttgatgaa		1140
gtcaaaaagc	ttttaaaaga	acttcaagac	cttaccagag	gtactaaaga	agataaaaaa		1200
ccagacgtta	agccagaagc	caaaccagag	gccaaaccaa	atattcaagt	acctaataca		1260
gcacctacag	aagctgcaaa	accagcttg	tcaccagaag	ccttgacaag	attgactaca		1320
tggtataatc	aagctaaaga	tctgcttaaa	gatgatcaag	taaaggacaa	atacgtagat		1380
atacttgcag	ttcaaaaagc	tggtgaccaa	gcttatgatc	atgtggaaga	gggaaaattt		1440
attaccactg	atcaagcaaa	tcaattagct	aacaagctac	gtgatgcttt	acaaagttta		1500
gaattaaaag	ataaaaaagt	agccaaacca	gaagccaaac	cagaggccaa	accagaagct		1560
aagccagaag	ctaagccaga	agctaagcca	gaagctaagc	cagaggccaa	accagaagct		1620
aagccagacg	ttaagccaga	agctaaacca	gacgttaa	cagaggctaa	gccagaagct		1680
aaaccagagg	ctaagtcaga	agctaaacca	gaggctaagc	tagaagctaa	accagaggcc		1740
aaaccagcaa	ccaaaaaatc	ggttaatact	agcggaaact	tggcggctaa	aaaagctatt		1800
gaaaacaaaa	agtatagtaa	aaaattacca	tcaacgggtg	aagccgcaag	tccactctta		1860
gcaattgtat	cactaattgt	tatgttaagt	gcaggtctta	ttacgatagt	tttaaagcat		1920
aaaaaaaatt	aa						1932

## SeqID 148

atggcaaaag	atattaaatt	ttcagcagat	gcccgtcag	caatggtg	tggtgttgat	60
atttttagctg	atacagtcac	agtaacatta	ggctctaaag	gccgtaagt	tggtcttgaa	120
aaagcatttg	gttctccttt	aattacaaat	gatggtgtga	caattgctaa	agaaattgag	180
ctagaagatc	actttgaaaa	tatgggagct	aaacttgtgt	cagaagtggc	ttcaaaaact	240
aatgatattg	caggggtagg	cactacaact	gctactgttt	tgaccaagc	tattgtacgg	300
gaaggtctta	aaaatgtaac	tgacggggca	aatccgattg	gcattcgtcg	tggtattgaa	360
acagctgttt	cagcagcagt	tgaagagcta	aaagagattg	cacaaccagt	ttcaggcaaa	420
gaagctattg	ctcaagttgc	ggctgtgtct	tcacgttctg	aaaaagttgg	ggaatacatt	480
tctgaagcta	tggggcgctg	gggtaatgat	ggtgttatca	ctattgaaga	atcgcgaggt	540
atggaaacag	agcttgaagt	tgtggaagga	atgcagtttg	accgtgggta	cttgctcacag	600
tatatggtaa	ctgataacga	gaaaatgggc	tctgaacttg	agaatccgta	tatccttatt	660
acagataaga	aaatttcaaa	tatccaagaa	attttaccat	tattagaaga	ggttcttaaa	720
acaaatcgtc	cgttgcta	catcgctgat	gatgttgatg	gagaagctct	cccaacgctt	780
gttcttaaca	aaattcgtgg	aactttcaat	gtcgtagctg	ttaaagcgcc	tggtattggg	840
gatcgctcgt	aagccatgct	ggaagatatt	gctatcctaa	caggagggaac	tgctgttact	900
gaagaccttg	gttttagactt	aaaagatgct	actatgcaag	ttttaggaca	gtctgctaaa	960
gtaacagttag	ataaagattc	tactgttatt	gtcgaagggtg	ccggtgactc	atcagcaatt	1020
gctaactcgcg	tagctatcat	taagtcacag	atggaggcta	caacttctga	ttttgatcgt	1080
gaaaaattac	aagaacgact	tgctaagtta	gcccgtgggtg	tagcagtaat	taaagttggg	1140
gcagcgactg	aaacagaatt	aaaagagatg	aaacttcgca	tcgaagatgc	gttaaatgca	1200
acgcgtgctg	cagttgaaga	aggtattgtt	tcagggtggag	gtacggctct	tgtgaacgtt	1260
attgaaaaag	tagcggcact	gaaactta	ggtgatgagg	agactggacg	taatattgtt	1320
cttcgtgctc	tcgaagagcc	tgttcgtcaa	attgcttaca	atgctggata	tgaaggttca	1380
gttattatttg	aacgttttaa	acagctctgaa	attggtacag	gatttaatgc	ggccaatgga	1440
gaattgggtag	atatggtttac	cacagggtatc	attgacctg	tcaaagtaac	acgttctgca	1500
cttcaaaatg	cggcatctgt	agcaagtctt	atcttgacta	cagaagcagt	agtagcaaat	1560
aaacctgaac	cagaagctcc	tacagctcct	gcaatggatc	catctatgat	gggtggcttc	1620

taa

1623

## SeqID 149

gtggtagaaa	acctagaaaa	accaattgga	gtgagctata	aaaatagccc	atcaatgagt	60
aaacgaacgg	ctatcagaat	gaagaaatct	agtcgatttt	caattttact	atatagtgtt	120
ttgtcaactc	tcttagcaat	tgcaaatcct	ttattgactt	attttgcaaa	tgggttgcaag	180
actcagaatc	tctatacagg	tttgatgatg	accaaaggac	agatccctta	tagtgatgtt	240
tttgctacag	gaggattttt	atactatgta	acgattgctc	taagttacct	tttaggggtc	300
agtatctggt	tacttattgt	acagtttatt	gcttactatg	tatctggaat	ttatttttat	360
aaattagttt	attatgtggc	acaaagtga	attgtctcga	taggcatgac	gttgattttc	420
tatataatga	atattgtcct	aggattcggg	ggtagtgacc	caatacagtg	ggcattacct	480
tttatgctca	tttcgctatg	gtttttaatt	aaattttgtg	tcgataatat	cgttgatgaa	540
gcatttatat	tttatggcat	tttagcagca	ttctcactat	ttatagatcc	ccaaacactg	600
attttttggc	tttgctcttt	tgttctctta	acagcaacca	atattaagca	aaagcagtca	660
ctacgaggat	tttatcagtt	tttatgctgt	gtttttggta	tgattttaat	tgcttatact	720
gttggttact	ttatgtttta	tctacagatt	atctcttctt	atattgacaa	agctattttt	780
taccctttta	cgtatttcgc	taggacaaac	cactcattcc	ttcttagttt	agcaattcaa	840
attgttgtcc	ttctaggggtc	aggttgtctc	tttgactat	gggattttat	tcaaaatcgt	900
aaaaaagcat	cttatcaaat	cggcttgaac	tttattgcct	gtatttttat	tatttacgct	960
ataatggcca	ttttttcaag	agattttaac	ctttaccact	ttttacctgc	tttaccattt	1020
ggtcttttgc	taacgagtaa	taaaattact	attctttacc	aaaaagtgat	tgacagacgt	1080
tcacatagac	gtcagtat	ctctggtaaa	tctcttatcg	tagacctttt	tgtaaagaaa	1140
acataattat	tgccctctt	actagtttcc	tctcgatag	ggttactagt	ttataatact	1200
tatcaaaatg	ttactcttag	taaagaaagg	cgtgacattt	cacattat	gactacaaaa	1260
attgatagag	atggttaagat	ttatgtttgg	gacaaagttg	ctagcattta	tagccagact	1320
cgggttaaaat	ctgcttctca	atttgttttg	ccacatatta	atacagcgca	aaaaaataat	1380
gagaaaattt	tgaaggacga	gctgcttcag	catggggcta	aatactttat	cttaaatata	1440
aatgagaagt	taccaaata	actgaaatct	gatattaaga	agcactacca	agaagttcct	1500
ctatcaaata	tcactcattt	tggtctatat	cgtttcaaat	ag		1542

## SeqID 150

atggccaagc	caacgatatc	accgggaatg	caacagtatc	tggatataaa	agagaattat	60
ccagatgctt	ttttgctttt	tagaatgggt	gatttttatg	aattatttta	tgatgatgcg	120
gtaaaagcag	cacaaatcct	ggaatttagc	ttgactagtc	gaaataagaa	cgcagaaaag	180
ccaatcccaa	tggcaggagt	tcctatcac	tcagctcaac	agtatattga	cgttttagtt	240
gaattaggtt	acaaagtagc	cattgctgag	cagatggaag	atcctaaaaa	agctgtggga	300
gtggtcaagc	gtgaggtagt	gcaagtgtt	accccaggaa	cggttgtgga	gtcaacgaag	360
cggatagtg	ctaataattt	cttagtagcg	attgattcgc	aagatcaaca	aacatttggt	420
ctagcatata	tggatgtctc	aactggagag	tttcaggcaa	cccttttaac	agattttgag	480
tccgtccgta	gtgaaatact	aaatttaaaa	gctcgtgaga	ttgtagtagg	atatcaattg	540
acggacgaaa	aaaatcacct	actgacgaag	cagatgaact	tgccttttatc	atacgaagac	600
gaacgactta	atgatattca	tttgattgat	gagcagttaa	ctgatttgga	aatatctgct	660
gcggaaaaac	ttttacaata	tgtgcataga	acacaaaagc	gtgaacttag	tcattttacag	720
aaagttagttc	attatgaaat	aaaggactat	ttacaaatgt	catatgcaac	gaaaaatagt	780
ctagatttac	tggagaatgc	tagaacaagc	aagaagcatg	gaagtcttta	ctggttgtta	840
gatgagacta	aaacagcgat	gggaactcga	atgctgagaa	cttggtattga	caggcctttg	900
gtaagtatga	atcgaatcaa	ggaacgtcaa	gatattattc	aagtgtttct	tgattatttt	960
tttgagagaa	acgatctcac	agaaagttta	aagggtgtat	atgatattga	acgcctagca	1020
agtcgagtat	ctttcggaag	agccaaccct	aaagatctat	tgcaactcgg	acagacctta	1080
tcacaaattc	ctcggattaa	aatgatttta	cagtccttca	atcaacctga	gcttgacatc	1140
attgtcaaca	aaattgacac	tatgcctgaa	ttagaaagtt	taattaatac	ggcgatagcc	1200
ccagaagcac	aggctactat	cactgaggga	aacattatca	agtctggatt	tgataagcaa	1260
ttggataatt	atcgaacagt	gatgcgtgaa	ggtacagggt	ggattgctga	tattgaagct	1320
aaggaaagag	cagcaagtgg	tatcggtagt	cttaaaattg	attataataa	aaaagacggg	1380
tattacttcc	atgttaccac	ttccaattta	tcactagtac	cggagcattt	tttcctgtaa	1440
gcgacattta	aaaattctga	acgctatgga	acagcagaac	tagccaaaat	tgaagggtgaa	1500
atgctcgaag	ctcgcgagca	atcttcaaat	ttagaatatg	atatttttat	gcgtgttcgt	1560
gccccagtag	aatcttatat	taaacgtctt	caagagtttag	caaagacgat	tgcaaccggt	1620
gatgttctac	agagtttggc	agtagttgca	gaaaattatc	actatgttcg	tcccaaattt	1680
aatgatcaac	atcagattaa	gattaagaat	gggcgtcatg	caactgttga	aaaagtgatg	1740
ggagtgcgaag	aatatatctc	caatagcate	tatttttgata	gtcagacaga	tatccagttg	1800
attacaggac	caaatatgag	tggttaagtcg	acctatatgc	gccagttage	tttgacagtt	1860
attatggcac	aaatgggag	ttttgtatcg	gcagacgaag	ttgatttgcc	tgtatttgat	1920
gcaaatatta	ctaggattgg	tgctgctgac	gacttaattt	ctggggcaatc	aacctttatg	1980
gtagaaatga	tggaagcgaa	tcaagctgta	aaacgagcca	gtgataaatc	tttgattctt	2040

tttgatgaat	taggtcgagg	gacagccact	tatgatggta	tggcattagc	tcaatcgatt	2100
atagaatata	ttcatgaccg	tggttagggca	aaaacaatgt	ttgcgactca	ttaccatgag	2160
ttgcagagatt	tatctgaaca	gttgacaagg	cttgtcaatg	tacacgtggc	tacttttagag	2220
agagatggag	aagttacctt	cttacataaa	attgaatctg	gacctgcgga	taagtcttat	2280
gggatacacg	tcgcaaaaat	agctggttta	ccaattgact	tattggatag	ggcaactgat	2340
atthttatcac	agtttgaagc	tgatgcagta	cagttgatcg	tatcgccctc	ccaagaagct	2400
gttactgctg	acttaaatga	ggaactagat	tctgagaagc	aacaaggaca	attatcgctt	2460
tttgaagaac	cttcaaatgc	aggtagggtt	attgaggagt	tagaagcgat	agatataatg	2520
aatctaactc	caatgcaagc	tatgaatgct	atatttgact	taaagaaatt	attataa	2577

## SeqID 151

atgttgaaac	tggattttaa	aacaaagata	aaagaagcta	ttttaattgc	ctttggtgtg	60
gctctctata	ctttcggctt	tgtaaaat	aatatggcta	atcatttggc	tgaaggagggt	120
atthccgggtg	tcactttgat	tatccatgca	cttttcggag	ttatccagc	actttcatca	180
cttctcctta	atatcccggt	atthtatatta	ggggctagga	ttttagggaa	aaaatcctta	240
ttattaacta	tatatggtac	agtgttaatg	tcttttttca	tgtggttttg	gcaacaaatc	300
cctgtaacag	tccctttgaa	aaacgatatg	atgttagttg	cagtagctgc	tggaaattta	360
gcaggaactg	gtagtgggtt	agtatttaga	tatgggtgca	ctacaggtgg	tgcagatatt	420
attggtcgta	ttgtagagga	aaaatctgga	ataaaattag	ggcaaaccct	attgtttatt	480
gatgctatag	ttctaacgtc	ttcacttggt	tatattaatt	tacaacagat	gctatatacg	540
ttagtagcta	gctttgtatt	tagtcaagtg	ttaacaaatg	ttgaaaatgg	gggctacact	600
gttcgtggaa	tgatcattat	taccaagaa	tcagaatctg	cagcagcaac	cattttgcat	660
gaaatttaata	ggggtgtaac	ttttttacgg	ggccaagggtg	cctactcagg	tagagagcat	720
gatgtcttgt	acgtagctct	taaccaaggt	gaagtgcgtg	atgtgaaaga	aatcatggct	780
gatttagacc	cagatgcttt	tattttctgtt	ataaatgtag	atgaagtatt	tagctcagat	840
tttaaaattc	gacgaagaaa	ttacgataaa	taa			873

## SeqID 152

atgaaacgta	gtatgtatgc	tgggctgtgt	cgtagtggagc	acataggaac	atcgattact	60
ttaaaaggat	gggttgggtc	tcgtcgtgac	cttggaggcc	ttatttttat	tgatcttcgc	120
gatcgcgagg	gaatcatgca	attagttatt	aatcctgaag	aagtagcagc	ctcagttatg	180
gcaaccgcag	aaagtctccg	tagtgaattt	gttatagagg	ttagcgggtg	agtgcagca	240
cgagaacaag	ctaattgataa	tttaccaaca	ggagaagttg	aattaaaagt	gcaagaatta	300
tcggttctta	atacctcgaa	aacaacacca	tttgaaatta	aagatgggtat	tgaggcaaatt	360
gatgatacac	gcatgcgtta	ccgttacttg	gatcttcgtc	gtccggaaat	gcttgaaaat	420
ttcaaattac	gtgcgaaagt	aacacactca	atccgtaatt	accttgacaa	cttagagttt	480
attgatgtcg	aaactccgat	gctaacaaaa	tcaactccag	agggggcacg	agactatttg	540
gttccatcac	gtgtcaacca	aggacatttt	tatgcccttc	cacaaagccc	tcaaattaca	600
aaacagctat	tgatgaatgc	aggatttgat	cgttattatc	aaattgtcaa	atgttttcgt	660
gatgaggatt	tacgtggaga	tcgtcaacct	gagtttacac	aagttgactt	agagacatca	720
ttccttagtg	atcaagaaat	tcaagacatt	gttgagggtta	tgattgctaa	agtaatgaaa	780
gcactaaag	gtttagaggt	ttcctttacca	ttcccaaggga	tggcatatga	tgatgcaatg	840
aataactacg	ggtctgataa	gcctgataca	aggtttgata	tgcttttaca	agacttgaca	900
gaaattgtaa	aagaagttga	cttcaagggtg	ttctcagaag	cttcagtagt	taaagcgatt	960
gttgtcaaag	acaaggcgga	caagtactct	cgaaaaaata	ttgataaatt	aacagaaatt	1020
gcaaaacaat	acggtgccaa	aggtttagca	tggctaaaat	atgtagataa	tactatttca	1080
ggtccgggtg	ctaagttctt	gacagctatt	gaaggtaggt	tgacagaagc	tttgcagcta	1140
gagaataatg	acttaattct	attttagtaga	gatagctctg	aagtagctaa	cgagacttta	1200
ggagcgcttc	gtacacgcat	tgcaaaaagaa	cttgaactca	ttgattattc	taaattttaat	1260
ttcctatggg	ttgttgattg	gccaatgttt	gagtggtcag	aagaagagggtg	acgatatatg	1320
tcggctcatc	atccattcac	cttgccaaca	gcggagacag	cgcatgagtt	ggaaggggat	1380
ttggctaaag	tacgtgcagt	tgccctatgat	attgttttga	atggatatga	gttaggcggt	1440
ggtagcctac	gtattaacca	aaaagataca	caagagcgta	tgttcaaggc	tttaggattt	1500
agcgtgtaat	cagctcagga	acagtttgggt	ttcttacttg	aagctatgga	ttacggcttc	1560
ccaccacatg	gtggattggc	aatagggcctt	gaccgctttg	ttatgtttgtt	agcaggcaag	1620
gacaatatcc	gagaagttat	tgcatccctt	aaaaacaata	aggctagtga	tccaatgact	1680
caagctccta	gtctcgcttc	agaacaacaa	ttagaagaat	tatcacttac	tgtagaaagt	1740
tatgaaaact	ag					1752

## SeqID 153

aaagaaaaag	gaaaaactaat	aaagaaaaaa	attctagaaa	ataatactga	tattattcca	60
aaaatttatag	aaaaaagtcc	tcaaaaatctt	attctttacaa	gtaattacaa	cagagttaat	120
attgataaaa	taaaaaatat	aaaaaattttt	gataaaggat	tcgaactagg	ctttccactt	180
tttgaaaaag	gagaaattct	gagaaaagaa	ggcgaaataa	ctagtgcatt	tgaattattt	240
gataaagcac	gtgaactagg	atatttttgta	cccgcccttat	acaattctta	tgcgatggct	300

tttaggaaaa	taaagaatta	tgatgatgaa	attctaatac	tacaagaagg	aattgaaaga	360
ttcaaaaaaa	gcaccctgtc	atcaaatatt	aacccaaaga	caatcgatag	atggagtact	420
cgtattttcta	gagctaaaga	tttaaaatgt	aaataa			456

## SeqID 154

ttgaatgtaa	aaaaacatca	tttagcttat	ggagctatca	ctttagtagc	cctttttttca	60
tgtatttttg	ctgtaatggg	catcttttaa	agttcacaa	ttactactga	atctttgtca	120
aaagcagata	aagttcgcg	agccaaaaaa	tcaaaaatga	ctaaggcgac	atctaaatca	180
aaagtagaag	atgtaaaaca	ggctccaaaa	cctttctcag	catctaata	agccccaaaa	240
tcaagttctc	aatctacaga	agctaattct	cagcaacaag	ttactgcgag	tgaagaggca	300
gctgtagaac	aagcagttgt	aacagaaaac	acccctgcta	ccagtcaggc	acaacaagct	360
tatgctgtta	ctgagacaac	ttatagacct	gctcaacacc	agacgagtgg	ccaagtattg	420
agtaatggaa	atactgcagg	ggctattggc	tcagcagctg	cagcacaat	ggctgctgca	480
acaggagtcc	ctcagttctc	ttgggaacat	attattgccc	gtgaatcaaa	tggtaatcct	540
aatggtgcta	atgcctcagg	agcttcagga	cctttccaaa	cgatgccagg	ttggggttca	600
acagctacag	ttcaggatca	agttaattca	gctattaaag	cttatcgtgc	tcaaggttta	660
tcagcttggt	gttactag					678

## SeqID 155

atgtcaaat	gggatactaa	gtttttgaaa	aaagggttta	cttttgatga	tgttctgctt	60
attcctgctg	aaagccatgt	tttaccaaat	gaagttgata	tgaagacaaa	gttggtctgat	120
aatttgacat	taaacattcc	aatcattaca	gctgcaatgg	atacagttac	agatagtaag	180
atggctattg	ctattgcacg	tgctggtggg	cttggtatca	ttcataaaaa	tatgtcaata	240
gttgatcaag	cagaagaagt	tcgtaaaagt	aaacgctcag	aaaatgggtg	tattattgac	300
ccattcttct	tgacaccaga	taatactgtc	tctgaagctg	aggaattgat	gcaaaactat	360
cgcattagtg	gagttcctat	tgtagagaca	ctcgagaatc	gtaaattagt	tggaattatt	420
actaacctgt	atatgcgttt	catttctgat	tataaacaac	taatctcaga	gcacatgaca	480
agtcaaaatc	ttgtaacagc	tcctattggg	acagatcttg	aaactgcaga	gcgtattctt	540
catgagcatc	gtattgaaa	gctaccttta	gtagatgatg	agggacgtct	ttcaggactt	600
attactatta	aggatatcga	aaaagtattt	gaatttccta	agggcagcaa	agatgaattt	660
ggacgtctct	tagttgcagg	tgtagtaggt	gtaacctctg	atacttttga	acgtgcagaa	720
gctttgtttg	aagcaggtgc	agatgctatt	gtcattgata	cagcacatgg	acattcagct	780
ggtgtgctcc	gtaaaattgc	tgaaattcgt	gctcacttcc	ctaactcgac	attgattgcg	840
ggaaatattg	ctacagcaga	aggagcgcgt	gcactttatg	atgcaggtgt	ggatgtcggt	900
aaagttggta	ttgggtccagg	ttcaatttgt	acgactcgtg	tcgttgctgg	ggtaggtgtt	960
cctcagatta	cagctattta	cgatgcagcg	gctgttgccg	gtgagtacgg	taagactatc	1020
attgctgatg	gtggtattaa	atattcaggt	gatattgtaa	aagcacttgc	agcaggtgga	1080
aatgcagtta	tgctaggttc	aatgtttgca	ggaacagatg	aagcgccagg	agaaacagaa	1140
attttccaag	ggcgtaagtt	caagacatac	cgtgggtatg	gctcaattgc	agcaatgaaa	1200
aaaggttcaa	gcgatcgtaa	tttccaaggt	tctgtaaacg	aggctaacaa	attgggtcca	1260
gaaggtattg	aaggtcgtgt	agcatacaaa	ggttcagtag	ccgatattgt	tttccaaatg	1320
cttggtggca	ttcgctctgg	tatgggatag	gtaggtgcag	cgaacataaa	agaacttcac	1380
gataatgctc	aatttggtga	aatgtcagga	gctggcttga	aagaaagcca	tccccatgat	1440
gttcaaatata	caaatgaggc	accaaattat	tcagtacact	aa		1482

## SeqID 156

atgacaatta	accactataa	gcttcgtata	ccttactata	caataagctt	tctacttccc	60
ttcataatca	tagtctgtat	cctctttact	agaatatttt	attggggaag	tccaacaacc	120
atattagcaa	gcgatggctt	tcataaatat	gttatcttta	atcaagcatt	aagaaatatt	180
cttcattggt	caaacagctt	attctatacc	tttacaagcg	gttttaggtt	aaatttttat	240
gctctgagta	gttactattt	gggaagtgtt	ttatcccca	tagtttattt	ctttaaccta	300
aaaaatatgc	ctgatgctat	ctacctttta	acaatatgta	aaatagggtt	gatagggttg	360
tcaatgtttg	tcactctttg	taaacgtcat	tgtaaagtta	atcgtgtctt	acttttagta	420
atttctactt	gctatagctt	aatgagtttc	tcaattagcc	aaattgaaat	taatatgtgg	480
ctagatgtat	ttatttcta	tccccctgtt	gttttaggag	ttgatcagct	actatgggaa	540
agaaaacctt	tactttattt	cctctctctg	acagccttat	tcattccaaa	ctattatttt	600
ggttttatga	ctgccatctt	tactagcctt	tacttcatcg	tacaaataac	ccgtaatact	660
gatagtaagg	ttgcatttaa	acaatttctt	cattttacct	ttttatctct	tttagctggg	720
atgactagta	gcattatgat	tttgccaact	tattttgatt	taactactca	tggtgaaaag	780
ttgacaaagg	tatcgaagat	gtttacagaa	aattcttggt	acatggattt	gtttgctaaa	840
aatatgattg	gagcctatga	tacaacaaaa	tttggctcta	ttcctatgat	ttatgtaggt	900
ttacttcctt	tactcctttt	tttactttac	tttacaataa	aggaagttcc	tcgaaggact	960
agattagcat	atggattttt	aataatattt	gtttatgcta	gtttttatat	aacacctcta	1020
gattttatgt	ggcaagggat	gcattgctca	aatatgttct	tccatcgcta	ctcttgggta	1080
ctttcagtag	ttatctgtct	gctagctgct	gaatgccttg	agtattttaga	caacatttct	1140

tggaaaaaaga	ttttaggggt	caatttaatt	ttagtaagt	gtttcataat	cacgttttta	1200
tttaaaaaagc	attatcatta	ccttaattct	gaattacttc	ttttaacctt	aactttcctc	1260
tcagcttata	ttattctaac	tattagtttt	gtcagtaagc	aaatccctaa	attagttttt	1320
tatccctttc	ttattggttt	tgttggttta	gagatgacat	taaacacctt	ttaccaacta	1380
aatagtcctta	acgatgaatg	gatatttcca	tctaggcaag	gatatgctaa	atataatcac	1440
agcattagca	aacttgctag	aaagactgag	agaaataact	ctacattctt	ccgtacagag	1500
cgctgggttag	gacaaaccgg	caacgactct	atgaaatata	attataatgg	tatttcacaa	1560
ttttcatcta	ttagaaatcg	ttcttcaagt	caagtgcctg	atagacttgg	ctttaaatca	1620
gatggtacaa	atttaaattt	acgttatcaa	aataataact	tgatcgaga	tagtctattt	1680
ggtgtgaagt	ataaccttac	agaatatcct	tttgataaat	ttggttttat	caaaaaagct	1740
caagataaac	aaaccattct	ttacaaaaat	cagtttgcca	gtcaattagc	tataactaac	1800
aatcaagtat	atcaagataa	accattttact	gtgaataact	tggaataatca	gacaactctt	1860
ttaaatcaat	taagtggttt	gaaagagacg	tattttgagc	atcttattcc	aaatagcgtt	1920
tctgggcaaa	ccactcttaa	taaacaagta	tttggttaaaa	agaataaaca	agggaaatact	1980
gaaattacct	ataacataac	tatccctaaa	aacagtcagt	tatatgttag	tatgccgttt	2040
ataaatttta	ataatgagga	aaataaaatt	gttcaaactc	ccgttaataa	tggaaccattt	2100
gtacctaata	ctcttgataa	tgcttattca	ttttttaata	ttggtttcctt	tgctgaaaac	2160
agtcgtatca	aagtaaaatt	tcaattttcca	cacaatgatc	aagtttcttt	cccaattcct	2220
cactttttatg	ggctcaagtt	agaagcttat	caaaaagcta	tgactgttat	taataaacga	2280
aaagtaaaag	taagaactga	tcacaataaa	gttattgcta	attatacaag	tcctaataga	2340
agttctcttt	tcttcaactat	tccctatgat	aggggttgga	aagcttatca	aaataataaa	2400
gaaataaaaa	ttttcaaagc	tcagaaaggt	tttatgaaaa	taaatattcc	taaaggaaaa	2460
ggcaaagtaa	cattaatttt	tatcccttac	ggctttaaat	ttggggtagg	cctatctatt	2520
actggaatag	tattatttac	tgtctattat	tttaaatttg	gaaaaaataa	aataggatga	2580

## SeqID 157

tggtttatga	agcactcggt	tggaagcgc	cacaatttgg	tcaca	45
------------	------------	-----------	------------	-------	----

## SeqID 158

atgaaagatc	acctaagggt	cttcctccat	taccgatcca	aaaacggttg	gaaaaatgga	60
acgagattga	agggaggaaa	gcctaatag				90

## SeqID 159

gacaaacagc	ttttccaatg	cgtgcagggc	ttccaaataa	ggaacctcaa	tggaagaag	60
catgggatca	agctgatatt	tataaaaaac	gtcaagcat			99

## SeqID 160

aacgaggaag	ccatagatgg	ggtgtccaag	cttgggaaaa	aaatcaccat	tctaggaaat	60
aattcatacc	ttttcttc					78

## SeqID 161

atcaaacaat	ggctattgg	gatgaagaaa	atgaccgtgc	tatgcttgaa	gttgttgga	60
atcctgttgt	tatgcaaaac	ggcaatcctg	aac			93

## SeqID 162

aggcgcattt	caaacaatct	aggagtttta	aaggaagcga	ccgttataca	cgccgta	57
------------	------------	------------	------------	------------	---------	----

## SeqID 163

gagctctgcc	taaagctgag	caacgtcaag	ccaatctata	tgcttgga	cttcgagcaa	60
atcagtttga	aaaaacaggt	ttcaagggtt	tatcacgctt	tattcgaa		108

## SeqID 164

agaagctgct	tcagtaggtg	ctatccaaga	tttaacagat	tcagatatca	ttttctcaaa	60
ccaccgtgga	cacggacaaa	ctattgcaaa	aggtat			96

## SeqID 165

agatgggttg	gttttagata	tgacgatggc	agaaaattta	gctttacaaa	cttatta	57
------------	------------	------------	------------	------------	---------	----

## SeqID 166

cccttaaaaa	gtttgtcgat	gacatcaaga	atgaagctat	tgaggttatc	acaaagaaaa	60
gctatg						66

## SeqID 167

aggcacttgc	gaaagagaca	aaagcaaaat	cattttaatga	atttatgctt	tctatgtgcc	60
gtgaaaaaat	tgaaaaagga	caatttaatt				90

SeqID 168						
aagttatttta	ttcagcctat	tcaggaaaaat	atgaagcagc	caatcgagat	tatatcaaat	60
tactatgcaa	agcttggggt	aatgaaaatc				90
SeqID 169						
tatcaaacgt	attcgaaaaa	ggcaagaaaa	tttggttccg	tttggcttaa	acctaag	57
SeqID 170						
acgctgttat	tccagatact	tctcctgctt	tctcatttga	aaaagaacat	ctttctggag	60
tggaatatgc	acgctactta	caat				84
SeqID 171						
aagaagtttt	acgaaataat	attagcaacc	aagtaccaca	catcagtgtt	caaatggagt	60
ttaaaactca	agaacaagtt	gacgaatacc	aaaaaaatct	cggaagcatc	atccgggaaa	120
ttggagatac	acttggaaac	gcaactgaat	tcaatgccaa	aagtaacatt	agcacttata	180
ctcttgggtg	acaaatccaa	cgcatatttg				210
SeqID 172						
ttaaagcaaa	tgttccgtcg	cgtattgcat	ttgctgtttc	aagtgggtact	gatagccgta	60
cgatccctga	tgaaaatggg	gctgaaaagc	tcttgggaag	gggtgacatg	ctctttaagc	120
ctattgatga	gaatcatcca	gtacgactac	aagggttcctt	tatttcagat	gatgatgttg	180
aaaggatcgt	tggttttatc	aaagaccaag	ccgaggctga	ctatgatgat	gcctttgatc	240
ctggagaagt	atctgaaaca	gataacggct	ctggtggtgg	cggcggagta	cctgaaagtg	300
atcctctttt	tgaagaagcc	aagggactcg	ttt			333
SeqID 173						
ggccggaaaa	ttaatttttag	tcgtccatca	cgatttgag			39
SeqID 174						
agagttaagt	ataaaaaatg	ggaaccttta	tcaatatccc	gttcttgcta	tgaaaaatct	60
tcgtcaacat	caagcagaat	t				81
SeqID 175						
acttgggtcaa	gatgttgat	tcccaggtgt	tactcgtggt	gcaaaattag	aagaagcaat	60
caatgctttg	gaagatggac	aagttctttt	ggt			93
SeqID 176						
aaggagaatt	tcgttcaaag	gttgaggagt	ctattgaaag	caatcagcaa	aatataatc	60
atttatagtc	tagtttctct	accattagct	agacacttg			99
SeqID 177						
agtataatca	atattaaact	agaaatatat	gacatatgtc	ctaaaactat	ctcaaatagg	60
gagtcaatac	atggatatag	aaaactactg	ccaagactac	tgtttgagga	ctatctttcc	120
aaaacattat	ttcaaggatt	tacaagtaat	caccctaact	gcgggccaat	ccgtctg	177
SeqID 178						
ctttctttca	gaagaagtgc	gcgaattggc	tcaagccatt	cgcaaata		48
SeqID 179						
ttcattttca	aggatagggt	taaaatgaga	cacttcacgg	ac		42
SeqID 180						
gggttgattc	gtgcttgtaa	agcctttatc	tctgccatac	tggttaactt	attttgttcc	60
tctgttatcc	ccattgccag	ttgtcctgaa	aataatttgog	ctaaaccaag	gactaggttt	120
tctccacct	cagacattgt	cttatctcct	gcaaagtaca	tttttaaggc	acccacagtt	180
ttatcattta	tttttagagg	aactacaata	gcagaattta	ac		222
SeqID 181						
tcctcctctt	tggacacca	ttacaaacat	agggagcttt	tcttagtagc	ggacagtcta	60
ggcagtcctt	ggttgattct	cttagttgct	tatttgcgt			99
SeqID 182						
cacctgggtgc	ccactcaata	tcataaacag	aatctacctc	ttgaatataa	gaggctaaac	60
gctctagtc	ataag					75



SeqID 183							
gcacacctac	acgaagggtg	tcataagtat	ccactaaaaa	gacgcaatct	ttatgagttt	60	
ctgcgtaagc	tt					72	
SeqID 184							
ccattgaaa	agctccgcga	acattatata	attcctcgga	aaattcgtct	tcaaaacttt	60	
ccccataga						69	
SeqID 185							
aagtatacta	ttgcaggctc	tcgtgtcacc	cagcgctcgac	catcattttc	tgttactaaa	60	
gta						63	
SeqID 186							
gcagcttttt	catcaccagc	agctaaaaac	agagcattca	ttacaacacg	atcttca	57	
SeqID 187							
tccatggtta	aacaaatata	gtttctctgac	catttgatat	cacgttttga	aggcttatgc	60	
ttgaggcgat	tttctgtgcg	attcgttttg	agacgctcac	ttagctctgt	ttctaattct	120	
acaaataata	cctcttggtt	g				141	
SeqID 188							
taccacgttc	tttctcgata	tcatttgaat	ccattgcacg	ttcttcaagc	tctttacgct	60	
catcaagagt	atgtgattgt	tttaataatt	catcaacgag	agttgtttta	ccgtgggtcaa	120	
cgtggggcaa						129	
SeqID 189							
gcacagcctt	cttcaactag	gatatccctt	aaaattgatc	gttttacacc	taag	54	
SeqID 190							
tggaatagaa	ctatcaatta	ttttttgaat	aacctgcaat	tggtgactaa	tatcaagttg	60	
cccacgagaa	aaattttcca	gtcccaaaac	aagtttctga	gcttcatcaa	aaac	114	
SeqID 191							
gtccaagaag	gccataaaat	tttccctctt	caaaga			36	
SeqID 192							
caacaaagca	ataacaccgc	caattatagt	cgccctata	aaccttggca	taaaaagaaa	60	
aatggattga	gctgcagatg	ctttagc				87	
SeqID 193							
ttctttgatg	ataccaaagt	taacattcat	tggttggaag	tggttgctgt	ctgtatgtgt	60	
aatataatgt	ggcagtgac	caatagcagt	agtttggtg	aaaactactt	cactctcccc	120	
attaaagcga	cgggcagcat	tgattccgc	tacaagacca	cttgcgtccg	attctacata	180	
accttcaaca	ccggtcattt	gtccagcaaa	gaaaagattt	gggttcttac	gtgtagcaaa	240	
ggtttggtc						249	
SeqID 194							
gtgtattcgt	tacgcatagc	gacattggaa	ctagaacgaa	acttgataga	caagcgacgt	60	
gggaaaccaa	ccgattctag	gtcaatagag	tttttagagg	ttagttagc	aatattatct	120	
tgcaagaata	agttaatacc	tgacatcatg	ctagagaaga	catttccctt	agtttcttct	180	
gaagcgaagt	cagaagacct	aaagtttaaa	tcagccatat	ctctaaattt	ggaaaattgt	240	
tct						243	
SeqID 195							
ggccatagca	atggcattaa	agagggaaat	ggaggtatct	tcccagtatt	ttgcattgcc	60	
attaccgcta	ccaggtttcg	ttttacgata	aatggcttct	gcaaccgcat	taacccttgt	120	
ctgtgtcatt	tcatagtaac	ccttcttagc	tgctgcaatc	gcaagagc		168	
SeqID 196							
agaatagaga	aggctatcgt	ccctaaaccg	gccattagt	ttctgatgat	aatctcaagg	60	
atgggtattag	gaacaccaga	aaaagaacct	gtcatttgtt	ctgcaaacgg	aataatttca	120	
attgtaatag	ccacacctgc	tgatatagaa	atacaaatga	gtaaagcaga	cataatcaaa	180	
gctaaacctg	ttgaaaaatt	attctgtgaa	aattctctca	ccgaattaac	aaaggcagcc	240	
cctgggacca	taaccattag	tgccccta	ataataatgc	tacgatgctc	acctaatcct	300	

gaaaaatata	ataaattagc	acttaaagcc	actacagaac	tacctagaat	ggtcaaaaga	360
aatcctgtat	gtatacgact	ttccatcaaa	ttcagaaaaat	atcctaaaaat	taagcctgtt	420
acagcagcgg	aaaatgaatc	taataaggaa	ctacctaagg	ctaaagaaaa	actaccgcgt	480
ccacaaaaa						489

## SeqID 197

ccatattctg	taacatatgc	tgtccagta	atttgtaatg	gagcggattt	agcacgacga	60
acagcatatg	ctatgtcgtc	atcagttaca	aaaccttctg	atgtagaaga	attagttacc	120
atagtgata	gaacaaaacg	atcttctagg	ctcaatccat	tggaagtat	taatggacga	180
aataaattac	cttggacatt	attcatctct	gctcaccgtc	cccttattag	ccatagactt	240
agcctgaaat	ctatcaaact	ctgcaac				267

## SeqID 198

gccaaccata	atgacaaaaa	taatacgata	agcgttaata	aatttagtgc	caaa	54
------------	------------	------------	------------	------------	------	----

## SeqID 199

tccttctgcg	tattttgttg	ccattccaaa	aaaggcagct	accacatcc	aaaacaaagc	60
tcctggctct	ccagatttaa	tagccgtagc	cacaccaacg	atattacctg	tcctaccgt	120
tgcagcaaga	gcagttgcaa	gggcagcata	act			153

## SeqID 200

acattaggca	tttcttttaa	aataagaggg	tgccatttct	ccgcaaaacc	tttctaggg	60
ggtaaatctc	ctgattttcc	tttgctggg				90

## SeqID 201

tttaatat	ctaatagttc	cttaggtttt	ggtacttctg	ctaaatcagc	aagtacttcc	60
tcagctaatt	cttccttaat	aatttcttgt	gataaggcca	cacattcatt	acaaatgaaa	120
acaccattac	ctgcaataat	tttttttact	tcactctggc	ttttgccaca	aatgaacaa	180

## SeqID 202

ggtgtttata	aaaagcagag	cctaagcctg	atcttccatc	agattcacct	gattgtttat	60
cattttgatt	ttttgcatga	taggtttgtg	ccttattatc	gagaa		105

## SeqID 203

atttctttac	gatcagtatg	tggaaattca	cgacaagctt	taggtctgac	atcgtatata	60
ctacataagt	tatcatcgcc	taaaaacgga	caaggcatcg	ctttaaatac	tttatctcca	120
tcttcatcta	cttctaaaaa	taaatcttca	aaagccgata	acttcatccg	gaaatgttta	180
gaaatcctag	aaatatcagc	ttctgtaaat	agaggaccca	aagttttaca	acaattagca	240
catgctgtac	aatcaatttc	t				261

## SeqID 204

agtagaataa	gtacaataac	aataccaata	aggataagcc	caactttttt	atatagagag	60
gacttttctt	caggacttaa	aggatcgttt	ggtctgagac	tctcttcagt	caaataattt	120
tttccatcta	aggtatat	gaggagacca	aagaacatac	caatagcagc	aagtgagaaa	180
ccaagatgga	aatttacttc	ttgtccgagg	tacccacta	caatgggtga	aataaaagca	240
ccaaggttaa	taccaaaaac	aaagatacta	aaaccagcat	cacgacgaga	atcattttct	300
ccatataaat	taccaaccat	ctctgatata	tttggtttta	atagtccagt	accaaggata	360
attagagcaa	tcgaaatgaa	tagagctgtt				390

## SeqID 205

tcttttctc	gttcaaataa	tttatgtgct	tttaaagata	agttcaaagt	tcgcacaagt	60
tctcgattag	actgttta					78

## SeqID 206

atccattcat	ttcatagaag	gaaattaaat	catcatggca	agttaaactt	ataccatctc	60
gttcttgaga	aacaaccagg	tctttcatcg	ctgctaataa	tgctgtacca	atccctgac	120
ctt						123

## SeqID 207

ctgtcttttt	cgatagtatc	ccatttatta	actacaataa	taataccttt	accagcttca	60
tgtgcaaacc	ctgcaatacg	cttgtcatac	tcacgaatac	cttctctctg	attaatcacc	120
ataagaacaa	catctgagcg	gtcgatggcg	cgcatagaac	gcataacaga	atatttctct	180
gtgttttcat	ataccttacc	agattttacg	ataccagcag	tatcaatcat	agtatactct	240
tgccctggc	tatcaacgaa	attagtatca	atagcatcgc	gcgtagtacc	agcaactggg	300
ctagcaataa	cacggctctc	cccaaggatg	gcattaatta	aactagattt	cccaacattt	360

ggacgtccaa tcaaaactaaa acgaataata tctggatttt cattttcctc ttctaccgga	420
agattttcca caatagcatc caatatatca ccagtaccaa tacca	465

## SeqID 208

tgcccatcct cagatatagc tggaattaat tttacaaaa atagcggaaa aatagataaa	60
caaaccgtta ca	72

## SeqID 209

ccctttctca gaaatcattt ccataacaac gagaccagca ccaaattctt tagcgatagt	60
acgaaaagca gaattggtta tacctgccat cgggtgc	96

## SeqID 210

gcgtcgacag gatcagcagc gaatccacag actacgccag gaaaactatt acaagcaagc	60
atcgctccaa ttcctgtccc acagcctgta ataacaaaat ctgcagcacc gctattaagt	120
aaaatagcag tcagtaaacc attttgtaca	150

## SeqID 211

gcaatgccta aacgttgctt cataccaccg gagtatgatg aaatcttctt tttacctaca	60
tcgcctaaac caacaagctc tagtaatcta ggaatttctt gtttagcttt ctttttatca	120
acacctttta aggtagcgat a	141

## SeqID 212

cttttactga ttttaaaaaa tccagatact acacataaca ccaccataaa aagacaacct	60
aacaaacccc cttaaagtttt acgaaaaaga actgaaaaaa agagtattaa gcttatgaaa	120
agaataccga taaaccatgt tgcaccg	147

## SeqID 213

aattttcaag caccgaccacc aggtgttggt tcagggttac caaacataac gcctactttt	60
tcccttaact ggttgataaa aattgcgatt gtctttgtct tggttaatgga tgctgacaat	120
ttacgcattg ct	132

## SeqID 214

aaaagagtag ggatttgcca catatatcat gtatcccaat ccagctgttt ccacaacaat	60
aaatttagcc gttattttac tcaattttcc tttaatataa tcgtacattc tattttccta	120
tctcaatatt tttcattttg g	141

## SeqID 215

aattcaacga caagtgttcc attgatttct gggttaattt catcgcggtc tggaaggcga	60
gtcaatgaac cttcaagttt ttcagcatca aatgatacga aagctggacg tcctaaagta	120
gcttcaacag cttcaaggat tgcaggtaact ttcattgatt tttcacgaac tgaaataact	180
tgctctggag taacgcggta tgatgggata tcaacacgtt taccatcaac aaggata	237

## SeqID 216

acaagacct tagtagaaat cttagttgat aaactagegc catataagga agctaacttt	60
tctcgaaatt cttgtacctt aggatactta gcatttgcag taactaacat t	111

## SeqID 217

agaactcgaa atgcaattag atatcctaaa gcaagcagcg gtgattatgg cacaaaaagg	60
gaaataatca ctgctaataa ggataaatac agcatttcaa agatgtgtcg ctggctgaat	120
atgccacgct caagttatta ctatcaagcc gtggagtcag tatctaaaac ggagtttgaa	180
gaaactatta aaagaatttt tctcgatagc gagtctagat acggatccag aaaaatcaaa	240
atatgcttga ataacgaagg tatcacactt tcacgtcgtc ggattcgacg cattatgaag	300
cgactcaatt tggtttctgt ttatcagaaa gccaccttca aaccacattc tagaggcaag	360
aatgaagccc ctattcccaa ccacttagac aggcaattta agcaagaaag accactacaa	420
gccttagtca ctgacttaac ctatgttcgt gtaggcaatc gttgggctta tgtttgcctc	480
atcattgacc tatacaaccg tgaaatcatc ggcctgtctc ttggttgga caagaccgct	540
gaactcgtta agcaagccat acaaagcatc ccttacgccc tgaccaaagt caagatgttc	600
cattcagatc gtggcaaga gtttgataat cagttaattg atgaaatatt ggaagccttt	660
ggaatcacac gttegttag tcaggctggt tgccttatg acaatgccgt agctgaaagt	720
acgtatcgtg ctttcaaaaat tgaatttggt tatcaagaaa cctttcaatc gctggaagaa	780
ctagctctta agactgaaaa ggcaacactt ttctgtacaa catttataaa gtgttgacct	840
ttcaggtttt taccaatgct a	861

## SeqID 218

MKKVLTFLLCSLYFVSIPAISTEEPLTSLQNRRYALTQTVDKEMYFDAIPERPTTKIBISSFQDEALTITGETLVP  
 NTLISIVSLTINSNGIPVFTLSNGQFIKASREAI FNDLVSKQSSVSLDYWLKPSFVTYEAPYTNVSEVKNLKPYS  
 RVHLVEQAETEHGIIYKTD SGFWISVEDLSVADNRMAKVQEVILLEKYNDKYGIYIKQLNTQT VAGINIDRSMYSAS  
 IAKLATLYASQBQVKGKLSLDSKFYKDNVNQFPNSYDPSGSGKLEKKADHKLTVKELLEATAKESDNVATNMLG  
 YYVNNQYDSMFQTQVDTTISGMHWDMMKKRQISPQAAGKMEAIYYQNGDIVNYLSKTD FDNTRI PKNIPVKVAHKIGD  
 AYDYKHDAIVYAEQPFIMII FTDKSSYDDITKIADDDVYQVLK

## SeqID 219

MKKRILSAVLVSGVTLGTAAVTVNADDFDSKIAATDSVINTLSGQQAQAAQNVTAIKGQVGALESQQSELEAQNACL  
 EAVSQQLGQEIQTLSNKLIVARNESLKKQVRSQAQKGNLTNYINTILNSKSVSDAVNRVVAIREVVSANEKMLAQQBEAD  
 KAALBAKQIENQNAINTVAANKQAIENNAALATQRAQLEAAQLELSAQLTTVQNEKASLIQAKAQAEBAARKAAEA  
 QAAAEAKAQAEAKAQAESVAKAQAAAQVESATAPTETVQTQPRTEIKPSNLTATSSATTVAITTTATATNEPKVTQPS  
 VVTKAVEAPKAVVSTPRAVSKPVVRSYDSSNTYPMGQCTWGAKSMASWVGNYWGNANQWGA SARAAGYSVGTTPRV  
 GAVAVWPYDGGGYGHVAVVTSVANSSSIQVMESNYAGNMSIGNYRGSFNPSASGSVYYIYPN

## SeqID 220

MNKRI FVEKKADFDIKSASLVKELTHNLQLTSLKDLRIVQVYDVFNLAEDLLARAEKHIFSEQVTDCLLTETETITAE  
 LDKVAFFAIEALPGQFDQRAASSQESLLLLGSDSQVKVNTAQLYLVNKDIAEAELEAVKNYLLNPVDSRFKDITLPL  
 EEQAFSVSDKTIPSLDFETTKADDFAAAYKAEQGLAMEVDDLLFIQDYFKSIGRVPTETELKVLDTYWSHCRHTTF  
 ETELKNIDFSASKFQKQLQATYDKYIAMRDELGRSEKPTLMDMATIFGRYERANGRLDDMEVSEINACSVETIEVD  
 VDGVEKPEWLLMFKNETHNHPTETIEPFGGAATCIGGAIRDPLSGRSYVYQAMRISGAGDITTPIAETRAGKLPQQVIS  
 KTAAHGYSSYGNQIGLATTVREYFHPGFVAKRMELGAVVGAAPKENVVREKPEAGDVILLGGKTGRDGVGGATGS  
 SCTVQTESVETAGAEVQKGNALIEERKIQRLEFRNGNVTRLIKKSNDFGAGGVCVAIGELADGLEIDLKVPKYQGLN  
 GTELAISESQERMSVVVRPSDVTFFIAACNKENIDAVVVATITAKPNLVMWTDGETIVDLERRFLDTNGVRVVVDAK  
 VVDKDLTVPEVRTTSAETLEADTLKVLSDLNHASQKGLQTFDSSVGRSTVNHPIGGRYQITPTESSVQKLPVQHG  
 TTTASVMAQGYNPYLAWSYPHGAAYAVIEATARLVATGADWSRARFSYQYEFERMDKQAEFRGQPVSAALLGSIEAQ  
 IQLGLPSIGGKDSMSGTFEELTVPTLVAFGVTTADSRKVLSPFEKAAAGENIYYIPGQAISEDIDFDLIKANFSQFE  
 TIQAQHKITAASAVKYGGVLESALMTFGNRI GASVEIAELDSSSLTAQLGGFVFTSABEELADSVKIGQTAQAFLLTV  
 NGNDLAGASLLSVFEGKLEEVYPTFEQADALEEVPVAVSDTVIKAKETIEKPVVYIPVFPGTNSEYDSAKAFEQVQ  
 ASVNLFVAVFTLNEAAIADSDVTMVANIAKANI IFPAGGFSAADEPDGSAKFIVNILLNKKVRAIDS FIEKGGLIIG  
 ICNGFQALVKSGLLPYGNFEEAGETSPTLFYNDANQHVAKMVETRIANTNSPWLVGVEVGDIIHAI PVSHGEGKFVVS  
 ASEFAELRDNGQIWSQYVDFDQGPSMDSKYNPNPNSVNAIEGITSKNGQIIGKMGHSERWEDGLFQNI PGNKDQALFA  
 SAVKYFTGK

## SeqID 221

MKMNKKVLLTSTMAASLLSVASVQAQETD TTWTARTVSEVKADLVKQDNKSSYTVKYGDTLSVISEAMSIDMNVLAK  
 INNIADINLIYPETTLTVTYDQKSHTATSMKIE TPATNAAGOTTATVDLKTNOVSADQKVSINTISEGMTPEAATT  
 IVSPMKTYSSAPALKSKEVLAQEQAQVSQAAANEQVSPAPVKSITSEVPAAKEEVKPTQTSVSQSTTVSPASVAAETP  
 APVAKVAPVRTVAAPRVASVKVVT PKVETGASPEHVSAPAVPVTTTSPATDSKLQATEVKSVPVAQKAPTATPVAQP  
 ASTTNAVAAHPENAGLQPHVAAAYKEKVASTYGVNEFSTYRAGDPGDHGKGLAVDFIVGTNQALGNKVAQYSTQNMAA  
 NNISYVIWQQKFYSNTNSIYGPA NTWNAMPDRGGVTANHYDHVHVSFNK

## SeqID 222

MLKHFGSKVRNLRVTRNITREDFCGDETELSVRQLARIESGQSIPNLTKAHYIAKQLNVKLDILTGGESLELPKRYK  
 ELKYKLLRTPTYGDANRLAVREAYFDBIYEVFYELPDERLIIDCMQSKLDVHFSVNDNFGITILHDYFDQIKKKK  
 EYTTNDFVMIDLILLCFSINYGMKSLYSLENYHFIMSKLLEQDNLDPEDNFQLNNVLLNHVELAFQFKQKKYVQQII  
 HRSNAIMTEIHDFQKRPILSLIEWKYLLIIEKDRTKAETCFKQSILFAELIGDLYLKGLKLIBEWNKDLT

## SeqID 223

MTEKTKAVETTDVALAIDTLVQNGLKALDEMRLNQEQVDYIVAKASVAALDAHGELALHAVEETGRGVFEDKATKN  
 LFACEHVNNMRHTKTGVIEEDDVTGLTLIAEPVGVVCGITPTTNPTSTAI FKSLSLKTNRNPIIFAFHPSAQESS  
 AHAARIVRDAIAAGAPENCQWIEQPSIDATNALMNHGDIATILATGGNAMVKAAYSCGKPALGVGAGNVPAYVEK  
 SANIRQAAHDIVMSKSF DNGMVCASEQAVIIDKBIYKEFVEEFKSYHTYFVNKKEKALLEEFCFGAKANSKN CAGAK  
 LNPNI VGSASVWLAEQAGFTVPEGTNILAAECTEVSEKEPLTREKLSPVIAVLKAESTEDGVEKARQMVEFNGLGHS  
 AAHTKADADLAREFGTRIRAIRVIWNSPSTFGGIGDVYNAFLPSLTLCGSGSYGRNSVGDNVSAINLLNKKVGRRRN  
 NMQWFKVP SKTYFERDSIQYLQKCRDVERVMI VTDHAMVELGFLDRIIEQLDLRRNKVVYQIFAEVEPDPTITVMK  
 GTDLMRFTFKPDTIIALGGGSPMDAAKVMWLFYEQPEVDFHDLVQKFMDIRKRAFKEPELGKKT KFAIPTTSGTGESE  
 VTPFAVISDKANNRKYPIADYSLTPTVAIVDPALVMTVPGFLAADTGMDVLTHATEAYVSQMANDYTDGLALQAIKI  
 VFDYILERSVKDADFEAREKMHNASTMAGMAFANAFLGISHSMAHKIGAQFHTVHGRNTAILLPYVIRYNGTRPAKTA  
 TWPKNYNYRADEKYQDIKALLGLPAATPEEAVESYAKAVYDLGTRLGIKMNFRDQGI DEKEWKEKSRELAFLAYEDQ  
 CSPANPRLPMVDHMQEIIEDAYYGYEERPGRRK

## SeqID 224

VGIVKYKPTTNGRRNMSTSLDFAEITTTNTPKESLLVSLKNKAGRNNNGRITVRHQGGGHKRHYRLIDFKRNKDGVBAV  
 VKTIEYDPNRTANIALVHYTDGVKAYILAPKGLEVGORIISGPEADIKVGNALPLANIPVGTVIHNI ELQPGKGAEL

IRAAGASAOVLGOEGKYVLVRLQSGEVRMILGTCRATIGTVGNEQOSLVNIGKAGNRNRWKGVRPTVRGSMNPNDRF  
HGGGEGKAPVGRKAPSTPWGKPALGLKTRNKKAKSDKILVRRRNQK

## SeqID 225

MIEFEKPIITKIDENKDYGRFVIEPLERGYGTTLGNSLRRLVLLSSLPAAVTSIKIDGVLHEFDTIPGVREDVMQII  
LNVKGLAVKSYVEDEKIIELDVEGPAEITAGDILTDSDIEIVNPDHYLEFTIAEGHSLKATMTVAKNRGYVPAEGNKK  
DDAPVGTFLAVDSIYTPVKVNYQVEPARVGSNDGFDKLTIEIMTNGTIIIPEDALGLSARVLIHNLFTDLTEVAKA  
TEVMKETEKVNDEKVLDRITIEELDLSVRSYNCLKRAGINTVFDLTEKTEPEMMKVRNLGRKSLEEVKIKLADLGLGL  
KNDK

## SeqID 226

MKIRLSKFIKMIVVILFLISVAASFYFFHVAQVRDDKSFISNGQRKPGNSLYAYDKSFDKLLKQKIEMTNQNIKQV  
AWYVPAACKTHKTAVVVHGFANSKENMKAYGWL FHKLGYNVLMPDNIAHGESHGQLIGYGWNDRENIKWTEMIVDK  
NPSSQITLFGVSMGGATVMMASGEKLPSQVVNI IEDCGYSSVWDELKFOAKEMYGLPAFPLLYEVSTISKIRAGFSY  
QQASSVEQLKKNLPAFLIHGDKDNFVPTSMVYDNYKATAGKKELYIVKGAKHAKSFETEPEKYEKRISSEFLKKYEK

## SeqID 227

MSKVRGFELVSQFSNKELLPKRETAHAAGYDLKVAKKTVEPGEITLVPTGIKAHMQPGEVLYLYDRSSNPRKKGIV  
LINSVGVIDGDYNNQVNEGHIFAQMONTIDQAVILEEGERIVQAVFAPFLLADDDQATGMRTGGFGSTGK

## SeqID 228

MKFGKLLGFLALLMSIVLILGACGKTGLGNSTGNSTKNVTKKSANLKLGVSI STNNPYFVAMKDGIDKYASNKKI  
SIKVADAQDDAARQADDVQNFISQNVDAILINPVD SKAIVTAIKSANNANIPVILMDRGSEGGKVLTTVASDNVAAG  
KMAADYAVKKLGKAKAFELSGVPGASATVDRGKGFHSVAKSKLDILSSQSANFDRAKALNTTQNMIOGHKDVQIIF  
AQONDEMALGAAQAVKSAGLQNVLIIVGIDGQPDADHAIDKKGDISATIAQQPAKMGETAIQAAIDHYKGGKVEKETISP  
IYLVTKDNVEKYNW

## SeqID 229

MGKEKLILAYSGGLDTSVAIAWLKKDYDVIAVCMVDGEGKDLDFIHDKALTIGAESYILDVKDEF AEHFVLPALQA  
HAMYEQKYPLVSALSRPIIAQKLIVEMAHQTGATTIAHGCTGKGNDQVRFEVAIAALDPELKVIAPVREWKWHREEBT  
TFKANGVPIPADLDNPYSIDQNLWGRANECGVLENPNWQAPEEAFGITKSPEEAPDCAEYIDITTFONGKPIAINNQ  
EMTLADLILSLNEIAGKHGIGRIDHVENRLVGIKSREIYECPAAMVLLAAHKEIEDTLVREVSHPKPILENELSNL  
IYNALWFSPATKAILAYVKETQKVNGTTKVKLYKGSAKVVARHSSNSLYDENLATYTAADNFDQDAAVGFIKLWGL  
PTQVNAQVNKG

## SeqID 230

MAKVCYFTGRKTVSGNNRSHAMNQTKRTVKPNLQKVTVLIDGKPKKVWVSARALKSGKVERV

## SeqID 231

MAKQKNWRRVGVGLTLASVATLAACGSKSASQDSNGAINWAIPTTEINTLDLSKVTDITYSNLAIGNSSSNFLRLDK  
DGKTRPDLATKVDVSKDGLTYTATLRKGLKWSGSKLTAKDFVYSWQRLVDPKTASQYAYLAVEGHVLNADKINEGO  
EKDLNKLGVKAEGDDKVITLSSPSPQFIYYLAFTNFMPQKQEVVEKYGKDYATT SKNTVYSGPYTVEGWNGSNGTF  
TLKKNKNYWDANKVKTKEVRIQTVKKPD TAVQMYKRGELDAANISNTSAIYQANKNNKDVTDLVLEATTAYMQYNTTG  
SVKGLDNVKIRRALNLATNRKGVVQAAVD TGSKPAIAFAPTGLAKTPDGTDLAKYVAPGYEYNKTEAAKLFKEGLAE  
SGLTKLKLTTADADVPAAKNSVDYIKSTWEAALPGLTVEEKFTVTFKQRLSDSRKQNFIDIVSVWGGDYPEGSTFYG  
LFKSDSQNNNDGKFANKDYDAAYNKALSEDALKPEESAKDYKEAEKILFEQAGAYNPLYFRSGKGLQNPCLKGVIRNTT  
GLSIDFTHAYKK

## SeqID 232

MELLKTPIFGICFSLIYLTIGQHLFKKSKGFFLLQPLFFAMVSGIVILWLMSKGLGTDVKTFTYTQAYKPGGDLIFWF  
LNPATIAFAVPLYKKNDVVKKYWEILSSLVIGMIVSLMLIVAISKMVGLSQVGIASMLPQAATTAIALPITAAIGG  
NTAVTAMACILNAVIYIALGKKLVSFHNLNDSKIGAGLGLTSGHTVGAFALELGELQGAMAAIAVVVIGLVVDLV  
IPIFSLHIGLL

## SeqID 233

VTKYLYISFVALFLASIFLVACQNQNSQTKERTKQRPKDELVVSMGAKLPHEFDPKDRYGIHNEGNIHSTLLKR  
SPELDIKGELAKKYKISKDGLTWSFDLNDDFKFSNGEPVTADDVKFTYDMLKADGKAWDLTFIKNVEVVGKNQVNIH  
LTEAHSTFTAQLTEIPIVPKKHYNDKYKSNPIGSGPYMVKEYKAGEQAIFVRNPYWHGKKPYFKKWTWVLLDENTAL  
AALESGDVMYIATPELASKKVKGTRLLDIASNDVRGLSLPYVKKGVVKNSPDGYVPGNDVTS DPAIRKALTIGLNR  
QKVLDTVLNGYGKPAYSIIDRTPFWNPKTAIKDNKVAKAKQLLTAGWKEQADGSRKKGNLKA EFDLYPTNDQLRA  
NLAVEVAEQAKALGITIKLKASNWDEMATKSHDSALLYAGGRHHAQQFYESHYPSLAGKGWNTNITFYNNPTVTKYLD  
KAMTSPDLDKANKYWKLAQWDGKTGASTLGDLPNVWLVS LNHTYIGDKRINVKGQGVHSHGHDWSLLTNIAEWTWDE  
SAK

## SeqID 234

MGQEPIIEYQNIKNVYGENVAVEDINLKIYPGDFVCFIGTSGSGKTTLMRMVNHMLKPTNGTLLFKGKDISTLNPLS  
 LRRRIGYVQNIIGLPHMTIYENIVLVPKLLKWSSEAKRAKARELIKLVLPPEYLD RYPSSELGGQQQRIGVIRAL  
 AADQDIILMDEPFALDPITREGIQDLVKSLOEEMGKTIILVTHDMDEALKLATKIIVMDNGKVMQEGTTPNDLLHHP  
 ATSFVEQMI GEERLLHAQADITPVKQIMLNNPVSITAECTLTAEITLMRQKRVDSSLVTDNGKLIGFIDLESLSKY  
 KKDRLVSDILKHTDFYVMEDDLRLNTAERILKRGLKYAPVVDHNNLKGIVTRASLVDMLYDIIWGDTETEDQ

## SeqID 235

MKIDKKEFLALIASIILLIFASVTFFLPKDHGTTQMDTVESSVNHVSDSQLTEAQDMLDKFEKKPSEKLLKDVELAL  
 NKLSSSSKKEALQKRFRKAKDKYLKDEADKKATKDATDLVEILEQAPSEENVLKAEAAVNKLTVKESKEALQKRIDT  
 VKTQYGLIGNQTPSSSVAETTEQGTANPASQDTSSYVNQNVAPTYEQPTNNTPVTPGVNNTVPTPGTGTAPATNGT  
 GVAQ

## SeqID 236

MTKDLLLELGLLELPAYVVTVPSEKQLGQKMKVFLLEDHRLSFETVQTFSTPRRLAVRVKGLADQQTDLTEDFKGPSKK  
 IALDAEGNFSKAAQGFVRGKGLSVDDIEFREVKGEEYVYVTKHETGKSAIDVLASVTEVLTELTFFVNMHWANNSFE  
 YIRPVHTLVVLLDDQALELDFLDIHSGRISRGHRFLGSDTEILSASSYEDDLRQOFVIADAKEROQMIVDQIHAIIE  
 KENISVEIDEDLLNEVLNLVRYPTAFLGSFDEKYLDPVEEVLVTSMKNHQRYFVVRDRDGKLLPNFISVRNGNAEHI  
 ENVIKGNKVLVARLEDGEFFWQEDQKLNIALDLVEKLLQVTFHEKIGSLYEHMDRVKVISQYLAEKADLSDEEKLA  
 LRAASIYKFDLLTGMVDEDFDELQGMGEKYALLAGEQPAVAAAIREHYMPTSDAGELPETRVGAILALADKFDTLSS  
 FFSVGLIPSGSNDPYALRRATQGIVRILEAFGWDIPLDELVTNLYGLSFASLDYANQKEVMAFISARIEKMIGSKVP  
 KDIREAVLESPTYIVSLILEASQALVQKSKDAQYKVSIESLSRAFNLAEKVTHSVSVSDYSLFENNQEALYQAILSL  
 ELTEDMHDNLDKLFALSPINDFFDNTMVMTDDEKMKQNRLLALLNSLVAKARTVAAFNLLNTK

## SeqID 237

MTFDTIDQLAVNTVTRLSDIAIQAANS GHPLGMPGAAPMAYVLWNKFLNVNPKTSRNWNTNRDRFVLSAGHGSALLY  
 LLHLAGYDLSIDDLKQFRQWGSKTPGHPEVNHTDGVETATGPLGQGIANAVGMAMAEHLAAKFNKPGLVDHYTY  
 TLHGDCGLMEGVSQEAASLAGHLKGLVLLYDSNDISLDGPTSQSFTEDVKGRFESYQWQHILVKDGNLDLEAIAAA  
 IEAAKAETDKPTIIEVKTIIGFGAEKQGTSSVHGAPLGAEGITFAKKAYGWEPDFTVPAEVVARFASDLQARGAKA  
 EEAWNDLFAKYFVEYPELAAYKEAFAGQAEVELKAHDLGSSVASRVSSQQAIIQQLSTQLPNLWGSADLSASNNT  
 MVAETDFQASNYAGRNIWFGVREFAMAAAMNGIALHGGTRVYGGTFFVFSNYLLPAVRMAALQNLPTVYVMTHDSI  
 AVGEDGPTHEPIEQLASVRSMPNLNIRPADGNETMAAWQRAVSETDRPTMLVLTRQNLVPLEGTSELAQEGVNKGA  
 YILSEAKGELDGIITATGSEVKLALDTQDKLESEGIHVRVVSMPAQNI FDEQEASQEQVLPASVTKRLAIEAGSSS  
 GWGKYVGLNGLTLTIDTWGASAPGNRI FEEYGFTVENAVSLYKEL

## SeqID 238

MTLQDQIIKELGVKPVINPSQBIRRSVEFLKDYLLKHSFLKTYVLGISGGQDSTLAGRLAQLAVEELRADTGENYQF  
 LAIRLPYGIQADEEDAQKALDFIKPDIALTINIKAVDGQVRALNAAGVEITDFNKGNIKARQRMISQYAVAGQYAG  
 AVIGTDHAAENITGFFTFKFGDGGADLLPLFRLNKSQKQLLAELGADKALYEKIPTADLEENKPGIADLALGVTYQ  
 EIDAYLEGKVVSDKSRGIIENWWYKGQHKRHLPTITFDDFWK

## SeqID 239

IKKESVIKLLKYAFGIIMGFIIILAIVIGGLLFAYYVSRSPKLTQALKSVNSSLVYDGNKLIADLGSEKRESVSAD  
 SIPLNLVNATSIEDKRFFKHRGVDIYRILGAAWNHLVSSNTQGGSTLDQOLIKLAYFSTNKSQTLKRKSQEVWLA  
 LQMERKYTKKEIILTFYINKVYMGNNGNYGMRITAKSYFGKOLKELSLAQLALLAGIPQAPTQYDPYKNPESAQTRNT  
 VLQOMYQDKNISKEYDQAVATPVTGDLKELKQKSTYPKYMDNYLKQVISEVKQKTGKDI FTAGLKVYTNINTDAQK  
 QLYDIYNSDTYIAYPNNELQIASTIMDATNGKVIAQLGGRHQENENISFGTNQSVLTDRDWGSTMKPISAYAPAI  
 DSGVNSTGQSLNDSVYWPSTSTQLYDWRQYMGWMSMQTAIQQSRNVPAVRALAEAGLDEAKSFLEKLGIIYYPENYS  
 NAISSNNSSSDAKYGASSEKMAAAYSFAFANGGTYKPYVKNKIEFSDGTNDTYAASGSRAMKETTA YMMTMDMLKT  
 VLTFTGTGKAAIPGVAQAGKTGTSNYTEDELAKIEATTGIYNSAVGTMAPDENFVGYTSKYTMAIWTGYKNRLTPLYGS  
 QLDIATEVYRAMMSYLTGGYSADWTMPEGLYRSGSYLYINGTTTTGTYSYSSVYKNIYQNSGQSSQSSSSSTSEKQKE  
 DKNTANDANSSSPQVETPNNGNATTPNNSNQTPGTGHGNGNGNNNTVPNGN

## SeqID 240

MLDLKRIRTD FVVAKKLATRGVDQETLTTLKELDIKRRELLIKAEEAKAQRNVASAAIAQAKRNKENADEQIAAMQ  
 TLSADIKAIDAELADVDANLQSMVTVLPNTPADDDVPLGADEDENVEVRRWGTREFDFETKAHWDLGESLGILDWER  
 GAKVTGSRFLFYKGLGARLERAIYSFMLDEHAKEGYTEVIPPYMVNHDMSMFGTGQYPKFKEDTFELADSPFVLIPTA  
 EVPLTNYRDEIIDGKELPIYFTAMSPSFRSEAGSAGRDTRGLIRLHQFHKVEMVKFAKPEESYQELEKMTANAENI  
 LQKLNLPYRVITLCTGDMGFSAAKTYDLEWVIPAQNTYREISSCNTEDFQARRAQIRYRDEVDGKVRLLHTLNGSG  
 LAVGRTVAAILENYQNEGDSVTIPEVLRPYMGNIDIIPN

## SeqID 241

VTISNQELTTLPLRGKSGKAYIGTYPNGERVVVKYNTTPILPALAKEQIAPQLLWARRTSNGDMMSAQEWLDGRTLT  
 KEDMGSKQIIHILLRLHKSRLPLVNQLLQGLYKIENPYDLLMDWEKQTPIQIRENTYLSIVTELKRLSPEFRTEVAT  
 IVHGDIKHSNWWITTSGLIYLVWDVSRVLTDRMYDVAYILSHYIPQKHWDWLSYGYKDNKRVWSKI IWYGFQFSYL  
 SQIICKFDRDMEHVNQETIYELRKFRELKHNAS

## SeqID 242

MKISQYNKWSIRRLKVGAASVMIASGSIVALGQSHIVSADEMSQPKTTITAPTANTSTNVESSTDKALSKVTTMETS  
SEMPKMQNMAKVBKTSKPMVATSVRKMMATPTPVAMTKTTSVDEVKSTDTAFKQTVDPVPAHYVNAAGNGPFLA  
GVNQTIPYEAFFGGDGMLTRILILKSSEGAWSNDNGVDKNSPLLPLKGLTKGKYFYQVSLNGNTTGKEGQALLDQIKAN  
DKHSYQATIRVYGAKDGKVDLKNMISQKMTVINIPHITTDMEVKNLSLMAFKEKVDVPAKYVSAAKAKGPFFLAGVNE  
TIPYEAFFGGDGMLTRILILKASEGAWSNDNGVDKNSPLLPLKDLTKGKYFYQVSLNGNTAGKKGQALLDQIKANGSHT  
YQATITTIYGTGDKGKVDNMTILGQKTVMIHINVAKDMNSTSMKKDKMTMPMKKEMTSSKINTGMMMSNNKMSANM  
QMSSQAKSNDKAGKMSMMSKNLPNTGETKQQNVGVLGMLSALAFATGLTALGLKSKQR

## SeqID 243

MTHITFDYSKVLGQFVGEHELDYLPQVSAADAFLRQGTGPGSDFLGWMDLPENYDKBEFSRIQKAAEKIKSDSEVL  
VVIGIGGSYLGAKAAIDFLNNHFANLQTAEERKAPQILYAGNSISSTYLADLVEYVQDKEFSVNVISKSGTTTEPAI  
AFRVFKELLVKKYGQEEANKRIYATTDKVGAVKVEADANNWETFVVPDNGGRFVLTAVGLLPAAASGADITALM  
EGANAARKDLSSDKISENIAYQYAAVRNVLYRKGYITRILANYEPSLQYFGEWWKQLAGESEGDQKGIYPTSANFS  
TDLHSLGQFIQEGYRNLFFETVVRVEKPRKNVTIPELTEDLDGLGYLQGDVDFVNKKATDGVLLAHTDGGVFNMFVT  
LPTQDAYTLGYTIYFFELAIGLSGYLNSVNPFDQPGVEAYKRNMFALLGKPGFEELSALNARL

## SeqID 244

MKEKQTAGRRQLEEFAPFARYNDDILFGEVWAKEDHLTDKTRSIITISALISGGNLEQLEHHLQFAKQNGVTKEEI  
ADIITHLAFYVGPWPKAWSAFNKAKEIWI

## SeqID 245

AWRALEDAQKSGKVKSIGVSNFLEKDLNENILKNHVKPAVNQILAHIGNTPFDLIDYCSKGIQVEAYSPIAHGQAL  
KSDGIQKMAEKYGVSVQALCIQYLLQLNLIVLPKASSKEHLQSNLDFDVFISDEDMSILKSLMFDDYGEFSNFPVFS  
EK

## SeqID 246

MFRRSKNNSYDTSQTKQRFSIKKFKFGAASVLIGLSFLGGVTQGNLNI FEESIVAASTIPGSAATLNTSITKNIQNG  
NAYIDLVDVKNGLIDPQNLIVLNPSSYSANYI KQGAKYSNPSEITTTGSATITFNILDETGNPHKKADGQIDIVS  
VNLTIYDSTALNRNIDEVINNANDPKWSDGSRDEVLTGLEKIKKIDNNPKTQIDIDNKINEVNEIEKLLVVSPLDK  
IKYSPEAKHRTVEQHAELDAKDSIANTDELPSNSTYNWKNHGPDTSTSGEKDGIVEVHYPDGTVDVNVKVTVTSTK  
KTDNTAPTTLTVTPEQQTQVKVDEEDITFTVTAEDENEVELGLDDLKAKYENDIIGARVKIKYLTKEPNKKVMEVTIMKA  
TLADKGAITFTAKDKAGNQAEPKTVTINVLPDDKIKYSPEAKHRTVEQHAELDAKDSIANTDELPSNSTYNWKNHGHK  
PDTSTSGEKDGIVEVHYPDGTVDVNVKVTVTSTKTDNTAPTTLTVTPEQQTQVKVDEEDITFTVTAEDENEVELGLDDL  
KAKYENDIIGARVKIKYLTKEPNKKVMEVTIMKATLADKGAITFTAKDKAGNQAEPKTVTINVLPDDKIKYSPEAKH  
RTVEQHAELDAKDSIANTDELPSNSTYNWKNHGPDTSTPGEKNAVVVVTPDKSTDEVVPVKVTVVDPRRTDAEKNDP  
AGKDQTVKVGEPDPTKSLEAVPAGSTVAYKEPVDTKTPGEKNAVVVVTPDKSTDEVVPVKVTVVDPRRTDAEKNDPA  
GKDQTVKVGEPDPTKSLEAVPAGSTVAYKEPVDTKTPGEKNAVVVVTPDKSTDEVVPVKVTVVDPRRTDAEKNDPAG  
KDQTVKVGEPDPTKSLEAVPAGSTVAYKEPVDTKTPGEKNAVVVVTPDKSTDEVVPVKVTVVDPRRTDAEKNDPAG  
DQTVKVGEPDPTKSLEAVPAGSTVAYKEPVDTKTPGEKNAVVVVTPDKSTDEVVPVKVTVVDPRRTDAEKNDPAGGE  
TTVPQGTPI SDEBITGLVKIPEGSSNGVPKVVGDPRNTDVPDGYKVTVEVTPDGTQDVAVTVHVTPKPVDPDKDYD  
PTGKSQQVNGKGNLIPATGESATPFFNVAALTISSVGLLSVSKKED

## SeqID 247

MQILEDYDGRALPKLETDRLLRQRTVGDVPAMFDYVCLLEVAYPAGLSPIASLEDEYDYFENRYQONLEKAKLPSPG  
YGITVKGSDRIIGSCAFNHRREDVFEIGYLLHPDYWGHGYMTEAVAALIEVGFTLLNLHKEIRCYDYNKQSQRVA  
EKLGFTEATIRDRKDNQGNRCVNLIIYGLLRSEWE

## SeqID 248

MSKELSPKYNPAEVEEGRYQTWLDQDVFKPSGDTEAKPYSIVIPPPNVTGKLHLGHAWDTTLQDIIIRQKRMQGFDT  
LWLPGMDHAGIATQAKVEERLREQGISRYDLGREKFLDKVWEWKDEYAATIKSQWGMGLSVDYSRERFTLDEGLSK  
AVRKVFVDLYNKGWIYRGEFIINWDPAARTALSDIEVIHKDVEGAFYHMNYMLEDGSRALAVATTRPETMFGDVAVA  
VNPEPRYKDLIGQNVILPIINKPIPIADEHADPEFGTGVVKITPAHDPNDFAVGQRHNLQVNVNNDGTMNELA  
DEFNGMDRFEARKAVAKLESIGNLVKIEKMTHSVGHSERTGVVVEPRLSTQWFKMDQLAKNAIANQDTEDKVEFY  
PPRFNDTFMSWMENVHDWVISRQLWWGHQIPAWYNVNGEMIVGEDAPEGDGWTQDEDVLDTWFFSSALWPFSTMGWPD  
TEAADFKRYFPTSTLVTGYDIIFFWVSRMIFQSLEFTGRQPFNSVLHGLIRDEEGRKMSKSLGNGIDPMDVIEKYG  
ADALRWFLSNGSAPGQDVRFSYKMDASWNFINKIWNISRYILMNEGLTLDQARENVEKVVNSQVGNVTRWILHN  
LNETVGKVTESFDKFEFGVAGHILYNFIWEEFANWYVELTKEVLYSDNEDEKVVTRSVLLYTLDDQILRLHPIMPV  
TEEIFGQYAEGSIVLASYPQVNATFENQTAHKGVESLKDILRSVRNSRAEVNVAPSKPITILVKTSDESELESFFKDN  
SNYIKRFTNPETLEISSAITAPELAMTSIITGAEIFPLADLLNVEEELARLEKELAKWQKELNMVGGKLSNERFVA  
NAKPEVVQKEKDKQTDYQTKYDATIARIEEMKLLND

## SeqID 249

MVEPIISIQGLHKSPGKNEVLKIDLDIHQGEVVVIIGPSGSGKSTFLRTMNLLEVPTKGTVTPEGIDITDKKNDIF  
KMREKMGVMVFQFNLFPNMTVLENTLSPIKTKGLSKLDAQTKAYELLEKVGLKEKANAYPASLSGGQQORIAIARG  
LAMNPDVLLFDEPTSAIDPEMVGELTVMQDLAKSGMTMIVITHEMGFAREVAORVI FMDAGIIVEQGTPEVFEQT  
KEIRTRDFLSKVL

## SeqID 250

MNYKEIYQEWLENDLSLGDIKSDLEAIKGDSESIQDRFYKTLFEGTAGLRGKLGAGTNRMNTYMGVKAQAALANTII  
DHGPEALARGIAVSVDVRYQSKFAELTCSIMAANGIKSYIYKGIPTPMCSYAIRALGCVSGVMVTASHNPQAYNG  
YKAYWKEGSQILDDIADQIANHMDAITDYQQIRQIPFEEALASGLASYIDESIEEAYKKEVLGLTINDTNIDKSVRV  
VYTPPLNGVGNLPVRFVLRRRGFENVYVVEQEMPDDEFTTVGYPNPEVPKAFAYSESLGKSVADILLATDPDCDRV  
ALEVKDSKGEYIFLNGNKIGALLSYIIFSQRCALGNLPHHPVLVKSIVTGDLSKVIADKYNIEVETLTGFKNICGK  
ANEYDISKDKTYLFGYEEISIGFCYGTFRDKDAVSASMMVEMTAYYKERGQTLDDVLQTIYDEFGYNERQFSLEL  
EGAEGQERISIRIMEDFRQDPILQVGEMRLENSIDFKDGYKDFPKQNCCLKYYFNEGSWYALRPSGTEPKIKCYLYTTIG  
CTEADSLSKLNAIESACRAKMNSTK

## SeqID 251

MYREITAVEHDFVSESNQTNLLQSSNWPVKVDNWGSQLLGFFDGETQIASASILIKSLPLGFSMLYIPRGPIMDYS  
NLDIVTKVLKDLKAFGKKQALFIKCDPLIYLMVNAKDFENSPEKEGLIAIDHLQAGADWTGRTTDLAHTIQPR  
FOANLYANQFGLDKMSKKTQAIARTSKNKGVDIQFGSHELLEDFAELMKKTEDRKGINLRGIDYYQKLLDTPNNNSY  
ITMASLDVAKRLEKIEKECQIAQSERIKSLBLNREKKVKQHQGTIDRLNKEIDFLKEAQKAYDRDIIPLAATITLLEF  
GNTSENIYAGMDDYFKSYSAPIYTWFFETAQRAFERGNIWQNMGGIENDLSGGLYHFKSKFEPIIEEFIGEFNIPVNR  
LLYKASNYVYALRKKRNS

## SeqID 252

MACTTILVGKKASYDGSMTIARTEDSVNGDFTPKKLKVMTSKDQPRHYKSVLSNFEVDLPDNLPTYSVPDALGKDG  
IWGEAGINSKNVAMSATETITNSRVLGADPLVSDGIGEEEDILTLVLPYIQSAREGVERLGAILKEYGTYESNGIAF  
SDTEEIWWLETIGGHHWLARRVPDDVYVTNPNQLGIDHFEFNCCDDYMCSSDLKEFIEQYHLDLTYSNEHFNPRYAF  
GSQRDKDRHYNTPRSWAMQRFNLPEIEQDPRSLFIPWCQKPYRKITVEDIKYVLSHDYQDSVYDPYGPPEGDAVSRRRA  
FRSVGINRTSQTSLQLRPNKSLETTGVQWLSYGSMPFATMVPLFTQVETVPNYFSNTTKDASTDNFYWTNRLIAAL  
ADPHFYQHEADIESYIERTMAQGHAHINGVDREVAENKEIDFQKQKQEMSDYIQKESQELLNRLIFDASNLMTNRFS  
MGD

## SeqID 253

MRKKFLLLSFVAMFAAWQLVQVKQVWADSKLKVVTTFYPVYEFTKNVVGDKADVSMLIKAGTEPHDFEPSTKNIAA  
IQDSNAFVYMDNMTWAPKVAKS VKSKVTTIKGTGDMLLTKGVEEEGEEHGHGHEGHHHELDPHVWLSPERAIS  
VVENIRNKFFVKAYPKDAASFKNADAYIAKLKELDKKEYKNGLSNAKQKSFTVQHAAFGYMALDYGLNQVPIAGLTDP  
AEPSSKRLGELAKYIKKYNNINYIFEENASNKVAKTLADEVGVKTAVLSPLEGLSKKEMAAGEDYFSVMRRNLKVLK  
KTDDVAGKEVAPEEDKTKTVETGYFKTKDVKDRKLTDSGNWQSVYPLLQDGTLDPVWDYKAKSKDMTAAEYKKYY  
TAGYKTDVESIKIDGKKHQMTFVRNGKSQTFYKYAGYKILTYKKNRGVRYLFEAKEKDAGQFYIQFSDHGKIPN  
KAEHFHIFWGSSESQEKLFEEEMENWPTYFPAKMSGREVAQDLMSH

## SeqID 254

MKLSKLLFSAAVLTMVAGSTVEPVAQFATGMSIVRAAEVSOERPAKTTVNIYKQLQADSYKSEITSNGGIENKDG  
ISNYAKLGDNVKGLQGVQFKRYKVKTDISVDELKLLTVEAADAQVGTILEEGVSLPQKTNAQGLVVDALDSKSNVR  
YLYVEDLKNSPSNITKAYAVPFVLELPVANSTGTGFLSEINIYKPNVVTDEPKTDKDVKKLGQDDAGYTIIEEFKWF  
LKSTIPANLGDYEFITDKFADGLTYKSVGKIKIGSKTLNRDEHYTIDEPTVDNQNTLKITFKPEKFKEIAELLKG  
MTLVKNQDALDKATANTDDAAFLEIPVASTINEKAVLGKAIENTFELQYDHTPDKADNPKPSNPPRKPEVHTGGKRF  
VKKDSSTETQTLGGARFDLLASDGTAVKWTDALIKANTKNYIAGEAVTGQPIKLSHTDGTFEIKGLAYAVDANAEG  
TAVTYKLKETKAPEGYVIPDKEIEFTVSQTSYNTKPTDITVDSADATPDTIKNNKRPSIPNTGGIGTAIFVAIGA  
MAFAVKGMKRRTKDN

## SeqID 255

MKKRQKIWRGLSVTLLILSQIPFGILVQGETQDTNQALGKVIVKKTGDNATPLGKATFVLKNDNDKSETSHETVEGS  
GEATFENIKPGDYTLREETAPIGYKTKDTWKVKVADNGATIIEGMDADKAERKEVLNAQYPKSAIYEDTKENYPL  
VNVGSKVGEQYKALNPINGKDGREIAEGWLSKKITGVNDLKDKNYKIELTVGKTTVETKELNQPLDVVLLDNS  
NSMNNERANNQRALKAGEAVEKLIDKITSNKDNVALVYASTIFDGTETATVSKGVADQNGKALNDSVSWDYHKT  
FTATTHNYSYLNLTNDANEVNILKSRIPEKAEHNGDRTLYQFGATFTQKALMKANEILETQSSNARKKLI FHVTDG  
VPTMSYAINFNPISTSYQNQFNSFLNKIPDRSGILQEDFIINGDDYQIVKGDGESFKLFSDRKVPVTGGTTQAA  
VPQNQLSVMSNEGAYAINSGYIYLYWRDYNWVYFPDPKTKKVSATKQIKTHGEPTTLYFNGNIRPKGYDIFTVGIGVN  
GDPGATPLEAEKFMQSISSTENYTNVDDTNKIYDELNKYFKTIVEEKHSIVDGNVTDPMGEMIEFQLKNGQSFTHD  
DYVLVGNDSQLKNGVALGGPNSDGGILKDVTVTYDKTSQTIKINHLNLGSGQKVVLTYDVRLKDNYSINKFYNTNN  
RTTILSPKSEKEPNTIRDFPIPKIRDVREFPVLTISNQKMGEEFEIKVKNKDKHSESLGAKFQLQIEKDFSGYKQFV  
PEGSDVTTKNDGKIYFKALQDGNLYEISSPDGYIEVTKPVVTTFTIQNGEVTNLKADPNANKNQIGYLEGNGKHL  
ITNTPKRPPGVFPKTTGGIGTIVYILVGSTFMILTICSFRRKQL



## SeqID 256

GAKKAGWTEYARMLLEVREQVDHVMIPKINQDLPIYAGPEEDNLQRGVGHLEGISLPIGGASTHAVLSGQRGMPAARL  
FADLDKMKKGDYFYVTNLKETLAYQVDRIMVIEPSQLDAVSIEEDKDYVTLTCTPYMGSLSTVMGDLSTLTRENQL  
GSLSFWMFKAMRILLKFLKLRKPKACRLMSLISLLVASNLALERDS

## SeqID 257

MSDVVEKQTAKSFIMNVNLGLALGTIVVLI PGAILGELMKALLPMWSGPATLIAATAVATSMMLVIGIMVGLNFKF  
NPIQSASLGLAVMFAGGAATFLKGAIMLKGTGDIINMGITAALGVLLIQFLSDKTKSFTLIVIPTVTLILLVGGVGHV  
LLPYVKMITTMIGQGIASLLGLQPVLMSILIAMIFCFLIVSPITTVGIALAISLSGIGSGAANLGCASFLGCMAG  
WSVNSKGTALAHVLGSPKISMANVLAKPKIMLPMISSAAILGILGALFNIQGT PASAGFGISGLIGIPINALNLAKGG  
WSVMNMLLIIFVAAPIILNFIFNYLFIKVLKIIDPMDYKLDI

## SeqID 258

MARPLVEQTADRLHLILEREYPVGAKL PNEYELAEDLDVGRSTIREAVRSLATRNILEVRQGSCTYIISKKGVSED  
PLGFSLIKDTDRLTSDLFELRLILLEPRIAELVAYRITDDQLQLEKLVGDIEDAVHAGDPKHLILLDVEFHSMMLAKYS  
GNIAMDSLLPVINQSIHLINANYTNRMKSDSLEAHREITKAIREKNPVAHADAMLHMSVRRSALKA

## SeqID 259

MIKKNKVFLGVLLVLVVLGGGVLFYQSQFQKTTNQALAIAYKDAKVAKKDVIHQIDKEFENFRGSYEIEFNTKSA  
EYSYHVDAKTGQILERDMDNNGFSKSTSQSSSSSSQSKSHISQEEAKKIAFKDANIEESEVSNLKIKEEIEENGKSVY  
DIDFVDLKNKNEVDYQIDAETGKIIERSRDMND

## SeqID 260

LNKKRYRLTVKKQNASIPRRNLNLLFFIIVLLFTVLILRLLEQMQIGQQSFYMKKLTALTSTYTVKESKARGQIFDARG  
VVLVENDERPTVAFSRGNMISSQSIKELANKLSHYITLTFEVASSDRAKRDYLLADKANYKKVVESLPDSKRYDKFGN  
HLAESTVYANAVAAVPVSAINYSEDELKVVALFNQMNATPTFGSVKLSTGELSDDQIKKLDADKKELLGISVTSNWH  
RRKKGTSLSDILGTISTEKAGLPREEVKYLLKKGYSLNDRVGTSYLEKQYEDDLQIRQIRKVVVNKKGVVSDNIT  
QEGKSGRNLKLTIDLNYQNKVESILKQYYGSELSSGRASFSEGMAYAVIEPSTGKVLAMAGLKNHGNLVDDSLGTI  
AKNFTPGSVVKGATLSSGWENKVLRGNEVLYDQEIANIRSWFTRGLTPISAAQALEYSSNTYMVQVALRLMGQDYNT  
GDALDRGYQEAMAKLRKTYGEYGLGVSTGLDLPESEGYVPGKYSLGTTLMESFGQYDAYTPMQLGQYISTIANNGN  
RLAPHVVSIDIYEGNDSNKAQOLVRSITPKTLNKIAISDOELAIIOEGFYNNVNSGSGYATGTSMRGNVTTISGKTGT  
AETFAKNVNGQTVSTYNLNAIAYDTNRKIAVAVMYPHVT'TD'TTKSHQLVARDMIDQYISQFTGQ

## SeqID 261

MTVFPHKFLWGGAVAANQVEGAFRTDGKGLSVQDVL PNGGLGDFTAKPTPDNLKLEAIDFYHNYKNDIKLFAEMGFK  
VFTSIASWRIFPNGDSDAPNEAGLQFYDNLFDLKYNIPLVTLSHYETPLHLAKTYNGWADRRLIAFFEKFAQT  
VMERYKDKVYWLTFNEVNSILHMPFTSGAIMTDKSQLSPQELYQAIHHELVASARVTKLGRSINPNFKIGCMILAM  
PAYPMTSDPRDVLAAQFEQHNLFSDIHVRGKYPTIYQSYFKNNGIKIKFEEGDEEVLAQNTVDFLSFSYMSVTQ  
AYDFENYQSGQGNILGGLTNPHLTTSEWGWQIDPIGLRLVLNQYRYRYQIPLFIVENGLGAKDQLIETLDGDYTVED  
DYRIDYMNQHLVQVAKAIEDGVEIMGYTSWGCIDCVSMSTAQLSKRYGLIYVDRNDDGTGSLQRYKKKSFGWYQKVI  
KTNGQSLFEHNR

## SeqID 262

MATFQIKEKMFSLGGKFTITDQTGLPCYHVEGSLFPLPKTFKVDEEGHLISQIEKKVLSFLPKFNVTLANGNHFTI  
KKDFSFLKPHYTTIEDLDMKVGKNFWDIDFQLLKNQVIANISQQWFRMTSTYQVEVYNETYNDLTISLVIAIDYVKE  
LEKNASN

## SeqID 263

MKKITTLILASSLLL VATTSVKADDNFEMPTRYVKMSEKSKAFYQRLQEKQKRAHTTVKTFNNSEIRHQLPLKQEK  
RNDIYNLGLISQESKGFQIRIDNAYSLENVSDIVNEAQALYKRYDLFEKIKSTRDKVQVLLASHQDNTDLKNFYA  
ELDDMYEHVYLNESRVEAINRNIQYN

## SeqID 264

MKLKFFEDLLAKLEYRPIQVFMRFQSAEMDLSAIAVAYLLVTAFFPLL VIAANIPFYFHINVSDDL SLMQKNLPK  
NIYEPASRLAVDAFSKPSTGILGFASLTAFWTMSKSLTSLQKAINKAYGVDQHRDFVISRLVGVGTGLIILFLTFFV  
LIFSTFSKPVLIIVNMYDLGDTLTAWLLNLAQPVFTLTI FLGIGILYFILPNARIRKVRVYIPGTLFSTFVIGFFS  
NLISQYVLNRVEKMVDIKTFGSVVIFILMLWFIFLAHIMILGAILNASVQEIATGKIERSRRGDIMSLIQKSKEEK

## SeqID 265

MKLLYTDINHDMEILVNQAAHAAEAGWRIFYIAPNSLSFEKERAVLENLPQEASFAITITRFAQLARYFTLNQPNQ  
KESLNDIGLAMIFYRALASFEDGQLKVFGRLKQDASFISQLVDLYKELQTANLSILDLKYLHSPEKFEDLLAIFLVV  
SDLLREGEYDNQSKIAFFTEQVRSGQLDVLKNTILIVDGFTFRPSAEEELIKSLSSRCQEIIGAYASQKAYKANF  
TNGNIYSAGVDFLRYLATTFTQKPEFILSKWESKSGFEMISKNI EGKHDFTNSSHILDDTAKDCITTIWECINQKDEV  
EHVARAIRQKLYQGYRYKDILVLLGDVDSYKLQLSKIFEQYDIPYFYGKAETMAAHPVHFMDLSLRIKRYFRAED  
VLNLFKGTGIYGEISQDDLDYFEAYISYADIKGPKKFFTD FVVGAKKFDLGRNTIROSL LAPLESFVKTKKQDGIKT

LNQFMFFLTQVGLSDNLSRLVQMSSENEQEKHQEVWKTFTDILEQFQTI FGQKLNLD EFLSLNLSGMMQAEYRMVP  
 ATVDVVTVKSYDLVEPHSNQFVYALGMTQSHFPKIAQNKSLISDIERQLINDANDTDGHFDMITRENKKNHFAALS  
 LFNAAKQALVLTIPQLLNESEDQMSPYLIELRDI GVPFNHKGROSLKEEADNIGNYKALLSRVVDLYRSAIDKEMTK  
 EEQTFWSVAVRYLRRQLTSKGI BIP IITDSDLT VTVSSDVMT RRRFPEDDPLKLSSSALTTFFYNNQYKYFLQYVLGLE  
 EQDSIHPDMRHHGTYLHRVFI LMKNOGIESFEEKLNSAINKTNQEDVFKSLYSEDAESRYSLEBILEDIARATATIL  
 RQDSQMTVESEEEERFELMIDNTIKINGIIDRIDRLSDGSLGVVDYKSSAQKFDIQKFYNGLSPLQVITYIDAI SRDKE  
 VEQKPPIFGAMYLHMQEPEKQDLSKIKNLDDLVTKNHQALTYKGLFSEAEKEFLANGKYHLKDSLYSEAEITAILQAHN  
 QLLYKKASETIKSGKFLINPYTEDAKTV DGDQFKSITGFEADRHMARARALYKLP AKEKROGFL TLMQOEEENDDL

## SeqID 266

MSETKVMALREAINVAMSEEMRKDEKVF LMGEDVGVYGGDFGTSVGMLEEFGA KRVRDTP ISEAAIAGSAIGAAQTG  
 LRPIVDLTFMDFVTIAMDAI VNQAKTNYMFGGGLSTPVTFRVASGSGIGSAAQHSQSLEAWLTHIPGLKVVPAGTV  
 NESKALLKSSILDNNPVI FLEPKALY GKKEEVNMDPDFYIPLGKGDIKREGTDLTIVSYGRMLERVMQAAEFVAEEG  
 INVEVDPRTLIPLDKELIIDS VKKTGKLILVNDAYKTGGFTGEIATMVARSEAFDYLDHP IVRLASEDVPVPYSRV  
 LEQGILPDVAKIKDAIYKVVNKGK

## SeqID 267

MAFDVIMPKLGVDMQEGEILEWKKNEGDTVNEGDV LLEIMSDKTNMBIEAEDTGVL LKIVHQAGDVVPVTEVIAYIG  
 EEEGEEVGTSSPSADATITAEDGQSVSGPAAPSQETVAAATPKEELA ADEYDIVVVG GGPAGYAAIRGAQLGGKIAI  
 VEKTEFGGTCLNVGCIPTKTYLKNAEILDGLKVAAGRGINLASTNYAIDMDKTVA FKNSVVKTLTGGVVRGLLKANKV  
 EIFNGLGQVNPDKSVVIGDKVIKGRNVVLATGSKVSRINIPGIESPLVLTSDDILDREIPKSLAVMGGGVVIGIELG  
 LVWASYGVDVTVIEMADRIIPAMDKEVSL ELQKILAKKGMKIKTSVGVSEIVEANNQLTLKLNNGBEVVADKALLSI  
 GRVPQMNGLENLEPELEMERGRIKVNAYQETSIPGIYAPGDVNGTRMLAHAAYRMGEVAAENALGKNRKAHLDFTP  
 AAVYTHPEVAMVGMTTEEQAREQYGDILVGKNSFTGNGRAIASNEAHGFVKVIA BPKYKEILGVHIIGPAAAE LINEA  
 STIMENELTVYDVAQSIHGHTPFSEVMYEAFLDVLGEAIHNPPKRK

## SeqID 268

MGKYFGTDGVRGEANVELTPELAFKLGRFGGYVLSQHETDRPRVFVARDTRISGEMLESALIAGLLSVGIEVYKLG V  
 LATPGVSYLVRTEKASAGVMISASHNPALONGIKFFGSDGFKLDDRELEIEALLDAKEDTLRPRSAQGLGLTVDYP  
 EGLRKYEKFMESTGIDLEGMKVALDTANGAATASARNI FLDLNADI SVIGDQPDGLNINDGVGSTHPEQLQSLVREN  
 GSDIGLAFDGDSDRLIAVDENGEIVDGDKIMFIIGKYLSDKGQLAQNTIVTTVM SNLGFHKALDREGIHKAITAVGD  
 RYVVEEMRKSGYNLGGEQSGHVIIMDYNTTGDGQLTAIQLTKVMKETGKKLSELASEVTIYPQKLVNIRVENNMKDK  
 AMEVPALAEIIAKMEEEMDGNGRILVRPSGTEPLLRVMAEAPTNEAVDYYVDTIADVVRTEIGLD

## SeqID 269

MKGQKIIALAGLVLSCHFALTACHTQEHKNSHHIKTKQVAKKKANKKKVSVKESHKKRKG VAGVDFPTDDGFLLT KD  
 SKILSHPDSGIIVVAHGNHSHFIFYSDLKGSKFSYLI PNANAKTNKKQAVRNFKAGAVAVNTLNDGYVFNPA DIVSED  
 ANGYVVRHGDHDFHYIPKASLSQQKQVQASRAVSRLGNQNNSHYRVNSSK IAGLHHPTSDGFLFNGQGIGKTTPTGIL  
 VEHNNHLHFISFADLRKGGWGS IADRYQPQKKVDSKKQSPSSKKPRTENTLPKD IKDKLAYLARELHLDISRI RVLK  
 TLNGEIGFEYPHDDHTHVIMAKDIDL SKPIPNPHHDEDEHKGHHHDESDHKHEEHEHTKSNKLSDEDDQKKLIYLA E  
 KLGLNPNQIEVLTSEDGSIIFKYPHDDHSHTLASKDIEIGKPIPDGHHDHSHAKDKVGMATL KQIGFDD EIIQDILH  
 ADAPTPFPSPNETNPEKMRQWLATVT KINIGQRTNPFQRFGLSLMPNIEVLGIGFTPIINDMTPVLQFKKLKQLWMTNT  
 GITDYSLFDKMPNLLEGLDISQNGIKDLSFLT KYQLSLIAAANNIGTSLKPLAELPNLQFLVLSHNNISDLTPLSNL  
 TKLOELHLDHNNVKNLSALS GKDLKVL DLSNNQESADLSLTKTTSLETILLNETNTSNLSFLKQNP KVSNL TINNAK  
 LASLDGIEESDEIVKVEAEGNQIKSLVLKNKQGS LKFLNVTNNQLTSLEGVNNYTSLETLSVSKNKLESLDIKTPNK  
 TVTNLDFSHNNVPTSQ LKLNKNIPEAVAKNFP AVVEGSMVGNGSLAEKAAMASKEDKQVSDNTNHQKNT EKS AQAN  
 ADSKKENPKTHDEHHDHEETDHAHVGH HHH

## SeqID 270

MNKRVKIVATLGP AVEFRGGKKFGESGYWGESLDVEASA EKIAQLIKEGANVFRNF SHGDHAEQ GARMATVRKAEE  
 IAGQKVGFLLDTKGPEIRTELFEDGSD FHSYTTGT KLRVATKQGIKSTPEVIALNVAGGLDIFDDVEVGKQILVDDG  
 KLGLTVFAKDKDTREFE VVVENDGLIGKQKGVNIPYTKIPFPALAE RDNADIRFGLEQGLNFIAISFVRTAKDVNEV  
 RAICEETGNHGVKLFAKIENQQGIDNIDEIIRAADGIMIARGDMGIEVPFEMVPVYQKMIITKVNAAGKAVITATNM  
 LETMTDKPRATRSEVSDVFNAVIDGTDATMLSGESANGKYPVESVRTMATIDKNAQTL LNEYGRILDSSAFPRNNKTD  
 VIASAVKDATHSMDIKLVVTITETGNTARAISKFRPDADILAVTFDEKVQSRSLMINWGVIPVLADKPASTDDMF EVA  
 ERVALEAGLIVESGDNI VIVAGVPVGTGGTNTMRVRTVK

## SeqID 271

MTATKQHKKVILVGDGAVGSSYAFALVNQGI AQELGII EI PALFDKAVGDAEDLSHALAFTSPKKIYAATYADCADA  
 DLVVITAGAPQKPGETRLDLVGKNLAINKSIVTQVVESGFNGIFLVAANPVDVLTYSTWKFSGF PKERVIGSGTSLD  
 SARFRQALADKIGVDARSVHAYIMGEHGDSEFAVWSHANVAGVQLEQWLQENRDIDEQGLVDL FISRDAAYS IINK  
 KGATYYGIAVALARITKAILDDENAVLPLSVYQESQGYGDVKDFIGQPAIVGAHGIVRPVNIPLND AELQKMQASAE  
 QLKDIIDEAWKNPEFQEASKN

## SeqID 272

MQDKNLVDVNLTSSEMKTSFIDYAMSVIVARALPDVRDGLKPVHRRILYGMNELGVTPDKPHKKSARITGDMGKYHP  
HGDSSIYEAMVRMAQWWSYRHMVLVDGHGNFGSMDGDGAAQAQRYTEAMRSKIALEMLRDINKNTVDFQDNYDGSEREP  
LVLPARFPNLLVNGATGLAVGMATNIPPHNLGESIDAVKLVMDNPDVTTRELMEVIPGPDFPTGALVMGRSGIHRAY  
ETGKGSIVLRSRTEIETTSNGKERIVVTEFPYGVNKTKEVHEHIVRLAQEKRIEGITAVRDESSREGVRFVIEVRDA  
SANVILNNLFLKLTSLQTNFSFNMLAIEKGVPKILSLRQIIDNYIEHQKEVIVRRTQFDKAKAEARAHILEGLLVALD  
HLDEVITIIIRNSETDTIAQAEMLSRFELSERQSQAILDMRLRLTLGLERDKIQSEYNDLLALIALADLADILAKPERVV  
TIIKEEMDEVKRKYADARRTELMIGEVLSELEDEDLIBEEDVLITLSNKGYIKRLAQDEFRAQKRGGRGIOGTGVNND  
DFVRELVTSTHDTVLFFFTNLGRVYRLKAYEIPYGRGTAKGLPIVNLKLDEGETIQTIIINARKEDVANKYFFFTTQ  
QGIVKRTSVSEFSNIRQNGRLAINLKENDELINVLLIDENEDVIIGTRTGYSVRFKVNAVRNMGRTATGVRGVNLRE  
GDKVVGASRIVNGQEVLIITEKGYGKRTEASEYPTKGRGGKGKGTANITAKNGPLARLVTINGNEDIMVITDGTGVI  
RTNVANISQGTGRSTMGVKVMRLDQEAQIVTVLVEQEIEDKSNIEDTKE

## SeqID 273

MTIFDERELKERFTHENRVSFYEFVAKYDAQMVPVMKAKGYRCIHSMERTVVFTFGEFTIRRRRWQKGEHWVVPVDE  
KLGLKKNVRYSLFMYQIASLATMMPYEKVIKVVQMMYICIVITKPTVVKAVKISRELLKEKEAYRFFDEDIPVDKEP  
VDMIIYLEGDGMVMKAREEGLDNRNVDLSHFVVHTGSQKVGSNRFVLQNKKEFVSLDNRQTRQKILDYLYNHFYIAPN  
TLITNSDGGHGVTTPYVFKETIAKALKVKQHEHFWDYHVNKIKSFFKLYPVELMTGAFQSIKQHDKEKLRTVLDTT  
EALILMEHEMEGFGNQFKRKLNNFQYTKSAELRGFSRAGIGVMESQHRKITYRMKKRGMWYTIQGAETMSQLIVLSY  
EQQLRDLFFGSWREDYQKYQELLENLSAGKIKHEQNKINKRYDLQTLGLRLYGRHRNL

## SeqID 274

MAYLSKLSLDLPSLMDADSEQIYIPKVLFEHNDFKGLTYKEILLYSFLLNRLREPLDFIQKGYDDNEDTYVHFKVED  
LCELLNQSKTTVISLKKRLAQYGLIEEVKAGSHQPNRIYLTDKLVPIYIKG

## SeqID 275

MTDNRFQALKENFEKGSPPKRRVPTSRPIAAQKAPESYNKKGRYPFSLHQDVRYDKLEALVAYHGAKSASDYLERLIV  
QEWKMQRKLNKEK

## SeqID 276

MFSWLEALYYTLIQLAKVNRLNALFLVSVVGYLCYQGIKLVKRTIRNFFQLMKGFIDRENIKKCIKNKKEALVHSW  
KHXQDIDWKSTGKDKSKQLWNLMKRIATVAPSFLFLLGNVLFRLIYQLPFVKQDRKRFDKEMKPLLYFKNYRSFVF  
MGIGFSFIAFILTNFVTVLRAAIRFLYFSIMTLRDNQSQVVSFNVDLSLLIQNLFNARVFIAPILAVPIFLIGLVVA  
WRSWVNFQYRDYNHNEEGDDRFAIVKEIHQQYKVPNKTETETYPGEGGVPLHETRNKLTGLTLKSQLWQNRTPS  
RYLTNAERILGLLSTPSGDYIIDDSTTNLITMGITRSGKGEAHIAPIIDINSRAEIQPSLIADPKGEHYQSSYKTM  
RRRGYDVNVLSPQNMDSMSYNPLALALIAAAKGGYEMTQTRVNVAEAIYRKTTPGSGNGNAKYWEDTISISLFAI  
AMALMDRANETVRNGETDAWDTVTVRNIAKPLTDLGSEEVFVNDGFEIIVENPDKNQVKKKSKITVYFDNLRLKINQ  
QFSKFRDMADLNFRSSDFASEETKGNVFSMMSGINLFLQDNIAKLTSKNSIDLESVGFPRRLSIKFRSSSNVAMRN  
EYTHKTAKVTITTSQAVWGKTKQVIHVDAATALIDGEGYLYTVIEPQLPDQFLVTIDFNHENNGGSAIRHKTQFQSA  
EKVYKRGVNTILDDYTKPVLDDHDKVTVLNKQDDNLLQKEDIDLISDNPKVIYLVTPPNRTEYNSIVSLFLDQLF  
NANYELALSNGRKCVNRILHILDEFTNIPAI PHMDTKISIGLGQNILYYLWIQNLKQLVSEYGENTAETIRENCCLK  
VYIKSTAPATNEYFSKELGTRTITRRRRSSNILDEANPNVSIENPRQELLTPTQLSKLQEGEAVILRGVKGGRDNAGR  
KITTDPIFLHEKTSIPYRYMFLQEEFDQSMALADIPVESGHRDLDLQDIAGVAQSTFNKIIDWRMALTDMRMTNGKI  
PQLASRKQTIKALSQSQFTSPADLTQAVIAEVFDEEDDDDLFFVDDVM

## SeqID 277

MNSNTKGHGFRRKSKAYGLVCAIALAGAFTLATSQVSADQVTTQATTQTVTQNOAETVTSTQLDKAVATAKKAHAV  
TTTPAVNHATTTDAQADLANQTQAVKDVTAKAQANTQAIKDATAENAKIDAENKAEAEVAKENKEGQAANDARNKA  
GQAANDARNKAKQQAQDDQKAKIDAENKAESQSVSQLNAQNKAKIDAENKDAQAKANATNAQLQKDYQAKLAETIKSV  
EAYNAGVRQNRKDAQAKADATNAQLQKDYQAKLALYNQALKAKAEADKQSINNVAFDIKAQAKGVNDNAEYGNISIMTA  
KTKPDGSGFEFNHDMIDGVKTIYGYKLTGKVNHHYVANKDGSVTAFAVDSVTLYKYEYRNVAQNAAVNQNVFRVLTKD  
GRPIFEKAHNGNKTFAETLNLKTLQNLKYELKPHASSGNVEVFKIHDDWVHDTHGSALVSYVNNNDVAVPNVPIPERP  
TPPKPVKVTPEAEKPVPEKPVPEKLVTPTLKTYTPVKFIPREYKPEPITPETFTPEKFTPAQPKVKPHVSIPEKINY  
SVSVHPVLVPAANPSKAVIDEAGQSVNGKTVLPNATLDYVAKQNFQYKGIKASAEAIKGFVFDQPNALAEITV  
KSIKASNGDDVSSLLEMRHVLKSDTLDQKLQSLIKEAGISPVGEBYMWATAKDPQAFYKAYVQKGLDITYNLSFKIKA  
NFTKGQIKNGVAQIDFGNGYTGNIIVNDVTPEVHKDILDKEDGKSINNSTVKLGDEVYTKLEGWVVPANRGYDLFE  
YKFDVQLQHTHDLRLDKVVAQVDVTLKDGTVIKKGTNLGEYTTETVYNKTTGHYELAFKKEFLAKVRSRESEFGADDF  
IVVKRIKAGDVYNTADLYVNGYKVKSEAVVTHTEKSKPVEPQKATPKAPAKGLPSTGEASMTPLTAIGAIILSALG  
LAGFKKRQK

## SeqID 278

MKQIKIITGLTVATLSAVVGNVYAEDITPTAPVNEPQVSSETAKTPQVTESQVNSAKVTADQAIQSDVNNQIIVVDEA  
QKQKDSQQLVKATSTVTEAEKVAAEATPEVVKAIKAVTEAKEAVTDAEANVDDAQKTEQKANQEVQSQAQTVDE  
NVKVVADKESEVQKAEQGVTTAQEAIDSKTANTNASEAEKAVTEKQTKLETAETNLTEAQKQDAKIAEEKRLAEQEV  
VNKQLAVTDTQTLKLVTEINNEKVSTSLNQAYFNQRDGSWAGYGYNYTFAATGCVPSLLAMVFTELARRQITPT  
BIANYLWNNNSNEFNKNYGGTSGKGLVQATKHFGFVPTHLSQSAIVEALQAGHHVLAQVQDKFSPWGINYSRIVL

RGYSNGNTYVYDYPYNRANIGWYPVANLWNEQSRDAIDTSSVGVPPFKITTTQKMAQLEAQKAQVQSSSLNTAKNQAKT  
QDVLRTLEATPLKTPEAQAKLNAKEALALAQADYTKAQEAVKLASQDLAVKEETLKNAQADLLTKQTALKDAQTVL  
VASQVKLADLKATLATVENNVKKAQATLTDAKAIVGQKQAKLLALQNAKPKILADAQAKLVTAKNDLANKMAILDEAV  
AKLKSLQAVQAEAQKYHVVFAYKAVRDAKEQAKLABSYNHIARGGEAIPVVDETDKITGYVDGSQKAVANEVTL  
ALTSNGAPLESFVNKENQNVTKSSQALPHTGEAGLSILSVLGVGLISTLGLTSLKKRRPH

## SeqID 279

VRLTHVSLWMPKSRSWPLKLQLLRKGVIELEDELKTPYLDQYTDNLTAQVTKKSDDYQVYGRNKEVQSVIISLLRRT  
KNNPILVGEAGVGKSAIVEGITLAILRGQVPEPLKGLTVRSLELSSIMSEDEGFIKFKKIEEMVATRGNLLFV  
DEFHTIIGAGSQNGQALDAGNVKPVLRGDIQLIGATLTDEFHEYIETDRALERMMQPMVEEPTISQAITIIEQA  
KVIYEKFGHGIQISSDAVHQAIRLSVRYLTDRFLPDKAFDLIDEAATIASVEGKSKVTEKDIAQVLKDKTGIPVTTIL  
KGDQERLEGFKERLMNRVKGQEDAIEAVVDAVTIAQAGLQNEKRPLASFLFLGPTGVGKTELAKAIAEALFDDEAAM  
IRFDMSEYKQKEDVTKLIGNRATRIKQGLTEGVKQKPYCVLLLDIEIEKAHSEVMDLFLQVLDDGRLTDSSGRLISFK  
NTIVIMTTNIGAKKIINKWELKGNFKDLTDRDRKQFEKSMDELQNEFRPEFLNRIENKLI FNLLERDVIIEKIAEKN  
LSEIADRMKRONLTLSYEPSLIQYLSDVGTDVKNGARPLERLMKRKVLAPISVKSLLQDKSKQGYNVHLWVEGRAPD  
GNHRQEQRQIHMEIEGERDNFFS

## SeqID 280

MAEENAOQPSLRGKSRERVEFARSRDILDAHBLNMELFRDGKNYRWKEHDSMVITPATNQWYWFSSQROGGDVIAL  
VETIKEIGFNQAFEYLNNEGTFKEFTVNVQVKEPFSYYLEPYEQLFVEARRYLKENRGLSDDTIDFFYDKGVLAQANA  
KVGDMLEPVLVFKNLDKNGQVVGAAQLGLVAAPDKYFGRGYLKQIMKNSQPYNGMHVDIGTPNRLVFAESSIDLMSY  
YEIHQDLSLSDVRLVSLGLTKGTIGRHLIQLRAEMERRPLSSSWTDEILAQGLDEAVKQGYFKDGKNSHLLTLAVDN  
DVKGKQLIEELKDKSIPVIDATPPKAEGQSKMDWNAYLQETKATFSTEKYQEKIDHLISDVILGDETYLWHDDELV  
NLGAGDSIIQAFHHQLEDRRYVINQAELYVEESSNDGATGYLSIEGHVLDKDGISDYLSDQALTDKVAFLTLQT  
ELPDIWDEIVNHYDKVFEEVVVKYGLREKHADIIQEQLDLDPLVPEAKEKSLEMNQETNTGGELFNRNSSFLED  
SPGTAPQPVEPTAQPDFPTNRLHFTTDDGNMSNKAFRKNMRTLNLYANTMRDSAQWYLSEIADTTMSYVYKTPHEE  
GVQVLSVHFGKKNWMLTGVTPVYENWVDSLSEQFIDDIANSKGHFKNLKFALGTPDKLKVLLNLLPEIIESDTFVFN  
DLSSVQKLNLDLSQALNPEDSDLLLLFRDEGLHQVPASIMRIKGDLEERLSHIDSGTVLGVRERNGQLEQVSVNE  
EYVKDSGQEMLSILQNKHYEALDSGQEMVQTDGFSADFTKVLDAVYHVGVPDDLARVPEGVLPVWQKYLEVSEEN  
QWDLEQMIIDYADKNSLLVKDSAFYKEWKEDMIYKNDYHVRQLQFAENWDNGVELPFRTEQLIDYKTFVTGLYEANQAH  
HQRQESQLPYTKTEFDIYAPGGQLIKDNVHYAIGDETRPVSQLMGLGYRRLPGYQELAVIDNSILSOLEKELNOE  
IASEANEHSLNSQEIPEKDNYPREAFTSPKQDIKKGLAQRVEEIWAEDATKILVSSIPQVQENLSVEGNLVGTPQAD  
NRMLYTNLEDFGQDYQLELAVYSPKRVDLEDVQAPWTLALIRKEKKIGYLAYGSDWAKEFQIEEELEHLAAQIGDE  
KVPEGLYKQAEVEAFIASHQGNESLQEPITPVAEPFDYTSASAYBIESEHAFQKIREYTSQSPEDLLEYMDFMKSKFPQ  
LSPRNVALIHEQWRGANAVATYEQWKAMGEALGIKPPDDVQTKATYVVKRTGETKEVVHQGLSVKTEGKSKITLFRP  
LMVKMIPVLDENGQKNDKGNPKYKLLSEASLQEKALVKDGKLPVRQFQERDSKTGQPRFTTYKVFELSQTTLKPG  
SYPKAMPNRHFNFNVDKVKTKEVLEGLCDYAEKIGVSLMKDDAHVLDNAKGAIFYEEQLILINPNNTPGEKIATTIH  
ELAHATLHNPKEKQYKELPKGQKEFEAEMTSYLLSKHFGLDTSEKAIHYMASWTDNLKALEDKQLADSLKRVHQTV  
SKMLKQVEKYTNPHQLGRGKEHGLNFPKAPTGGSSR

## SeqID 281

MDVSSSPNITFMLQYTEANPOYVDYTNREEAVKIDEELSLETNRQMIEGLTEDELTRIQEAVPETQLNFRYIDYMN  
RSYATEEQSKELTAIFTQEADYLQKLRLIDLKKNLESAYQNGSLLWQGVISFDNAFLAEQGLYDVATGQVDQKAIKA  
VMRDMPTLIQKEGLSDSAFWWGNHILNTDNHIFGLSEVESNREKI FYQPRGRMEYKGNFSQKTINRFKSGVYHG  
LLKEETRSNLLRKEQILANLKADFITSYQKDKITSSAEKNFLEQAYNHLPLNKKWRYGNSNARDFAVSKFFLDYLD  
SYLNNEGSAAYQEFLKETRDFLQTYEGVYSAEKNKIYEKLKRVQDGTIRTALAESKGYDLEHHLARRVMDLRERLANN  
ILRSFREAAPQIQDVQLEKNLESFVNLQKKILEQHPEASVVSQKAWQKLGYPVFKAGEQPLEIIRPVYKSYDKHGK  
GIGRPEFVSDTVYDISQLTENIQLKSLTLKDLSLFSSNELKELVDAAKLKTNPTEERERRELGTTRYALKLSILESSQ  
KELQVRQKLLLEQVQPLASDQPFDFKQLIAQELQAIALQLTNPYKLSSEDDKALKNRLKROFEDSVALPVSKATPGA  
IQLPIRQLWTELGLVHHIQDENILTLLKGTSTTKQAYIEELOTHISIFQLKYQINNRRKQISQLSDEATIKEMRIAN  
AKGFSSELKRLYDTLQPSDDGQONQISQAVSKQLQERKVIKKAQLQQTORSKINTDFMRQLTASLNRSQQASKKALME  
RARSDERKEQEERRQAQR

## SeqID 282

MKKNKFLLVSVIFIIIFVVQPQNFQSLKNIFTQNDIASQLNISSSPEEKNDGLGTAYQTQONEDLKSFSFDGQHQTIV  
VNEKAQFTAELSMRNGSWEKYDNLDLNRVGVAEAMLGKELMPKEARQDISSVKPTGWKNKKITFNGKQDYLYNRS  
HLIGFQLSGENANVKNLFTGTALNANFNDDKSSMVYYENEVANYIKKTNNHVRVYRVTPLFRKNVELVARGVRIEAQS  
IEDETISFDVYIFNGQPGYDIDYLTGSSEKIMITK

## SeqID 283

VTKEIKIRSIPEKTWAQLHMISEYFYPSFNEFMALQQLRIVENGGLDYDNKFAETLAVIKEQQAQIILDQLLKNEI  
KLLAYHAKQDIVEELTTDWLRFMDDDVDALAAERGAGGR

## SeqID 284

LLYYFIYLIKVIGNGLKLSLICGLNWLKIVFKGQFYLFSAVFCGLLTYMPQDIQLFTVRVLELIIMLKVIIDVTH  
TALSRDFKRMKTPFLGLVMYVFFLAGNSYIKAHLLTEVMVNHLSFWLISLFFATLVIVIQPRLFKHYLLKKVIDKE  
YLGIRKFTDSLPPPEINLYKDADEEDADKRMRLINQNVIKHPYQEVVELSFLNREVITAIGYKAVPFKEKETERTFIDD  
DTIYYPIFTVHPFRNLEGKSDFYHILMKLKL SRKAAFTKNGERLLIRD

## SeqID 285

MIRNEFYNLINSEPIGFIDPFTDLGEFDSIQMKFKQPVRLVNKYSKGPYNLSWQNKIEQMRVLYIKYQKSLKLED  
EEQEVHNRVKNNKSKYVHEIVTITYLKLGFRFKEIEARVSLFNTRLRRNWKRSYVTTDNPEFYLKDLQNGYCSPN  
SFLPRSMKIN

## SeqID 286

MNEIKCPHCGTAFAINESYHQLLEQIRGDAFDKEVSEERLEKERLILGEQAKNQLQEVVVEKDKEIAKLQYKVKQFL  
IEKDNLLKDNEYQLAEQLNQKDMMLRDLENQIDRLRLEHENSLOEALTVERERDAIQNLHIQEKEDLALASVKS  
DYEVLKAANEQVEFYKNFKAQQSTKAVGESLEHYAETEFNKVRHLAFPNAYFEKDNLTSSRSGSKGDFIYREKEND  
LEFLSIMFEMKNESDDTIKKHKNEDEFKELDKDRREKSCEYAVLVTMLEADNDYNTGIVDVSHKYPKMYVIRPQFF  
IQLIGILRNAALNTLKYQELALMKEQNIDITHFEEDLDIFKNAFAKNYNSASKNFQKAIDEIDKSIKRMEAVKAAL  
TTSENQLRLANNKLDDVSVKKLTRKNPTMKAKFDALKD

## SeqID 287

MNHFEFLKLLKAGLTNLNINNIINYLKKNLSLTSVRNMAVSVSKCKNPTFFIENYKQLDLKKLRQEFKFPVLSILD  
SNYPLELKEIYNPPVLLFYQGNIELLSKPKLAVVGARQASQIGCQSVKKIIEKETNNQFVIVSGLARGIDTAHVSA  
KNGGSSIAVIGSGLDVYYPTEKLLQYMSYNHLVLSEYFTGEQPLKFHFFERNRIAGLCQGIVVAEAKMRSGSLI  
TCERALEEGREVFAIPGNIIDGKSDGCHHLIQEGAKCIISGKDILSEYQ

## SeqID 288

MTERTFEDIELDLKLFOIKLDNAENSKRLQLKLDNVMELQIELLESILKLGDAYLTESSELEENNDFILTVNSETLS  
LSYDNRINLVSKEIMDYENALDKLYYEKQSLMQKSNERKGG

## SeqID 289

LFNKIGFRTWKSGLWLYMGVLGSTIILGSSPVSAMDSVGNQSQGNVLERRORDAENRSQGNVLERRORDAENRSQ  
GNVLERRORDAENRSQGNVLERRORDAENRSQGNVLERRORDVENKSQGNVLERRORDAENRSQGNVLERRORDAEN  
SQGNVLERRORDVENKSQGNVLERRORDAENRSQGNVLERRORDVENKSQGNVLERRORDVENKSQGNVLERRORDA  
ENRSQGNVLERRORDVENKSQGNVLERRORDVENKSQGNVLERRORDAENRSQGNVLERRORDAENRSQGNVLERR  
RDENKSQVQQLIGKNPLLSKSIISRENNHSSQGDSNKQSFSSKKVSQVTNVANRPMILTNNSTISVINKLPKTGDDQ  
NVIFPLVGFGLILLTSRCGLRRNEN

## SeqID 290

MKRLTYFYFKGYIKETIFGPLFKLLEASFELLVPVIAKIMIDETIPRGDRSSLLQLIGLIFFLAAGVGVVAITAQYYS  
SKAAVGYTRQLTEDLYQKVMSLGKKDRDELGTASLITRLTADTFQIQTLNQLRFLRAPIIIVFGAIIIMAFSISPS  
LTIWFLVMVTLPIIVFVMSRLLNPIYKIRTSTDYLVKLTRQQLQGVIRAFNQVDRESEAFNDINYHYTNLQLK  
AGRLSSLVTPITFLVVNITLVVIIWRGNLNIANHLLSQGMLVALINYLQILVELLKMTMLVTSLNQSYISAKRIIA  
VFERPSEIIDDKLEPKYSNKALEVQEMAFSYPNSSSEKALSDITFSMNVGETLGIIGGTGSGKSTLVNLLLHIYKVQE  
GDIDYHQKSPDTISNWRTLVRVVPQNAQLFKGTIRSNLSLGLGKVSEELWTALEIAQASDFVKEKDGQLDAPVE  
SFGRNFSGGQRLTIARALVQDKIPFLIILDDATSALDYLTARLFKAITKHFNQTNLIIVSQRINSIQNADRILL  
DKGKQVGFNDHQSLLAHNKVYKSIYHSQNFKEEE

## SeqID 291

MKFNEQSNSQAALLGLQHLLAMYAGSILVPIMIASALGYNAEQLYTILATDIFMCGIATLLQLQLSKHFGVGLPVVL  
GCAFQSVAPLSIIIGAQQSGYMFALIASGIYVVLVAGIFSKVANFFPPIVTGSVITITIGLTLIPVAMGNMGDNAKE  
PSLQSLTSLVTTIGVLLINIFAKGFLKSIISILIGLISGTLAFAFMGLVDASVVAEAPLVHIPKPFYFGAPRFEFTS  
ILMMCIATVSMVESTGVYLAISDITNDKLDKRLRNGYRSEGLAVLLGGLFNTFPYTGFSONVGLVQISGIRTRKP  
IYFTALFLVILGLLPKFGAMAQMI P SPVLGGAMLVLFGMVALQGMKMLNQVDFEHNEHNFIIAAVSAAGVGFNGTN  
LFISLPNTLQMFLTNGIVISTLTAVVLNIIILNGLPKKLI

## SeqID 292

MANTYDLISORIEAQROKLIADIVAVASSLGLNLKQSGGHLWDEHDSFHIYPQTNTRFWWSRSMGTNTIDLVQV  
IQEELTGKKPSFRETVNFLETGQFESVTVTPVVRPFFKHYLAPYEHNFDLGRQYLKEERGLSDETIDFALASGMS  
SATLKKGDYFEPVIIIFKSFAEDGRMIGGSLQGIIVENKVQHPERGRKQIMKHSGLAGFHLVDGTPKRLVFPSEAPID  
LLSYELHKESSLQNVRLVAMDGVKKGVISRYTADLLTDGQYSQTMPRESIRGAIDAINQTTRILKNPNMITIAVDN  
DEAGRNFIKELQEDGIPINVDLPKRKEHQSKMDWNNYLYKQKGLLKMPQTEGTQKAPEQVLEHEKMDRSQISSGSLE  
DDPQGSAPKPVSKRDTFEQAVTSHPTFSYPLLQFSTEEAFVSNVRDGYHIASEEDIRNLNYYAPSLOQTANWYRDNL  
DRQVTYMLKGDKEIKALQVSFAKDKFAHLTGIRPIGKGLSAEKLDDFAKGRGSYPNLTLNNGFNDKIQVLPMIQEL  
SQSKSFVFTDLEEVQKMRNLKASHAIQSNNRSLVVALKTIDDVTFPSLLRGKKNLNDLQKAKENEVLGLLSEKD  
GNITVLSVNDKYIQDGGQALKDMIKNGELEPLQMETIQRHVPHENAYPKDSGDGGLTDDEETALGTNPFSSDSDGDG  
TPDNVEKANGTDPTNASDNEVTRQQEANKRDFTLSEMIKAKNTAALNQHLDGDIKQYFSDTYKQYLEGMAHFNNYS

PRNIQLIMSOFPEASMVASFQEWKRNGSVKKGKAIYIQAAPVSVMKKDENGKPIILNPETGEKETITTYFKPVPVFDI  
KQVSPQEGKELNLPKAMGTIPEQLDKKEYQNVYRSLRDISQNNNKVPIRFRELQGEDGFYSPQTNEIVIKKMSYER  
TLSTLIHEMAHSELHNKQSLTERFDGKLTRSTKELQAESIAYVVS SHLGFDTSQESFPYLASWSKEKDGLANLTAQL  
EIVQEEAKNLMERIDQQLSQYQTVTLNKETQQLTKQEMKKQTHPFYQSLAAKTSRAQVTTQEKEASVKKDNRPMP

## SeqID 293

MNSQETKGGHFFRKS KAYGLVCGIALAGAFLLATSQVSADQVTTQATTQTVTQNOAETVTSTQLDKAVDTAKKAAVA  
VTTTTAVNHATTTDAQADLANQTQAVKDVTAKAQANTQAIKDATAENAKIDAENKAEAEERVAKANKAGQAEVDARNK  
AGQAAVDARNKAKQQAQDDQKAKIDAENKAESQSVSQLNAQNKAKIDAENKDAQAKADATNAQLQKDYQTKLANIKS  
VEAYNAGVRQRNKDAQAKADATNAQLQKDYQAKLALYNQALKAKAEADKQSINNVAFDIKAQAKGVDNAEYGNISIMT  
AKTKPDGSGFEFNHDMIDGVKTIIGYKLTGKVNHHYVANKDGSVTAFFVDSVTLYKYEYRNVAQNAAVNQNIIVFRVLTK  
DGRPIFEKAHNGNKTFAETLNKTLQNLNKYELKPHASSGNVEVFKIHDDWVHDTHGSALVSYVNNNDVAVPNVVIPEQ  
PTPPKPEKVTPEAEKPVPEKPVPEKLVTPVLKTYTTPVKFIPREYKPVSTPETFTPEKFTPAQPKVKPHVSVPEKIN  
YKVAVHPVQIPKATPTKKVLDENGQSINGKSVLPNATLDYVAKQNFSSQYKGKIKASAEATAKGFVFDQPNELAEIT  
VKS IKASNGDDVSSILLEMRHVL SKDTLDQKLQSLIKEAGISPVGEFYMWTAKDPQAFYKAYVQKGLDITYNLSFKVK  
KEFTKGQIKNGVAQIDFGNGYTGNIVVNDLTTPEVHKDVLDEKDGKSINNGTVKLGDEVITYKLEBGWVVPANRGYDLF  
EYKFVDHLQHTHDLYLKD KVVAKVAITLKDGTVPKGTNLVQYTFETVYNKETGRYELAFKADFLAQVSRSSAFGADD  
FIVVKRIKAGDVYNTADFFVNGNKVKTTETVVTHTPEKPKVMPQKVTTPKAPALPSTGEQGVSVLTVLGAALLSLLGL  
VGFKKRQQ

## SeqID 294

MNQIKIITGLTVATLSAVVGNVYAEDITPTAPVNEPQVSSETAKTPQVTSQVNSAKVTADQATSDVNAQKNVNNNA  
QNQKNQAQQLVNATTTLNQKLVQESTNQNVQQTVDQSAKQRLSQTEANQKITQTEQVKAQNVNAQQTVVVNNNE  
HDVATKTADVKAQASVDTAKDALNTNIVNSDLNKAQSNVTTKTADVKTATDALTKAQATDKTLTNQKAKAQQIVDS  
AKQNLSAKDTQLSQAANAENVNHKFKTALGQSHYYNQRDNAWAGVYGGHTFASTGCVPSALAMVYSDLSNRTITPREI  
ADLYNNTDEFNKRFGGTSGKGIISATKAFGYVVTHLASKNAITEALKAGHHVAAVQNNKFSWPQYSHETVLRG  
SSNGNTYVYDPYNRDNGGFYSVDRIWNEQSRDSIDTAGVGVPPFAIMTKNMANALTKQSQALASQVQAQQLNDAQA  
KATGLNAVMTQTPIAQANLIKAQSNLKDQAKRLAEQASVKLANQDNVKKQADLTAKESKLKDAQKQLAAQAQKLT  
SKTKLNQLKQVLAEASQVQAQANQDYKQAKDNLTQKTAYLTNLRNAQANLIKAQSDVAQAKDNLANKIQLQREVAY  
LQELKTKAVDAQSQYQKVL SAYKSVLSAKASLKLAEKARLDKKGHEAVAVVDETGKITSYITSKHKIEMKSLVATK  
TTDVKQVSVAKASVLPSTGDKVQVSVALLGMLLTFSGFLGIRKQSKKVIN

## SeqID 295

MISRKVALVTGASAGFGAAIVTKLVSDGYSVIGCARRMDKLKCFGEKFSBGYFYPLQMDITSRESVDKALESLPKNL  
QSIDLLVNNAGLALGLDKSYEADFEDWMTMINTNVVGLIYLTRCILPKMVEVNRGLIINLGSTAGTIPYPGANVYGA  
SKAFVKQFSLNLRADLAGTKIRVTNLEPGLCEGTEFSTVRFKGDHKKRVEKLYEGAHAIQAEDIANTVSWVASQPEHI  
NINRIEIMPVSQTYGPQPVYRD

## SeqID 296

MIYLDNAATTALTPSVIEKMTNVMTSNYGNPSSIHTFGRQANQLLRECRQIIAEYLVNVSREIIFTSGGTESNNTAI  
KGYALANQLKGKHIITSEIEHHSVLHMTYLSERFGFDITYLKPNGHQITAKDVQEA LRDDTIMVSLMFANNETGDF  
LPIQEIQLLRNHQAVFHVDAVQVFSKMBLDPHSLGIDFLAASAHKFHGPKGVGILYCAPHHFDSLLHGGDQEEKRR  
ASTENIIGIAGMSQALTDATNTNLKNWTHISQLRTTFLDAISDLDFYLNNGQDCLPHVLNIGFPRQNGLLLTQLDL  
AGFAVSTGSACTAGTVEPSHVLTSLYGANSPLNLSIRISFSELNTQEBILELAKTLRKIIIGD

## SeqID 297

MSRKTFFKHILSIGVCTLVLSMSLYYTEKAHAIAGPSDRQYVENENPHIIVNVTGTDQNGNSILPHYIEVNVKMGQTL  
SKEEILDYIARNLNSSVGGESKNVQYSNIEFKESAYLKRQLDDGKTEEIAIDNDGVTVPKDGPNKFWIDVPVCTVT  
PIVTETHEVRWGTPVAISHRIYFVEESSGKVLDEYTNLHTADSELNGYRVGDYITDYALSKSAYEAFNLSRLDKEGY  
KLQHRISTNVNRNLQIDKLIFNYDFNEENIYYQIGNIREPLLSRSSAEVESDIITERIYVSKNAKSLARTESTISIKM  
VDAKTEQPLFNHTLTGYQLATVSHVYNRLFEEENLIPTTKSGERYFIQNMKKTAEQBYTVYLSETPYSKENAPVISYD  
ARPVDWDYHSGASGSLNQPNITYEEDSTEFGLGNKQPAACYPNKQFACENTDSKYNYSYLEK

## SeqID 298

MNPLIIGMNDKQAEAVQTTDGPLLIMAGAGSGKTRVLTHRIAYLIDEKYVNPWNILAITFTNKAAREMRERAIALNP  
ATQDTLIATFHSVMCVRILRREADYIGYNRNFTIVDPGEQRTLMKRIIKQLNLDTKKWNERSILGTISNAKNDLLDEI  
AYEKQAGDMYTQVIAKCYKAYQEELRRSEAMFDDLIIMTLRLFLDQNKDVLAYYQORYQYIHVDEYQDTNHAQYQLV  
KLLASRFKNICVVGADQSIYGWRGADMQNIILDFEKDYPOAKVVLLEENYRSTKKILQAANNVINHNKNRRPKKLWT  
QNDEGEQIVYHRANNEQEEAVFVASTIDNIVREQGNFKDFAVLYRTNAQSRTIEEALLKSNIPTVMVGGTKFYSRK  
BIRDVIAYLNLANTSDNISFERIVNEPKRGVGPGLTEKIRSFAYEQNMSLLDASSNVMMSPKGGKAAQAVWDLANL  
ILTLRSKLDLSLTVTEITENLLDKTGYLEALQVQNTLESQARIENIEEFLSVTKNFDDNPEITVEGETGLDRLSRFLN  
DLALIADTDDSATETAETVTLMTLHAAKGLEFPVFLIGMEGVFPLSRAIEDADELEEEERRLAYVGITRAEQILFLT  
NANTRTLFGKTSYNRPTRFIREIDDELIHQHGLARPVNSSFGVKYSKEQPTQFGQMSLQALQARKSNSQPQVTAQ  
LQALNANNSHETSWEIGDVATHKKWGDGTVLEVSGSGKTQELKINFPGIGLKKLLASVAPISKKEN

## SeqID 299

MKLYVQLMVILTFSSFAGEVLSTIFNLPVPGSIIIGLILLFLALKYKIIRLRHIDAVGNFLLANMTILFLPPAVGLMEH  
FQDIKPYLFGIAIILGALFLNLTIGLVSQWIKKRYEGDYPEIGGKNGNFNE

## SeqID 300

MIFFVTGTHEQQFNRLIKEVDRLKGTGAIDQEVFIQTGYSDFEQONCQWSKFLSYDDMNSYMKEAEIVITHGGPATF  
MSVISLGLKLPVVVPRRKQFGEHINDHQIQFFKKIAHLYPLAWIEDVDGLAEVLKRNIATEKYQGNNDMFCHKLEKII  
GEI

## SeqID 301

MVMKIIELKEATVQVSNGLAEMKTILDHVNLISYEHDFITILGGNGAGKSTLFNVIAGTLMLSGGNIYIMQDVTNL  
PAEKRAKYLRSRVFQDPKMGTA PRMTVAENLLVAKFRGEKRPLVPRKITNYTEEPQKLIARTGNGLDRHLETPTGLLS  
GGQROALSLLMATLKKPNLLLLDEHTAALDPRTSVSLMGLTDEFIKQDSLALMTTHHMEDALKYGNRILVMKDGI  
VRDLNQAQKNKMAIADYYQLFD

## SeqID 302

MEIKKKHRIMLYSALILGTILVNNSYQAKAEELTKTTSTSQIRDQTQNNIEVLQTESTTVKETSTTTTQOOLSNPTA  
STATATATHSTMKQVVDNQTONKELVKNGDFNQTNVSGSWSHTSAREWSAWIDKENTADKSPIIORTEQGOVSLSS  
DKGFRGAVTQKVNIDPTKKYEVKFDIETSNKAGQAFLRIMEKKDNTRLWLSEMTSGTTNKHTLTKIYNPKLVSEV  
TLELYYKGTGSATFDNISMAKAGPKDSEHPQPVTTQIEESVNTALNKNYVFNKADYQYTLTNPSLGKIVGGILYPN  
ATGSTTVKISDKSGKIIKEVPLSVTASTEDKFTKLLDKWVDVTIGNHVYDTNDSNMQKINQKLDETNAKNIKTIKLD  
SNHTFLWKDLNLSNAQLTATYRRLDLAKQITNPHSTIYKNEKAIRTVKESLAWLHQNFNVNKDIEGSANWWD  
EIGVPRISITATLALMNNYFTDAEIKTYTDPHIEHFVPDAGYFRKTLDNPFKALGGNLVDMGRVKIIEGLLRKDNITIE  
KTSLSLKNLFTTATKAEGFYADGSYIDHTNVAYTGAYGNVLIDGLTQLLEPIIQETDYKISNQELDMVYKWINQSFLP  
LIVKGELMDMSRGRSISREAASSHAAAVEVLRGFLRLANMSNEERNLDLSTIKTIITSNKFYNVFNNLKSYSDIAN  
MNKMLNDSTVATKPLKSNLSTFNSMDRLAYYNAEKDFGALSLSKRTLNIEGMNDENTRDWYTGDMFYLYNSDQS  
HYSNHFVPTVNPYKMGATTEKDAKREDTTRKRFMSKHSKDAKEKTGQVTGTSDFVGSVKLNDHFALAAMDFTNWDRTL  
TAQKGWVILNDKIVFLGSNIKNTNGIGNVSTTIDQRKDDSKTPYTTYVNGKTIDILKQASSQOFTDTKSVFLESKEPG  
RNIGYIFFKNSTIDIERKEQTGTWNSINRTSKNTSIVSNPFIITSQKHDNKGDSYGYMMVFNIDRTSFDKLANSEV  
ELLENSSKQQVIYDKNSQTWAVIKHDNQESLINNQFKMNKAGLYLVQKVGNDYQNVYYQPTMTKTDLAI

## SeqID 303

MHSFSNPGYPYDNAVTEAFFKYLKHRQINRKHVQNIKQVQLDCFEYIENFYNNYNPHTANLGLTPNQKEENYFNAIK

## SeqID 304

VKKTYGYIGSVAAILLATHIGSYQLGKHHMGLATKDNQIAYIDDSKGAAPKTNKTMDOISAEEGISAEQIVVKIT  
DQGYVTSHGDHYHFYNGKVPYDAIISEELLMTDPNRYFRKQSDVINEILDGYVIKVNNGNYVYLKPGSKRKNIRTKQQ  
IAEQVAKGTKEAKEKGLAQVAHLSKEEVAAVNEAKRQGRYTTDDGYIFSPTDIIDDLGDAYLVPHGNHYHYIPKDDL  
SPSELAAQAYWSQKQGRGAPSDYRPTPAPGRRKAPIPDVTPNPQGHPDNGGYHPAPPRPNASQNKHQRDEFK  
GKTFKELLDDLHRLDLKYRHVEEDGLIFEPTQVIKSNAPGYVPHGDHYHII PRSOLSPEMELADRYLAGQTEDND  
SGSEHSKPSDKVTHFTFLGHRIKAYGKGLDGKPYDTS DAYVFSKESIHSVDKSGVTAKHGDHFHYIIGFGELEQYELD  
EVANWVKAQADELAALDQEQGKEKPLFDTKKVS RKVTKDGKVG YMMPKDGKDYFYARDQLDLTQIAFAEQELML  
KDKKHRYRIDVDTGIEPRLAVDVSSLPMHAGNATYDTGSSFVIPHIDHIVVPYSWLTRDQLATVKYVMQHPEVRPD  
VWSKPGHEESGSVIPNVTPLDKRAGMPNWQIIHSAEEVQKALAEGRFATPDGYIFDPRDVLAKETVWKDGSFIPR  
ADGSSLRTINKSDLSQA EWQQAQELLAKKNTGDATDTDKPKEKQQAADKSNENQOPSEASKEEKESDDFIDSLPDYGL  
DRATLEDHINQLAQKANIDPKYLI FQPEGVQFYKNKNGELVTYDIKTLQQINP

## SeqID 305

MKKGFFLMAMVVSVMIAAGCDKSNPKQPTQGMSSVTSFYPMYAMTKEVSGDLNDVRMIQSGAGIHSFEPVSNDVAA  
IYDADLFVYHSHTLEAWARDLPNLKKSVDVFEASKPLTLDRVKGLEDMEVTQGIDPATLYDPHTWDPVLAGEEA  
VNIAKELGRLDPKHKDSYTKKAKAFKKEAEQLTEEYTKFKKVRSKTFVTQHTAFSYLAKRFGKLGISGISPEQE  
PSPRQLKEIQDFVKEYNVKTI FAEDNVNPKIAHAIAKSTGAKVKTLSPLEAAPSGNKTYLENLRANLEVLVYQQLK

## SeqID 306

LRKKQKLFPDKLAIALMSTSIILLNAQSDIKANTVTEDTPATEQTVETPQPTAVSEEAPSSKETKTPQTPSDAGETVA  
DDANDLAPQAPAKTADTPATSKATIRDLNDPSQVKTLQEKAGKGAGTVVAVIDAGFDKNHEAWRLTDKAKARYQSKE  
DLEKAKKEHGITYGEWVNDKVAYYHDYSKDGKTAVDQEHGTHVSGILSGNAPSETKEPYRLEGAMPEAQLLLMRVEI  
VNGLADYARNYAQAIRDAINLGAKVINMSFGNAALAYANLPDETCKAFDYAKSKGVSI VTSAGNDSSFGGKTRPLA  
DHPDYGVVGTAAADSTLTVASYSQDKQLTETATVKTADQDDKEMPVLSTNRFEPNKAYDYAYANRGTKEDDFKDV  
GKIALIERGDI DFDKIAKAKAGAVGVLIYDNQDKGFPPIELPNVDQMPAAFI SRKDGLLLKDNPKTTITFNATPKV  
LPTASGTKLSRFSSWGLTADGNIKPDIAAPGQDILSSVANNKYAKLSGTSMSAPLVAGIMGLLQKQYETQYPMTPS  
ERLDLAKKVLMSATALYDEDEKAYFSRQOGAGAVDAKKA SAATMYVTDKNTSSKVHLNNVSDKFBVTVTVHNKS  
DKPQELYQATVQTDKVDGKHFA LAPKALYETSGAQKITIPANSSKQVTPIDASRFKDLLAQMKNGYFLEGFVRFK  
QDPKKEELMSIPYIGFRGDFGNLSALEKPIYDSKDGSSYYHEANSDAKDQLDGDGLQFYALKNNFTALTTESNPWTI  
IKAVKEGVENIEDIESSEITETIFAGTFAKQDDDSHYIYHRHANGKPYAAISPNGDGNRDYVQFQGTFLRNAKNLVA



EVLDKEGNVWVTSEVTEQVVKVNNNDLASTLGSTRFEKTRWDGKDKDGKVVANGTYTYRVRYTPISSGAKEQHTDFD  
VIVDNTTPEVATSATFSTEDRRLTLASKPKTSQPVYRERIAITYMDEDLPTTEYISPNEGDGTFPLPEEAETMEGATV  
PLKMSDFTYVVEDMAGNITYTPVTKLLEGHSHNKPEQDGSQAPDKKPEAKPEQDGSQOTPDKKTETKPEKDNSSGQTP  
GKTPQKGQPSRTLEKRSSKRALATKASTRDQLPTTNDKDTNRLHLLKLVMTTFFLGLVAHIFKTKRQKETK

## SeqID 307

FSVTYSQSERTVVSFGEITFSRSRWTFETRIPVDEWLGLLEKYKRYISIEFLYHVAKLATMMPYRQVCKVIDSTLQ  
TIITKDCVLKAVKFVEKLLKEKERYRFYLEEPERKKVKKLYVEGDGVMIKSTDSREERYLDLTHFVIHTGSKKVS  
TKRYELQDKHEILQNLNDKAKYNLLDYIYNNVEVDDDTILITNSDMGKGYTSRVFKELGKALKVKKHEHFWDIYHV  
EKLSSYLKRYPIELTDFALDAVKKYNDSKLELVFDTVESLIDCELEDQEFQKFKKKVLNNNFYIKPAHLRNLNGI  
GIMESQHRKITYRMKRRGMYWSKWGISTMANMIILERANGLRRLFFGSRWKVYSEYKEGSFSAGRLFKKTDELDFKS  
KPLLKNRGRKWSITGIKTK

## SeqID 308

KASSGDYGTREBITANKDKYSISKMCRWLNMPRSSYYYQAVESVSKTEFETIKRIFLDSESRYGSRKIKICLNNE  
GITLSRRRIRIRIMKRLNLVSQKATFKPHSRGKNEAPIPNHLDRQFKQERPLQALVTDLTYYRVGNRWAYVCLIID  
LYNREIIGLSLGHWTAEVLKQAIQSIPIYALTKVMFHSDRGKEFDNLIDEILEAFGITRSLSQAGCPYDNAVES  
TYRAFKIEFVYQETFSQLEELALKTEKATLFCCTTFIKCCLFRFLPML

## SeqID 309

MKTRNRKGGYLANANEYIDSKQAIHCLSVLELPQIRFEEGQPTGEIIAYKAWFSQKGLPPFMVKFENEVTLPAYMV  
MVQFENLQACEVGFNVYFKADNLKEVK

## SeqID 310

LSTFDSVTGRNHLAEYEGNLSEKFAILSHFDKLRNELQTPSIQLGEFDREMEAFSITLGNELLGYLEANGSPYEL  
KRELNQAEEMAVLELSRQLVAKFSTKLEELGIDLGSPQPDQVNILLDAVGRFRLKNADIALGGYPKASVSQALALAT  
ELLQMGLSHDKVEFFLTSQQLQLEDMRQVAFAFHLHESLTREEAEQFETDRFRHTSLNFREWRELLEKQEPFEMVMSDV  
SPLVREVLHHYPLGSRVITYKGQEFELSLIEAADMDNLIRIELQNDFSYLIEQNPVLYFQNLAEIRQVHLHLSRSEIVE  
REEQPEEWTLSFMDGTEDEKEPEIVFESTDKVVITLDSQPAQVSETISESVPETKEVIEAEQALAVDFSFPEDL  
TNFYPKTARDKVVANLVAIRLVKELESANQASATPNEQEILAKYVWGGLANEFFDEYNPKFSKEREBELKTLVSDKEY  
SDMKQSSLTAYYTDPLLRQMWSKLEQDGFSGGKILDPMSGTGNFFAAMPAHLREKSELGVELDTITGAIKQLHS  
NVHIEVKGFFETVAFNDNSFDLVISNVFPANIRIADNQYDKPYMIHDYFVKKSLDLVHDGGQVAIISSTGTMDKRTE  
ILQDIRETTDFLGGVRLPDTAFKATAGTSVTMDMLFFQKHLNKGQYQADDIAFGSVRYDKDBRIWLNPFYDGBYNAQ  
VLGRYBKFNFGGTLVSKETTDNLIASVREALQHVKAAPRVIDKTEVMINSVDVIARQVIDTTIPPEIRENLEQYSYGY  
KGSTIYYRDNKGIKIRVGTKEEISYYVDDGNGFQAWESKHSQKQIDRFNNLEVTDSTALDVYVTEEPAKRGQFKGYFK  
KAVFYEAFLSEKEVARIKGMVDIRNAYQEVIAIQRNNDYDKNEFNRLGNLNRITYDSFVKRYGFLNSPVNRNLFDS  
DKYSLASLEDESLOPSGKTVITYKSLAFKALVRPEKVMWSTALDALNSSLADGRGVDYDMASITYQTASKAAL  
IEELGDQIIPDPESYLKGLTYVSRQEFLSGDIVTKLEVMDLLKQDNHDFNWAHYGNLLESVRPARVMLADIDYRI  
GSRWIPLAVYKGFVQEAFMKNYDLTATEVEEVLVSVPIDGTMEFRTRFAYTYSTATDRSLGVAGSRYDSGRKIFEN  
LLNSNQPTITKQIQEGDKKKNVTDVEKTTVLRAKRAQIQDLFQDFVASYPEAQMIEDTYNSLYNRTVSKVYDGSRL  
EIDGLAQNISLRPHQKNATQRIVEEKRALLAHEVSGSKTLTILGAGFKLKGMLVHKPLVVPSSSLTAQFGQEQIMKF  
FPTKKVYVTTKKDFAKARRKQFVSRIITGDYDAIVIGDSQFEKIPMSQEQVITYIQDKLEQLREIKQGSDDSYTVKE  
AERSIKGLENLQLEELQKLDRTFIEFENLGIDFLVDDEAHFNIRPITGLGNVAGITNTTSKKNVDMEMKVRQIQ  
EYGDNRNVFATGTPVSNISSELYTMMNYIQPDVLERYQVSNFDSWVGAFGNISNEMELAPTGDKYQPKRFPKGFVNL  
PELMRIYKETADIQTSMDMLDPVPEATVIAVESELTEAQKNYLEELVDRSDAIKSGSVDPSVDNMLKVIGEARLAI  
DMRLIDPAYTSLDNQKIMQVVDNVERIYREGKGDKATQMI FSDIGTPKSKEGFDVYNELKALLVDRGIPKEBIAFV  
HDANTDEKKNLSLRKVNSEGVRIIMASTEKGGTGLNVQARMKAVHHLDPVWRPSDIQQRNGRLIROGNQHONVEIYH  
YITKGSFDNYLWATQENKLYIKQIMTSKDPVRSADIDEQTMTASDFKALATGNPYLKLKMELENELTVLENQKRA  
FNRSKDEYRHTISYCEKNLPVMEKRLRQYDRDIEKSQATKNQEFIMRFDNQITIDNRSEAGDYLRKLITYNRSETKEV  
RTLATFRGFELKMATRSPGEPLSDMVSILTISGDNQYSVSLDLKSDVGTIQRINNAIDHILEDKEKTEEMTNLKDKL  
AVARVEVEKVFKEEYQLVKAKYDVLAPLVEREADLEEIDVALSQFSSSDPCLKDKQQLVLDI

## SeqID 311

MTTKCNHFLINQEKGEKYVFRKSKQYRTLCSVALGTVMMAFVALAGPMVQADEVGRVATSQVQETNPATNLKENQ  
PSPIAEQKDSLAATQSTGTVTVTVPKDKVTOAVDKAKTEGIAKAVQDKPMDLGNVTSAAETSQQLKKAERDATNQTT  
TISKTVETIKYSDKATGYEAEKKWVEKRNHEELTAAAYDKAEQGTGLNHSVDITVSELKSQDQNAHVTVNTQTVKSGDGT  
SVSGYQYVKSVAADKKNKANLADYRTTKQAADAVVAKNQLIQKENEAGLAKAKAENEADRRNKEGQKAVDEANK  
AGQAAVEQANQEKQKQANRAFEIATITKRNKEREVAKKENAIDAYNKEWIRYKRDLANISKGEEGYISEALAQ  
ALDLNHGEPQVKHGAGTRNPDRIISKGDAMLGGYSNILDSTGFFVYNHFKTGETLNFYQNLKHARFDGKKITAITY  
DITNLVSPTGTNAVQLVVPNDPTEGFIAIRNDGAGNWRDCKMEFRVKARYFLEDGSQVTFTEKPGVFTTHSSLNHNH  
IGLEYVKDSSGKFVPIHGSSVQVTNEGLARSLSNRSADLKLPEEWDTTSSRYAYKGATVSTVTSNGNIYTVTFGQGD  
MPTQVGKTYWFPALNTLPVAKTVTPYNPKTHVRPQLDFVPEIKVTPETYPKIFTPEKPVFTTPKSVEKVPQPSLT  
LTKVTLPTNLKLEPLPKAPQKPTVHYHDYLLTTTALAKEVMNVKVNHLHGKQVAKDSTVIYPLTVLVSPPNRSKIT  
SLIFEDYLPAGYAFDMTKTQAENS DYDLTFDKNKNFVTLKAKDSLLOTLNKLNLKSYQLSAPKLGVSDQNDGATSN  
SYKLLINKDTPNTYTVISNVVRIPTPGDGETTSRIRPKKDNENADGVILNDTVVALSTTNHYRLTWDLQYKGDTS



KDTIARGFLFVDDYPREALDLVDKGTVITTLDGKAVSGISVYSYTSLDKAPKELQDKLARANISPKGAFQVFEPDNH  
QAFYDITYVKTGQSLALLTKMKVKDSLYGQTVRYKNKAYQVDFNGYETKEVVNTVHVHPEPKQNLNKDKVDINGKAM  
LVGSONFYTLSDWLDQYRGLQADKSQIAQGFYFVDDYPEDVLLPDTKAIQIMTKDGKAVKGMEIKTYHQLSDAPKEL  
QAALAKRNITPKGAFQVFMFKDPQAFYKAYVTTGQNLITVNPMTVREAVYNSGKSYDNVAYQVDFGQAYETNIVTNH  
VPTVNPHTSNTNKEGVSIEGKTVLENTVNYKIVLDYSQYKNMIVTDDVLVKGFMVDDYPREALTPHPDGTQVMDQ  
NGKFVRGLSVRTYASLADAPKAVQKAMKSRNFI PKGAIQVQFQADDPKTFEFETYVKTGQKLVTTPMTVKNERIQGTG  
QYENTAYQIDFGIAYVTEVTVNNVVKLEPQKDVVIDLSQKDKSLNGKALALDQVFNRYLVGSLIPRNRATALVEYSF  
KDDYDEKHDEYKGVYKAYTLRDVTLKDGTVLKGQTEVTKYTLQSVDKAKGTIAIRFDTAFLENIADSEFQAEIYLO  
MKRIASGDVENTVIHSVNGYNIRSNTVKTTTPQEPSPPTDNPSPQPPVPTTESPVQASVLPSTGESQSLLALIGGG  
LLLGLAYGLSKRKKKEKN

## SeqID 312

MANNNFYNRDPFGNMDDIFNSLMGNMGGYNSENKRYLINGREVTPEEFSQYRQTGKLPQOELNNQNTPTNQVSADSV  
LTKLGTNLTDQARQHLLDPVIGRNKEIQETAAILARRTKNNPVLVGDAVGKTAVIEGLAQAIINGDVPAAIKNKEI  
ISIDISSLEAGTQYRGSFEEINIQNIKEVKETGNIILFFDEIHQILGAGSTGSDSGSKGLADILKPAISRGELTVIG  
ATTQDEYRNTILKNAALARRFNEVKVNAPSAQDTFNILMGINLYEQHHNVLPDSVLKAAVDLSIQYIPQRSPLDK  
AIDLIDMTAAHLAAQHPVTDLKSLEKBIAAQORDKQEKAVNTEDFEALKVKTRIEELQNQIDNHTGQKVATINDI  
AMSIERLTGVFVSNMGASDIERLKELGNRLLKGVIGQNDAVEAVARAIRNRAGFDDGNRPIGSFLFVGPTGVGKTE  
LAKQLAFDMFGSKDAIVRLDMSEYNDRTAVSKLIGATAGYVGYDDNSNTLTERIRRNPSIVLLDEIEKADPQVITL  
LLQVLDDGRLTDGQGNITNFKNVTIATSNAGFGNEAFTGDSKDLKIMBRISPYFRPEFLNRFNGVIEFSLHSKDD  
LNEIVDLMLDEVNQITIGKKGIDLVVDENVKSHLIDLGYDEAMGVRPLRRVIEQEIRDRITDYLLDHTDVKHLKANLQ  
DGQIVISBR

## SeqID 313

MGRFKELLESKKALILHGALGTELESRGCDVSGKLWSDKYLIEDPAAIQTIHEDYIRAGADIVTTSTYQATLQGLAQ  
VGVSESQAEDLIRLTVQLAKAVREQVWKSILTKEEKSERIYPLISGDVGOPYAAFLADGSEYTGLYDIYKEGLKNFHRH  
RIELLLDEGVLDLLALETIPNAQAEALIELLVEDFPQVEAYMSFTSQDGKTSIDGSAVAGLAKAIDVSPQVVALGIN  
CSSPSLVADFLQAIABEQTDKPLVTYPNSGEIYDGASQSWQSSRDHSHTLENTSDWQKLGAQVVGCCCTRPAID  
LSEHLT

## SeqID 314

MKIGIDKIGFATSQYVLEMTDLAIARQVDPEKFSKGLLLDSLSITPVTEDIVTLAASAANDILSDEKETIDMVIVA  
TESSIDQSKAASVYVHQLLEIOPFARSFEMKEACYSATAALDYAKLHVEKHPDSKVLVIASDIKYGKSTGESTQG  
AGSIAMLSIQNPSILELKEDRLAQTRDIMDFWRPNYSVPYVNGMFSTKQYLDMLKTTWKEYQKRFTSLSDYAAFC  
FHIIPPKLALKGFNKILDNNLDEQKKAELQENFEHSITYSKKIGNCYTGSLLYGLLSLLENSQNLKAGDQIAFFSYG  
SGAVAEIFTGQLVDGYQNKQLQSDRMDQLNKRQKITVTEYEKLFTEKTILDENGANFNFTYRTGTFSLSICEHQRIY  
KKINN

## SeqID 315

MKSAYIFFNPKSGKDEQALAEVKSYLEHDFQDDYVRIITPSSVEEAVAKKASEDHIDLVIPLGGDGTINKICG  
GVYAGGAYPTIGLVPAGTVNNFSKALNIPQERNLALENLLNGHVKSVDICKVNDYMISSLTGLGLADIAANVTSEM  
KRKLGPFAFVGDAYRILKRNRSYSITLAYDNNVRSRLRTRLLITMTNSIAGMPAFSPPEATIDDGLFRVYTMHEIHFF  
KLLHLRQFRKGDFSQAKEIKHFTNNLTISTFKRKSAPKVRIDGDPGDQLPVKVEVIPKALKFTIPNSLP

## SeqID 316

MTTFTAKFIDQEWVPEVESGRYHMIVGEFCPYAQRQIARQLLGLDKHISISFVDDVPSDIGLIFSQPEQVTGAKSL  
RDIYHLTDPTYKGPYTIPIILIDKTDNRIVCKESADMLRLFTTDFSDLHQEDAPVLFSQETASLIDNDIKDINNWFQS  
LMYKLAFLDKQADYDYSKEFFTFLDQKEHLLGQRPFLGDNLSVDIHFFTPPLVRWDIAGRDLLLLNQKALEDYPN  
IFSWAKTLYNDFNLKTLTNPQSIKNYYLKGFGRAVRHHTIVPTGPNMVKWEK

## SeqID 317

MKKRIILKSSVLGLVAGTSIMFSSAFADQVGVQVIGVNDFHGALDNTGTANMPDGKVTNAGTAAQLDAYIDDAQKDF  
KQTNPNGESIRVQAGDMVGASPANSGLLQDEPTVKTFNAMNVEYGTGLGNHEFDEGLAEYNRIVTGKAPAPDSNINNI  
TKSYPHBAKQEIIVANVIDKVNKQIPYNWKPYAIKNI PVNKNKSVNVGFIGIVTKDIPNLVLRKNYEQYEFLEAET  
IVKYAKELQAKNVKAIIVLAHVPAATSKDDIAEGEAAEMMKVNQLFPENSVDIVFAGHNHQTNGLVGKTRIVQALS  
QGKAYADVRGVLDTDQDFIETPSAKVVAVAPGKKTGSADIQAIVDQANTIVKQVTEAKIGTAEVSGMITRSVDQDN  
VSPVGLSLITEAQLAIARKSWPDIDFAMTNGGIRADLLIKPDGTITWGAAQAVQPFGNILQVVEITGRDLYKALNEQ  
YDQKQNFLLQIAGLRYTYTDNKEGGEETPFKVVKAYKSNGEINPDAKYKLVINDFLFGGDDGFASFRNAGLLGAIN  
PDTEVFMAIITDLEKAGKVSVPNNKPKIYVTMKNVNETITQNDGTHSIIKKLYLDRQGNIVAQEIIVSDTLNQTKSK  
STKINPVTTIHKKQLHQFTAINPMRNYGKPSNSTTVKSKQLPKTNSEYGQSFLMSVFGVGLIGIALNTKKKHMK

## SeqID 318

MAYIWSYLKRYPNWLWLDLLGAMLFVTVILGMPTALAGMIDNGVTKGDRGTGVYLWTFIMFIFVVLGIIGRITMAYAS  
SRLTTTMRDMRNDMYAKLQEYSHHEYEQIGVSSLVTRMTSDTFVLMQFAEMSLRLGLVTPMVMIFSVMILITSPS  
LAWLVAVAMPLLVGVLVYVAIKTKPLSERQOTMLDKINQYVRENLTGLRVVRAFARENFQSQKFQVANQRYTDTSTG

LFLKLTGLTEPLFVQIIIAMIVAIVWFALDPLQGAIKIGDLVAFIEYSFHALFSFLLFANLFTMYPRMVSSHRIRE  
VMDMPISINPNAEGVTDTKLKGHLEFDNVTFFAYPGETESPVLHDISFKAKPGETIAFIGSTGSGKSSLVNLIIPRFYD  
VTLGGKILVGDVDRDYNLKSRLQKIGFIPQKALLFTGTIGENLKYGKADATIDDLRQAVDISQAKEFIESHQEAFET  
HLAEGGNSLGGGQQRLSIARAVQKDPDLIYFDDSFALDYKTDATLRARLKEVTGDSTVLIVAQRVGTIMDADQII  
VLDEGEIVGRGTHQAQLIENNAIYREIAESQLKNQNLSEGE

## SeqID 319

MKKGQVNDTKQSYSLRKYKFGLASVILGPFIMVTSVPVFADQTTTSVQVNNQTGTSTVDANNSSNETSASSVITSNNDSV  
 QASDKVNSQNTATKDITPLVETKPMVEKTLPEQGNVYVSKETEVKNTPSKSAPVAFYAKKGDKVFYDQVFNKDNV  
 KWI SYKSFQVRRYAAIESLDPSGGSETKAPTPTVNSGSNNQEKIATQGNYTFSHKVEVKNEAKVASPTQFTLDKGD  
 RIFYDQILTIEGNQWLSYKSFNGVRRFVLLGKASSVEKTEDEKRVSPQPQARITKTGRLTISNETTTGFDILITNIK  
 DDNGLAAVKVPVWTEQGGQDDIKWYTAVTGDNKYKVAVSFADHKNEKGLYNIHLYYQEASGTLVGVGTGKVTVAGT  
 NSSQEPLENGLAKTGVYNIIGSTEVKNEAKISSQTQFTLEKGDKINYDQVLTADGYQWISYKSYSGVRRYIPVKKLT  
 TSSEKAKDEATKPTSYPNLPKTGTYYTFTKTVDVKSQPKVSSPVEFNFQKGEKIHYDQVLVDGHWISYKSYSGIRR  
 YIEI

**SeqID 320**

MENWKFALSSILGHKMRAFLTMLGIIIGVASVVLIMALGKGMKDSVTNEITKSQKNLQIYYKTKEQKQKEDNFGAQG  
AFMQGSDTNRKEPIIQESWLKKIAKEVDGVSGYYVTNQTNAPVAYLEKKAKTVNITGVNRTYLGIIKKFKIKSGRQFQ  
EEDYNQFSRVILLEEKLAQRLFQTNAAALNKVVTVKNKSYLVVGVYSDPEAGSGLYGSNSDGNAILTNTQLASEFGA  
KEAENITYFLNDVQSQRNRIKGEIKRLTDISHAKDGYDNFDMTSIVKSINTQVGIMTGIVIGALAAISLLVGGIGVM  
NIMLVSVTERTEIRIGLRKALGATRKRILAQFLIESMVLITLGLIGLLLAYGGTMLIANAQDKITPSVSLNVAIGSL  
IFSAGIGII FGLLPANKASKLNPIDALRYE

SeqID 321

MQYSEIMIRYGELSTKKKNRMRFINKLKNMEHVLSITYPDVSVKTRDRDRGHVYLNGLTDYHEVAESLKEIFGQAFSP  
 SFKVEKNVDTLVKAVQEIMTSVYKDGMTFKITAKRSDHSFELDSRALNHTLGDAVFSVLPNIKAQMKQPDINLKVEI  
 RDEAAYISYENIRGAGGLPVGTSGKGMMLSGGIDSPVAGYLALKRGVDIEAVHFASPPYTPGALKKAHDLTRKLT  
 KFGGNIQFIEVPFTEIQEEIKEKAPEAYLMTLTRRFFMRITDRIENRNLVIINGESLGQVASQTLESMQAINAVT  
 ATPIRPVVMDKLEIIDIAQKIDTFDISIQPFEDCCTIFAPDRPKTNPKIKNTEQYEKRMDEGLVERAVAGIMVT  
 TIQPOQSDDDVDLIDLL

## SeqID 322

MARVKGGVVSRKRRKRVLKLAKGYYGAKHILFRTAKEQVMNSYYYAYRDRRQKKRDFRKLWITRINAAARMNGLSYS  
QLMHGLKLAETIEVNRKMLADLAVNDAAAFTALADAAKAKLKG

**SeqID 323**

MFKASKKL VQKNKSNHFWLVFFITLILFLIGCYASLRFGAINFKTSDLITVLKNPLKNSNAQDVIFDIRLPRIIAAT  
LVGAAMSQAGAIMQGVTRNAIADPGLLGINAGAGLALVVAAYFLGSMHYSTILIVCLLGSVISYLLVFTLSYTKQKG  
YHQLRLILAGALMISTLFTSVGGVVTLTYFKLNRVTIGWQAGGLSQINWKMLIIHAPIIILGLLISQLLAHQLTLSLN  
ESVAKLKGQKTQMLTAFVLLLVFLLSASSVALIGTVSFGLIIPHFIKLFIPKDYRLLLLPLIGFSGATFMIWVDLSS  
RIINPSETPISSIISIVLGLPCFLWLIRKGNL

## SeqID 324

MIKRPIHLSHDFLAVIDKEAITLDATMGNGNDTVFLAKSSKKVYAFDIQBEAIAKTKAKLTBOGISNAELIILDGHE  
NLEQYVHTPLRAAIFNLGYLPSADKTVITKPHTTIKAIKNVLDILEVGGRLSLMVYYGHDGGKSEKDAVIAFVEQLP  
QNNFATMLYQPLNQVNTPPFLIMVEKLOS YENEV

**SeqID 325**

MRVHITSIYGQSPRSIALISQKLVKDVGRQLGYDEMGIYFYNDHAETHGERSTRMDGIIAGLGRGDIVVFQVPTWNS  
TEFDELFLDKLQAYGARIITFVHDIPLMFESNFYLLDRVIDMYNRSDDVILPTKAMHDYLIKEGMTTSKVLVYQEVW  
DHPVNIDLPRPECQKVLFSFAGDIQRFFPVNDWKENIPLIYYGDGSRNLNSEANVHAQGKDDVELMLSLSKRGGFGLC  
WSEDRBELVERRYSITKNNASYKLSFLAAGLPIIANHDISSRDFIKQHGLGFTVETLEAVEKINNMEKETYDSYVEN  
VEKIATLLRNGYITKMLLIDAVHMLYR

## SeqID 326

[illegible]

MIDRKDTRNRFKLVSKYSPSGDQPQAIETLVDNIEGGEKAQILKGATGTGKTYTMSQVIAQVNKPTLVIAHNKTLAQ  
LYGEFKEFFPDNAVEYFVSYDDYYQPEAYVPSSDITYIEKDSSVNDEIDKLRSATSSLLERNVDVIVVASVSCIYGLG  
SPKEYADSVVSLRPGQEISRQDLLNNLVDIQFERNDIDFORGKFRVRGVDVVEVFPASRDEHAFRIEFFGDEIDRIR  
IESLTRVLGEVEHLAIFPATHFMTNDEHMEEAISKIQAEENQVELFEKEGKLIEAQIRIRQTEYDIEMLEMGYT  
NGVENYSRHMDGRSEGEPPFTLLDFFPEDFLIMIDESHMTMGQIKGMYNGDRSRKEMLVNYGFRPLPSALDNRLRRE  
EFESHVHQIVVYSATPGDYEMEQTDTVVEQIIRPTGLLDPEVEVRPSMGQMDLLGEINLRTEKGERTFITTLTKRM  
AEDLDYLKEMGVKVKYMSDKITLTERTEIIRDLRLGVFDVLIGINLLREGIDVPEVSLVAILDADKEGFLRNERGL  
IQTIGRAARNNGHVIMYHADIKTSLMQRAMDETARRRLQMDYNEKHGIVPQTIKKEIRDLIAITKSNDSDKPEKV  
DYSSLSKKERQAEIKALQQQMQRAAELLDFELAAQIRDVLLDKAID

MKHKLKAPTLLALLSIFVFGGKVS AETVNI VSDTAYAPFEFKDSDQTYKGIDVDIVNEVAKRAGWNVNMTYPGFDAA  
 VNAVQSGQADALMAGTTVTEARKKVNFNSDTYYDTSVILYTKNNNKVTNYKQLKGKVVGVKNGTAAQS FLEENKSKY  
 GYKVKTFDTS DLMNNSLDSGSIYAAMDDQPVVQFAINQ GKAYAINMEGEAVGSFAFAVKKGSGHDNLIKEFN TAF AQ  
 MKSDGTYN D IMDKWL GKDATKTS GKATGNANEKATPVKPSYKIVSDSS FAPFEYQNGKGKYTGFDMELIKKIAKQQG  
 FKLDISNPGFDAALNAVQSGQADGVIAGATITEARQKIFDFSDPYYTSSVILAVKKGSNVKS YQDLKGKTVGAKNGT  
 ASYTWLS D HADKYN YHVKA FDEASTMYDSMNSG S IDALMDDEAVLAYAINQGRKFETPIKGEKSGDIGFAVKKGANP  
 ELIKMFNGLASLKKSGEYDKLVKKYLS TASTSSNDKAAKPVDESTILGLISNNYKQLLSGIGTTLSLTLISFAIAM  
 VIGIIFGMI VSPSPNTLR TISMI FVDIVRG I PLMIVA AFI FWGIPNLIESITGHQSPINDFVAATIALSLNGGAYIA  
 EIVRGIEAVSPSGMEASRSLGISYGMTQKVILPQAVRLMLPNFINQFVISLKDOTTIVSAIGLVBLFQTGKIIAR  
 NYQSF RMYAILAIMYLVIIITLLTRLAKRLEKRLK

MGDKPISFRDKDGNFVSAADVWNAEKLLELFNTLNPNRKLRLEREKLAKEKG

METVTLNLTNLPKIGFGTWQLTEGEEAYKAVTHALKVGYTHIDTAQIYGNESVGRAIRDSGLARESIFLTTKIWN  
DKHDYHLAKASIDESLQKLGVDYIDLILLIHWPNPKALRENDANKAGNAGTWKAMEEAYKEGKVKAI GVS NFMKHHLE  
ALFETAETIKPMVNQIILAPGCAQEDLVRFCKGNDILLEAYS PFGTGAI FENES IKAIAEKY GKSVAQVALRWSLDNG  
FLPLPKSATPKNIEANLDIFDFQLNEDDITTTLIQLDSGIKPKPDNVSF

MYKQGQNVVAQNKKAHHDYTIIVETIEAGIVLTGTRIKSVRAARITLKDGYAQIKNGEAWLINVHITPYDQGNINQD  
PDRTRKLLLLKKREIEKISNELKGTGMTLVPLKVYLKDGFAKVLLGLAKGKHDYDKRESIKRREQNRDIARQLKNYNS  
R

MDHFTKLWQDFSKLPNVVAIALGGSRSRGDSFDQSSDYDLVYCAATPDITSRKRIILNKHCHYIELNNHYWELEDNGT  
LNDGTDIDILYRNIDNFLSDLEDVVEHHNSRIGYTTCFWHNLINCOILYDPENQLOSLKERFEVSYPSQLOKQIIIQ  
NRNLLTGKLPSPYDKQIIKALKRQDFVSTHRRTTAFLDSYFDIIFALNKLTHPGKRMISYAKKNATLLPKHFEENII  
KLCHHNSNEHTVKETLNDIIMHLDVMLKENFOHFIG

MKKLIYLGACVSI LTLSGCESIERSLRGDRYDQKLAENSSKEATEQLNKKTKQALKADKKAFPQLDKAVAKNEAQ  
VLIKTSKGDINIKLFPKYAPLAVENFLTHAKEGYQNGLSFHRVIKDFMIQSGDPNGDGTGGKSIWNSKDKKKDSNG  
FVNEISPYLYNIRGLAMANAGADTNGSQFFINQSQDHSKQLSDKKVPKVI IKAYSEGNGPSLDGGYTVFGQVISG  
METVDKIASVEVTKSDQPKKITITSIKVIKDYKFK

MRKIIIAAMEEELKLLVENLEDKSKQETVLSNVYYSGRYGEHELVLVQSGVGKVMSSAMSVAILVESFKVDALINTGSA  
GAVATGLNVGDVVVADTLVYHDVLTAFGYDYGQMSMQPLYFHSDKTFVSTFEAVLSKBEEMTSKVGLIATGDSFIAG  
QEKIDVIKGFHPQVLAVEMEGAAIAQAAQATGKPFVVVRAMSDTAAHNANITFDEFII EAGKRSAOVLMAFLKAL

SeqID 335

MEKRLSLGALVLASTVLLAACGNVGGGASSTGTIKGDKIKVGYNWELSGNVSSYGNMKNAGADLAVKEINAAGGVGG  
KKLKVLSQDNKSENABAATVATNLVTKGANVIIGPATSGAAASSTPKVNAAVPMIAPAATQDNLVYGS DGKTLNQY  
FFRATFVDNYQGKLLSQYATDNLKAKKVLFYDNSSDYSGVAKSFKESYSGKIVDSMTFFSAGDTDFQASLTKLKGK  
EYDAIVMPGYTTETGLIVKQARDLGISKPVLPDGFDSPKFVQSATPVGASNVYYLTGFTTQGSTKAKAFHDHYVKA  
YGEEPSMFSALS YDAVYMAAKSAKAKTSIDLKALAKLKD FKGVTGKMSIDKNHNVVKSAYVVKLDDGKTSSVNI I  
SAK

## SeqID 336

MENHNSIKQTYGLMTTIA MIVGVVIGSGIYFKVDDILKFTGGDVFLGMVILVLGGSFSIVFGSL SISELAIRTSSEGG  
IFSYYEKYVSPALAAATLGLFASFLYLPTLTATVSWAAFTTLGESSLESQIILA AAVYILALSLMNI FAKRIAGGFQ  
SLTTTFVKMIPLVLIALIGAFWSDKAPQLPQHLLTAIQPSNVGWSWVSGLVPLYFAYDGTTFVSIAPAEVKNPKNLPL  
AFVIGPALILLSYLAFFYGLTQILGASFIMTTGNDAINYAANIIFGPSVGRLLSFIVILSVLGVANGLLLGTMRLPQ  
AFAERGWI KSERMANINLKYQMSLPASLTVTAVAI FWL FVHFMTKFNLLPGSDISEIAVVFNTSLIILYVLVLSL  
YLKKDIKNKFTGLVSPILAILGGLILFIGSLLSNFTVLI FQCFCLL FCLICHYIYQKNNPKTHE

## SeqID 337

LTEFNDDQHSNHDQKS FKEQILAELEENRLRLKREEELYQKEQEAKEAARRTAQLMADYEAQRLKDEQEARAKALE  
TKORLEEQEKARIEAKLLAEAREEEERRQAEQALASQEEQVINQGMPSRELD SGSKSSEFRTTENVPDIDLKADKT  
DVATAVPNQETEEIFLVRATDIPTEGENVKLGETSELEPVAKEP IRVEDLSKEEDIALSAKNKHNKRERRQKADNV  
AKRIARILISIIILVLLLTAFVGYRFVDSAIKPVDNSNKFVQVEIPIGSGNKLIGQILEKAGVIKSATVFNNYSKF  
KNYSNFQSGYYNLKKSMTLDQIAAELEKGGTAEP TKPALGKILITEGYTIKQIAKAIESNKIDTKTTSTPYKADDFL  
KLVDQETFIKKMVAKYPNLLGSLPDKSKATYQLEGYLFPATYNYKYDTTLEGLVEDMISTMNTKMAPYYNTIKAKNM  
SVNDVLTLSLVEKEGSTDEDRKLIASVFYNRLSAGQALQSNIAILYAMGKLGDKTSLAEDAQINTSIKSPYNIYTN  
TGLMPGPVDSPSISAEATIKPASTDYLFVADVKTNVYAKDFETHKANVEKYINSQIN

## SeqID 338

MSRMIPGRIRNQGI ELYEQGLVSLISQEGNLLKAKVGDCQIEYSLVTEETKCS CDDFFARKGYCQH LAAL EHF LKNDP  
EGKAILS KVVQVQESQOETKKKTSFGSVFLDSL IINEDDTIKYQLSAQGEQNPYANDIWWTLKIRRLPDDRSYVIRD  
IKAF LNTVRKEAYYQIGKQYFETLSLIQFDETSQELIEFLWRLIPSHSSKIDLEFILPNQGRHLSLTRGFFEEGVTL  
MNALENFSFESDFHQFNHLYFKELEGEDHLYQFKVIVHRQSI ELSIEKEDLKLPLFANSYLFYRDTFYHLNLKQEKMV  
TAIRSLPIEGDLAKHIFDLDDQDKLAHLLDFKEIGLVDA PRSFSIHD FKNVFEFDINSQNEILLQMVFYDGNLDT  
VHNROELEQLTFASHFKHEEKIFKLLERYGFAPHFSTSHPAYSAQELYDFYTYMLPQFKKMGTVLSAKLESYRLIE  
RPQIDIEAKGSLDISFDFSDILLENDVDQALVALPDNNPYFVNKSGQLVIFDEETKKVSATLQGLRARRAKNGHIEL  
DNIAAFQLSSELFANQDNVSFSQHFYQLIEDLRHPEKFKIPGLSVSASLRDYQLTGVRWLSMLDHYGFAGILADDMGL  
GKTLQTI SFLSTKLTRDSRVLLSPSSLIYNWQDEFHFKAPD VDAVAYGSKIRRDEIIAERHQV IITSYSSFRQDF  
ETYSEGNYDYLILDEAQVMKNAQT KIAHSLSRSEFVNCFALSGTPI ENKLEIWSIFQIILPGLLP GKKEFLKLNPK  
QVARYIKPFVMRRRKEEVLPELPDLIEMNYPNEMTDSQKVITYLAQLRQIQESI QHSSDADLNRRKIEILSGITRLRQ  
ICDTPRLFM DYDGESGKLES LHQLLTQIKENGHRALIFSQFRGMLDIAEREMVAMGLTTYKITGSTPANERHEMTRA  
FNAGSKDAFLISLKAGGVGLNLTGADTVVLIDLWWNPAVEMQAI SRAHRLGQKENVEVYRLITRG TIEEKILEMQET  
KKHLVTTVLDGNETHASMSVDDIREILGVSK

## SeqID 339

VLLTEIKKSPEGLYFDK KIDIKESLMERHSEIMDISDIQVSGHVYREDGLYLLDYNMAYDITLPSSRS MKPVVLSEK  
QTINEVFIEAENVSTKKELV DQDLVLILEEDDINLEESVIDNILLNIPLRVLA ADEVGV EADLSGKNWSL MTEKQYE  
EKQAKEKEKSNPF AALEGMFDS

## SeqID 340

MEVKTAIEWMHTFNQKIQSNKDYLSELDTPIGDGDHGGNARGMTAVIENLDNNEFSSAADVFKT VSMQLLSKVGG A  
SGPLYGS AFMGITKAEQSESTISEALGAGLEMIQKR GKAE LNEKTMVDVWHGVIAIEKNELTEDRIDSLV DATKGM  
KATKGRASYVGERSLGHIDPGSFSSGLLFKALLEVGGV

## SeqID 341

MQDKLMIRGARAHNLKNISVDIPRDKLVVVTGLSGSGKSSLAFTDIYAEGQRRYVESLSAYARQFLGNMEKPDVDSI  
DGLSPAISIDQKTT SKNPRSTVGTVTEINDYLRLLYARVGT PYCINGHGAITASSVEQIVDKVLALPERTKMQILAP  
IIRKKGQHKSTFEKI QKDG YVRVRIDGDIHDVTEVP ELSKSKMHNIDIVVDR LINKEGIRSRLFDSVEAALRLSDG  
YVIDTMDGNELLFSEHYSCPEGFTVPELEPRLFSFNAPFGSCTTCDGLGIKLEVDIDLVIPDKSKTLREGALVPW  
NPISSNYYPTMLEQAMTQFDVMDTPFEKLSKAEQDLALYGSGEREFHFYINDFGGERNIDL PFEGVNNINRRYH  
ETNSDYTRNV MREYMNELKCN TCHGYRLNDQALCVRVGGE EGNIGQVSDLSIADHLELLET LRLSSNEQLIARPII  
KEIHDRLSFLNNVGLNYLNLRSAGT LSGGESQRIRLATQIGSNLSGVLYVLDEPSIGLHQ RDNDRLIDSLKKMRDL  
GNTLIVVEHEDTMMAADWLIDVGP GAGAFGEIVASGTPKQVAKNTKSITGQYLSGKKVIPVPSERRVGNRFL E I  
KGAENNLQNL DVKFPLGKFIAVTGVSGSGKSTLINSILKKA VAKLNRNSDKPGKYVSLEGIEYVDR LIDIDQSPI  
GRTPRSNPATYTG VFDDIRDLFAQTNEAKIRGYKKGRFSFNVKGGRCBSCSGDGI IKIEMHFLPDVYVPC EYCHGTR  
YNSETLEVHYKEKNIAQILDMTVNDAVTFFAAI PKIARKLQTIKDVGLGYVTLGQPATTL SGGEAQRMKLASELHKR  
STGKSLYILDEPTTGLHADDIARLLKVLDRFVDDGNTVLVIEHNLDVIKTADHIIDLGP EGGIGGGQIVAIGTPEEV  
AENPKSYTGYLLKEKLAR

## SeqID 342

MWPEDRIASFRRTLLGWYDQEKRDLPWRRRTTNPPYYIWVSEIMLQQTQVNTVPIPYKRFLEWFPQIKDLADAPEEQLL  
KAWEGLGYYSRVRNMQKAAQQVMVDFGGIFPHTYDDIASLKGIGPYTAGAIASISFNLPEPAVDGNVMRVMARLFEV  
NYDIGDPKNRKIFQAIMELIDPDRPGDFNQALMDLGTIDIESAKTPRDESPIRFFNAAYLNGTYSKYPIKNPKKKP  
KPMRIQAFVIRNQNQGYLLEKNTKGRLLGGFWSFPIIETSPLSQQLDLFDDNQSNPIIWQTQNETFOREYQLKPQWT  
DNHFPNIKHTFSHQKWTIELIEGVVKATDLPNAPHLKWAIEDFSLYPFATPQKKMLETYLKQKNA

## SeqID 343

LIETWTVKYITEFIATAFLIILGNNAVANDLKGTKGNNSGWIIAIGYGLGVMPALMFGNVSGNHINPAFTLGL  
AFSGLFPWAHVGQYILAQILGAMFGQLVVVMVYQPYFVKTENPNHVLGSGFSTISALDDGQKSSRKAAYINGFLNEFV  
GSFVLFFGALALTKNYFGVELVGKLVQAGYDQTTAATRISPYYTGSILAVAHLGIGFLVMTLVASLGSGPTGPALNPAR  
DLGPRIVHRLLPKQILGQAKEDSKWYAWVPVLAPIVASILAVALFKLLYL

## SeqID 344

MSSYWNYPPELKNIDETNQLIQERIQVRNKDIEAALSQLTAAAGGKQLRPAFFYLFSQLGNKENQDTQQLKKIAASL  
EILHVATLIHDDVIDDSPLRRGNMTIQSKFGKDIAYVTGDLFLTFVFDLILESMADTFPMRINAKSMRKILMGELDQ  
MHLRYNQOQGIHHYLRAISGKTABFLKASKEGAYFGGAKEGVRLAGHIGFNIGMTFQILDIDYADKKTTFNKP  
VLEDLTQGVYSLPLLLAIEENPDIFKPILDKKTDMATEDMEKIAVLVSHRGVDKARHLARKFTEKAISDINKLPQN  
SAKKQLLQLTNYLLKRKI

## SeqID 345

MFKIPLFKELKTDQWVKPFFKQYKVS LVIALFLGFMTFFSASALMFNSGYLISKSASLPSNILLVYVPIVLTRAFIGI  
GRPVPFRYIERLTSHNWVLRMTSQLRLKLYHSLESNAIFMKRDFRLGDVVMGLLAEDINYLONLYLRTIFPTIIAWLLY  
SFIIITATGFFSLWFALMMLLYLAIMIFLFLWSILANGARQTRKELKNHLYTDLTNDNLGISDWIFSQRGQOEYVAL  
HERSESELMAIQKKIRSFNRRALIVELVFGFLAILVLIWASNQFIGHRGGEANWIAAFVLTVFPLSEAFAGLSAAA  
QETNKYSDSIHLRLNELSEYFETTQNLPNKPYDFS VKNLSFQYKPOEKWVLHHLDLDIKEGEKIALGRSGSGKST  
LASLLRGDLKASQKITLGGADVSI VGD C ISNYIGVIOQAPYLFNTLLNNIRIGNQDASEEDVWVKLERVGLKEMV  
TDLSDGLYTMVDEAGLRFSGGERHRIALARILLKDVPIVILDEPTVGLDPITEQALLRVFMKELEGKTLVWITHHLK  
GIEHADRI LFIENGQLELEGSPQELSQSSQRYRQLKAADDGDL

## SeqID 346

MKKLITEKKVNNVSTVNYLKLGLVSA MPAGGAFVALGSTQGVSASTFTAPQATHPKAERQLTDSEIYERAQKQVLPK  
YIQGSLSGILNQHSTLYKQONAAVTPQVSSPKAERQLTDSEIYERAQKQVLPKYIQGSLSGILNQHSTLNA

## SeqID 347

MEENMNIKQLKSKTMLGTVALVSASFAS TNADANTYNAVDVDYLASAE EIAQAHPASNTFPLGQCTWGVKEMATW  
AGNWWGNGGDWAASAASAGYTVGTQPRVGSIVCWTDCSYGHVAVVTAVDPVTNKIQVLESNYAGHQWIDNYRGWFDP  
QNTATPGVVSYYIPN

## SeqID 348

MKINQMKKDELFEFGFYLIKKA EVRKTRAGKDFIAFTFRDDTGEISGNMWDAQTYNVEEFVAGKIVHMKGRREVINGT  
PQVNQITLNRNIKDGEPNDPRDFKEKPPINVDNVREYMEQMLFKIENATQWRVVRALYRKYNKEFFTYPAKTNHHAF  
ESGLAYHTATMVR LADSIGDIYPELNKSLMFAGIMLHD LAKVIELSGPDNTEY TIRGNLIGHISLIDEELTKILAE L  
NIDDTKEEVTVLRHVILSHHGQLEYGSPVRPRIMEAEIIH MIDNIDANMMMTTALNRVNEGEMTNRI FAMDNR SFY  
KPNIK

## SeqID 349

MLVDKKWRPFD SASYFACPKCQNLIKESNLKCSDNHCFDLSKFGYVNLG GKKIDEHYDKKS FENRQLVLENGYY  
NHILEAISKVLENN SQFHSVLDIGCGEGFYSRQLVNKYEKTFLAFDISKDSIQLAAKSDQSRLVKWVSDLANLP IQ  
DSSIDIILDIFSPANYKEFRRLVSDDGILVKVVPVAEHVQELREKASQYLKQKDYNSQKILDHFRENFEIISEQKV  
QSYNCSQQRQAFIDMTPLLP SVDKTTIDWASISEITVGALIVIGKKRSVSK

## SeqID 350

MCLICQRIEMIERNENPYFVKEYETGYLV LGDHQYFQGYCLFLSKKHVTELHELPRDWRNQYLSEMA DASEIVAKAF  
RADKMNI ES LGND AHLHFHLPFRKTGDLRNYGHNGKGPVWWYPFEKMYADSVRATGA EIEKLKEKLLDVLG

## SeqID 351

MFSDLRKKFVFLTMSILIVVVLFLFAVSNRYNQYWDEYDAYRIVKLVAKN DYLGIPGDEPIALVTIDNQKMVKIOSN  
NTDLTNDVIEKSS LKLEQ GKSRKWKSFYIS IKEYKDKTYTIAIMDLASYEVPYARRFLILVFTIFGFCLLAAVSL  
YLSRFIVGPVETEMTREKQFVSDASHELKTPIAAIRANVQVLEQQIPGNRYLDHVVS ETKRMEFLIEDLLNLSRLDE  
KRSKVNFKKLNLSVL CQEVLLTYESLAYEE EKCLNDTIEDDVWIVGEESQIKQILILLDN AIRHSLSKSEIQFSLK  
QARRKAILTISNP SAIYSKEVMDNLFERFYQAKDDHADSLSFGLGLSIAKATVERHKGRIRAYQEKDQLRLEVQLPI  
DGFWTNTMIN

## SeqID 352

LIILDKKSYDLLFYLLKLREPFTVMAIANALNQSRKVVYHLEKINDALPSDVPQIVSYPRVGILLTERKQKAACRLIL  
LDEVTDYSYVMKSSERLQSLVSVVAKDRITIDRLMQLNDSRNTILNDLNLRLSELAEKEYNLQLOSTKCRGYFL  
DGHPLSIIQYLYKLLDDIYHNGSSSFIDLFNHKLSQAFGASTYFSKEVLDYFHHYLFISQRSLGKKINSQDGGQFMIQ  
ILPFILMAYRKMRLSPEVQTSLSNDSFSLVWQRKEYEIAKELADELEENFQLSLDEIEVGLVAMLMLSFRRKDRDNHLE  
SQDYDDMRATLTSFLKKELEERYHLHFVHKDOLLRQLLTHCKALLYRKRYGIFSVNPLTEHIKDKYEELFAITSSSVK  
LLEKAWQIKLTDDDVAYLTIHLGGELRNSQQSPNKLKLVTVSDEGIAIQKLLKQCORYLTNSDIEAVFTTEQYQSV  
SDLMHVDMMVSTSDALESRFPMLVHPVLTDDDIIRLIRFSKKGNCANSNQFTNELEKTIAQYVKEDSERYVLKSKI  
EKLIHQELLQDVLPLQSTVC

## SeqID 353

MKYFLDTADVSEIRRLNRLGIVDGVITNPTIISREGRDFKEVINEICQIVDGPVSAEVTGLTCDENVTEAREIAKWS  
PNVVVKIPMTEEGLAAVSOLSKEGIKTNTVLLFTVAQGLSAMKAGATFISPFVGRLEDIGTDAYALIRDLRHIIDFY  
GFQSEIIAASIRGLAHVEGVAKCGAHIAITIPDKTFASLFTHPLTDKGIETFLKDWDSFKKK

## SeqID 354

MSHYSIKLQEVFRLAQFQAARYESHYLESWHLLLAMVLVHDSVAGLTFARYESEVAIEEYEAATILALGRAPKEEIT  
NYQFLEQSPALKKILKLAENISIVGAEDVGTEHVLLAMLVNKDLLATRILELVGFRGQDDGESVRMVDLRKALERH  
AGFTKDDIKAIYELRNPKKAKSGASFSDMMKPPSTAGDLADFTRLDSQMAVDGEIEPVGIRDKESRMVQVLSRKT  
NNPVLVGDAVGKTAALAYGLAQRIANGNIPEYLRDMRVLELDMMSVVAGTRFRGDFEERMNIADIEEDGHIILFI  
DELHTIMSGSGSIDSTLDAANILKPALARGTLRTVGATTQEEYQKHIEKDAALSRRFAKVLVEEPNLEDAYEILLGL  
KPAYEAFHNVTISDEAVMTAVKVAHRYLTSKNLPDSALDILLDEASATVQMMIKKNAPSLLEVDQAILDDDMKSASK  
ALKASYKGGKRKPIAVTEDHIMATLSRLSGIPVEKLTQADSKKYLNLKELHKKRVIGQDDAVTAISRARRNQSGIR  
TGKRPIGSFMFLGPTGVGKTELAKALAEVLFDDDESALIRFDMSEYMEKFAASHLNGAPPGYVGYDEGGELTEKVRNK  
PYSVLLFDEVEKAHPDIFNVLLQVLDDGVLTDSRGRKVDFSNTIIMTSNLGATALRDDKTGVFGAKDISHDYTAMQ  
KRIMEELKKAYRPEFINRIDEKVVFHSLSQDNMREVVKIMVKPLILALKDKGMDLKFQPSALKHLAEDGYDIEMGAR  
PLRRTIQTQVEDHLSSELLANQVKEGQVIKIGVSKGKLKFDIAKS

## SeqID 355

MVLKKEIKAQLAQYLDLLESIDIVLQADLGDNDNSQKVKDFLDEIVAMSDRISLESTHLKRQPSFGIAKKGHESRVIF  
SGLPMGHEFTSFILALLQVSGRAPKVDEDIKRIKGIKTINLETYVSLTCHNCPDVVQAFNIMAVLNPNIHTMTIE  
GGMYQDEVKSKGIMSVPTVYKQEEFTSGRATIEQLLEQLDGLDAAFAFADKGVYDVLVIGGGPAGNSAATYAARKG  
LKTGILAEFTGGQVIEFTVGIENMIGTLYTEGPKLMAQIEHTKSYDIDIKSQLATGIEKKELVEVTLANGAILQAK  
TAILALGAKWRNINVPGEREFNRKGVTYCPHCDGPLFEGKDVAVIGGGNSGMEAALDLAGVTKHVTVLEFLPELKAD  
QVLQERAATDNLITLKNVATKDIVGEDHVTGLNYTDRDTNEEKHIDLEGVVFQIGLVPSTSWLKDSGIELNBERQEI  
VVDKFGSTNIPGIFAAGDCTDAAYKQIISMSGSGATAAIGAFDYLRQ

## SeqID 356

MIKYQDDFYQAVNGEWAKTAVIPDDKPRGTGGFSDLADDIEALMLSTTDKWLADENKPSDTIILNHFI AFHKMTADYQK  
REEVGVSPVLPLIEEYKGLQSFSEFASKVAEYELEGKPNFPPGVAPDFMNAQLNVLWAEAPGIIIPDTITYYSEDNE  
KGKELLAFWRKSQEDLLPLFGLSEQEIKDILDKVLALDAKLAQYVLSREESSEYVKLYHPYNWEDFTKLAPELPLDA  
IFQKILGQKPKDKVIVPEERFWTEFASDYSESNEWELLKADLILSAANAYNAYLTDDIRIKSGVYSRALSSTPQAMDK  
KKAAYLASGPYNQALGLWYAGEKFSPEAKADVEHKIATMIDVYKSRLEKADWLAQSTREKAIMKLVITPHIGYPE  
KLPEYTKKIIDPKLSLVENATNLDKISLAYGWSKWNKPVRSEWHMPAHMVNAYYDPQONQIVFPAAIILQEPFYAL  
EQSSSANYGGIGAVIAHEISHAFDTNGASFDEHGSLLNNWWTDEDFAFKKLTDKVVEQFDGLESYGAKVNGKLTVSE  
NVADLGGVACALEAAQRESDFSARDFINFATIWRMKARDEYMQMLASVDVHAPAQRWRTNITVTNFEFHKFEFDVKD  
GDNMWRPVEKRVIIW

## SeqID 357

MSKILFFGEPLIRITPKENDYFADSISTKLFYGGSEVNTARALQGFQDTKLLSALPNNPIGNSFLQFLKAQGIDTH  
SIQWVGERSVGLYFLSDSFACRKGEVVYDRDHSSLHDFRINQIDFDQLFEGVSLFHFSGITLSLDESIQETILLLLKE  
AKKREITISLDLNRSKLISPKNAKILFSQFATFADICFGIEPLMVDSQDTTFFNRDEATIEDVKERMISLINHFD  
QVIFHTKRLQDEWGRNHYQAYIANRKQEFVTSKEITTAVNQIRIGSGDAFVAGALYQLLQHSQSKTVIDFAVASASLK  
CALEGDNMFETVTAVNKLNLQSKDIIR

## SeqID 358

MKSRKKDKLVRLT'TLLVFLGGVWFYNYKNDNVEPTVTSASDQTTTFTIQTISPTAIEISKTYDLYASVLLAQAIL  
ESSSGQSDLSKAPNYNLFGIKGEYKGSVQMPTELEDDGKGNMTQIQAPFRAYPNYSASLYDYAELVSSQKYASVWKS  
NTSSYKDATAALTGLYATDTAYASKLNQIETYSLDAYDK

## SeqID 359

MADVKKVNNEDSRGQKQDLKAKLFHIKIGSVPLPVYVCLALLILLAGFLQKLVPVNLGGFAVILTMGWFLGTIGASI  
PGFKNFGGPAILSLVPSILVFNLINKNVLESTNMLMKQANFLYFYIACLVSGSILGMNRKMILQGLLRMIFPMLL  
GMVCAMMVGTFVGVILGLEWRHTLFYIVTPVLAGGIGEGILPLSLGYSSITGVASEQLVAQLIPATII GNFFAILCT  
ALLNRLGEKKPHLSGQQLVRLNKGEDMSDIIADHSGPIDVKKMGGGVLTACSLFIFGHLLQQLTGFPGPVLMVAA

AILKYINVIPRETQNGAKQLYKFISGNFTFPLMAGLGLLYIPLKDVVATLSIQYFIVVISVVFVISVGFFVSRFLN  
MNPVEAGIISACQSGMGGTGDVAILSTADRMNLMPPAQVATRLGGAITVITMTAILRMLF

## SeqID 360

RGKAGKYTTSDGYIFDAKDIKKDTGTGYVIPHMTHEHWVPKDLSESELKAAQEFLSGKSEANQDKPKTGKTAQEI  
YEAIEPKAIVKPEDLLFGIAQATDYKNGTFVIPHKDHVHYVRLKWFDEEKDLLADSDKTYSLDYLATAKYMMHPE  
KRPKVEGWGKDAEITYKEKDSNKADKPSAPPTDNKSTSNSSDKNLSAAEVFKQAKPEKIVPLDKIAAHMAYAVGFEDD  
QLIVPHHDHYHNVPMWFDKGGWLKAPEGYTLQQLFSTIKYYMEHPNELPKEKGWGHDSHDNKGSKNKNKAKNYAPD  
EEPEDSGKVTHNYGFYDVNKGSDDEEPEKQEDSESELDEYELGMAQNAKYGMDRQSFQKLIQLSNKYSVSFESFNY  
INGSQVQVTKDQSGKVLVDIKTLTEVK

## SeqID 361

MNRKKTVIIISALSVALFGTGVGAYQLGSYNAQKSDNSVSIVKTDKSDSKAQATAVNKTPDQISKEEGISAEQIVVKI  
TDDGYVTSHGDHYHYNGKVPYDAIIEELIMKDPSPYVFNKADVINEVKDGYLIKVNGKYLYLKEGSKRTNVRTKE  
QIQKQREWSKGGSGKSGKSSAKTQALSASVREAKSGRYTTDDGYVFSPTDVIDDMGDAFLVPHGDHFHYIPKA  
DLSPSELSSAAQAYWNRKTGRSGNSSKPSNSSSYIHASAPSGNVSTGRHANAPISIPRVTHANHWSKPAGNHATAPKH  
HAPTTKPIKNDKSDKMLKRLYAQPLYARHVESDGLVYDPAQVNAFTAGVSI PHGNHFFHFIHYKDMSPLELEATRM  
VAEHRGHHIDALGKKDSTEKPKHISHEPNKEPHTEEHHAVTPKDQRKGKPNSSQIVYSAQEIIEEAKKLNVNTQHLMT  
FLMPKILKKIQVQVMSFHI

## SeqID 362

MAKFGFLSVLEELDKHLQYDFAMDWDKKNHTVEVTFLEAQNSSAIETVDDQGETSSDIVFEDYVLFYNPVKSRF  
DAEDYLVITIPYEPKGLSREFLAYFAETLNEVATEGLSDLMDFLTDDSIIEFGLSWDTDAFENGRAELKETEFYPY  
RY

## SeqID 363

MNTKQRFSSIRKYKLGAVSVLLGTLFFLGGITNVAADSVINKPSDIAVEQQVKDSPTSANETPTNNTSSALASTAQD  
NLVTKANNSPTETQPAESHQATETFSVANQPVSTQEVSKTPTLTKQNLAVKSTPAISKETPQNIDSNKIITVPK  
VWNTGYKGEGETVVAIIDSGLDINHDLQNDSTKAKYQNEQQMNAKAKAGINYGKWNKVI FGHNYVDVNTTELKE  
VKSTSHGMHVTSIATANPSKKDTNELIYGVAPEAQVMFMRVFSDEKRGTPALYVKAIEDAVKLGADSINLSLGGAN  
GSLVNADDRLIKALEMARLAGVSVVIAAGNDGTFGSGASKPSALYPDYGLVGSPTAREAISVASYNNTTFLVNKVFN  
IIGLENNRNLNNGLAAYADPKVSDKTFEVGKQYDYVFGKGNNDYKDKTLNGKIALIERGDI FTKKVNVNAINHGA  
VGAIIFNNKAGEANLTMSLDPEASAI PAIFTQKEFGDVLAKNNYKIVFNNIKNKQANPNAGVLSDFSSWGLTADGQL  
KPDLSAPGGSIYAAINDNEYDMMSGTSMASPHVAGATALVQYLLKEHPKKGDIERTVKYLLMSTAKAHLNKDTG  
AYTSRQOQAGIIDVAAAVQTGLYLTGGENNYGSVTLGNIKDKISPDVTVHNINKVAKDLHYTTYINTDQVKDGFVT  
LAPQQLGTGTGKTIRIEPGQTQITIDIDVSKYHMLKVMNGYFLEGYVRFTDPVDGGEVLSIPYVGFKGEFQNL  
EVLEKSIYKLVANKEKGFYFQPKQTNVPGSEDTALMTTSSEPIYSTDGTSPILQKALGSYKSIDGKWLQLDQKG  
QPHLAISPNDQNDQDAVAVKGVFLRNFNLRKAVYRADDVNLQKPLVWSAPQAGDKNYSGNTENPKSTFLYDTEWK  
GTTTIDGIPLEDGKYKYVLTYYSDVPGSKPQQMVFDITLDRQAPTLTATYDKDRRI FKARPAVEHGESGIFREQVCY  
LKKDKDGHYNSVLRQOQGEDGILVEDNKVFIKQEKNGSFI LPEKVNDFSHVYTVEDYAGNLVS AKLEDLINIGNKNG  
LVNVKVFSPELNSNVDIDFSYSVKDDKGNIIKKQHGGKDLNLLKLPFGTYTFFDLFLYDEERANLISP KSVTVTISEK  
DSLKDVLFFKVNLLKKAALLVEFDKLLPKGATVQLVTKTNTVVDLPKATYSPTDYGKNI PVGDYRLNVTLPSGYSTLE  
NLDDLLSVKEDQVNLTKLTTLINKAPLINLAEQTDIITQPVFNAGTHLKNYLANLEKAQTLIKNRVEQTSIDNA  
IAALRESQALNGKETDTSLLAKAILAETIKGNYQFVNASPLSQSTYINQVQLAKNLLQKPNVTQSEVDKALEND  
IAKNQLNGHETDYSGLHMI IKANVLKQTSSKYQNASQFAKENYNNLIKKAELLLSNRQATQAQVEELLNQIKATEQ  
ELDGRDRVSSAENYSQSLNDNDSLNTTTPINPPNPQALIFKKGMTKESEVAQKRVLGVTSTQDNQKVTKNKLPTGB  
STPKITYTILLFSLSMLGLATIKLSIKRE

## SeqID 364

MNNNEKKVKYFLRKTAYGLASMSAAFAVCSGIVHADTSSGISASIPHKQVNLGAVTLKNLISKYRGNDKAI AILLS  
RVNDFNRASQDTLPQLINSTEAEIRNIIYQGGIGKQNKPSVTTHAKVSDQELGKQSRSSQDI IKS LGFLSSDQKDIL  
VKSISSSKDSQLILKFVTQATQLNABSTKAKQMAQNDVALIKNISPEVLEEYKEKIQRASTKSQVDEFVAEAKKV  
NSNKETLVNQANGKKQELAKLENLSNDEMLRYNTAIDNVVKQYNEGKLNITAMNALNSIKQAAQEAQKNLQKQYA  
KKIERISSKGLALS KKAKEIYEKHSILPTPGYYADSVGTYLNRFRDKQTFGNRSVWGTGQSGLDEAKKMLDEVKKIL  
KELQDLTRGTGKEDKKPDVKPEAKPEAKPNIQVPKQAPTEAAKPALEALTRLTWYNQAKDLLKDDQVKDKYVDIL  
AVQKAVDQAYDHVEEGKFITTDQANQLANKLRDALQSLKLDKKVAKPEAKPEAKPEAKPEAKPEAKPEAKPEAKPE  
AKPDVKPEAKPDVKPEAKPEAKPEAKSEAKPEAKLEAKPEAKPATKKSVENTSGNLAAKKAIENKKYSKKLPSTGEAA  
SPLLAIVSLIVMLSAGLITIVLKHKKN

## SeqID 365

MAKDIKFSADARSAMVRGVDILADTVKVTLGPKGRNVVLEKAFGSPLITNDGVTIAKEIELEDHFENMGAKLVSEVA  
SKTNDIAGDGTATVLTQAI VREGLKNVTAGANFIGIRRGIEATAVSAVEELKEIAQPVSGKEAIAQVAVSSRSE  
KVGEYISEAMGRVGNQGVITIEESRGMETELEVVEGMQFDRGYLSQYMTDNEKVMSELENPYILITDKKISNIQEI  
LPLLEEVLKTNRPILLIADDDVDGEALPTLVLNKIRGTFNVVAVKAPGFGDRRKAMLEDIAITLGGTVVTEDLGLDLK  
DATMQVLGQSAKVTVDKDSTVIVEGAGDSSAIANRVAI IKSQMEATTSDFDREKLQERLAKLAGGVAVIKVGAATET

ELKEMKLRIEDALNATRAAVEEGIVSGGGTALVNVIEKVAALKLNGDEETGRNIVLRALEEPVRQIAYNAGYEGSVI  
IERLKQSEIGTGFNAANGWEVDMVTTGIIDPVKVTRESALQNAASVASLILTTEAVVANKPEPEAPTAPAMDPSMMGG  
F

## SeqID 366

VVENLEKPIGVSYKNSPMSKRTAIRMKKSSRFSILLYSVLSTLLAIANPLLTYFANGLQTQNLTYTGLMMTKGQIPY  
SDVFATGGFLYYVTIALSYLLGSSIWLLIVQFIAYYVSGIYFYKLVYVAQSEIVSIGMTLIFYIMNIVLGFGGMYP  
IQWALPFMLISLWFLIKFCVDNIVDEAFIFYGILAAFSLFIDPQTLIFWLCSFVLLTATNIKQKQSLRGFYQFLCVV  
FGMILIAYTVGYFMFNLISSYIDKAFYPTFYFARTNHSFLLSLAIQIVVLLGSGCLFGLWDFIQNRKKASYQIG  
LNFIACIFIYAIMAIFSRDFNLYHFLPALPFGLLTSTNKITILYQKVIDRRSHRRQYFSGKSLIVDLFVKKTYLPL  
LLLVSLSIGLLVYNTYQNVTLKERRDISHYLTTKIDRDGKIYVWDKVASIYSQTRLKSASQFVLPHINTAQKNNEK  
ILKDELLQHGAKEYFILNKNEKLPNELKSDIKKHQEVPLSNITHFVLYRFX

## SeqID 367

MAKPTISPQMQQYLDIKENYPDAFLLFRMGDFYELFYDDAVKAAQILEISLTSRNKNAEKPIPMAGVPYHSAQQYID  
VLVELGYKVAIAEQMEDPKKAVGVVREVQVVTPTGVVESTKPDSSANNFLVAIDSQDQQTFLGAYMDVSTGEFQAT  
LLTDFESVRSEILNLKAREIVVGYQLTDEKNHLLTKQMNLLLSYEDERLNDIHLIDEQLTDLEISAAEKLLQYVHRT  
QKRELSHLQKVHYEIKDYLOMSYATKNSLDLLENARTSKKHGSLYWLLEDETKTAMGTRMLRTWIDRPLVSMNRIKE  
RQDIIQVFLDYFFERNDLTESLKGVDIERLASRVSGKANPKDLLQLGQTLISQIPRIKMILOSFNQPELDIIVNKI  
DTMPELESINTALAPEAQATITEGNIKSGFDKQLDNYRTVMREGTGWADIEAKERAASGIGTLKIDYNKKGYY  
FHVTSNLSLVPHEFFRKATLKNSEYGTAEALAKIEGEMLEAREQSSNLEYDIFMRVRAQVESYIKRLQELAKTIAT  
VDVLQSLAVVAENYHYVRPKFNDQHQIKIKNGRHATVEKVMGVQEIYIPNSIYFDSQTDIQLITGPNMSGKSTYMRQL  
ALTIVIMAGMGGFVSADVDLPVFDALFTRIGAADDLISGQSTFMVEMMEANQAVKRASDKSLILFDELGRGTATYDG  
MALAQSIIEYIHDRVRAKTMFATHYHELTDLSEQLTRLVNVHVATLERDGEVTFHLKIESGPADKSYGIHVAKIAGL  
PIDLLDRATDILSQLEADAVQLIVSPSQEAVTADLNEELDSEKQQGQLSLFEEPSNAGRVIIELEAIDIMNLTPMQA  
MNAIFDLKLL

## SeqID 368

MLKLDLTKTIKEAILIAGFVALYTFGFVKFNMANHLAEGGISGVTLLIHALFGVNPALSSLLLNIPILFILGARILGK  
KSLLLTIYGTVLMSFFMFWQQIPVTVPLKNDMLVAVAGILAGTGSGLVFRYGAATTGGADIIGRIVEEKSGIKLG  
QTLFLDAIVLTSSLVYINLQOMLYTLVASFVFSQVLTNVENGGYTVRGMIIITKESESAATILHEINRGVTFLRG  
QGAYSGREHDVLYVALNPSEVRDVKEIMADLDPDAFISVINVDEVISSDFKIRRRNYDK

## SeqID 369

MKRSMYAGRVSEHIGTSITLKGWVGRRRLDGLLIFIDLRDREGIMQLVINPEEVAASVMATAESLRSEFVIEVSGV  
VTAREQANDNLPTGEVELKVQELSVLNTSKTTPFEIKDGEIANDDTMRMYRYLDLRRPEMLENFKLRKVTHSIRNY  
LDNLEFIDVETPMLTKSTPEGARDYLVPSRVNQGHFYALPOSQITKQLLMNAGFDRIYQIVKCFRDEDLRGDRQPE  
FTQVDLETSLSDQEIQDIVEGMLAKVMKDTKGLEVSLPFRMAYDDAMNNYGSQDKPDTRFDMLLQDLTEIVKEVDF  
KVFSEASVVKAIIVKDKADKYSRKNIDKLTELAKQYGAQLAWLKYVDNTISGPVAKFLTAIEGRLTEALQLENNDL  
ILFVADSLEVANETLGALRTRIAKELELIDYSKFNFLWVVDWPMFEWSEEBEGRYMSAHPFTLPTAETAHELEGLA  
KVRAYDIVLNGYELGGSLRINQKDTQERMFKALGFSAESAQEQFGFLLEAMDYGFPPHGGLAIGLDRFVMLLAG  
KDNIREVIAFPKNNKASDPMTQAPSLVSEQQLEBLSLTVESYEN

## SeqID 370

KEKGKLIKKELENNTDIIPKIEKSPQNLILTSYNRVNIDKIKNIKNFDKGFELGFPLFEKGEILRKEGEITSAL  
ELFDKARELGYPALYNSYAMAFRKIKNYDDEILILQEGIERFKKSTLSSNINPKTIDRWSTRISRAKDLCK

## SeqID 371

LNVKKHHLAYGAILVALFSCILAVMVIKSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNE  
APKSSSQSTEANSQQQVTAASEEAAVEQAVVTENTPATSOAQOAYAVTETTYRPAQHOTSGQVLSNGNTAGAGSAAA  
AQMAAATGVPOSTWEHIIARESNGNPNVANASGASGLEQTMPGWGSTATVQDQVNSAIKAYRAQGLSANGY

## SeqID 372

MSNWDTKFLKKGFTFDDVLLI PAESHVLPNEVDMKTKLADNLTNLNIPITTAAMDTVTDSKMAIAIARAGGLGIIHKN  
MSIVDQAEVRKVRSSENGVIIDPFFLTDPNTVSEAEELMNYRISGVPIVETLENRKLVGIIITNRDMRFISDYKQL  
ISEHMTSONLVTAICTDLETAERILHEHRIEKLPLVDDEGRLLSGLITIKDIEKVIEFPKAAKDEFGRLLVAGAVGV  
TSDTFERAEALFEAGADAIVIDTAHGHSAGVLRKIAEIRAHFPNRTLIAAGNIATAEGARALYDAGVDVVKVGIGPGS  
ICTTRVAVGVGPQTITAIYDAAAVAREYKGTIADGGIKYSGDIVKALAAGGNAVMLGSMFAGTDEAPGETEIFQGR  
KFKTYRGMGSIAAMKKGSSDRYFQGSVNEANKLVPEGIEGRVAYKGSVADIVFQMLGGIRSGMGYVGAANIKELHDN  
AQFVEMSGAGLKESHPHDVQITNEAPNYSVH

## SeqID 373

MTINHYKLRIPIYTISFLLPFIIIVCILFTKNYIYWGSPPTILASDGFHQYVIFNQALRNILHGSNSLFYTTFTSGLGL  
NFYALSSYYLGSFLSPIVYFFNLKNMPDAIYLLTICKIGLIGLSMFVTLCKRHCKVNRVLLLVISTCYSLMSFBSIQ  
IEINMWLDVFIPLVVLGVDQLLWERKPILYFLSLTALFIQNYFFGFMATAIFTSLYFIVQITRNTDSKVAFKQFLH



FTFLSLLAGMTSSIMILPTYFDLTTHGEKLTQVSKMFTENSWYMDLFAKNMIGAYDTTKFGSIPMIYVGLPLLLSL  
LYFTIKEVPRRTRLAYGFLIIFVIASFYITPLDLFWQGMHAPNMFHRYSWVLSVLICLLAAECLEYLDNISWKKIL  
GVNLILVSGFIITFLFKKHYHYLNLELLLLLTFLSAYIILTISFVSKQIPKLVFYPFLIGFVVLEMTLNTFYQLNS  
LNDEWIFPSRQGYAKYNHSISKLVKRTERNNSTFFRTERWLQGTGNDSMKYNYNGISQFSSIRNRSSSQVLDRLGFK  
SDGTNLNLRYQNNTLIADSLFGVKYNLTETPFDFKGFIKKAQDKQTILYKNQFASQLAILTNQVYQDKPFTVNTLDN  
QTTLNLQLSGLKETTYFEHLIPNSVSGQTTLNKQVVFVKKKNQGNTEITYNITIPKNSQLYVSMPPFINFNNEENKIVQI  
SVNNGPFVVPNTLDNAYSFFNIGSFAENSRIKVKFQFPNDQVSFPIPHFYGLKLEAYQKAMTVINKRKVKVTRTDHKN  
VIANYTSPNRSSLFFFTIPYDRGWKAYQNNKEIKIFKAQKGFMKINIPKGGKGVTLIFIPYGFKFGVGLSITGIVLFT  
VYYFKFGKNKIG

SeqID 374  
WFMKHSVGKRHNLT

SeqID 375  
MKDHLRCFLHYRSKNVGKNGTRLKGGKPN

SeqID 376  
DKQLFQCVQGFQIRNLNGKKHGIKLIFIKNVKH

SeqID 377  
NEEAIDGVSKLGKKTITLGNNSYLSS

SeqID 378  
IKQWLLVMKMTVLCLKLLEILLCKTAILN

SeqID 379  
RRISNNLGVLKEATVIHAV

SeqID 380  
ELCLKLSNVKPIYMPWHFEQISLKKQVSRVYHALFE

SeqID 381  
RSCFSRCYPRFNRFRYHFLKPPWTRTNYCKRY

SeqID 382  
RWFGFRYDDGRKFSFTNLL

SeqID 383  
PLKSLSMTSRMKLLRLSQRKAM

SeqID 384  
RHLRKRQKQNHLMNLCFLCAVKKLKKDNLI

SeqID 385  
KLFIOPIQENMKQPIEIIISNYAKLGLMKI

SeqID 386  
YQTYSKKARKFGSVWLKPK

SeqID 387  
TLLFQILLLLSHLKKNIFLEWNMHATYN

SeqID 388  
KKFYEIILATKYHTSVFKWSLKLKNKLTNTKKISEASSGKLEIHLEQQLNSMPKVTLALILLVDKSNALL

SeqID 389  
LKQMFRRVLHLLFQVVLIAVRSLMKMVLKSSWDGVTCSLSLLMRRIQYDYKVPLFQMMMLKGSVLVSKTKPRLTMM  
PLILEKYLKQITALVVAEYLVILFLKKPRDSF

SeqID 390  
GRKINFSRPSRFE

SeqID 391  
RVKYYKWEPLSISRSCYEKSSSTSSRI

SeqID 392

TWSRCCIPRCYSWCKIRRSNQCFGRWTSSFG

SeqID 393

KENFVQRLRSLLKAISKNIITYSLVSLPLARHL

SeqID 394

SIINIKLEIYDICKPTISNRESIHGYRKLLPRLFFGDYLSKTLFQGFTSNHPNCRPIRL

SeqID 395

LSFRRSRRIGSSHSQI

SeqID 396

FIFKDRFKMRHFTD

SeqID 397

GLICACKAFISAILANLFCSSVIPIASCPENICAKPRTRFSSTSDIVLSPAKYIFKAPTVLSEIFRGTTIAEFN

SeqID 398

SSSLDTHYKHRELFVLVADSLGSLWLILLVAYFV

SeqID 399

HLVPTQYHKQNLPLEYKRLNALVHK

SeqID 400

AHLHEGYHKYPLKRRNLYEFLRKL

SeqID 401

PLKELREHYIIPRKIRLQNFPHR

SeqID 402

KYTIAGSRVTQRRPSFSVTKV

SeqID 403

AAFSSPAAKNRAFITTRSS

SeqID 404

SMVKQISFSDHLISRFEGLCLRRFSVRFRLLRRSLSSVSNTNNTSWL

SeqID 405

YHVLSRYHLNPLHVLQALYAHQEVIVLIIHQRELFYRGQRGQ

SeqID 406

AQPSSSTRISPKIDRFTPK

SeqID 407

WNRITINYFLNNLQLVTNIKLPTRKIFQSQNKFLSFIKN

SeqID 408

VQEGHKIFPLQR

SeqID 409

QQSNNTANYSRPYKPWHKKKNGLSCRCFS

SeqID 410

FFDDTKVNIHWLEMPAVCMCNIMWQCTNSSLWENYFTLPKATGSIDSRYKTTCCRFYITFNTGHLSSKEKIWVLT  
CSKGLV

SeqID 411

VYSLRIATLELERNLIDKRRGKPTDSRSIEFLEVSLAILSCKNKLIPDIMLEKTFPLVSSEAKSEDLKFKSAISLNL  
ENCS

SeqID 412

GHSNGIKEGNGGIFPVFCIAITATRFRFTINGFCNRINPCLCHFIVTLLSCCNRKS

SeqID 413

RIEKAIIVPKPAISVLMIIISRMVLGTPEKEPVICSANGIISIVIATPADIRIQMSKADIIEKAKPVEKLCENSLTELT  
KAAPGTITISAPNIIMLRCSNPKEKYNKLALKATTELPRMVKRNPVCIRLSIKFRKYPKIKPVTAAENESNKELPKA  
KEKLPAPQK

SeqID 414

PYSVTYAAPVICNGADLARRTAYAMSSSVTKPSDVEELVTIGDRTKRFSRLNPLGSLNGRNKLPWTLFISAHRLPLIS  
HRLSLKSIKLCN

SeqID 415

ANHNDKNNTISVKNKPSAK

SeqID 416

SFCVFCCHSKKGSYPHPKQSSWSSRFNSRSHTNDITCPYRCSKSSCKGSIT

SeqID 417

TLGISFKIRGCHFSAPFLGGKSPDFPLPG

SeqID 418

FNISNSSLGFGTSAKSASTSSANSLLIISCDKATHSLQMKTPLPAIIFTSSWLLPQNEQ

SeqID 419

GVYKKQSLSLIFHQIHLIVYHFDLHDFVPPYRE

SeqID 420

IFLRSVCGNSRQALGLTSYILHKLSSPKNGQGIALNTLSPSSSTSKNKSSKADNFIRKCLEILEISASVNRGPKVLQ  
QLAHAVQSI

SeqID 421

SRISTITIPIRISPTFLYREDFSSGLKGSFGLRLSSVKYFFPSKVYWRPKNIPAAASEKPRWKFTSCPRYPTTMGE  
IKAPRLIPKTKILKPASRRRESFSPYKLPTISDTFGFNSPVPRIIRAIEMNRAV

SeqID 422

SFPRSNNLCAFKDKFKCRTSSRLDCL

SeqID 423

IHSFHRRKLNHHGKLNLYHLVLEKQPGLSSLLIMLYQSPDL

SeqID 424

LSFSIVSHLLTTIIIPASCANPAIRLSYSRIPSSALITIRTTSESRMARIERITEYFSVFSYTLPLDIRIPAVSII  
VYSCPWLSTKLVSIA SRVVPATGLAITRSSPRMALIKLDFTTFGRPIKLKRIISGFSFSSSTGRFSTIASNISPVPI  
P

SeqID 425

CPSSDIAGINFTKNSGKIDKQTVT

SeqID 426

PFLRNHFHNNETSTKFFSDSTKSRIGNTCHRC

SeqID 427

ASTGSAANPQTTTPGKLLQASIAPIPVQPVITKSAAPLLSKIAVSKPFCT

SeqID 428

AMPKRCFIPPEYDEIFLPTSPKPTSSSNLGLISCLAFFLSTPFKVAI

SeqID 429

LLLLILKNPDTHNTTIKRQPNKPPKVLKRRTTEKKSILMKRIPINHVAP

SeqID 430

NFKARPPGVVSGLPNITPTFSLNWLKIAIVFVLLMDADNLRIA

SeqID 431

KRVGICHYHVSQSSCFHNNKFSRYFTQFSFNIIVHSIFLSQYFSFW

SeqID 432

NSTTSASLISGLISSRSGRRVNEPSSFSASNDTKAGRPKVASTASRIAGTFIDFSRTEITCPGVTRYDGI STRLPST  
RI

SeqID 433

TRPLVEILVDKLPYKEANFSRNSCTLGYLAFVNTNI

SeqID 434

RTRNAIRYPKASSGDYGTREIITANKDKYSISKMCRLNMPRSSYYYQAVESVSKTEFEETIKRIFLDSESRYGSR  
KIKICLNNEGITLSRRRIRIRIMKRLNLVSVYQKATFKPHSRGKNEAPIPNHLDROFKOERPLQALVTDLTYYRVGNR  
WAYVCLIIDLYNREIIGLSLGHKTAELVKQAIQSIPYALTKVKMFHSDRGKEFDNLIDEILEAFGITRSLSQAGC  
PYDNAVAESTYRAFKIEFVYQETQSLLEELALKTEKATLFCCTTFIKCCLFRFLPML

SeqID 435

atggatgtat	cgtctagtc	gaatattaca	tttatgctgc	aatacacaga	ggctaatacct	60
caatatgtgg	actatactaa	cagagaagag	gctgtcaaaa	ttgatgaaga	attgtcctta	120
gaaacgaaca	ggcaaatgat	tgaaggatta	actgaagacg	agttgactcg	tattcaggaa	180
gctgtccctg	aaacgcagtt	gaatttttagg	gaatacattg	attatatgaa	ccgctcgtat	240
gcaactgaag	aacaatctaa	agaactaaca	gctatcttta	ctcaagaagc	agattatcct	300
cagaaactac	gattaatcga	tctaaaaaat	aagttggaat	cagcttatca	aaatgggtca	360
cttctctggc	aaggagttat	ttcgtttgat	aatgcttttc	ttgcggaaca	gggattgtat	420
gatgttgcca	ctgggtcaagt	tgatcaaaaa	gcgattaagg	cagtgatgcg	tgatatgatg	480
ccaacactta	tccagaaaga	gggcctttct	gattctgctt	tttgggtggg	gaatatccat	540
ctgaatacag	ataatatcca	tatccatttt	gggctttctg	aagttgaatc	taaccgtgag	600
aaaatattct	atcagccacg	tggacgtatg	gagtacaaag	gtaacttctc	tcagaaaacc	660
atcaaccggg	ttaaaagtgg	tgtgtatcat	ggattgctga	aagaagaaac	aagatccaat	720
cttctcagaa	aagaacagat	tttagcta	ctcaaagcgg	acttcataac	atctatttac	780
cagaaggaca	agattacttc	ttcagctgaa	aaaaattttt	tggacaacag	ctacaatcat	840
ttgccgctaa	ataagaagtg	gcgctatgg	tctaattgca	gagattttgc	ggttagtaag	900
ttctttcttg	atcgctattt	agattcctat	ttaaacatag	aaggtagtgc	tgcttatcaa	960
gaatttttga	aagagactag	agattttctt	cagacttatg	aaggggttta	ttcagctgaa	1020
aaaaataaaa	tctatgaaaa	actacgtaaa	gttgatgggc	aaacgatcag	aacgcttgca	1080
gaatcaaaa	gatatgattt	agaacatcat	ttggcacgtc	gtgtaatgga	tttaagagag	1140
cgtttagcca	ataatatctt	acgttcggtt	agagaagctg	caccccaaat	tcaagacgtt	1200
cagctggaaa	aaaatttaga	gagtttttct	gttttgaacc	agaagaaaat	tttagaacia	1260
catcctgaag	caagtgtggt	aaaaagtcag	aaagcttggc	agaagttagg	ctactttgtg	1320
aaggctggag	agcagccact	tgaaattata	aggccagtct	ataaatctta	tgataagcat	1380
ggtaaaggta	taggacggcc	agaatttgta	tcagatactg	tttatgatat	tagtcagcta	1440
acagaaaata	ttcagctgaa	aagtctaacc	ttgaaagacc	tctctctgtt	ttcttctaac	1500
gagttaaaag	agttagtaga	tgctgctaag	ttaaagacta	atccaacaga	gagagaacgc	1560
cgtgaattag	gtacctatcg	ttatgcgttg	aaacttagca	tattagaatc	tagtcagaag	1620
gaattgcagg	ttcgtcaaaa	gctactagaa	caggtagcgc	cactagcgtc	tgatcaacca	1680
tttttagatt	tttaagaaaca	gttaatatag	caaggaattac	aagctatagc	gctacaattg	1740
actcctaatt	acaagctatc	agaagatgat	aaagccttga	aaaatcgatt	gaagaggcag	1800
tttgaagata	gtgttgcgct	acctgtttca	aaagctactc	ctgggtgccat	acaacttctt	1860
attaggcaac	tttgagctga	gctaggattg	gttcatcaca	ttcaagatga	aaacattcta	1920
acgcttctga	aagggacatc	aacgacgaaa	caagcttata	tagaagaact	tcagactcat	1980
atctctatct	ttcagttgaa	atatcagatt	aacaatagaa	acaagcagat	aagccagtta	2040
tcggatgaag	caacaataaa	ggagatgagg	atagctaatg	ctaaagggtt	ctctgagcta	2100
aaacgtctat	atgatacat	acagccatca	gatgatggtc	aaaatcagat	tagtcaagct	2160
gtttctaaac	aattacaaga	acgaaaagtt	atcaaaaaag	ctcaattaca	acagacgcag	2220
agaagcgga	aaatcaatac	agacttcatg	cgacaattga	cagcttctct	taatcgttca	2280
caacaagcaa	gtaaaaaagc	attgatggaa	cgtgcacgta	gtgatgaacg	tgaggaacaa	2340
gaagaacgta	ggcaagctca	acgttaa				2367

SeqID 436

atgaattcta	acacaaaagg	tcacggattt	ttccgcaagt	caaaagcata	cggcttagta	60
tgtgtctattg	cattagcagg	tgcatittaca	ttagctacta	gtcaagtgtc	tgctgatcaa	120
gttacaactc	aagcaacaac	tcaaacagta	acgcaaaatc	aagcagaaac	agtaacatca	180
actcaacttg	ataaaagcagt	agctacagct	aaaaaagcag	ctgtagctgt	tacaaccaca	240
cctgcagtta	atcatgcgac	aactactgat	gcacaagctg	atttagctaa	tcaaacacaa	300
gctgttaaag	atgtttactgc	aaaagcacaa	gctaatacac	aagctattaa	agatgctact	360
gctgaaaatg	caaaaattga	tgctgaaaac	aaagcagagg	cagagcgtgt	tgcaaaaagaa	420
aacaaggaag	gtcaagcagc	cgtagatgca	cgtaacaaag	caggtcaagc	agccgtagat	480
gcacgtaata	aagcgaaaca	gcaagcgcaa	gacgatcaaa	aagcaaaaat	tgatgctgaa	540

aacaaagcag	agtctcaacg	tgtaagtcag	ttaaagtcac	aaaataaagc	aaaaattgac	600
gcagaaaata	aagatgcgca	agctaaagca	aatgcgacta	atgcacaatt	acaaaaagat	660
tatcaagcta	aattagcgga	aatcaaatca	gttgaagctt	ataatgcagg	tgtacgtcaa	720
cgtaataaag	atgcacaagc	taaagcagat	gcgactaacg	cacagttaca	aaaagactat	780
caagctaaat	tagcacttta	taatcaagct	ctaaaagcta	aagcagaagc	agataaacag	840
tctattaata	atgttgcttt	tgatatcaaa	gctcaagcta	aaggtgttga	taacgctgaa	900
tatggaaact	caatcatgac	tgcaaaaact	aaacctgacg	gaagtttcga	gtttaaccat	960
gatatgatcg	atgggtgtgaa	gacaatcggc	tatgggaaat	tgacaggtaa	agttaatcat	1020
cattatggtg	ctaacaagga	tggctctgtg	acagcatttg	ttgattctgt	cactctttac	1080
aagtacgaat	atcgtaatgt	tgctcaaaat	gctgctgtta	accaaataat	tgtatttaga	1140
gttttaacaa	aagatggctg	tcctattttt	gaaaaagctc	ataatggtaa	caaaactttt	1200
gcagaaactt	taaacaaaac	tttacaactc	aatcttaaat	atgagcttaa	accacatgct	1260
tccagcggtg	acgtcgaagt	ctttaagatt	catgatgact	gggtacatga	cacacatggg	1320
tctgcttttag	tgtcttatgt	taataataat	gatgctgttc	ctaattgtgt	catcccagaa	1380
cggccaactc	caccaaagcc	agtgaagtt	acacctgaag	cagaaaaacc	agtacctgaa	1440
aagccagttg	agcctaaatt	ggtaacgcct	acattaaaaa	cttatactcc	agtcaaattt	1500
attccgcgag	aatacaaaac	agaaccaatc	acccctgaga	cgtttacccc	tgagaaattt	1560
actccagctc	aaccaaaagt	gaaaccacat	gtgtctatct	ctgaaaagat	taactactca	1620
gttagtgctc	atcctgtttt	agttccagct	gctaactcct	caaaagctgt	cattgatgaa	1680
gcaggtcaat	ctgttaatgg	taaaaccgta	ttaccaaagt	caacattaga	ctatgttgct	1740
aaacaaaact	ttagtcaata	caaaggtatt	aaagcttctg	cagaagcgat	cgcaaaaggt	1800
tttgcatctg	tagatcaacc	aatgaagcg	ttagtgaat	tgactgttaa	gtctatcaaa	1860
gcatctaatg	gtgatgatgt	atcaagcttg	ttagaaaatg	gtcatgtttt	atcaaaagat	1920
acttttagacc	aaaaactttc	atctcttatt	aaagaggcag	gaattagtcc	agttggtgag	1980
ttttacatgt	ggactgcaaa	agatccacaa	gctttttata	aagcttatgt	tcaaaaagga	2040
ctagatatca	cttataatct	atcctttaaa	atcaaagcta	actttactaa	aggtcaaate	2100
aaaaatggtg	ttgcacagat	tgattttggg	aatggatata	caggtaatat	tgtagtcaat	2160
gatgttactg	ttccagaagt	acataaggat	atacttgata	aagaggatgg	taaatcaatt	2220
aataatagta	cgggttaagt	aggtgatgaa	tgacacctaca	aacttgaagg	atgggttgta	2280
ccagcaaac	tggtgtacga	tctttttgaa	tacaaaattg	tggtatcaat	acaacacaca	2340
catgatcttt	acttacgtga	taaagtggct	gctaaagttg	atgtgacatt	aaaagatggg	2400
acagtcatta	aaaaagggac	taatttagga	gagtacacag	aaacagttta	caacaaaacg	2460
acaggtcatt	atgagcttgc	ctttaaaaaa	gagtttttag	ctaagggttc	tcgtgaatca	2520
gaatttggtg	cagatgattt	tattgtagt	aaacgtatta	aggcaggtga	tgtttacaat	2580
actgctgatt	tatatgttaa	tggatataaa	gttaagtcag	aagcagttgt	gactcatact	2640
actgagaat	caaaaccagt	tgaaccacaa	aaagcaactc	caaaagctcc	agctaaagga	2700
ctgccatcaa	ctggtgaagc	tagtatgacg	ccacttactg	caattggagc	aattatctta	2760
tcagctctag	gcctcgcagg	ctttaaaaag	cgtcaaaaat	aa		2802

## SeqID 437

atgttttagtt	ggttggaagc	tctttattac	actctgatac	aactggcaaa	agtgaaccgg	60
ttgaatgctc	ttttcttagt	tagcgttggt	gggttatctt	gttaccaggg	aataaaaactc	120
gtcagaaaaa	ccataagaaa	cttttttcag	ctgatgaagg	gtttcatagg	tgatagagag	180
aacatcaaga	aatgcatcaa	aaacaagaaa	gaggcactag	tccattcttg	gaaacatcgt	240
caagatattg	attggaatc	aactggaaaa	gataagagta	aacagttatg	gaatcttatg	300
aagcgacttg	cgacagttgc	tccttcattt	ttgttcttat	tattgggaaa	tgttctcttt	360
cgtctcattt	atcaactgcc	ttttgtaaa	caagacagaa	agcgatttga	caaggaaatg	420
aagcccttgc	tctacttcaa	gaactatcgt	agttttgtgt	tcatgggaat	aggtttcagt	480
ttcatagcgt	ttattctcac	aaactatttt	gtgacgggtt	taagggtctg	tattcgtttt	540
ctatatttct	caatcatgac	gttaagagat	aatagccaag	tcgttagctt	taacgttgat	600
agtttgctca	tccagaattt	attcaatgct	aggttatatt	tgatagctcc	cattctagca	660
gtgccaatct	ttctcattgg	tttagtcgta	gcttggcggt	ctgcttgggt	taactttgaa	720
cagtaccgtg	attataatca	taatgaagaa	ggggatgatc	gctttgcgac	tgtcaaagaa	780
atccaccagc	aatataagaa	agttccctaat	aaaacggaaa	cttatccagg	tgaaggaggt	840
gtgcccgttc	ttcatgaaac	aagaaagaat	ttgacaggct	taacgcttaa	atctcaaattg	900
ctttggcaaa	accgtacctt	tagtcgctat	ttaacgaatg	cggaaaggat	tttagggctc	960
ttatcgacgc	cttcaggaga	ttattacatc	gatgatagca	ccacaaaact	gatcaccatg	1020
gggattactc	ggtcaggtaa	gggagaagct	catattgccc	ctattattga	tattaatagc	1080
cgtgcggaaa	ttcaaccgtc	actgattatt	gcagacccta	aaggggaaca	ttaccagtcc	1140
tcttataaaa	ccatgcgtcg	gcgtggctat	gatgttaatg	tcctttcttt	ccaaaacatg	1200
gattgggtcca	tgtcctataa	cccttttagct	cttgcgattg	cagcagctaa	gaagggttac	1260
tatgaaatga	cacagacaag	ggttaatgcg	gttgacagaag	ccattttatcg	taaaacgaaa	1320
cctggtagcg	gtaatggcaa	tgcaaaaatc	tgggaagata	cctccatttc	cctctttaat	1380
gccattgcta	tggccttaat	ggaccgtgct	aatgaaacgg	tcagggaatg	tgaaccgat	1440
gcttgggata	ccgttacagt	tcgtaacatt	gccaaagttt	tgactgactt	gggttctgaa	1500

gaagtctttg	tcaatgattt	tggagagatt	gttgagaatc	ctgataagaa	ccaacaagtg	1560
aagaagaaat	ctaaaatcac	ggtttacttt	gataacttgc	gtaaaatcaa	tcaagaacaa	1620
ttttccaaat	ttagagatat	ggctgattta	aactttagggt	cttctgactt	cgcttcagaa	1680
gaaactaagg	gaaatgtctt	ctctagcatg	atgtcaggta	ttactttatt	cttgcaagat	1740
aatattgcta	aactaacctc	taaaaactct	attgacctag	aatcggttgg	tttcccacgt	1800
cgcttgctta	tcaagtttcg	ttctagtctc	aatgtcgcta	tgcgtaacga	atacactcat	1860
aagacggcta	aggttaccat	tactagtcaa	gctgtttggg	gtaaaaccac	taaacaagtt	1920
atccacgtag	atgctgcaac	agctctgatt	gatgggtgaag	gctatctaac	ctatgtgatt	1980
gaaccccgac	ttcctgatca	attcttggtta	acaattgact	ttaatcacga	aaacaatggg	2040
ggttcagcta	ttcgtcacaa	aactttccaa	ttctcagctg	agaaagtcta	taagaaacgt	2100
ggtaacgcta	ttacgttgga	tgactacacg	aaaaaaaccag	ttttggatca	tatcaaagtt	2160
actgttctca	acaagcaaga	tgataacctt	ctccagaaag	aagatattga	cctgatttat	2220
tcagataatc	ctaaagtgat	ttacttggtta	acacctccaa	ataggactga	atataatagt	2280
attgtatctc	tggttttggg	tcaattgttt	aatgccaaat	atgagtttag	tctgtcaaat	2340
ggtcgcaagt	gtgtcaatcg	aattcttcat	atcctcgatg	aattcacaaa	cattccagct	2400
attcctcaca	tggtatacaa	gatttccatt	ggtcttggtc	aaaatattct	ctactatctc	2460
tggattcaga	acttgaaaca	gttagtcagt	gaatatggcg	agaatacagc	ggaaaccatt	2520
cgggagaact	gttctttgga	agtttatatc	aaatctactg	ccccagcgac	caacgagtag	2580
ttcagtaaa	agttggggac	tcggaccatt	acacgtcgca	gaagggtcaag	taatattcta	2640
gatgaagcta	atccaaatgt	ttccattgaa	aatcctagac	aggaactctt	aacaccgaca	2700
cagctctcga	aactccaaga	aggggaagcg	gttattttgc	gtgggtgttaa	aggtcgagac	2760
aatgcaggtc	ggaaaatcac	aacggatccg	attttcttgc	atgagaaaac	gagccttccct	2820
tatcgctaca	tgttcttaca	agaagaattt	gaccagtcga	tggctttggc	agatattcca	2880
gtggaagtg	ggcataggga	ccttgacctg	caagatatag	cagtaggggc	acaaagcact	2940
tttaataaga	ttattgattg	goggatggct	ctaactgacc	gtatgagaac	aaatgggaag	3000
atacctcaat	tagcatcaag	aaaacaaacg	attaaagctc	taagtcaatc	tcaatttact	3060
tctccagcag	acctaacaca	agctgtgatt	gcagaggtat	ttgatgagga	agatgatgac	3120
gatcttttct	ttgtggatga	tgtcatgtaa				3150

## SeqID 438

atgacagata	atcgctttgc	ccaattaaaa	gaaaactttg	aaaagggatc	tcctaaaagg	60
cgagttccaa	cgtctcgccc	aatcgagct	caaaaagcgc	ctgagagcta	taacaaaagg	120
ggacggtatc	cattttcgct	ccaccaagat	gtgcgttatg	ataaattaga	agcattagta	180
gcttatcatg	gagctaagtc	tgcatacagat	tatctggaga	ggttgattgt	tcaggaatgg	240
gaaaagatgc	agcggaagct	taagaacaaa	gaaaaataa			279

## SeqID 439

atggcatatt	tatcaaaatt	atccgatttg	gatccatcgt	tgatggatgc	ggattctgaa	60
caaatttata	ttcctaaagt	cttgtttgag	cataatgact	ttaaaggctt	gacctacaaa	120
gagattttat	tatattcttt	tttgttaaat	cgtttaagag	agccattaga	ttttattcaa	180
aaaggctatg	atgataatga	agataacctat	gttcaactta	aggtcgaaga	tttatgtgaa	240
ctactcaacc	agagtaagac	aaccgttatt	tccttgaaga	aaaggtttag	tcaatatggg	300
ttgatagaag	aagtgaagc	aggtagtcac	cagccgaatc	gtatttattt	aacagataaa	360
ttagttccat	atattaaggg	gtaa				384

## SeqID 440

atgacaatct	ttgatgaaag	agagttaaaa	gaacgattta	ctcatgaaaa	taggggttagt	60
ttttatgagt	ttgtggctaa	atatgatgct	caaatggttc	ctgtgatgaa	agcaaagggc	120
tatcgatgta	ttcattcaat	ggagcgtaga	gtgggttttt	cttttgggga	attcacgatt	180
aggcgacgtc	ggtggcaaaa	aggagaacat	tgggtgggtg	cagttgatga	aaagctagga	240
ctgaaaaaga	atggttcgcta	ctctttagaa	ttcatgtatc	aaattgctag	tttagcaacc	300
atgatgcctt	atgaaaaagt	gattaagggt	gttcagatga	tgtattgtat	tgtgattacc	360
aaacctactg	ttgtgaaggc	cgtaagatt	agtcgtgaat	tgcttaaaaga	aaaggaagcg	420
tatcgttttt	ttgatgaaga	tataccagta	gataaagaac	cagttgatat	gatttatctt	480
gaaggagatg	gagtcattgg	caaagctcga	gaagaaggat	tagataatcg	caatgttgat	540
ttgtctcatt	tcgtgggttca	tacgggtagt	cagaaagttag	gaagcaatcg	ctttgtctta	600
caaaaataaaa	aagagtttgt	gtcccttgat	aatcgtaaaa	cgcgtaaaaa	gattttggac	660
tacctttaca	atcattttta	cattgcccc	aacaccttgc	ttattaccaa	ttcagatggg	720
ggccatggct	atacccccata	tgttttttaa	gagattgcga	aagcactcaa	agtgaagcaa	780
cacgaacact	tttgggatag	gtatcatgtc	aatgaaaaga	tcaaaagttt	ttttaaactc	840
tatccagtg	aactgatgac	tggcgctttt	cagagcatta	aacagcatga	taaagaaaag	900
cttagaactg	ttttggatac	gacagaagca	ttgatactga	tggagaaga	aatggaaggg	960
tttaaccagt	tcaaacgaaa	gttgttaaat	aattttcaat	atactaaatc	agctgaattg	1020
agaggtttca	gtcgtgcagg	aataggtgtt	atggagtcac	aacatcgaaa	aattacctat	1080
cggatgaaaa	agcgcgggat	gtattggaca	attcagggag	ctgagacgat	gagtcattaa	1140

attgtcctat	cgtatgaagg	acagctaaga	gatctcttct	ttgggttcttg	gcgtgaagac	1200
tatcagaaat	atcaagagct	agaaaacctt	agtgcgggaa	aaatcaaaca	tgaacagaat	1260
aaaatcaata	agagatatga	tctccagaca	cttggtcggc	ttaggtacgg	taggcacgt	1320
aatttatag						1329

## SeqID 441

atggatgtat	cgtctagtc	gaatattaca	tttatgctgc	aatacacaga	ggctaactcct	60
caatatgtgg	actatactaa	cagagaagag	gctgtcaaaa	ttgatgaaga	attgtcctta	120
gaaacgaaca	ggcaaatgat	tgaaggatta	actgaagacg	agttgactcg	tattcaggaa	180
gctgtccctg	aaacgcagtt	gaatttttagg	gaatacattg	attatatgaa	ccgctcgtat	240
gcaactgaag	aacaactctaa	agaactaaca	gctatcttta	ctcaagaagc	agattatctt	300
cagaaactac	gattaatcga	tctaaaaaat	aagttggaat	cagcttatca	aaatggttca	360
cttctctggc	aaggagttat	ttcgtttgat	aatgcttttc	ttgcggaaca	gggattgtat	420
gatgttgoga	ctgggtcaagt	tgatcaaaaa	gcgattaagg	cagtgatgcg	tgatatgatg	480
ccaacactta	tccagaaaga	gggcctttct	gattctgctt	tttgggtggg	gaatatccat	540
ctgaatacag	ataatatcca	tatccatttt	gggctttctg	aagttgaatc	taaccgtgag	600
aaaatattct	atcagccacg	tggacgtatg	gagtacaaag	gtaacttctc	tcagaaaacc	660
atcaaccggg	ttaaaagtgg	tgtgtatcat	ggattgctga	aagaagaaac	aagatccaat	720
cttctcagaa	aagaacagat	tttagcta	ctcaaagcgg	acttcataac	atctatttac	780
cagaaggaca	agattacttc	ttcagctgaa	aaaaattttt	tggaacaagc	ctacaatcat	840
ttgccgctaa	ataagaagtg	gcgctatggt	tctaattgcca	gagattttgc	ggtagtaag	900
ttctttcttg	atcgctat	agattcctat	ttaaacaatg	aaggtagtgc	tgctatcaa	960
gaatttttga	aagagactag	agattttctt	cagacttatg	aaggggttta	ttcagctgaa	1020
aaaaataaaa	tctatgaaaa	actacgtaaa	gttgatgggc	aaacgatcag	aacgcttgca	1080
gaatcaaaaag	gatattgatt	agaacatcat	ttggcacgtc	gtgtaatgga	tttaagagag	1140
cgttttagcca	ataatatctt	acgttcgttt	agagaagctg	caccccaa	tcaagacgtt	1200
cagctggaaa	aaaattttaga	gagtttttct	gttttgaacc	agaagaaaat	tttagaaca	1260
catcctgaag	caagtgtggt	aaaaagtcag	aaagcttggc	agaagttagg	ctactttgtg	1320
aaggctggag	agcagccact	tgaaattata	aggccagtct	ataaatctta	tgataagcat	1380
ggtaaaggta	taggacggcc	agaatttgta	tcagatactg	tttatgat	tagtcagcta	1440
acagaaaata	ttcagctgaa	aagcttaacc	ttgaaagacc	tctctctgtt	ttcttcta	1500
gagttaaaag	agttagtaga	tgctgctaag	ttaaagacta	atccaacaga	gagagaacgc	1560
cgtgaattag	gtacctatcg	ttatgcgttg	aaacttagca	tattagaatc	tagtcagaag	1620
gaattgcagg	ttcgtcaaaa	gctactagaa	caggtacagc	cactagcgtc	tgatcaacca	1680
tttttagatt	ttaaagaaaca	gttaatatgt	caggaattac	aagctatagc	gctacaattg	1740
actcctaatt	acaagctatc	agaagatgat	aaagccttga	aaaatcgatt	gaagaggcag	1800
tttgaagata	gtgttgcgct	acctgtttca	aaagctactc	ctgggtccat	acaacttctt	1860
attaggaac	tttggactga	gctaggattg	gttcattcaca	ttcaagatga	aaacattcta	1920
acgcttctga	aaggggacatc	aacgacgaaa	caagcttata	tagaagaact	tcagactcat	1980
atctctat	ttcagttgaa	atatcagatt	aacaatagaa	acaagcagat	aagccagtta	2040
tcggatgaag	caacaataaaa	ggagatgagg	atagctaattg	ctaaagggtt	ctctgagcta	2100
aaacgtctat	atgatacatt	acagccatca	gatgatggtc	aaaatcagat	tagtcaagct	2160
gtttctctaa	aattacaaga	acgaaaagtt	atcaaaaaag	ctcaattaca	acagacgcag	2220
agaagcggaa	aaatcaatac	agacttcatg	cgacaattga	cagcttctct	taatcgttca	2280
caacaagcaa	gtaaaaaagc	attgatggaa	cgtgcacgta	gtgatgaacg	tgaggaacaa	2340
gaagaacgta	ggcaagctca	acgttaa				2367

## SeqID 442

atgaattcta	acacaaaagg	tcacggattt	ttccgcaagt	caaaagcata	cggcttagta	60
tgtgctattg	cattagcagg	tgcatttaca	ttagctacta	gtcaagtgtc	tgctgatcaa	120
gttacaactc	aagcaacaac	tcaaacagta	acgcaaaatc	aagcagaaac	agtaacatca	180
actcaacttg	ataaagcagt	agctacagct	aaaaaagcag	ctgtagctgt	tacaaccaca	240
cctgcagtta	atcatgcgac	aactactgat	gcacaagctg	atttagctaa	tcaaacacaa	300
gctgttaaag	atgttactgc	aaaagcacaa	gctaatacac	aagctattaa	agatgctact	360
gctgaaaatg	caaaaattga	tgctgaaaac	aaagcagagg	cagagcgtgt	tgcaaaagaa	420
aacaagggaag	gtcaagcagc	cgtagatgca	cgtaacaaag	caggtcaagc	agccgtgat	480
gcacgtaata	aagcggaaca	gcaagcgcaa	gacgatcaaa	aagcaaaaat	tgatgctgaa	540
aacaaagcag	agtctcaacg	tgtaagttag	ttaaatgcac	aaaataaagc	aaaaattgac	600
gcagaaaata	aagatgcgca	agctaaagca	aatgcgacta	atgcacaatt	acaaaaagat	660
tatcaagcta	aattagcgga	aatcaaatca	gttgaagctt	ataatgcagg	tgtacgtcaa	720
cgtaataaag	atgcacaagc	taaagcagat	gcgactaacg	cacagttaca	aaaagactat	780
caagctaaat	tagcatttta	taatcaagct	ctaaaagcta	aagcagaagc	agataaacag	840
tctattaata	atgttgcttt	tgatatcaaa	gctcaagcta	aaggtgttga	taacgctgaa	900
tatggaaact	caatcatgac	tgcaaaaact	aaacctgacg	gaagtttcga	gtttaaccat	960
gatatgatcg	atgggtgtgaa	gacaatcgcc	tatgggaaat	tgacaggtaa	agttaatcat	1020

cattatgttg	ctaacaagga	tggctctgtg	acagcatttg	ttgattctgt	cactctttac	1080
aagtacgagt	atcgtaagt	tgctcaaaat	gctgctgtta	accaaaatat	tgtatttaga	1140
gttttaacaa	aagatggcg	tcctatTTTT	gaaaaagctc	ataatggtaa	caaaactttt	1200
gcagaaactt	taaacaaaac	tttacaactc	aatcttaaat	atgagcttaa	accacatgct	1260
tccagcggtg	acgtcgaagt	ctttaagatt	catgatgact	gggtacatga	cacacatggg	1320
tctgcttttag	tgtcttatgt	taataataat	gatgctgttc	ctaattgtgg	catcccagaa	1380
cggccaactc	caccaaagcc	agtgaaggtt	acacctgaag	cagaaaaacc	agtacctgaa	1440
aagccagttg	agcctaaatt	ggtaacgcct	acattaaaaa	cttatactcc	agtc aaattt	1500
attccgctag	aaaaaacc	agaaccaatc	accctggaga	cgtttacccc	tgagaaattt	1560
actccagctc	aaccaaaagt	gaaaccacat	gtgtctattc	ctgaaaagat	taactactca	1620
gttagtgttc	atcctgtttt	agttccagct	gctaactcct	caaaagctgt	cattgatgaa	1680
gcaggtcaat	ctgttaatgg	taaaaccgta	ttaccaaatg	caacattaga	ctatgttgct	1740
aaacaaaact	ttagtcaata	caaaggtatt	aaagcttctg	cagaagcgat	cgcaaaagggt	1800
tttgcatttg	tagatcaacc	aatgaagcg	ttagctgaat	tgactgttaa	gtctatcaaa	1860
gcattctaatg	gtgatgatgt	atcaagcttg	ttagaaatgc	gtcatgtttt	atcaaaagat	1920
acttttagacc	aaaaacttca	atctcttatt	aaagagcgag	gaattagtcc	agttgggtgag	1980
ttttacatgt	ggactgcaaa	agatccacaa	gctttttata	aagcttatgt	tcaaaaagga	2040
ctagatatca	cttataatct	atccttttaa	atcaaagcta	actttactaa	aggctcaaat	2100
aaaaatgggtg	ttgcacagat	tgattttggg	aatggatata	caggtaatat	tgtagtcaat	2160
gatgttactg	ttccagaagt	acataaggat	atacttgata	aagaggatgg	taaatcaatt	2220
aataatagta	cggttaagtt	agggtgatgaa	gtgacctaca	aacttgaagg	atgggttgta	2280
ccagcaaac	gtggttacga	tctttttgaa	tacaaatttg	tggtatcaatt	acaacacaca	2340
catgtacttt	acttactgta	taaagtggtc	gctaaagtgt	atgtgacatt	aaaagatggg	2400
acagtcatta	aaaaagggac	taatttagga	gagtacacag	aaacagttta	caacaaaacg	2460
acaggtcatt	atgagcttgc	ctttaaaaaa	gagtttttag	ctaagggttt	tctgtgaatca	2520
gaatttggtg	cagatgattt	tattgtagtt	aaacgtatta	aggcaggtga	tgtttacaat	2580
actgctgatt	tatatgttaa	tggatataaa	gttaagtcag	aagcagttgt	gactcatact	2640
actgagaaat	caaaaccagt	tgaaccacaa	aaagcaatc	caaaagctcc	agctaaagga	2700
ctgccatcaa	ctggtgaagc	tagtatgacg	ccacttactg	caattggagc	aattatctta	2760
tcagctctag	gcctcgcagg	ctttaaaaag	cgtcaaaaat	aa		2802

## SeqID 443

atgttttagtt	ggttggaagc	tctttattac	actctgatac	aactggcaaa	agtgaaccgg	60
ttgaatgctc	ttttcttagt	tagcgttggtg	ggttatcttt	gttaccaggg	aataaaactc	120
gtcagaaaaa	ccataagaaa	cttttttcag	ctgatgaagg	gtttcatagg	tgatagagag	180
aacatcaaga	aatgcacaa	aaacaagaaa	gaggcactag	tccattcttg	gaaacatcgt	240
caagatattg	attggaaatc	aactggaaaa	tacaagagta	aacagttatg	gaatcttatg	300
aagcgacttg	cgacagttgc	tccttcattt	ttgttcttat	tattgggaaa	tgttctcttt	360
cgtctcattt	atcaactgcc	ttttgtaaag	caagacagaa	agcgatttga	caaggaaatg	420
aagcccttgc	tctacttcaa	gaactatcgt	agttttgtgt	tcatgggaat	aggtttcagt	480
ttcatagcgt	ttattctcac	aaactatttt	gtgacggttt	taagggtgc	tattcgtttt	540
ctatatctct	caatcattgac	gttaagagat	aatagccaag	tcgttagctt	taacgttgat	600
agtttgctca	tccagaattt	attcaatgct	agggttattg	tgatagctcc	cattctagca	660
gtgccaatct	ttctcattgg	tttagtcgta	gcttgccggt	ctgcttgggt	taactttgaa	720
cagtaccgtg	attataatca	taatgaagaa	gggatgatc	gctttgcgac	tgtcaaagaa	780
atccaccagc	aatataagaa	agttccctaat	aaaacggaaa	cttatccagg	tgaaggagggt	840
gtgcccggtt	ttcatgaaac	aagaaagaat	ttgacaggct	taacgcttaa	atctcaaatg	900
ctttggcaaa	accgtacctt	tagtcgctat	ttaacgaatg	cggaaaggat	tttagggctc	960
ttatcgacgc	cttcaggaga	ttattacate	gatgatagca	ccacaaactt	gatcaccatg	1020
gggattactc	ggtcaggtaa	gggagaagct	catattgcc	ctattattga	tattaatagc	1080
cgtgcggaaa	ttcaaccgtc	actgattatt	gcagacccta	aagggggaaca	ttaccagtcc	1140
tcttataaaa	ccatgcgtcg	gcgtggctat	gatgttaatg	tcctttcttt	ccaaaacatg	1200
gattgggtcca	tgtcctataa	cccttttagct	cttgcgattg	cagcagctaa	gaagggttac	1260
tatgaaatga	cacagacaag	ggttaatgctg	gttgacagaag	ccatttatcg	taaaacgaaa	1320
octggttagc	gtaattggcaa	tgcaaaatac	tggaagata	cctccatttc	cctctttaat	1380
gccatttgcta	tggccttaat	ggaccgtgct	aatgaaaaccg	tcagggaatg	tgaaaaccgat	1440
gcttgggata	ccgttacagt	tcgtaacatt	gccaaagttt	tgactgaactt	gggttctgaa	1500
gaagtctttg	tcaatgattt	tggagagatt	gttgagaatc	ctgataagaa	ccaacaagtg	1560
aagaagaaat	ctaaaatcac	ggtttacttt	gataaactgc	gtaaaatcaa	tcaagaacaa	1620
ttttccaaat	ttagagatat	ggctgattta	aacttttaggt	cttctgactt	cgcttcagaa	1680
gaaactaagg	gaaatgtctt	ctctagcatg	atgtcaggta	ttaacttatt	cttgcaagat	1740
aatattgcta	aactaacctc	taaaaactg	attgacctag	aatcggttgg	tttcccacgt	1800
cgcttgctcta	tcaagtttcg	ttctagttcc	aatgtcgtcta	tcgctaacga	atacactcat	1860
aagacggcta	aggttaccat	tactagtcaa	gctgtttggg	gtaaaaccac	taaaacaagtt	1920
atccacgtag	atgctgcaac	agctctgatt	gatggtgaag	gctatctaac	ctatgtgatt	1980



gaacccccagc	ttcctgatca	attcttggta	acaattgact	ttaatcacga	aaacaatggt	2040
gggttcagcta	ttcgtcacaa	aactttccaa	ttctcagctg	agaaagtcta	taagaaacgt	2100
ggttaacgtta	ttacgttggg	tgactacacg	aaaaaaccag	ttttggatca	tatcaaagtt	2160
actgtttctca	acaagcaaga	tgataacctt	ctccagaaag	aagatattga	cctgattttat	2220
tcagataatc	ctaaagtgat	ttacttggta	acacctccaa	ataggactga	atataatagt	2280
attgtatctc	tgtttttggg	tcaattgttt	aatgccaat	atgagttagc	tctgtcaaat	2340
ggtcgcaagt	gtgtcaatcg	aattcttcat	atcctcgatg	aattcacaaa	cattccagct	2400
attcctcaca	tggataccaa	gatttccatt	gggtctgggc	aaaatattct	ctactatctc	2460
tggattcaga	acttgaaaca	gttagtcagt	gaatatggcg	agaatacagc	ggaaaccatt	2520
cgggagaact	gttctttgaa	agtttatatc	aaatctactg	ccccagcgac	caacgagtac	2580
ttcagtaaaag	agttggggac	tcggaccatt	acacgtcgca	gaaggtcaag	taatattcta	2640
gatgaagcta	atccaaatgt	ttccattgaa	aatcctagac	aggaaactct	aacaccgaca	2700
cagctctcga	aactccaaga	aggggaagcg	gttattttgc	gtgggtgtta	aggtcgagac	2760
aatgcaggtc	ggaaaatcac	aacggatccg	attttcttgc	atgagaaaac	gagccttcct	2820
tatcgctaca	tgttcttaca	agaagaattt	gaccagtcga	tggctttggc	agatattcca	2880
gtggaagtgt	ggcataggga	ccttgacctg	caagatatag	cagtaggggc	acaaagcact	2940
tttaataaga	ttattgattg	gcggatgggt	ctaactgacc	gtatgagaac	aaatgggaag	3000
atacctcaat	tagcatcaag	aaaacaaacg	attaaagctc	taagtcaatc	tcaattttact	3060
tctccagcag	acctaacaca	agctgtgatt	gcagaggtat	ttgatgagga	agatgatgac	3120
gatcttttct	ttgtggatga	tgatcatgtaa				3150

## SeqID 444

atgacagata	atcgctttgc	ccaattaaaa	gaaaactttg	aaaagggatc	tcctaaaagg	60
cgagttccaa	cgtctcgccc	aatcgagct	caaaaagcgc	ctgagagcta	taacaaaaag	120
ggacgggtatc	cattttcgct	ccaccaagat	gtgcggttatg	ataaattaga	agcattagta	180
gcttatcatg	gagctaagtc	tgcatcagat	tatctggaga	ggttgattgt	tcaggaatgg	240
gaaaagatgc	agcggaagct	taagaacaaa	gaaaaataa			279

## SeqID 445

atggcatatt	tatcaaaatt	atccgatttg	gatccatcgt	tgatggatgc	ggattctgaa	60
caaattttata	ttcctaaagt	cttgtttgag	cataatgact	ttaaaggctt	gacctacaaa	120
gagatttttat	tatattcttt	tttgttaaat	cgtttaagag	agccattaga	ttttattcaa	180
aaaggctatg	atgataatga	agatacctat	gttcacttta	aggtcgaaga	tttatgtgaa	240
ctactcaacc	agagtaagac	aaccgttatt	tccttgaaga	aaaggttagc	tcaatatggg	300
ttgatagaag	aagtgaagc	aggtagtcac	cagccgaatc	gtattttatt	aacagataaa	360
ttagttccat	atattaaggg	gtaa				384

## SeqID 446

atgacaatct	ttgatgaaag	agagttaaaa	gaacgattta	ctcatgaaaa	tagggttagt	60
ttttatgagt	ttgtggctaa	atatgatgct	caaattgggtc	ctgtgatgaa	agcaaagggc	120
tatcgatgta	ttcattcaat	ggagcgtaca	gtgggttttta	cttttgggga	attcacgatt	180
aggcgacgtc	ggtggcaaaa	aggagaacat	tgggtgggtgc	cagttgatga	aaagctagga	240
ctgaaaaaga	atgttcgcta	ctcttttagaa	ttcatgtatc	aaattgctag	tttagcaacc	300
atgatgcctt	atgaaaaagt	gattaagggtt	gttcagatga	tgtattgtat	tgtgattacc	360
aaacctactg	ttgtgaagcg	cgtaagatt	agtcgtgaat	tgcttaaaga	aaaggaagcg	420
tatcgttttt	ttgatgaaga	tataccagta	gataaagaac	cagttgatat	gatttatctt	480
gaaggagatg	gagtcatggt	caaagctcga	gaagaaggat	tagataatcg	caatgttgat	540
ttgtctcatt	tcgtggttca	tacgggtagt	cagaaagtag	gaagcaatcg	ctttgtctta	600
caaaataaaa	aagagtttgt	gtcccttgat	aatcgtcaaa	cgcgtcaaaa	gattttggac	660
tacctttaca	atcattttta	cattgcccc	aacaccttgc	ttattacca	ttcagatggg	720
ggccatggct	ataccccata	tgttttttaa	gagattgcga	aagcactcaa	agtgaagcaa	780
cacgaacact	tttgggatag	gtatcatgtc	aatgaaaaga	tcaaaagttt	ttttaaaactc	840
tatccagtgg	aactgatgac	tggcgctttt	cagagcatta	aacagcatga	taaagaaaag	900
cttagaactg	ttttggatac	gacagaagca	ttgatactga	tggagaaga	aatggaaggg	960
tttaaccagt	tcaaacgaaa	gttgttaaac	aattttcaat	atactaaatc	agctgaattg	1020
agaggtttca	gtcgtgcagg	aatagggtgt	atggagtcac	aacatcgaaa	aattaccta	1080
cggatgaaaa	agcgcgggat	gtattggaca	attcagggag	ctgagacgat	gagtcaatta	1140
attgtcctat	cgtatgaagg	acagctaaga	gatctcttct	ttgggttctg	gcgtgaagac	1200
tatcagaaat	atcaagagct	agaaaacctt	agtgcgggaa	aaatcaaaca	tgaacagaat	1260
aaaatcaata	agagatatga	tctccagaca	cttggtcggc	ttaggtacgg	taggcatcgt	1320
aattttatag						1329

## SeqID 447

atggctgtcg	aaattattat	gcctaaactc	ggggttgata	tgcaagaagg	cgaaatcctt	60
gagtggaaaa	aacaggtagg	tgatgttgtt	aatgaagggtg	acgtcctact	tgaaattatg	120

tcagataaaa	caaatatgga	gattgaagca	gaagactcag	gtgttttact	aaaaatcaca	180
catgggaatg	gagatgttgt	tcttgtaact	gagacaattg	gctatatcgg	tgctgaaggt	240
gaagaagtaa	cagaagcatc	ttcttctgaa	aatacatcag	ttgaagaaaa	cgcgacacaa	300
gtaacttcag	aaccagaaaa	agttgaagaa	acatcagaac	caagtgtgcc	agcagctaca	360
agtgggtgaa	aagtacgtgc	cactcctgca	gctcgtaa	tagcaagaga	gatgtctatt	420
gaccttgac	tagtatctgg	aacaggggca	aatggctcgg	ttcacagaga	agatgttgaa	480
agcttcaagg	gtgctcaacc	acgtattaca	ccattggcac	gtcgaattgc	tgaagatcaa	540
ggagttgata	tagcagaaat	cactggcagt	ggtattcgtg	gtaaaattgt	taaaaatgat	600
gttttggtg	ctatgtcacc	gcaagcagca	gaggtcctg	tagaaacgaa	agctacacca	660
acaacagaa	aaaaacaatt	accagaaggt	gttgaagtca	ttaagatgtc	tgcaatgcgt	720
aaggctattt	ctaaaggtat	gactaactct	tacctcactg	ctccaagctt	tacacttaac	780
tatgacattg	atatgactga	aatgatggct	cttcgcaaga	aattaattga	tccaatcatg	840
gctaaaacag	gcttgaaagt	cagctttact	gatttgattg	gaatggccgt	tgtaagaca	900
ttgatgaaac	cagagcatcg	atacctaaat	gcttcattaa	ttaacgatgc	acaagaaatt	960
gagcttcata	atthttgttaa	tattggaate	gcagttggte	ttgatgatgg	cttgattgtt	1020
cctgttggtc	acaatgctga	tcaaattgtca	cttctgact	ttgttatagc	atctaagat	1080
gttattaaga	aaactcaaga	aggtaaatta	aatcagctg	aatgtcagg	ttcaacattc	1140
tcaattacta	acttaggtat	gtttggtact	aagacgttta	acccaattat	caatcaaccg	1200
aactcagcaa	tccttgaggt	aggcgctact	attccgactc	caacagtgg	tgatggtgaa	1260
attgtagctc	gaccaatcat	ggcaatgtgt	ttaacaattg	accaccgtat	tgttgatgga	1320
atgaatggtg	ctaagtttat	ggttgatctt	aagaacttaa	tggaaaaccc	atttggttta	1380
cttatttga						1389

## SeqID 448

atgtctagtt	ttaatagaaa	aaaacttaag	tttttgggta	tatctttggc	gactctaaca	60
gccaccacag	ttaccctggt	tgctgtggt	aatgagtc	agaactctgg	agataataaa	120
gttattaatt	ggtatattcc	tactgaaatc	agtacattgg	acatttcaaa	gaatacagat	180
gcttattcaa	acttagctat	aggtaattca	ggcagcaatt	tacttagaat	tgataaagag	240
ggcaaaccaa	aaccogattt	agctaaaaaa	gtactcgttt	cttctgatgg	tcttacttat	300
actgctacac	ttcgtgataa	tttaaaatgg	tcagatggaa	gcaaaactaag	cgctgaagat	360
tttgtttaca	catggcggag	aatagttgat	cctaaaactg	catctgaata	tgcttacttg	420
gcgacagaa	cgacaccttt	aaatgctgat	aagattaatt	ctggagatat	taaagattta	480
aataaacttg	gtgtaacagc	taaaggcaat	caagtgcact	ttaaattgac	aagtcacatgc	540
cctcaattta	aatattattt	agccttctct	aattttatgc	ctcaaaaaca	atcgatgtt	600
gaaaaagttg	gtaaagatta	tggtacaaca	tcaaaaaatc	aaatttactc	aggtccttac	660
cttgtaagg	attggaattg	ttcaaatgg	aaattttaa	tagtcaaaaa	taaatattat	720
tggtattcta	aacatgttaa	aacaaatagt	gtcatagttc	aaactatcaa	aaaaccagat	780
actgcagttc	aaatgtacaa	gcaaggtcag	attgattttg	ctgaaatata	aggaacttct	840
gctatttata	accaaaactg	ttcgggttaa	gcattgacaa	atcagaaaat	taggcaagct	900
ttgaatttag	cgactgatcg	taaagggtgt	gttaaagcgg	cagttgatac	aggttcaact	960
cctgctgaat	ctctgggtcc	taaaaaatta	gccaaattac	ctaattggtga	ggatctttcc	1020
aagtatactg	cccagggtta	tacgtataat	acaagtaaa	ctcaaaaact	ttttaagaa	1080
ggctctgctg	aggttggtca	gtcatctctc	aagtttaaaa	tcacagctga	ttcggactct	1140
ccagcagcta	aaaatgctgt	tgactatgtg	aaatctacat	gggagagtgc	tttgctgtgt	1200
ctaactgttg	aagaaaaatt	tgttactttc	aagcaacgcc	ttgaagatgc	aaaaaatgaa	1260
aattttgatg	tcgtgctctt	ctcatgggga	ggagattatc	cagaaggatc	aactttctat	1320
gggttattca	cgactaatte	tgcgataaat	tatggtaaat	tttcttctaa	agagtatgac	1380
aatgcctatc	aaaaggcaat	tactactgac	gccttgaaac	caggagatgc	cgtaatatg	1440
tacaaaaactg	ctgaaaaaagc	tttatttgat	caatcatatt	ataaccagc	ttattaccta	1500
gggaaaaaaag	gactccaaaa	ttctaaatta	aaggggttg	taagaaattc	aactgggttg	1560
aatgttgatt	ttacttatgc	ttataagaca	gaataa			1596

## SeqID 449

MDVSSSPNITFMLQYTEANPQYVDYTNREEAVKIDEELSLETNRQMIEGLTEDELTRIQEAVPETQLNFREYIDYMN  
 RSYATEEQSKELTAIFTQEADYLOKLRLIDLKKNLESAYQNGSLLWQGVISFDNAFLAEQGLYDVATGQVDQKAIKA  
 VMRDMMPTLILQKEGLSDSAFWWGNHILNTDNIHIFGLSEVESNREKIFYQPRGRMEYKGNFSQKTINRFKSGVYHG  
 LLKEETRSNLLRKEQILANLKADFITSYQKDKITSSAEKNFLEQAYNHLPLNKKWRYGNSNARDFAVSKFFLDRLD  
 SYLNNEGSAAYQEFLKETRDFLQTYEGVYSAEKNKIYEKLKRVGDGTIRTLEASKGYDLEHHLARRVMDLRERLANN  
 ILRSFREAAPQIQDQLEKNLESFVLNQKKILEQHPEASVVKSQKAWQKLGYPVKAGEQPLEIIRPVYKSYDKHGK  
 GIGRPEFVSDTVYDISQLTENIQLKSITLKDLSLFSSNELKELVDAAKLKTNPTERERRELGTTRYALKLSILESSQ  
 KELQVRQKLLEQVQPLASDQPFIDFKKQLIAQELQAIQALQLTPNYKLSEDDKALKNRLKRFEDSVALPVSKATPGA  
 IQLPIRQLWTELGLVHHIQDENILTLKGTSTTKQAYIEELQTHISIFQLKYQINNRRNKQISQLSDEATIKEMRIAN  
 AKGFSBELKRLYDTLQPSDDQONQISQAVSKQLQERKVIKKAQLQQTQSRGKINTDFMRQLTASLNRSQQASKKALMB  
 RARSDEREQEERRQAQR

## SeqID 450

MNSNTKGHGFRRKSKAYGLVCAIALAGAFTLATSQVSADQVTTQATTQTVTQNAETVTSTQLDKAVATAKKA AVAV  
TTTTPAVNHATTTDAQADLANQTQAVKDVTAQAQANTQAIKDATAENAKIDAENKAEAEERVAKENKEGQA AVDARNKA  
GQA AVDARNKAKQQAQDDQKAKIDAENKAESQRVSQNLNAQNKAKIDAENKDAQAKANATNAQLQKDYQAKLAEIKSV  
EAYNAGVRQRNKDAQAKADATNAQLQKDYQAKLALYNQALKAKAEADKQSINNVAFDIKAQAKGVDNAEYGN SIMTA  
KTKPDGSFEFNHDMIDGVKTIGYGKLTGKVNHHYVANKDGSVTAFAVDSVTLYKYEYRNVAQNA AVNQINIVFRVLTKD  
GRPIFEKAHNGNKTFAETLNLTKLQNLKYELKPHASSGNVEVFKIHDWVHDTHGSALVS YVNNND AVPNVVIPERP  
TPPKPVKVTPEARKPVPEKPVPEKLVTPTLKTYTPVKFIPREYKPEPITPETFTPEKFTPAQPKVKPHVSIPEKINY  
SVSVHPVLVPAANPSKAVIDEAGQSVNGKT VLPNATLDYVAKQNFSSQYKGIKASAEALAKGFAFVDQPNELAE LTV  
KSIKASNGDDVSSLLMRHVL SKDTLDQKLQSLIKEAGISPVGEFYMWTAKDPQAFYKAYVQKGLDITYNLSFKIKA  
NFTKGQIKNGVAQIDFNGYTGNIIVNDVTVPVEVHKDILDKEDGKSINNSTVKLGDEVYTKLEGWVVPANRGYDLFE  
YKFVDQLQHTHDLYLDRDKVAVKVDVTLKDGTVIKKGTNLGEYETETVYNKTTGHYELAFKKEFLAKVSRESEFGADDF  
IVVKRIKAGDVYNTADLYVNGYKVKSEAVVTHTTTEKSKPVEPQKATPKAPAKGLPSTGEASMTPLTAIGAILLSALG  
LAGFKKRQK

## SeqID 451

MFSWLEALYYTLIQLAKVNRLNALFLVSUVGYLCYQGKILVRKTIRNFFQLMKGFIGDRENIKKCIKNKKEALVHSW  
KHRQDIDWKSTGDKSKQLWNLMKRLATVAPSFLFLLLGNVLFRLIYQLPFVKQDRKRFDKEMKPLLYFKNYRSFVF  
MGIGFSFIATILNTYFVTVLRAAIRFLYFSIMTLRDNSSQVVSFNVD SLLIQNLFNARV FVIAPI LAVPI FLIGLVVA  
WRS AWVNF EQYRDYNHNEEGDDRFATVKEIHQQYKKVPNKITETYPGEGGV PVLHETRKNLTGLTLKSQMLWQNRTFS  
RYLTNAERIILGILLSTPSGDYIIDSTTNLITMGITRSKGGEAHIAPIIDINSRAEIQPSLI IADPKGEHYQSSYKTM  
RRRGYDVNVLSFQNMDSMSYNPLALALAAAKKGYEYMTQTRVNAVAEAIYRKT KPGSGNGN AKYWEDTSISL FNAI  
AMALMDRANETVRNGETDAWDTVTVRNIAKFLTLDLGSEEVFVND FGEIVENPDKNQVKKKSKITVYFDNLRKINQE  
QFSKFRMDADLNFRSSDFASEETKGNVFSSMMSGINLFLQDNIAKLT SKNSIDLESVGFPRRLSIKFRSSSNVAMRN  
EYTHKTAKVTITTSQAVWGKTTKQVIHVDAATALIDGEGYLT YVIEPQLPDQFLVTIDFNHENNGGSAIRHKTFOFSA  
EKVYKRGNVITLDDYTKKPVLDHIKVTVLNKQDDNLLQKEDIDL IYSDNP KVIYLVTPPNRTEYNSIVSLFLDQLF  
NANYELALSNGRKCVRNIRLHILDEFTNIPAI PHMDTKISIGLGQNTILYILWIQNLKQLVSEY GENTAETIRENC SLK  
VYIKSTAPATNEYFSKELGTRTITRRRRSSNILDEANPNVSIENPRQELLTPQLSKLQEGEAVILRGVKGRDNAGR  
KITTDPIFLHEKTS LPYRYMFLQEEFDQSMALADIPVESGHRDLDLQDI AVGAQSTFNKIIDWRMAL TDRMRTNGKI  
PQLASRKQTIKALSQSQFTSPADLTQAVIAEVFDEEDDDDLFFVDDVM

## SeqID 452

MTDNRFQALKENFEKGS PKRRVPTSRPIAAQKAPESYNKKGRYPFSLHQDVRYDKLEALVAYHGAKSASDYLERLIV  
QEWEMQQRKLKNKEK

## SeqID 453

MAYLSKLSDLDP SLMDADSEQIYIPKVLFEHND FKG LTYKEILLYSFLLNRLREPLDFIQKG YDDNEDTYVHF KVED  
LCELLNQSKTTVISLKKRLAQYGLIEEVKAGSHQPNRIYLTDKLVPIYK

## SeqID 454

MTIFDERELKERFTHENRVSYFEVFAKYDAQMVPMKAKGYRCIHS MERTVVFTEGFTIRRRRWQKGEHWVVPVDE  
KLGLKKNVRYSLFMYQIASLATMMPYEKVIKVVQMMY CIVITKPTVVKAVKISRELLKEKEAYRFFDEDIPVDKEP  
VDMIYLEGDGVMVKAREEGLDNRNVDLSHFVVHTSGSQVGSNRFLVQNKKEFVSLDNRQTRQKILDYLYNHFYIAPN  
TLITNSDGGHGYTPYVPKEIAKALKVKQHEHFWDYHVNEKIKSFFKLYPVELMTGAFQS IKQHDKEKLRTVLDTT  
EALILMEEME GEFNQFKRKLNNFQYTKSAELRGFSRAGIGVMESQHRKIT YRMKKRGMWYTIQGAETMSQLIVLSY  
EGQLRDLFFG SWREDYQKYQELENL SAGKIKHEQN KINKRYDLQTLGRLRYGRHNL

## SeqID 455

MDVSSSPNITFMLQYTEANQYVDYTNREEAVKIDEELSLETNRQMIEGLTEDELTRI QEAVPETQLN FREYIDYMN  
RSYATEEQSKELTAIFTQEADY LQKLRLIDLKNKLESAYQNGSLLWQGVISFDNAFLAEQGLYDVATGQVDQKA KA  
VMRDMPTLIQKEGLSDSAFWGNIHLNTDNIHIFGLSEVESNREKIFYQPRGRMEYKGNFSQKTINRFKSGVYHG  
LLKEETR SNLLRKEQILANLKADFITSIYQDKITSSAEKNFLEQAYNHLPLNKKWRYGSNARDFAVSKFFLD RYLD  
SYLNNEGSAAYQEFLKETRDFLQTYEGVYSAEKNKIYEKLRKVDGQTIRT LAESKGYDLEHHLARRVMDLRERLANN  
ILRSFREAAPQIQDVQLEKNLESF SVLNQKKILEQHPEASVVKSQKAWQKLG YFVKAGEQPLEIIRPVYKSYDKH GK  
GIGRPEFVSDTVYDISQLTENIQLKSLTLKDL SLFSSNELKELVDAAKLKTNP TERERRELGT YRYALKLSILBSSQ  
KELQVRQKLLEQVQPLASDQPFLLDFKKQLIAQELQALQLTPNYKLS EDDKALKNRLKRQFEDSV ALPVSKATPGA  
IQLPIRQLWTELGLVHHIQDENILTLLKGTSTTKQAYIBELQTHISIFOLKYQINN RNKQISQLSDEATIKEMRIAN  
AKGFSSELKRLYDTLQPSDDGQNIQSAVSKQLQERKVIKKAQLOOTQ RSGKINTDFMRQLTASLNRSQQASKKALME  
RARSDEREEQEERRQAQR

## SeqID 456

MNSNTKGHGFRRKSKAYGLVCAIALAGAFTLATSQVSADQVTTQATTQTVTQNAETVTSTQLDKAVATAKKA AVAV  
TTTTPAVNHATTTDAQADLANQTQAVKDVTAQAQANTQAIKDATAENAKIDAENKAEAEERVAKENKEGQA AVDARNKA  
GQA AVDARNKAKQQAQDDQKAKIDAENKAESQRVSQNLNAQNKAKIDAENKDAQAKANATNAQLQKDYQAKLAEIKSV  
EAYNAGVRQRNKDAQAKADATNAQLQKDYQAKLALYNQALKAKAEADKQSINNVAFDIKAQAKGVDNAEYGN SIMTA

KTKPDGSGFEFNHDMIDGVKTIYGKLTGKVNHHYVANKDGSVTA FVDSVTLYKYEYRNVAQNAAVNQNTIVFRVLTKD  
GRPIFEKAHNGNKTFATLNLKTLQNLKYELKPHASSGNVEVFKIHDDWVHDTHGSALVSYVNNNDVAVNNVPIPERP  
TPPKPVKVTPEAEKPVPEKPVPEKLVPTPTLKTYTPVKFIPREYKPEPITPETFTPEKFTPAQPKVKPHVSIPEKINY  
SVSVHPVLVPAANPSKAVIDEAGQSVNGKTVLPNATLDYVAKQNFQYKGIKASAEAIAGFAFVDQPNALAEITV  
KSIKASNGDDVSSLLLEMRHVLSDKTDLDQKLQSLIKEAGISPVGEFYMWTAKDPOAFYKAYVQKGLDITYNLSFKIKA  
NFTKGQIKNGVAQIDFGNGYTGNIVVNDVTVPVHKDILDKEGDKSINNSTVKLGDEVITYKLEGWVVPANRGYDLFE  
YKFVDQLQHTHDLYLRDKVVAKVVDVTLKDGTVIKKGTNLGEYTTETVYNKTTGHYELAFKKEFLAKVSRESEFGADDF  
IVVKRIKAGDVYNTADLYVNGYKVKSEAVVTHTEKSKPVEPQKATPKAPAKGLPSTGEASMTPLTAIGAILLSALG  
LAGFKKRQK

## SeqID 457

MFSWLEALYYTLIQLAKVNRLNALFLVSVVGYLCYQGIKLVKRTIRNFFQLMKGFIDRENIKKCIKNKKEALVHSW  
KHRQDIDWKSTGKDKSKQLWNLMKRLATVAPSFLFLLGNVLFRLIYQLPFVKQDRKRFDEKMKPLLYFKNYRSFVF  
MGIGFSFIATILNTNYFVTVLRAAIRFLYFSIMTLRDSQVVSFNVDSSLIIQNLFNARVFIAPILAVPIFLIGLVVA  
WRSAWVNFQYRDYNNHNEEGDDRFATVKEIHQYKVKPNKTEYTPGEGGVVPLHETRNLTGLTLKSQMLWQNRFTS  
RYLTNAERILGLLSTPSGDYIIDDSTTNLITMGITRSGKGEAHTAPIIDINSRAEIQPSLIADPKGEHYQSSYKTM  
RRRGYDVNVLSFQNMDSMSYNPLALALAAAKKGYEYMTQTRVNAVAEAIYRKTKPGSGNGNAKYWEDTSISLFNAI  
AMALMDRANETVRNGETDAWDTVTVRNIAKFLTDLGSEEVFVNDPGEIVENPDKNQVKKKSKIIVYFDNLRKINQE  
QFSKFRDMADLNFRSSDFASEETKGNVFSMMSGINLFLQDNIAKLTSKNSIDLESVGFPRRLSIKFRSSSNVAMRN  
EYTHKTAKVTITISQAVWGKTTKQVIHVDAATALIDGEGYLYTVIEBPQLPDQFLVTIDFNHENNGGSAIRHKTQFQSA  
EKVYKRGNVITLDDYTKKPVLDHIKVTVLNKQDDNLLQKEDIDLISDNPKVIYLVTPPNRTEYNSIVSLFLDQLF  
NANYELALSNGRKCVRNRIHLIDFTNIPAI PHMDTKISIGLGQNLILYLLWIQNLKQLVSEYGEYNTAETIRENCSLK  
VYIKSTAPATNEYFSKELGTRTITRRRRSSNILDEANPNVSIENPRQELLTPTQLSKLQGEAVILRGVKGGRDNAGR  
KITTDPIFLHEKTSLPYRYMFLQEEFDQSMALADIPVESGHRDLDLQDIAVGAQSTFNKIIDWRMALTDMMRTNGKI  
PQLASRKQTIKALSQSQFTSPADLTQAVIAEVFDEEDDDDLFFVDDVM

## SeqID 458

MTDNRFQALKENFEKSGPKRRVPTSRPIAAQKAPESYNKKGRYPFSLHQDVRYDKLEALVAYHGAKSASDYLERLIV  
QEWKMQRKLNKKEK

## SeqID 459

MAYLSKLSDDLPSLMDADSEQIYIPKVLFEHNDFKGLTYKEILLYSFLLNRLREPLDFTIQKGYDDNEDTYVHFVKVED  
LCELLNQSKTTVISLKKRLAQYGLIEEVKAGSHQPNRIYLTDKLVPYIKG

## SeqID 460

MTIFDERELKERFTHENRVSFYEFVAKYDAQMVPMKAKGYRCIHSMBERTVVFTFGEFTIRRRRWQKGEHWVVPVDE  
KLGLKKNVRYSLFMYQIASLATMMPYEKVIKVVQMYCIVITKPTVVKAVKISRELLKEKEAYRFFDEDIPVDKEP  
VDMIYLEGDGVMVKAREEGLDNRNVLDLSHFVVHTGSQKVGSNRFLVQNKKEFVSLDNRQTRQKILDYLYNHFIAPN  
TLLITNSDGGHGYTPYVFKEIAKALKVKQHEHFWDRYHVNEKIKSFFKLYPVELMTGAFQSIKQHDKEKLRVLDTT  
EALILMEEEMEGFNQFKRKLNNFQYTKSAELRGFSRAGIGVMESQHRKITYRMKKRGMWYTIQGAETMSQLIVLSY  
EGQLRDLFFGSWREDYQKYQELNLSAGKIKHEQNKINKRYDLQTLGRLRYGRHRL

## SeqID 461

MAVEIIMPKLGVDMMQEGEILEWKKQVGDVVNEGDVLEIMSDKTNMEIEAEDSGVLLKITHGNGDVVPVTETIGYIG  
AEGEEVTEASSSENTSVEENATQVTSEPEKVEETSEPSVPAATSGEKVRATPAARKLAREMSIDLALVSGTGANGRV  
HREDVESFKGAQPRITPLARRIAEDQGVDAEITGSGIRGKIVKNDVLAAMSPQAAEAPVETKATPTTEEKQLPEGV  
EVIKMSAMRKAISKGMTNSYLTAPSFTLNYDIDMTEMMALRKKLIDPIMAKTGLKVSFTDLIGMAVVKTLMKPEHRY  
LNASLINDAQEIELHNFVNIGIAVGLDDGLIVPVVHNADQMSLSDFVIASKDVIKKTQEGKLSAEMSGSTFSITNL  
GMFGTKTFNPIINQPNSAILGVGATIPTPTVVDGEIVARPIAMCLTIDHRIVDGMNGAKFMVDLKNLMENPFGLLI

## SeqID 462

MSSFNRKKLKFGLISLATLTATTVTLVACGNESKNSGDNKVINWYIPTEISTLDDISKNTDAYSNLAIGNSGNSNLLRI  
DKEGKPKPDLAKKVSVSDDGLTYTATLRDNLKWSGSKLSAEDFVYTWRRIVDPKTASEYAYLATESHLLNADKINS  
GDIKDLNLKLGVTAKGNQVTFKLTSQPCQFKYLLAFSNFMPQKQSYVEKVGKDYGTTSKNQIYSGPYLVKDWNGSNGK  
FKLVKNKYWDKSHVKTNSVIVQTIKKPDTAVQMYKQGDIDFAEISGTSALYNQTSVSKALTNQKIRQALNATDRK  
GVVKAADVDTGSTPAESLVPKKLAKLPNGEDLSKYTAGPYTYNTSKAQKLFKEGLAEVQSSKLKLTITADSDSPAANK  
AVDYVKSTWESALPGLTVEEKFTVTFKQRLDAKNENFDVVLFSWGGDYPEGSTFYGLFTTNSAYNYGKFSSKEYDNA  
YQKAITTDALKPGDAANDYKTAEKALFDQSYNPNVYYLGGKGLQNSKLKGLVRNSTGLNVDFTYAYKTE

## SeqID 463

atgcttaaaa	aatcgcaactt	tttacagata	tttacacttt	gcttagccct	cttaacgatt	60
tctgggtgtc	aattaaccga	tactaaaaaa	cctgggtcata	ccacaattaa	gggtgtgtcc	120
caaagttcta	cagagtctag	tatcatggca	aatattgtca	ccgaattaat	tcatacagaa	180
ttaggatata	acacaacttt	aataagcaat	cttgggtcct	ctacggttac	tcaccaagct	240
ttgctccgtg	gtgatgctga	cattgctgcc	acacgttata	caggaaacaga	catcacagga	300

103/109

actcttggct	taaaagctgt	taaagacact	aaagaagctt	ctaagattgt	aaaaactgaa	360
ttccaaaaac	gctacaatca	aacttgggtat	cctacttatg	gtttttctga	tacttatgca	420
ttcatgggta	ctaaagagtt	tgccagacag	aataaaatca	ccaagatctc	tgatctcaaa	480
aagttatcaa	caactatgaa	ggcagggggt	gatagttcat	ggatgaatcg	cgagggagat	540
ggatacactg	atttcgctaa	aacatacggg	tttgaatttt	cacatattta	ccctatgcaa	600
attggcttag	tctatgatgc	agttgaaagt	aacaaaatgc	aatctgtatt	aggctactcc	660
actgacggtc	gtatttcgag	ctatgattta	gaaattttta	gggatgataa	aaaattcttt	720
cctccttatg	aagcctctat	ggttgtcaac	aattctatca	tcaaaaaaga	tcttaacta	780
aaaaaattac	tccatcgact	cgatggtaaa	atcaatttaa	aaacgatgca	aaaccttaat	840
tatatggtag	atgataaact	tttagaacct	tcagttgttg	ccaaacaatt	tttagaaaaa	900
aaccattatt	ttagaggaga	taaataa				927

## SeqID 464

ttgaaaccgt	ccttcaaaaa	actattgcta	ctatttagta	ttatcaccat	tttatccatc	60
gacctgtacac	cacatgcaaa	agcaagtggg	cgttcatgga	aaagttgggt	tatcgaacaa	120
tacttttggc	taaaagtcga	taaaagttat	tataaagttc	aagatgaaag	ctcatttcaa	180
aagtacttaa	atgctagccg	tgaacaatct	gataaggggt	attacttaga	cccaaactct	240
gttaatggag	ggcttgttca	agagagactt	tttgatatgc	aagtctattc	ttggaatgac	300
aacggtaaaag	ctaatacaaaa	gaccattttc	tatttagctg	gtggctctta	cttaataaat	360
ccaacgcctt	accatatcag	catgcttaag	acgctctcaa	ctagtcttga	tgcaaaaatt	420
atttttacca	tttatccaaa	aactcctcgt	tatacctatg	attatgctat	ccctagattg	480
gttaaccttt	atagacactt	tcatgaaaaa	aacgctaata	tcaatttgat	gggtgattca	540
gctggcggag	gattagcact	aggattagcg	catgcattgt	ctcaccaatc	agggcaagag	600
gctattcctc	aacctaaaaa	tattatcctc	ttatctccat	ggctagatgt	gacaatgaaa	660
catccagaaa	ttcccaaata	cgaagatact	gatcctatcc	tatctgcttg	gggtctcgca	720
cgtgtaggtg	aaatgtgggc	aaatggttct	aataatacta	accatacata	tgttagtctt	780
aaaaatgcc	ctgctactaa	actcgtcctt	attacgttat	ttactggaac	acgagaaata	840
ttcttccag	atattcgca	ttatgctgca	caactccaag	cagctaatca	ccccgttaac	900
tatatgac	aagagggaat	gaatcatgtt	tatccaattt	accctattga	agaagctaaa	960
acagcacagt	atcaaatgat	tgatatcatc	aataaaactc	cttaa		1005

## SeqID 465

atgacaaaaa	aacatcttaa	aacgcttgcc	ttggcactta	ctacagtatc	agtagtgaca	60
tacagccagg	aggtatatgg	attagaaaga	gaggaatcgg	tcaaaacaaga	acaaaccag	120
tcagcttcag	aagatgattg	gttcgaagaa	gataattgga	ggaaaacaaa	tgtttctaaa	180
gggaattcta	ctgttgatga	aacagttagt	gatttatctt	ctgatggaaa	tagtaataac	240
tctagttcta	aaaccgagtc	agtggtaagt	gacctaaac	aagtcccaa	agcaaaacca	300
gaggttacac	aggaagcaag	caattctagt	aatgatgcta	gcaaagtaga	agtacaaaaa	360
caggatacag	cttcaaaaaa	ggaaaccata	gaaacatcaa	cttgggaggc	aaaagatttc	420
gtaactagag	gggatacttt	agtaggtttt	tcaaaatctg	gaattaataa	gttatctcaa	480
acatcacact	tagttttacc	aagtcatgca	gcagatggaa	ctcaattgac	acaagtagct	540
agcttttgct	ttactccaga	taaaagacg	gccattgcag	aatatacaag	taggctagga	600
gaaaatggga	aaccgagtcg	tttagatatt	gatcagaagg	aaattattga	tgaggagaaa	660
atatttaagt	cttaccagtt	gactaagctt	actattccaa	atgggtataa	gtctattggg	720
caagatgctt	ttgtggacaa	taagaatatt	gctgaggtta	accttctga	aagtctcgag	780
actatttcag	actatgcttt	tgctcacatg	tctttaaacc	aagtaaagtt	accagataac	840
ctgaaggta	ttggagaatt	agcttttttt	gataaccaga	ttgggtggtta	gctttacttg	900
ccacgtcact	tgataaaatt	agcagaacgc	gctttcaaat	ctaactgtat	tcaaacagtt	960
gaatttttgg	gaagtaagct	taaggttata	ggagaagcaa	gttttcaaga	taataatctg	1020
agtaatgtta	tgcttccgga	tggaactgaa	aaaatagaat	cagaagcttt	tacaggaaat	1080
ccaggagatg	aacattacaa	caatcaggtc	gtattgcgca	caaggacagg	ccaaaatcca	1140
catcaacttg	cgactgagaa	tacttacgtc	aatccggaca	aatcattgtg	gcgtgcaacg	1200
cctgatattg	attataccaa	atgggttagag	gaagatttta	cctatcaaaa	aaatagtgtt	1260
acaggttttt	caaataaagg	cttacaaaag	gtaagacgta	ataaaaaactt	agaaattcca	1320
aaacaacata	atggcattac	tattactgaa	attgggtgata	acgcttttctg	caacgttgat	1380
tttcaaagta	aaactttacg	taaatatgat	ttggaagaa	taaagctccc	ctcaactatt	1440
cggaaaatag	gtgcttttgc	ttttcaatct	aataacttga	aatcctttga	agcaagtga	1500
gatttagaag	agattaaaga	gggagccttt	atgaataatc	gtattggaac	tctagacttg	1560
aaagacaaac	ttatcaaaat	aggtgatgct	tctttccata	ttaatcatat	tcacgccatt	1620
gttcttccag	aatctgtaca	agaaatagga	cgttcagctt	ttcgacaaaa	tggtgcactt	1680
cacctgatgt	ttatcgga	taaggttaaa	acaattgggtg	aaatggcttt	tttatccaat	1740
aaactggaaa	gtgtaaatct	ctctgagcaa	aaacaattaa	agacaattga	gggtccaagct	1800
ttttcggata	atgccttag	tgaagtgtc	ttaccgccaa	atttacagac	tattcgtgaa	1860
gaggctttca	aaaggaatca	tttgaagaa	gtgaaggggt	catctacatt	atctcagatt	1920
gcttttaagt	cttttgatca	aaatgatggg	gacaaacgct	ttggtaagaa	agtgggtgtt	1980

aggacacata	ataattctca	tatgttagca	gatgggtgagc	gtttttatcat	tgatccagat	2040
aagctatctt	ctacaatggt	agaccttgaa	aaggttttaa	aaataatcga	aggttttagat	2100
tactctacat	tacgtcagac	tactcaaact	cagtttagag	aaatgactac	tcgaggtaaa	2160
gogttgttat	caaaatctaa	cctccgacaa	ggagaaaaac	aaaaattcct	tcaagaagca	2220
caatttttcc	ttggctcgct	tgatttggtat	aaagccacag	ctaaagctga	gaaggcttta	2280
gtgaccaaga	aggcaacaaa	gaatgggtcat	ttgcttgaga	ggagtattaa	caaagcggta	2340
ttagcttata	ataatagcgc	tattaaaaaa	gctaattgta	agcgcttgga	aaaagagtta	2400
gacttgctga	cagatttagt	cgagggaaaa	ggaccattag	cgcaagctac	aatggtacaa	2460
ggagtttatt	tattaaagac	gcctttacca	ttgccagaat	attatatcgg	attgaaacgtt	2520
tattttgaca	agtctggaaa	attgatttat	gcacttgata	tgagtgtac	tattggcgag	2580
ggacaaaaag	atgcatatgg	taatcctata	ttaaatgttg	acgaggataa	tgaaggttat	2640
catgccttgg	cagttgcaac	tttagctgat	tatgaaggtc	tttatatcaa	agatatttta	2700
aatagttccc	ttgataagat	taaagcaata	cgtcagattc	ctttggcaaa	atatcataga	2760
ttaggatttt	tccaagctat	ccgaaatgca	gcggcagaag	cagaccgatt	gattccctaag	2820
acacctaagg	ggtacctaag	tacagtccta	aattatcgta	aaaaacaagt	ggagaaaaat	2880
tcaaaaccag	ttgattataa	aacgcgcat	tttgataagg	ctttacctaa	tgaaaaggta	2940
gatgggtgata	gagtggtctaa	aggtcataat	ataaatgcgg	agactaataa	ttatgtagct	3000
gtaacaccaa	taaggtccga	gcagcaatta	cataagtcac	agtctgatgt	aaatttacct	3060
caaacaagtt	ctaaaaataa	ttttatatac	gagattctag	gatacgttag	tttatgtttg	3120
cttttcctag	taactgctgg	gaaaaaagga	aaacgagcaa	gaaaataa		3168

## SeqID 466

atgaacaaaa	aaattgccc	gateggcttg	gcttcgattg	cagtacttag	tttagctgca	60
tgtggacatc	gtgggtgctc	taaatctggt	ggtaaactag	atagcttgaa	ggttgcaatg	120
gtaacagata	ccggtggtgt	tgatgataaa	tcatttaacc	aatctggttg	ggaaggtagt	180
caagcttggg	gcaagaagaa	tggecttaaa	aaaggagctg	gttttgacta	tttccaatcg	240
gcaagtgaat	ctgattatgc	aactaactta	gatacagctg	tgtctagtgg	ttataaattg	300
attttcggta	ttggattttc	tcttcgatgt	gctattgata	aagcagcaga	caataacaaa	360
gatgttaatt	acgtcatcgt	tgatgatggt	attaaaaggga	aagataatgt	tgcaagtgtt	420
gtctttgctg	ataatgaatc	agcttactta	gcaggatttg	cagccgctaa	aactaccaaa	480
acaaaaacag	ttggctttgt	aggtgggtatg	gaatctgagg	ttattaccgg	ttttgaaaaa	540
ggttttgaag	caggtgtcaa	atcagttgat	aaatcaatta	aaattaaagt	tgactatgct	600
ggttcattcg	gtgatgctgc	taagggtaag	acaattgcag	ccgcacaata	tgcttctggc	660
gcagatattg	tttatcaagt	agctgggtgga	actgggtgcag	gtgtattcag	tgaagcaaaa	720
tcacgcaatg	aatctctaaa	agaagctgac	aaagtgtggg	tattaggtgt	agaccgtgac	780
caagcagcag	aaggtaaagta	tacttctaaa	gatggtaagg	cttctaactt	tgttttggct	840
tcacatcaatta	aagaagttgg	aaaatcagtt	gaattgattg	ctactaaaac	aagtaaagggt	900
aaattcccag	gtggtaatgt	aacaacttat	ggtttgaagg	atgggtggagt	tgatatagca	960
actacaaacc	tttcagatga	cgccgttaaa	gcgattaaag	aggctaaagc	taaaattatt	1020
tcaggagata	tcaaggttcc	tagcaataaa				1050

## SeqID 467

atgaggattc	aaacgacgaa	ccttgataaa	ggtggcggtg	gaaaaagcag	tcacacctat	60
aacgaaggag	attgggtgtc	tagagttatg	gggaaacgag	tcttggtgat	tgatggggcc	120
agagaatgta	atttaacaca	ctcctttgat	gtgacgagcg	acaaaacaat	ctatgatatt	180
tttatcacag	gagaatatga	gatttgctga	atcaatgata	agcttagctt	aattagagga	240
gatgaacgac	taactgatga	acagctagat	ttagccagtc	gaaataataa	ataccttcag	300
ttattcatgt	ggttcagtga	gcattatgag	gaactggccg	aacagtttga	tattatcttg	360
attgatactc	ataatgatga	aagtcttggt	actgccaaat	gtattgccgt	ttctgatatt	420
gtcctagggg	tgactgatgc	gtcaactaat	ggatttcgtg	cctgggttagc	ccttaaaaaag	480
tttgctcgatg	acatcaagaa	tgaagctatt	gaggttatca	caaagaaaag	ctatgtgaag	540
gcagaagctt	atctgattgg	caataagatt	gagtattatg	gaaataatgt	gacagagact	600
tgtaagcaat	tcttggtatg	tgtgcaggaa	gatgaagctt	atgtgggttc	aattcagaag	660
aaagaactga	tggccaaaag	tttagtcatt	aatcagagtg	tctttgaaca	acgtgaacac	720
atgacagaaa	aacagaagca	agatcatcag	aaattttatg	ataatataga	atatgtctat	780
caaaatattt	taaccgtact	agaaggagag	actaaatga			819

## SeqID 468

gtgaaaaaag	ttgttttctt	gaaaataactt	gttccgcttg	tctctttggt	ctttcttatt	60
agcttgggta	taacgatatt	agcaggtgtt	ttaggagcgg	ttgggtggtc	gcagtcacaa	120
tgtacgatag	aagttgtaac	ctcaacctct	acagactcgt	ccatatcttc	aggtgatggt	180
tccattgatt	cttttggttaa	ggagcacaaa	gaggtctata	tctgtcttg	gaaagctggt	240
ggcttcttac	catctgcatc	gattacgcag	accatgattg	aaaatggctt	taacttcacc	300
aatcctaag	ggacctccct	ctggcaagcc	cataatatgg	gaggggttaa	aacgtctagt	360
aagagtaact	tccccgttac	cttagcaact	tatggccaag	atagtgttga	cctttcagga	420

acaaagccag	gagcaagagt	cggcgatggc	acaggtgggg	cttataacctg	gttttcaagc	480
tatgatgcag	ggattgtcgg	caaggcagag	tttatggccc	atcaaactct	ctataccaag	540
gcaataaaca	atatagattg	gatagctaca	ctaagtgcga	ttgcggatgg	tggttgggcg	600
actgacggaa	cttataaaac	caagcttatt	gacatgtatc	ataagcttgg	taaaacctat	660
gaatggctgg	ataaggaagc	tatcagcgct	catgggtgata	aaccttataa	agcaaccaca	720
gcttcagctg	gagatgctgg	actatctgat	atTTTTtaca	gcaatagtaa	agattgtagt	780
gattcttctt	caggtgggtg	cactgatggg	acaggaacag	ttccagcaga	tgcgatagcg	840
tggggatata	ggcctgataa	cctaccagag	agtctgaagc	agtatatcat	tgatcctaaa	900
tcgcttggca	tggcttatgc	aaactcttct	ggctgggtta	atccaggtag	tgattatcta	960
gctggacaat	gtgttaattt	aacaatcagt	cttggaaatc	acctctgggg	tcactcggga	1020
tctgtcagtg	gcaatggaaa	agaccaagct	gggtgctggg	ccaatatctt	tggcaattca	1080
gtcaaaacga	ctcctaaaag	aggagctatc	ttttctaccc	aaaacggagg	tggcgggttat	1140
ggccatactg	ggattgtgtg	ccatgtcttt	gaaaatggat	caatcttgat	tgtggaacaa	1200
aatacgccat	tatcgggagc	tgattatttc	aaaaaatctt	acacatggaa	ttaccgtatt	1260
tggacacctg	cccaacaaaa	agcagaagtc	attagttttg	cttacccata	tggtaaagaa	1320
cctaaacttg	gaaactaa					1338

## SeqID 469

atgggaaaga	catttttgaa	agatatctat	cgatcaatta	cgacttcaaa	aggtagattt	60
tcacatcc	tcttacttat	gatgttaggc	tcatttgcct	ttataggact	gaaggtctca	120
gcacctaata	tgcaaagaac	agcacaaaat	taccttgctc	atcatcatgt	tatggatatt	180
accgttttca	attcttgggg	acttgacaaa	catgatcaaa	ctgttttaga	aagcttaaaa	240
ggatcacaag	ttgaattttc	ttactttgta	gatacaaccc	ctcaacagaa	tagtaaatct	300
tatcgattgt	attccaatac	caaaaacaata	tcaacctttg	atcttgttaa	gggacgtctc	360
cctttaaata	aatcagaaat	tgctctctca	tttcagggaac	gaaaaaaata	tgcaataggt	420
gataaaatta	attttaaaca	agataaaaac	aaactgtttt	caaatacagg	tcctctaact	480
attgtagggt	ttgttaattc	taccgagatt	tggtctaaga	caaaccttgg	tagttctcaa	540
acaggggacg	gcgacttaga	tagttatggc	gtattagata	agacagcatt	tcactctcca	600
gtatatacaa	tggcaagggt	aactttttaa	gatcttaggt	tgattaaccc	tttctcaata	660
agttacaaaag	aaaaagtagc	gaaataccaa	gaaaagggtat	cgcgaaaatt	aaatattcac	720
aataaaaataa	gatataccaa	aacaaaaaaa	gagagcctac	gtaaaatcga	tgaggaggaa	780
aaaagcctac	taaaagctca	aaaacaaatc	aatcggttag	ataatgatag	cctagcgatg	840
ccactatctc	aaagacaagc	tattcaaatg	aaaattaaac	aagaccgact	atctcttttg	900
aaacgaacaa	aagagcttct	aaaattgaga	cataacaccc	aaataatgga	atcgccctcaa	960
attattgtct	acaaccgtac	taccttttct	ggaggacaag	gatataacac	ttttgactcc	1020
agtatacaata	gcactttaaa	aatcagtaat	cttttcccca	ttattttata	tatttgcga	1080
gcattagtaa	ccttaacaac	aatgactagg	ttcgtcgagg	aagaaagaac	caacgcaggc	1140
atattaaaag	cactaggcta	tagtgaccgc	caagttatct	ttaaatttat	tatttatggg	1200
tttatagcag	gaacattagg	gactactttg	ggatcatttg	gagggcatta	tcttttacct	1260
cgtattattt	ctgatatcat	ttccaaagac	ctgactattc	caaacacaca	gtatcatctt	1320
ttcttaaat	acagtttact	agcctttggt	ttttcattat	taagcattgt	tcttccagtt	1380
tttgttatca	ctcgacgtga	gttgaaagaa	aaagcagcat	ttttattatt	accaaacc	1440
ccagctaaaag	agctttaaat	agctttagag	tatatcaatt	ggatttggaa	aaaactgtcc	1500
ttcacacaaa	aagtaactgc	tagaaatatt	tttgcgttaca	aacaaaggat	gattatgacc	1560
atatttggag	ttgctggatc	agtagcgctc	ttattttcag	gtctaggaat	acaatcctcc	1620
ttaaagcaaa	ccgtcaatga	acatttcggt	cgtattatgc	cctatgatat	attgctaaca	1680
tataacacaa	atgcttctcc	cccaaaaata	cttgaactac	tttcaaaaga	ttcaaaaata	1740
gacaaatacc	aaccaatata	ccttgaaaat	cttgacgaat	ccattcctgg	acaaattaat	1800
aaacagtc	tttccctatt	cataacagac	aaaaaacaat	tactaccttt	tatttattta	1860
caagaagcaa	caactaataa	gtcattgcac	ttgaataata	aagggtattat	tatttctaaa	1920
aaattagctc	aattttatca	tggttaatacc	gggtatttta	tcattttatc	tcattcacaa	1980
acacttcctt	ctagaaaatt	aaaaataaca	ggagtgtgtc	atgcgaatgt	tggtcactat	2040
atTTTTtatga	caaaacaata	ctatcgaact	atTTTTtaaga	aagaaactaa	agataacgct	2100
tttttgggtta	agttaaccaa	acataaaaatc	gcaaataaact	tagcagaaaa	acttttagaa	2160
attaattggag	ttgagtctct	tacgcaaaat	gctcttcagc	tagctagtgt	agaagccgtt	2220
gtgcgtttctt	tagatggctc	tatgactatt	tatgttgcg	tatctttatt	gtagccatt	2280
gtaattctct	ataatctcac	taatattaat	ttagcagaac	gtaagcggga	gctatcaact	2340
ataaagggtat	taggttttta	taatgaagaa	gtaactttat	acattttaccg	cgaaaccatt	2400
atTTTTatcaa	ccatcggtgt	gattctaggc	accattagcg	gtacttattt	acaccgtcaa	2460
atgatgttgc	taattgggttc	agatcaaaata	ctttttgggtg	aaaaagtatc	accaactaca	2520
tttataatac	caataagcgt	agtagtcac	attctaataa	gtctatgttt	tatagttaac	2580
catcaattaa	aaaaactcaa	tatgttagat	gccttgaaat	cagtagatta	g	2631

## SeqID 470

atgaataaaa	gaaaattatt	aacagtctta	tcaattgcat	cagttgcagt	tttatcaagt	60
------------	------------	------------	------------	------------	------------	----



gttacttttg	cagatgaaat	aactccatct	gatccaacag	caccatcaac	acccttatt	120
actccaaccc	cagtagatcc	tggaacacca	actgatacga	caaaacctag	tactccagta	180
gatcctggaa	cgccaactga	tacgacaaaa	cctagtactc	cagtagatcc	tggaacacca	240
actgatacga	caaaacctag	tactccagta	gattcaggga	cttcgactaa	tccctcagat	300
tcagaagcaa	caaatacaaa	tctaggtaca	aaaccaacag	atgtagttaa	gccagagaca	360
cctaaaaatcc	ctgaagtgcc	gtcaacagta	actccagatg	tgattgacaa	ggtagacaaa	420
gaaacaggta	atattacgat	taaaccaatt	caaatcagcc	ctgataaaac	gattattgga	480
acacaaaatg	gtaatgtcat	tattcgagat	agttcaggca	gccacttagt	atctgcaagt	540
gaagttgggtg	gtcgacttaa	tgaagatggg	acagtaacaa	ttaaagattc	gtcaggga	600
acaaaaacac	tcctctgtac	tggagaagct	aaaggattct	taagcattat	tgggtgccaca	660
atcctatctt	ttgtagctta	tttattcaag	cagagagtaa	ctttaaatta	a	711

## SeqID 471

atgagaccta	tcgttagaaa	aaagatgtac	aaaaaaggta	aatttttgggt	cattgcagggt	60
atcgttacta	ttttagggtg	tagtgcaatt	cttgggtcaag	atgtcaaggc	agaacaggca	120
gaagcagcaa	cttcaacgat	ctcagagaaa	actgatagca	gtcagactat	ttcggatact	180
tccaagttaa	cgttacctgt	taattcctcg	gaggctatga	aaaatagtgc	agagccttta	240
ataaaaacag	gctttgctac	atctgtttca	tctaactcta	gagagatagc	agctacccca	300
gtcaaaacct	ttgatgctag	ttcaaaagtt	gttgtaaaag	ctagtactgc	tgagcactca	360
gcaaatcaaa	caaattctaa	tgtaaatcaa	gtagctaattg	atagtgaagt	tattactcaa	420
caaaattcaa	caaaagcaat	accaaagtg	acttactctg	ctcatgttca	agatattgga	480
tggcaaaagt	cggttgataa	tgcaacagtt	tcaggaacag	taggacagga	aaagcagggt	540
gaggcaataa	aattgtctat	taaagcccct	gaaggaataa	caggaaaact	tagctataaa	600
acttatgtta	aaggacaagg	ttggcaacct	tcagtagaga	gtgggtcaagt	tagtggtact	660
gttggtcaga	gtagacctat	tgaagcacta	agcattaacc	ttactgataa	tttacaaaaa	720
ttatatgatg	tctattatcg	tgttcatgtt	caagatatcg	gggtggatggc	ttgggctaaa	780
aatggagctt	acgctgggac	tttgggaatg	tcaaagcgcc	ttgaagctta	cgaagtaaag	840
tttaccctta	aaggacaatc	tgttttaaca	ccaactatac	ttaaggaaga	gagacctgtc	900
ttaaattatc	aggttaaggt	aggccaaaat	ggttggcaat	ctaataaact	tgaaggacaa	960
atggcgggaa	ctttaggaga	atccaaagcc	ctagatggag	taaaattcac	tcttagcacc	1020
ttgaagtatg	gggacattct	ctatcgtact	catgtacaag	ataaagggtg	gggagaaatt	1080
ttaggtagtc	aaacaagtaa	ggattatcaa	ggaaaaagac	tagaagctat	tcaattggac	1140
ttaaagtggga	attttaaaca	aaattatgat	atattattatc	gcgctcacgt	ccaagataaa	1200
ggttggatgg	cttggcaaaa	aaataatagt	gtagcaggta	cagtcggaga	atcgaaacgt	1260
ttagaggctt	tggagtaaaa	actagtagct	aaagcttcag	attttagttc	ccaaacaaat	1320
cattcattct	tagaaatgaa	gcaccttgga	ttaagttatc	aaacttatct	tcaaaaagat	1380
ggttggaaac	caacggtttt	ggaaggccaa	ttaggaggta	gtattggact	ttcaaaatct	1440
ataaaagcca	tcaaacctaa	cttaggtagt	acagctctag	gaaatataga	atatagaact	1500
tttcttaatg	gttcagggtg	gcaaaactgtt	gttaattcag	ggagagaaag	taatgtacca	1560
aatgaatctc	aacaagttaga	agctattcag	atgcgattga	caggctctgt	atcgaaaacc	1620
tatagtgtga	tgtatcgagt	tcacatgcaa	gtattgggtt	ggcaggattg	gacttataac	1680
aatgacatcg	ctggtagtac	taaccaagga	aaacgaattg	aagcaatcga	aattaaatta	1740
gttgagactg	ctaaaatacc	tataactgtc	caaacgacct	ataagggaac	tggaaactat	1800
aatgtacgag	tgacaaatgt	tatttagtct	gggaatttaa	aaattgctat	ttggtcagat	1860
aaaaacaatc	aggatgacct	taagtggat	accgtcacac	ccaaaaatca	tgaagctaga	1920
ttgacattta	atgttacaaa	tcatagagac	aatggtaaat	actttatcca	tgtttatcag	1980
gaaaaatgctt	ctaatacaaaa	acaattattg	gtaaaaactt	ctctacaagt	cgcacattca	2040
aattataata	ctccttactt	tagccaacgt	gtatggaagg	gggcaagtcg	aagatatggt	2100
atggcaactt	taggagaaac	tggttggtga	ccaacttctc	tagctatgat	tttgtcttct	2160
ttgaaaggag	aaactgtttt	accaacgcaa	attgcagatt	acctttacca	taagacagtt	2220
gaatttaatc	gtggtgttca	aggaacaact	tctagaggaa	tcttaaaagc	agccaaagaa	2280
tggggtgtaa	cagcaactgc	attaggaact	caagctaacc	ttgtacaagc	gttgaaggat	2340
ggttatcatg	tcctagcggc	agtacaaaat	aatgtttttg	ttcttcatgg	aagtcatgaa	2400
atcgttctca	aaggatataa	taacggactg	acacatgtct	ctgacctta	cacaccgtcc	2460
ttgtctggtt	ggtatccaat	ttcacaactt	tggaaagaac	agagctatta	tagtgaggat	2520
agaattgata	ttggagaacc	ttttgtcaag	gtaacagatg	cctaa		2565

## SeqID 472

atggcaagaa	tcccttatca	gaaaacactt	attttttgtg	tagccgttat	tattgctatt	60
tttatttttg	gatttcttaa	ggatttagca	caatctaaag	ggcaaaagg	tgcaaaataat	120
aatactgtaa	aaacagcacg	tgtggttgca	aacggagata	ttttgtgca	cgatgtacta	180
tatgccagtg	cgcgccaac	cgacggcact	tataatttta	ctccttat	ttaaagggtg	240
aaatcttgga	ttgagagcgc	tgatttagcg	attggtgatt	atgaaggga	gattagttca	300
gaatatcctt	tagcaggcta	tcctttat	aatgctccta	atgagattgc	aactactatg	360
aaagaaactg	gatatgatgt	cggttgactta	gcacataatc	atattctgga	ttcacaactg	420



gcaggtgcta	tcaatactgt	caagactttt	aatcgtatgg	gattggatag	tattgggggtt	480
tattttaaagg	atagaaataa	agaagatata	ttaattaaag	gtgtaaattg	tataaaaaatt	540
gctatttttag	gttattcgta	tggctacaat	ggatgggaag	ctaattgtttc	aaagagtgc	600
tatgaaaaac	atatgtctga	tttagatact	aaaaagatta	agcaagatat	taaaaaggct	660
gaaaaagaag	cagatatac	cattgtcatg	ccacagatgg	ggatagaata	tcaaaaaaaa	720
cctactacag	aacaagtaat	gctttatcac	agtatgatta	aatggggggc	agatattata	780
ttcggaggac	accctcacgt	tgttgaaccg	tctgaagtga	taaaaaaaga	tggccagaaa	840
aaattttatta	tttactctat	gggaaatttt	atttcaaata	agcgtttaga	aacagttgat	900
gatatctgga	cagaaagagg	attattaatg	gatgtaacaa	tagagaaaaa	aggtcaaaaa	960
acagtaatta	aaaaagttaa	ggcgcataca	acactagtag	aagcaaaagc	aaatggccgt	1020
tatgttgaag	aaggctttcc	agcttatgat	tataggacgc	tagttttaga	ggattatatt	1080
gaaggtggta	agaaacgttc	tacgattgat	cagactatga	aagataaagt	tgataaagca	1140
tataaggaga	tgaatgagtt	agtttaattg	aagtggtaa			1179

## SeqID 473

atgaaacatt	tctttgatta	caagacaatg	tctgtcgac	gtaaactcag	cattagtttt	60
atcgtctgta	tcctattggg	aagtatttta	ctttcacttc	caatttttca	atatgctaac	120
gcccctaaaa	cacattacat	tgatcacctt	ttcacgactg	tttcaatggt	atgtgtaact	180
ggtttatctg	tttttctctat	cagtaagggt	tataacgggt	gggggcagat	tgtagctatt	240
ttactcatgc	aaacaggggg	acttgggtta	gtaacactaa	tgctcgtgtc	ttactataacc	300
ctaagacgta	aaatgtcggt	aaatgatcag	acccttttgc	agtcagcgat	aacttataac	360
agttcgacag	atttataaaa	atatctctat	atgattttta	aagtaacttt	aactttagaa	420
gttttagcag	ccagcatttt	agccatagat	tttattcttc	gatttgggtt	gggtcatggg	480
atctttaata	gtatattctt	agctgtctca	gccttttgta	atgccgggtt	tgataatcta	540
ggggcaacga	gcttagctca	atttaacta	aatcctttgg	ttaacattat	cgtttggttc	600
ttgattattt	caggaggact	tggatttgcc	gtatggaaag	atttaattga	agctactata	660
caaacatctc	acaagggacc	aaaattaatc	aagacatttc	caaaacgcct	cagcaaccat	720
tctaaactgg	ttttataaaa	aacaaccatt	atcttactaa	caggaacttt	gctttcttgg	780
ttgttagagt	ttggaaattt	tagaacaatt	gctaatttat	ctctaccta	acaactaatg	840
gtcagctttt	tccaaacagt	tacgatgcgt	accgctggat	tttcaactat	tgattataacc	900
caaactgatt	tcgcaaccaa	ccttggttat	attatccaaa	tgtaatttgg	aggagctcct	960
ggtggaacgg	caggaggatt	taaagtcact	gttatcgcca	ttttactcct	actatttaag	1020
gccgaactga	gtggccaaag	ccaagtgcct	tttcattatc	gaacaattcc	ttccagttat	1080
attaaacaaa	caactatcat	tttaactttc	ttttttatca	tacttattag	cggtatcttc	1140
cttcttctgg	aactcaatcc	ccatcatagat	ctttttcttc	ttttctttga	ggcactatgt	1200
gccttagcaa	ccgtgggtgt	gacaatgaac	actaccaatc	aattaaagtct	gggcggctga	1260
attgtaatta	tgttctctcat	gtttattggg	cgagtcgggc	caattaccgt	actgctatca	1320
attcttcaga	aaaaagagaa	ggaaattcac	tatgctgaaa	cagaaattat	tctaggttag	1380

## SeqID 474

atggttagacg	aattaaaaagc	aatcataaaa	agcccaaaat	tatggattac	gatggctggg	60
gttgcaactga	ttccaacgct	atataatggt	atctttctaa	gctcaatgtg	ggatccttat	120
gggaataacta	aaaattttacc	tgtggcagtc	gttaaccaag	ataaatcggc	taaattaaat	180
ggaaaaacta	tttcaattgg	caaagatatg	gaggacaatt	tgtctaaaaa	tgatagctta	240
gattttccatt	ttacaacagc	taaaagagca	gaaaaagaat	tagaaaaagg	tcactattat	300
atggttatta	ccttttctaa	agatctttct	agaaaagcga	caactctcat	gacagaaaaa	360
ccagaaagggt	taaatattac	ttataaaact	actaaggggc	gtagttttgt	agcttcaaaa	420
atgagtgaga	cagcagctaa	ttaactaaaa	gatgaggtag	cagaatctat	tacagggact	480
tatactgaat	cagtttttta	aaatatgggt	tctatgaaaa	caggatcaaa	taaagctgct	540
gatgggagtc	aagaattatt	aaatggttct	aataagctac	aggatgggag	ccaaaccttg	600
acaagtaatt	tagatgtttt	agcaagctct	agtcaaactt	tttctggagg	agctaataaa	660
ctaaatagtg	gaataaacct	ttatacagat	ggtgtgggga	ccctatctaa	cggttagtaa	720
acattatcag	atggtgttac	tgcttacaca	acaggtgtgc	ataagttgag	tgaaggtagt	780
caaaaattag	atgataagtc	tcaagcattg	gtggaaggat	cagaaaagtt	gacggatggt	840
ttacaacaat	tgtcacaagc	aactcaacta	aaaccagagc	aagaacgtac	tttgcagaac	900
ctttcagatg	gattaaagaa	tctaaatcag	attattacaa	atttacaatc	gacagcaact	960
actgatagcg	atactaatag	taagttattt	aattttttat	caactattga	atcaagtaca	1020
aaggcttttga	tgaatacggc	tgtgtctgat	aaacaaaagc	aatgactgct	ggtacaatca	1080
acgtcagctt	ttaaaagttt	aacccttgaa	caacaatctc	aatcaccttc	agcgggtact	1140
ggaacaccta	cttcagctga	gacaattgca	gcaaatattt	cttcaaatat	agaaaaatat	1200
aaaactgtgc	ttagtgaagc	atctagtcca	gccccttcta	ataatggatc	acaaaatctt	1260
caaactttgt	cagggaacagc	taacaattta	gtattaaaaa	ctatctcaga	tttagataaa	1320
attcaaaaat	tgccaacggc	tactaagcag	ttatatcaag	gtagtcaaac	cttgacaaaa	1380
ggaatcacgg	attatacga	tgtgttaggg	caattacgca	aaggtgcagt	aacttttagat	1440
agtaaatcca	atcaattgat	ttcaggaaca	caaaaagcaa	gtcaggggagc	tcaaaacttta	1500

gatagtaa	at	cggatcaatt	gagagacgga	gcggggcaat	tagctagtg	ttctgataga	1560
attgcagatg	gttctaataa	gcttgctggg	ggaggacatc	agttgataga	tgggttgaca		1620
gagttgtcag	gtggtgtttc	tcaattatca	agttccttgg	ggaaagctgg	ggaccagttg		1680
tccatgggtt	ctgtaaataa	agataatgcc	aatgcagtat	ctagcccagt	cactatcaag		1740
catgaagatt	atgatagcgt	tgatacgaat	ggtgttgga	tggcaccata	catgatttca		1800
gttgcggtga	tggtggtagc	tttatcagcc	aatgttattt	ttgcgaaagc	tttatctggc		1860
aaagagccag	ctaategttt	tagttgggct	aaaaataaat	tattaatcaa	tggattcatt		1920
gcaactctag	cagcaactat	cttatttttt	gcagttcaat	tcataggtct	taaaccagat		1980
taccctggaa	aaacctactt	tattatccta	ttgacagcat	ggactttgat	ggcattagta		2040
actgctttag	tggtgatggga	taataaggtat	ggttccttct	tgctggttatt	aatattatta		2100
ttccagcttg	gttcaagcgc	aggaacttac	ccaatagaat	tgagtcctaa	gttctttcaa		2160
acaattcaac	catttttacc	gatgacttac	tctgtttcag	gattaagaga	gaccatctcg		2220
ttgacgggag	acgttaacca	tcaatggaga	atgctagtaa	tcttttttagt	atcatcgatg		2280
atacttgctc	ttcttattta	tcgtaaacc	gaagattaa				2319

## SeqID 475

MLKKSFLQIFTLCLALLTISGCQLTDTKPGHTTIKVAAQSSTESSIMANIVTELIHHELGYNTTLISNLGSSTVT  
 HQALLRGDADIAATRYTGTDTITGLGLKAVKDTKEASKIVKTEFQKRYNQTYPTYGFSDDTYAFMVTKEFARONKIT  
 KISDLKLLSTTMKAGVDSSWMNREGDGYTDFAKTYGFESHYPMQIGLVYDAVESNKMQSVLGYSTDGRISSYDLE  
 ILRDDKKFFPPYEASMVVNNSIIKKDKLKLHRLDGLKINLKTQMNLNMYMVDKLLLEPSVVAQFLEKNHYFRGDK

## SeqID 476

LKPSFKKLLLLFSIITILSIACPHAKASGRSWKSWFIBQYFWLKRDKSYKQVDESSFOKYLNASREQSDKGYLLD  
 PNSVNGGLVQERLFDMQVYSWNDNGKANQKTIIFYLAGGSYLNNTPTPYHISMLKTLSTSLDAKIIILPIYPKTPRYTYD  
 YAIPLVNLVYRHFHEKNANLTLMGDSAGGGLALGLAHALSHQSGQEAIPQPKNIILLSPWLDVTMKHPEIKPYEDTD  
 PILSAWGLARVGEIANGSNNTNHTYVSPKNAPATKLAPITLFTGTREIFFPDIRDYAAQLQANHPVNYIAQEGMN  
 HVYPIYPIEEAKTAQYQIMIDIINKTP

## SeqID 477

MTKKHLKTLALALTTVSVVTYSQEVYGLEREESVKQEQTQSASEDDWFEEDNERKTNVSKGNSTVDETVSDLFSDGN  
 SNNSSSKTESVSDPKQVPKAKPEVTQEASNSSNDASKVEVPKQDTSASKKETIETSTWEAKDFVTRGDTLVGFSKSG  
 INKLSQTSHLVLP SHAADGTQLTQVASFATPDKKTATAEYTSRLGENGKPSRLDIDQKEIIDEGEIFNAYQLTKLT  
 IPNGYKSIGQDAFVDNKNIAEVNLPESLETISDYAFAMSLKQVKLPDNLKVLGELAFFDNQIGGKLYLPRHLIKLA  
 ERAFKSNRIQTVEFLGSKLVIGEASFQDNNLSNVMLPDGLEKIESEAFNGDEHYNNQVLRTRTGQNPQLAT  
 ENTYNPNPKSLWRATPMDYTKWLEEDFTYQKNSVTGFSNKGKQVRRNKNLEIPKQHNGITITTEIGDNAPFRNVDFO  
 SKTLRKYLDEEVKLPSITIRKIGAFAPQSNLKSFEASEDLEIKEGAFMNNRIGTLDLKDCLKIKIGDASFHINHIHA  
 IVLPESVQBEIGRSAPFRNGALHLMFIGNKVKTIGEMAFSLNKLSEVNLSQKQLKTIIEVQAFSDNALSEVVLPPNLQ  
 TIRREAFKRNHLKEVKGSSTLSQIAFNAFDQNDGDKRFGKVVVRTHNNSHMLADGERFIIDPKLSSTMVLDLEKVL  
 KIIIEGLDYSTLRQTQTQFREMITAGKALLSKSNLRQEGEKQKFLQEAQFFLGRVLDLKD KATAKAELVTKKATKNH  
 LLERSINKAVLAYNNSAIKANVKRLEKELDLLTDLVEGKGPLAQATMVQGVYLLKTPPLPEYYIGLNVYFDKSGK  
 LIYALDMSDTIGEGQKDAYGNPILNVEDNEGYHALAVATLADYEGLYIKDILNSSLDKIKAIRQIPLAKYHRLGFF  
 QAIRNAAAEADRLIPKTPKGYLNTVPNYRKKQVEKNSKPVYDKTPIFDKALPNEKVDGDRVAKGHNINAETNNYVAV  
 TPIRSEQQLHKSQSDVNLPQTSSKNFIYEILGYVSLCLLFLVTAGKKGKRARK

## SeqID 478

MNKKIAGIGLASIAVLSLAACGHRGASKSGGKSDSLKVAMVTDTGVDKSNQSGWEGMQAWGKKNGLKKGAGFDY  
 FQSASESDYATNLDATVSSGYKLIFGIGFSLHDAIDKAADNNKOVNYVIVDDVIKGDNVASVVFADNESAYLAGIA  
 AAKTTTKTKTVGFGVGMSEVITRFEKGFAGVKSVDKSIKIKVDYAGSFGDAAKGKTIAAAQYASGADIVYQVAGGT  
 GAGVFSEAKSRNESLKEADKVWVLGVDRDQAABGKYTSKDGKASNFVLASSIKEVGKSVELIATKTSKGFPGGNVT  
 TYGLKDGGVDIATTNLSDDAVKAIKEAKAKIISGDIKVPK

## SeqID 479

MRIQTTLNLDKGGGGKSSHTYNEGDWLSRVMGKRVLLIDGARECNLTHSFDVTSKTIYDIFTGEYEICRINDKLSL  
 IRGDERLTDEQLDLASRNKNYLQLFMWFSEHYEELAEQFDIILIDTHNDESIVTANCIASVIVLGVTDASTNGFRA  
 WLALKKFVDDIKNEAIEVITKKSYYKAEAYLIGNKIEYYGNNVTETCKQFLDVVQEDAEYLGSIQKKELMAKSLVIN  
 QSVFEQREHMTKQKQDHQKFYDNIEYVYQNLITVLEGETK

## SeqID 480

VKKVVFLKILVPLVSLVFLISLGITILAGVLGAVGGSQSNCTIEVVTSTSTDSISSGDSIDSFVKEHKEAYILSW  
 KAGGFLPSASITQMTIENGFNFTNPNGTSLWQAHNMGGVKTSSKSNFPVTLATYQDSVDLSGKTPGARVGDGTGA  
 YTWFFSSYDAGIVGKAEFMAHQTLTKAINNIDGIATLSAIDAGGWATDGTYKTKLIDMYHKLKGTIEWLDKEAISAH  
 GDKPKYKATTASAGDAGLSIDFTSNKDCSDSSSGGATDGTGTVPADAIWGYRPNLPESLKQYIIDPKSLGMAYAN  
 SSGWFNPGSDYLAGQCVNLTISLGNHLWGHSGSVSGNGKDQAGAWANIFGNSVKTTPKRGAI FSTQNGGGGYGHTGI  
 VCHVFENGSLILIVEQNTPLSGADYFKKSYTWNRYIWTAPAQQKAEVISFAYPYGKEPKLGN

## SeqID 481

MGKTFWKDIYRSITTSKGRFSSILLMLLGSFAFIGLKVSAPNMQRTAQNYLAHHHVMDITVFNWSGLDKHDQTVLE  
SLKGSQVEFSYFVDTTPOQNSKSYRLYSNTKTISTFDLVKGRPLNKSEIALSFQERKKAIGDKINFKQDKNKLFS  
NTGPLTIVGFVNSTEIWSKTNLGSSTQGDGDLDSYGVLDKTAHSPVYTMARVTFKDLRLINPFSISYKEKVAKYQE  
KVSRLNIHNKIRYTKTKKESLRKIDEEESLLKAQKQINRLDNDLAMPISQRQAIQMKIKQDRLSLLKRTKELLK  
LRHNTQIMESPQIIIVYNTTFFPGGQGYNTFDSSSTNSTSKISNLFPIILYLVAALVTLTMTFRVBEERTNAGILKAL  
GYSRQVIFKFIIYGFIAGTLGTTLGIIGGHYLLPRIISDIISKDLTIPNTQYHLFLNYSLLAFVFSLLSIVLPVVFV  
ITRRELKEKAFFLLLPKPPAKGSKIALEYINWIWKKLSFTQKVTARNIFRYKQRMIMTIFGVAGSVALLFSGGLIQS  
SLKQTVNEHFGRIMPYDILLTYNTNASPPKILELLSKDSKIDKYQPIHLENLDESIPGQINKQISLFTIDKKQLLP  
FIYLOEATTNKSLLHNNKGIIISKLAQFYHVNTGDFIHLSSHQTLPSRKLKITGVVNAVGHYIFMTKQYVRTIFK  
KETKDNALFLVKLTCHKIANLNAEKLEINGVESLTQNALQLASVEAVVRSLDGSMITLVVVSLLLAIVILYNLTNIN  
LAERKRELSTIKVLGFYNEEVTLTYIYRETIILSTIGVILGTISGTYLHRQMMLLIGSDQILFGEKVSPTTFIIPISV  
VVIILISLCFIVNHQLKKNMLDALKSVD

## SeqID 482

MNKRKLLTVLSIASVAVLSSVTFADEITPSDPTAPSTPLITPTPVDPGTPTDTPKSTPVDPGTPTDTPKSTPVD  
GTPTDTPKSTPVDSTNPSDSEATNTNLGKPTDVKPPTPKIPEVPSTVTPDVIDKVDKETGNITIKPIQISP  
DKTIIIGTQNGNVIIRDSSGSHLVASASEVGGRLNEDGVTIKDSSGKTKTLPTGEAKGFLSIIGATILSFVAYLFKQ  
RVTLN

## SeqID 483

MRPIVRKKMYKKGKFLVIAGIVTILGGSAILGQDVKAQAEAAATSTISEKTDSSQTIISDTSKLTLPVNSSEAMKNSA  
EPLIKTGAFATSVSSNPRIEATPVKTFDASSKVVKASTAEHSANQTNNSNVNQVANDSEVITQONSTKQLPKVITYSA  
HVQDIGWQKSVDNATVSGTVGQKQVEAIKLSIKAPEGITGKLSYKTYVKGQGWQPSVESGQVSGTVGQSRPIEALS  
INLTDNLQKLYDVYYRVHVQDIGWMAWAKNGAYAGTLGMSKRLEAYEVKFTLKGQSVLTPTILKEERPVLNYQVKVG  
QNGWQSNKLEGQMAGTLGESKALDGVKFTLSTLKYGDILYRTHVQDKGWGEILGSQTSKDYQGRLEAIQLDLSGNL  
KQNYDIYYRAHVQDKGWMWQKNNVAGTVGESKRLEALEVKLVAKASDPSSQTNHSPLEMKHPGLSYQTYLQKDGW  
KPTVLEGQLGGSIGLSKSIKAIKLNLSGALGNIERYTFLNGSGWQTVVNSGRESNVPNESQQVEAIQMLRTGLLSK  
TYSVMYRVHMODYGWQDWTYNNDIAGSTNQGKRIEALIKLVETAKIPITVQTTYKGTGNYNVRVTNVISPGNLKIA  
IWSDKNNQDDLKWYTVTPKNHEARLTFFNVTNHRDNGKYFIHVVYQENASNQKQLLVKTSLOVAHSNYNTPYFSQRDGR  
WASRRYGMATLGETGCVPTSLAMILSSLKGETVLPTQIADYLYHKTVEFNRGVQGTTSRGILKAAKEWGTATALT  
QANLVQALKDGYHVLAAVQNNVFLHGSHEIVLKGYNNGLTHVSDPYTPSLSGWYPISQLWKEQSYSEDRIIDIGE  
FVKVTD

## SeqID 484

MARIPYQKTLIFCVAVIIAIFILGLSKDLAQSKGQKVANNNVKTARVVANGDILLHDVLYASARQPDGTYNFTPYF  
KEVKSWEISADLAIGDYEGTISSEYPLAGYPLFNAPNEIATTMKETGYDVVDLAHNHILDSQLAGAINTVKTFNRMG  
LDTIGVYLKDRNKEDILIKRVNGIKIAILGYSYGYNGMEANVSKSDYEKHMSDLDTKKIKQDIKKAKEADITIVMP  
QMGIEYQKQPTTEQVMLYHSMIKWGADIIFFGGHPHVVEPSEVIKKDGQKKFIIYSMGNFISNQRLETVDIWTGERL  
LMDVTIEKKGQKTVIKKVKAPHTLVEAKANGRYVEEGFPAYDYRTLVLLEDYIEGGKKRSTIDQTMKDKVDKAYKEMN  
ELVNLKW

## SeqID 485

MKHFFDYKTMSVARKLSISFIAVILLGSILLSLPIFOYANAPKTHYIDHLFTTVSMVCVTGLSVFPISKVYNGWQGI  
VAILLMQTGGLGLVTLMSLSYYTLRRKMSLNDQTLQSAITYNSSDLDLKKYLYMIFKVTLTLEVLAAASILADIFIPR  
FGLGHGIFNSIFLAWSAFNAGFDNLGATSLAQFKLNPLVNIIVCFLLISGGLGFAVWKDLIEATIQTSHKGPGLIK  
TFPKRLSNHSLVLKTTTIIILLTGLTLLSWLLEFGNFRITIANLSLPKQLMVSFFQTVMTAGFSTIDYTQTD FATNL  
VYIIQMLIGGAPGGTAGGFVTVIAIILLLLFAELSGQSQVTFHYRTIPSSIIKQTLISILTFFFIIILISGYLLLLLEL  
NPHIDPFSLFEEASSALATVGVTMNTTNQLSLGGRIVIMFLMFIGRVGPITVLLSILQKKEKEIHYAETEIIIG

## SeqID 486

MLDELKAIKSPKLWITMAGVALIPTLYNVIFLSSMWDPYGNTKNLPVAVVNQDKSAKLNKGTISIGKDMEDNLSKN  
DSLDFHFTTAKRAEKELEKGHYYMVITFPKDLRSKATTLMTKEPERLNITYKTTKGRSFVASKMSETAANKLKDEVA  
ESITGTYTESVFNKMGSMKTGINKAADGSQELLNGSNKLQDGSQTLTSLNDVLASSQTFSGGANKLNSGINLYTDG  
VGTLNGLLETLSDGVTAYTTGVHKLSEGSQKLDKQALVEGSEKLTDLGLQQLSQATQLKPEQERTLQNLSDGLKNL  
NQIITNLQSTATTDSDTNSKLFNFLTSTIESSTKALMNTAAADKQKQMTAVQSTSAFKSLTPEQSQITS AVTGTPS  
AETIAANISSNIENMKTVLSEASSAPSNNGSQNLQTLSTGANNLVKAIISDLDKIQKLPTATKQLYQGSQTLTKGI  
TDYTNAGQLRKGAVTLDSKSNQLISGTQKASQGAQTLDSKSDQLRDGAGQLASGSDRIADGSNKLGGGHQGLIDGL  
TELSGGVSQLSSSLGKAGDQLSMVSVNKNANAVSSPVTIKHEDYDSVDTNGVGMAPYMISVALMVVALSANVIFAK  
ALSGKEPANRFSWAKNKLINGFIATLAATILFFAVQFIGLKPDPYGPKYFIILLTAWTLMALVTALVGWDNRYGSF  
LSLLILLFQLGSSAGTYPIELSPKFFQTIQPFPMPTYSVSGLRETISLTGDNVHQWRMLVIFLVSSMILALLIYRKQ  
ED

**THIS PAGE BLANK (USPTO)**